



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:02 PM UTC

PDB ID : 2CXG / pdb_00002cxg
Title : CYCLODEXTRIN GLYCOSYLTRANSFERASE COMPLEXED TO THE INHIBITOR ACARBOSE
Authors : Strokopytov, B.V.; Uitdehaag, J.C.M.; Ruiterkamp, R.; Dijkstra, B.W.
Deposited on : 1998-05-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	686	
2	B	2	
2	D	2	
3	C	2	
4	E	4	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 5493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYCLODEXTRIN GLYCOSYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	686	Total	C	N	O	S	0	0	0
			5264	3321	900	1027	16			

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	B	2	Total	C	O	0	0	0
			23	12	11			
2	D	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is an oligosaccharide called alpha-D-quinovopyranose-(1-4)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	C	2	Total	C	O	0	0	0
			21	12	9			

- Molecule 4 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	E	4	Total	C	O	0	0	0
			45	24	21			

- Molecule 5 is 6-AMINO-4-HYDROXYMETHYL-CYCLOHEX-4-ENE-1,2,3-TRIOL (CCD ID: ACI) (formula: $C_7H_{13}NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			11	7	1	3		

- Molecule 6 is alpha-D-glucopyranose (CCD ID: GLC) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			12	6	6		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Ca	0	0
			2	2		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	92	Total	O	0	0
			92	92		



- Molecule 3: alpha-D-quinovopyranose-(1-4)-alpha-D-glucopyranose

Chain C:  100%

GLC1
GLC2

- Molecule 4: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain E:  25% 25% 50%

GLC1
GLC2
GLC3
GLC4

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	120.89Å 111.90Å 65.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.50	Depositor
% Data completeness (in resolution range)	73.0 (8.00-2.50)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.182 , 0.230	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	5493	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, CA, ACI, G6D

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/5394	1.00	5/7352 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	378	ILE	CA-C-N	7.70	127.42	119.56
1	A	378	ILE	C-N-CA	7.70	127.42	119.56
1	A	415	ASN	CA-CB-CG	6.07	118.67	112.60
1	A	677	THR	N-CA-C	5.34	117.64	109.95
1	A	292	VAL	N-CA-C	5.11	115.33	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5264	0	5025	146	0
2	B	23	0	21	0	0
2	D	23	0	21	2	0
3	C	21	0	12	1	0
4	E	45	0	39	1	0
5	A	11	0	10	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	12	0	11	1	0
7	A	2	0	0	0	0
8	A	92	0	0	5	0
All	All	5493	0	5139	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:520:ARG:HD3	1:A:547:THR:HG22	1.44	0.98
1:A:300:MET:HE2	1:A:436:ARG:HG2	1.50	0.94
1:A:187:GLU:HG2	1:A:628:GLN:HE21	1.32	0.93
1:A:187:GLU:CD	1:A:628:GLN:HG2	2.09	0.76
1:A:75:TRP:CZ2	1:A:227:ARG:HD3	2.20	0.76
1:A:395:ALA:HB3	1:A:396:PRO:HD3	1.69	0.74
1:A:286:ALA:O	1:A:290:ARG:HG3	1.87	0.73
1:A:6:VAL:HG12	8:A:773:HOH:O	1.88	0.72
1:A:142:SER:HB2	1:A:143:PRO:HD2	1.72	0.71
1:A:643:PRO:HB2	1:A:646:LYS:HG3	1.72	0.71
1:A:501:ILE:HD11	1:A:565:VAL:HG13	1.72	0.70
1:A:654:LYS:HE3	1:A:684:TRP:CZ2	2.31	0.65
1:A:505:GLY:HA2	1:A:506:PRO:C	2.22	0.65
1:A:172:GLN:HE21	1:A:174:LEU:HD21	1.62	0.64
1:A:326:ASN:CG	1:A:329:MET:HE3	2.22	0.64
1:A:507:MET:HG3	8:A:794:HOH:O	1.97	0.64
1:A:358:ILE:HD13	1:A:391:ILE:HD13	1.79	0.64
1:A:284:ARG:HB2	8:A:789:HOH:O	1.98	0.63
1:A:510:LYS:HB2	1:A:511:PRO:HD2	1.81	0.62
1:A:69:MET:O	1:A:392:GLN:HA	1.99	0.62
1:A:518:ASP:OD1	1:A:548:GLN:HG3	2.00	0.62
1:A:187:GLU:OE1	1:A:626:TYR:HB3	2.01	0.61
1:A:273:ALA:HB2	1:A:280:LEU:HD12	1.82	0.61
1:A:423:ARG:HG3	1:A:423:ARG:HH11	1.66	0.61
1:A:414:ILE:HG12	1:A:415:ASN:N	2.17	0.60
1:A:81:GLU:OE1	1:A:103:ARG:HD3	2.03	0.59
1:A:141:THR:OG1	1:A:198:ALA:HB3	2.04	0.58
1:A:515:ILE:CG2	1:A:553:ILE:HD11	2.35	0.57
1:A:630:VAL:HG12	1:A:631:TYR:CE1	2.39	0.57
1:A:653:LEU:HD12	1:A:655:LYS:HG3	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:670:PHE:CD1	1:A:680:ILE:HD11	2.39	0.57
1:A:499:PRO:HB2	1:A:573:SER:HB3	1.88	0.56
1:A:60:LYS:HE2	1:A:381:PHE:CD2	2.41	0.56
1:A:183:PHE:HE1	1:A:233:HIS:HE1	1.53	0.56
1:A:520:ARG:HD3	1:A:547:THR:CG2	2.28	0.56
1:A:231:VAL:HG22	1:A:257:GLU:O	2.06	0.56
1:A:644:ALA:HB1	1:A:674:SER:HA	1.86	0.55
1:A:669:THR:HG22	1:A:670:PHE:N	2.22	0.55
1:A:38:ALA:HB2	1:A:86:ILE:HD11	1.88	0.54
1:A:650:PHE:CE1	1:A:670:PHE:HD2	2.26	0.54
1:A:333:HIS:HB2	1:A:342:LEU:HD22	1.90	0.53
1:A:187:GLU:HG2	1:A:628:GLN:NE2	2.12	0.53
1:A:395:ALA:HB3	1:A:396:PRO:CD	2.38	0.53
1:A:361:GLY:HA3	1:A:366:MET:SD	2.49	0.53
1:A:251:PRO:HB3	1:A:506:PRO:HG3	1.90	0.53
1:A:227:ARG:HH21	1:A:229:ASP:HB2	1.74	0.53
1:A:153:GLU:O	1:A:156:ARG:HG3	2.09	0.53
1:A:237:GLY:HA3	1:A:639:ASP:O	2.10	0.52
4:E:1:GLC:H62	4:E:2:GLC:O5	2.10	0.52
1:A:385:THR:O	1:A:389:GLN:HG3	2.09	0.51
1:A:633:TYR:CG	1:A:634:PRO:HA	2.45	0.51
1:A:80:VAL:HA	1:A:107:LYS:O	2.11	0.51
1:A:172:GLN:NE2	1:A:174:LEU:HD21	2.24	0.51
1:A:183:PHE:HE1	1:A:233:HIS:CE1	2.27	0.51
1:A:670:PHE:CD2	1:A:680:ILE:HD13	2.45	0.51
1:A:600:LEU:HD22	2:D:1:GLC:H3	1.93	0.51
1:A:326:ASN:ND2	1:A:329:MET:HE3	2.27	0.50
1:A:121:LEU:HD12	1:A:121:LEU:O	2.12	0.50
1:A:142:SER:HB2	1:A:143:PRO:CD	2.41	0.50
1:A:170:ASP:OD2	1:A:177:HIS:HE1	1.94	0.50
1:A:605:TYR:CE1	1:A:655:LYS:HB2	2.47	0.50
1:A:87:ILE:CD1	1:A:143:PRO:HG2	2.42	0.50
1:A:625:MET:HE3	1:A:638:TYR:HB2	1.92	0.50
1:A:401:ASN:OD1	1:A:403:ALA:HB3	2.12	0.49
1:A:219:LEU:HD23	1:A:223:ILE:HD11	1.94	0.49
1:A:142:SER:OG	1:A:155:GLY:HA2	2.13	0.49
1:A:227:ARG:HG3	1:A:255:PHE:CE2	2.47	0.49
1:A:668:HIS:CE1	1:A:682:VAL:HG11	2.47	0.49
1:A:21:PHE:HB2	1:A:360:TYR:CE1	2.48	0.49
1:A:143:PRO:HA	1:A:196:ASP:O	2.12	0.49
1:A:401:ASN:HB3	1:A:404:ILE:HG13	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:633:TYR:CZ	2:D:1:GLC:H2	2.47	0.48
1:A:403:ALA:O	1:A:407:GLY:HA3	2.13	0.48
1:A:236:PHE:CZ	1:A:258:TRP:CH2	3.02	0.48
1:A:333:HIS:HB3	8:A:717:HOH:O	2.14	0.48
1:A:655:LYS:HG2	1:A:660:VAL:HG22	1.96	0.48
1:A:417:ASP:O	1:A:436:ARG:HG3	2.14	0.48
1:A:229:ASP:OD1	5:A:695:ACI:H2	2.14	0.47
1:A:387:ALA:O	1:A:391:ILE:HG13	2.14	0.47
3:C:1:GLC:H62	3:C:2:G6D:O5	2.14	0.47
1:A:527:GLY:HA3	1:A:544:TRP:CH2	2.49	0.47
1:A:208:ASP:O	1:A:212:LYS:HG3	2.15	0.47
1:A:194:LEU:O	1:A:195:TYR:HB2	2.15	0.47
1:A:632:GLN:O	1:A:635:ASN:HB2	2.15	0.47
1:A:681:ASN:C	1:A:682:VAL:HG23	2.40	0.46
1:A:408:SER:O	1:A:423:ARG:HA	2.15	0.46
1:A:459:VAL:HG23	1:A:489:VAL:O	2.16	0.46
1:A:204:ASN:OD1	1:A:206:THR:HB	2.16	0.46
1:A:108:THR:CG2	1:A:115:ILE:HD13	2.46	0.46
1:A:583:SER:HB2	1:A:643:PRO:HG3	1.98	0.46
1:A:147:ASP:O	1:A:149:PRO:HD3	2.16	0.46
1:A:300:MET:HB2	1:A:415:ASN:O	2.16	0.46
1:A:566:ALA:HA	1:A:571:THR:O	2.16	0.46
1:A:630:VAL:HG12	1:A:631:TYR:CD1	2.51	0.46
1:A:652:PHE:N	1:A:652:PHE:CD1	2.84	0.46
1:A:60:LYS:HE2	1:A:381:PHE:CE2	2.51	0.45
1:A:87:ILE:HG22	1:A:88:ASN:N	2.31	0.45
1:A:258:TRP:CG	1:A:269:ASN:HD22	2.34	0.45
1:A:508:MET:O	1:A:509:ALA:HB2	2.16	0.45
1:A:640:VAL:HG12	1:A:642:VAL:HG13	1.97	0.45
1:A:650:PHE:HE1	1:A:670:PHE:HD2	1.64	0.45
1:A:287:GLN:O	1:A:291:GLN:HG3	2.15	0.45
1:A:115:ILE:O	1:A:119:GLN:HG3	2.16	0.45
1:A:606:LEU:HG	1:A:607:THR:N	2.30	0.45
1:A:300:MET:HE2	1:A:436:ARG:CG	2.33	0.45
1:A:371:ASP:HA	1:A:372:PRO:HA	1.69	0.44
1:A:668:HIS:CE1	1:A:682:VAL:CG1	3.00	0.44
1:A:669:THR:CG2	1:A:670:PHE:N	2.79	0.44
1:A:235:PRO:O	1:A:239:GLN:HG3	2.17	0.44
1:A:618:PRO:CB	1:A:660:VAL:HG21	2.47	0.44
1:A:633:TYR:HA	1:A:635:ASN:N	2.31	0.44
1:A:650:PHE:CE1	1:A:670:PHE:CD2	3.06	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:LYS:HA	1:A:60:LYS:HD2	1.66	0.43
1:A:412:ARG:HD3	1:A:448:VAL:O	2.18	0.43
1:A:445:SER:HA	1:A:479:ASN:ND2	2.33	0.43
1:A:622:ILE:HG21	1:A:640:VAL:HG22	2.00	0.43
1:A:236:PHE:N	1:A:236:PHE:CD1	2.81	0.43
1:A:371:ASP:OD1	1:A:372:PRO:HA	2.18	0.43
1:A:26:SER:O	1:A:56:GLY:HA3	2.19	0.42
1:A:522:PHE:HB2	1:A:546:ASP:HA	2.00	0.42
1:A:34:PRO:HG2	1:A:49:TYR:CB	2.49	0.42
1:A:260:LEU:HD23	1:A:260:LEU:HA	1.90	0.42
1:A:379:PRO:O	1:A:380:SER:HB3	2.19	0.42
1:A:673:PRO:HG3	1:A:678:ALA:HB2	2.01	0.42
1:A:62:ASN:HD22	1:A:62:ASN:HA	1.58	0.42
1:A:40:ASP:HB2	1:A:48:LEU:HD12	2.02	0.42
1:A:75:TRP:CZ2	1:A:227:ARG:CD	2.99	0.42
1:A:508:MET:HE2	1:A:508:MET:HB3	1.77	0.42
1:A:116:ALA:HA	1:A:119:GLN:HE21	1.85	0.42
1:A:625:MET:HE2	1:A:637:TYR:C	2.44	0.41
1:A:75:TRP:CD1	1:A:75:TRP:C	2.98	0.41
1:A:24:ARG:NH2	1:A:97:TYR:CD1	2.88	0.41
1:A:427:SER:HB2	1:A:494:ALA:HB3	2.03	0.41
1:A:682:VAL:HG12	1:A:683:ASN:N	2.36	0.41
1:A:423:ARG:HG3	1:A:423:ARG:NH1	2.33	0.41
1:A:136:PHE:C	1:A:138:PRO:HD3	2.46	0.41
1:A:303:LEU:HD12	1:A:303:LEU:HA	1.84	0.41
1:A:372:PRO:HB3	8:A:781:HOH:O	2.21	0.41
1:A:544:TRP:C	1:A:544:TRP:CD1	2.99	0.41
1:A:148:GLN:C	1:A:150:SER:H	2.28	0.41
1:A:197:LEU:HD11	6:A:696:GLC:H62	2.03	0.41
1:A:217:MET:HE2	1:A:217:MET:HB2	1.83	0.41
1:A:61:ILE:HG13	1:A:66:LEU:HD12	2.03	0.40
1:A:633:TYR:HA	1:A:635:ASN:H	1.86	0.40
1:A:628:GLN:HG3	1:A:629:VAL:HG23	2.03	0.40
1:A:22:THR:O	1:A:52:GLY:HA3	2.22	0.40
1:A:414:ILE:CG1	1:A:415:ASN:N	2.82	0.40
1:A:378:ILE:HD13	1:A:381:PHE:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	684/686 (100%)	637 (93%)	45 (7%)	2 (0%)	36	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	578	ASN
1	A	437	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	556/556 (100%)	502 (90%)	54 (10%)	8	17

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	LYS
1	A	21	PHE
1	A	47	ARG
1	A	61	ILE
1	A	69	MET
1	A	75	TRP
1	A	77	SER
1	A	80	VAL
1	A	90	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	92	VAL
1	A	145	SER
1	A	148	GLN
1	A	150	SER
1	A	160	ASN
1	A	172	GLN
1	A	173	ASN
1	A	187	GLU
1	A	205	SER
1	A	217	MET
1	A	252	VAL
1	A	262	VAL
1	A	264	GLU
1	A	268	GLU
1	A	284	ARG
1	A	289	VAL
1	A	316	GLN
1	A	318	ASP
1	A	331	ARG
1	A	335	SER
1	A	341	LYS
1	A	367	SER
1	A	373	ASP
1	A	404	ILE
1	A	415	ASN
1	A	420	ILE
1	A	427	SER
1	A	436	ARG
1	A	443	SER
1	A	444	ILE
1	A	498	THR
1	A	507	MET
1	A	510	LYS
1	A	514	THR
1	A	525	SER
1	A	543	SER
1	A	560	ASN
1	A	564	LYS
1	A	565	VAL
1	A	587	VAL
1	A	606	LEU
1	A	610	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	632	GLN
1	A	646	LYS
1	A	653	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	ASN
1	A	94	ASN
1	A	119	GLN
1	A	139	ASN
1	A	160	ASN
1	A	172	GLN
1	A	177	HIS
1	A	316	GLN
1	A	410	GLN
1	A	428	ASN
1	A	479	ASN
1	A	560	ASN
1	A	578	ASN
1	A	602	GLN
1	A	603	ASN
1	A	628	GLN
1	A	683	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	B	1	2	12,12,12	0.40	0	17,17,17	0.77	0
2	GLC	B	2	2	11,11,12	0.37	0	15,15,17	0.99	0
3	GLC	C	1	3	12,12,12	0.36	0	17,17,17	1.27	2 (11%)
3	G6D	C	2	5,3	9,9,11	0.34	0	11,12,16	1.40	1 (9%)
2	GLC	D	1	2	12,12,12	0.34	0	17,17,17	0.66	0
2	GLC	D	2	2	11,11,12	0.37	0	15,15,17	0.91	1 (6%)
4	GLC	E	1	4	12,12,12	0.38	0	17,17,17	1.23	2 (11%)
4	GLC	E	2	4	11,11,12	0.58	0	15,15,17	1.84	6 (40%)
4	GLC	E	3	4	11,11,12	0.39	0	15,15,17	1.06	1 (6%)
4	GLC	E	4	4	11,11,12	0.37	0	15,15,17	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	-	2/2/22/22	0/1/1/1
2	GLC	B	2	2	-	0/2/19/22	0/1/1/1
3	GLC	C	1	3	-	0/2/22/22	0/1/1/1
3	G6D	C	2	5,3	-	-	0/1/1/1
2	GLC	D	1	2	-	2/2/22/22	0/1/1/1
2	GLC	D	2	2	-	2/2/19/22	0/1/1/1
4	GLC	E	1	4	-	2/2/22/22	0/1/1/1
4	GLC	E	2	4	-	0/2/19/22	0/1/1/1
4	GLC	E	3	4	-	0/2/19/22	0/1/1/1
4	GLC	E	4	4	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2	G6D	C1-O5-C5	3.63	117.13	111.80
4	E	2	GLC	C1-O5-C5	3.49	116.86	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1	GLC	C3-C4-C5	3.32	116.25	110.23
3	C	1	GLC	O5-C1-C2	3.16	115.86	110.30
4	E	2	GLC	O5-C1-C2	2.85	117.60	110.79
4	E	3	GLC	C1-C2-C3	2.80	113.73	109.64
4	E	2	GLC	C2-C3-C4	2.65	115.52	110.86
3	C	1	GLC	C1-O5-C5	2.45	118.40	113.65
4	E	2	GLC	O5-C5-C6	-2.34	103.11	107.66
4	E	2	GLC	O4-C4-C3	-2.23	105.11	110.38
4	E	2	GLC	C1-C2-C3	2.16	112.80	109.64
2	D	2	GLC	C1-O5-C5	2.13	115.05	112.19
4	E	1	GLC	O4-C4-C3	-2.09	105.44	110.38

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	4	GLC	O5-C5-C6-O6
2	B	1	GLC	O5-C5-C6-O6
2	D	2	GLC	C4-C5-C6-O6
2	B	1	GLC	C4-C5-C6-O6
4	E	4	GLC	C4-C5-C6-O6
2	D	2	GLC	O5-C5-C6-O6
2	D	1	GLC	C4-C5-C6-O6
2	D	1	GLC	O5-C5-C6-O6
4	E	1	GLC	C4-C5-C6-O6
4	E	1	GLC	O5-C5-C6-O6


There are no ring outliers.



5 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	2	GLC	1	0
4	E	1	GLC	1	0
2	D	1	GLC	2	0
3	C	2	G6D	1	0
3	C	1	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACI	A	695	6,3	11,11,12	2.16	3 (27%)	8,15,17	0.73	0
6	GLC	A	696	5	12,12,12	0.37	0	17,17,17	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ACI	A	695	6,3	-	1/2/18/22	0/1/1/1
6	GLC	A	696	5	-	0/2/22/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	695	ACI	C4-C5	-5.03	1.41	1.50
5	A	695	ACI	C1-C7	-3.51	1.42	1.50
5	A	695	ACI	C7-C5	2.89	1.42	1.33

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	695	ACI	C7-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	695	ACI	1	0
6	A	696	GLC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.