



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:57 PM UTC

PDB ID : 6CZD / pdb_00006czd
Title : Crystal structure of Mycobacterium tuberculosis dethiobiotin synthetase in complex with adenosine diphosphate
Authors : Thompson, A.P.; Wegener, K.L.; Bruning, J.B.; Polyak, S.W.
Deposited on : 2018-04-09
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	235	
1	B	235	
1	C	235	
1	D	235	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7014 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent dethiobiotin synthetase BioD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	227	Total	C	N	O	S	0	4	0
			1585	989	286	303	7			
1	B	226	Total	C	N	O	S	0	1	0
			1577	984	285	301	7			
1	C	228	Total	C	N	O	S	0	0	0
			1577	984	286	300	7			
1	D	227	Total	C	N	O	S	0	0	0
			1567	979	282	299	7			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	MET	-	initiating methionine	UNP P9WPQ5
A	-7	GLY	-	expression tag	UNP P9WPQ5
A	-6	HIS	-	expression tag	UNP P9WPQ5
A	-5	HIS	-	expression tag	UNP P9WPQ5
A	-4	HIS	-	expression tag	UNP P9WPQ5
A	-3	HIS	-	expression tag	UNP P9WPQ5
A	-2	HIS	-	expression tag	UNP P9WPQ5
A	-1	HIS	-	expression tag	UNP P9WPQ5
A	0	GLY	-	expression tag	UNP P9WPQ5
A	1	GLY	-	expression tag	UNP P9WPQ5
B	-8	MET	-	initiating methionine	UNP P9WPQ5
B	-7	GLY	-	expression tag	UNP P9WPQ5
B	-6	HIS	-	expression tag	UNP P9WPQ5
B	-5	HIS	-	expression tag	UNP P9WPQ5
B	-4	HIS	-	expression tag	UNP P9WPQ5
B	-3	HIS	-	expression tag	UNP P9WPQ5
B	-2	HIS	-	expression tag	UNP P9WPQ5
B	-1	HIS	-	expression tag	UNP P9WPQ5
B	0	GLY	-	expression tag	UNP P9WPQ5
B	1	GLY	-	expression tag	UNP P9WPQ5
C	-8	MET	-	initiating methionine	UNP P9WPQ5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	GLY	-	expression tag	UNP P9WPQ5
C	-6	HIS	-	expression tag	UNP P9WPQ5
C	-5	HIS	-	expression tag	UNP P9WPQ5
C	-4	HIS	-	expression tag	UNP P9WPQ5
C	-3	HIS	-	expression tag	UNP P9WPQ5
C	-2	HIS	-	expression tag	UNP P9WPQ5
C	-1	HIS	-	expression tag	UNP P9WPQ5
C	0	GLY	-	expression tag	UNP P9WPQ5
C	1	GLY	-	expression tag	UNP P9WPQ5
D	-8	MET	-	initiating methionine	UNP P9WPQ5
D	-7	GLY	-	expression tag	UNP P9WPQ5
D	-6	HIS	-	expression tag	UNP P9WPQ5
D	-5	HIS	-	expression tag	UNP P9WPQ5
D	-4	HIS	-	expression tag	UNP P9WPQ5
D	-3	HIS	-	expression tag	UNP P9WPQ5
D	-2	HIS	-	expression tag	UNP P9WPQ5
D	-1	HIS	-	expression tag	UNP P9WPQ5
D	0	GLY	-	expression tag	UNP P9WPQ5
D	1	GLY	-	expression tag	UNP P9WPQ5

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	D	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	193	Total O 193 193	0	0
4	B	171	Total O 171 171	0	0
4	C	101	Total O 101 101	0	0
4	D	131	Total O 131 131	0	0


- Molecule 1: ATP-dependent dethiobiotin synthetase BioD




- Chain B:  87% 9% 4%



- Chain C:  3% 86% 10%



- Chain D: 3% 83% 11% . .



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.77Å 105.75Å 155.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.70 – 2.40 43.70 – 2.40	Depositor EDS
% Data completeness (in resolution range)	92.9 (43.70-2.40) 92.9 (43.70-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.30 (at 2.39Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.189 , 0.259 0.191 , 0.260	Depositor DCC
R_{free} test set	1742 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.114	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7014	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/1605	0.55	0/2196
1	B	0.34	0/1596	0.54	0/2184
1	C	0.29	0/1596	0.48	0/2183
1	D	0.33	0/1586	0.54	0/2171
All	All	0.33	0/6383	0.53	0/8734

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	119	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1585	0	1624	9	0
1	B	1577	0	1625	12	0
1	C	1577	0	1624	14	0
1	D	1567	0	1610	20	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	27	0	12	0	0
3	B	27	0	12	1	0
3	C	27	0	12	0	0
3	D	27	0	12	2	0
4	A	193	0	0	2	0
4	B	171	0	0	2	1
4	C	101	0	0	4	1
4	D	131	0	0	3	0
All	All	7014	0	6531	53	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:118:ALA:O	4:D:401:HOH:O	1.95	0.84
1:C:97:ASP:O	1:C:100:ARG:NH2	2.22	0.73
1:C:220:TRP:N	4:C:402:HOH:O	2.27	0.67
1:D:52:GLU:HG3	1:D:55:ARG:HH12	1.60	0.66
1:C:143:LEU:HD23	3:D:302:ADP:C2	2.35	0.61
1:B:43:THR:HG21	1:B:67:ARG:HB3	1.82	0.61
1:D:89:ASP:HB2	4:D:501:HOH:O	2.00	0.60
1:B:17:VAL:HG21	1:B:201:ALA:HB2	1.83	0.60
1:D:119:GLU:HB3	1:D:120:PRO:HD2	1.83	0.59
1:A:39:VAL:HG11	1:A:74:PRO:HB3	1.87	0.54
1:D:72:MET:HE1	1:D:80:HIS:HB2	1.91	0.54
1:B:0:GLY:N	4:B:408:HOH:O	2.42	0.52
1:C:143:LEU:HD11	1:D:11:THR:HG21	1.91	0.52
1:D:43:THR:HG21	1:D:67:ARG:HB3	1.92	0.51
1:D:125:ARG:O	1:D:129:VAL:HG23	2.10	0.51
1:B:78:ALA:HB1	1:B:83:MET:O	2.11	0.50
1:B:73:ALA:HB2	3:B:302:ADP:C6	2.47	0.49
1:A:63:ALA:HB1	1:A:94:LEU:HD11	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:29:ALA:HB3	1:C:31:ILE:HD12	1.95	0.48
1:C:1:GLY:O	4:C:401:HOH:O	2.20	0.48
1:B:37:LYS:HD3	1:B:49:ASP:HB2	1.95	0.48
1:B:35:VAL:HG21	1:B:53:VAL:HG11	1.95	0.48
1:A:172:PRO:HG2	1:A:175[B]:PRO:HA	1.95	0.48
1:A:46:GLY:HA2	4:A:431:HOH:O	2.13	0.48
1:D:129:VAL:HG22	1:D:161:VAL:HG22	1.96	0.47
1:D:167:VAL:HG13	1:D:194:ALA:HB3	1.96	0.47
1:B:89:ASP:OD2	1:B:90:GLN:N	2.47	0.47
1:D:52:GLU:HG3	1:D:55:ARG:NH1	2.27	0.47
1:D:78:ALA:HB1	1:D:83:MET:O	2.14	0.47
1:C:65:LEU:HB2	1:C:94:LEU:HD22	1.98	0.45
1:C:204:ASP:OD1	1:C:204:ASP:N	2.50	0.45
1:C:69:PRO:HD2	4:C:429:HOH:O	2.15	0.44
1:B:17:VAL:HG23	4:B:480:HOH:O	2.17	0.44
1:D:72:MET:HE3	1:D:76:ALA:C	2.43	0.44
1:C:37:LYS:NZ	1:C:49:ASP:OD2	2.41	0.43
1:C:184:SER:O	1:C:188:ARG:HG3	2.18	0.43
1:A:191:MET:HE3	1:A:193:ARG:NH2	2.34	0.43
1:C:185:ALA:O	1:C:189:ILE:HG13	2.18	0.43
1:B:119[A]:GLU:HA	1:B:120:PRO:HA	1.80	0.43
1:D:9:THR:HG23	1:D:139:VAL:HG12	2.01	0.43
1:D:125:ARG:NH2	1:D:155:ALA:HB1	2.34	0.42
1:B:112:GLY:O	1:B:115:VAL:HG13	2.19	0.42
1:A:125:ARG:NH1	1:A:155:ALA:HB1	2.34	0.42
1:A:125:ARG:HD2	1:A:159:GLN:HB2	2.02	0.42
1:D:18:VAL:HG22	1:D:196:LEU:HD22	2.02	0.41
1:A:159:GLN:HG2	4:A:432:HOH:O	2.19	0.41
1:B:211:MET:C	1:B:211:MET:SD	3.04	0.41
1:C:143:LEU:HD21	1:D:11:THR:HG21	2.03	0.41
1:A:173:ASP:HA	1:A:174:PRO:HA	1.78	0.40
1:C:100:ARG:NH1	4:C:419:HOH:O	2.50	0.40
1:D:113:LEU:HD11	1:D:125:ARG:HB2	2.02	0.40
1:D:15:LYS:NZ	3:D:302:ADP:O2A	2.48	0.40
1:D:40:GLN:NE2	4:D:414:HOH:O	2.50	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:559:HOH:O	4:C:500:HOH:O[3_545]	2.09	0.11

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/235 (97%)	226 (99%)	2 (1%)	1 (0%)	30	43
1	B	225/235 (96%)	220 (98%)	5 (2%)	0	100	100
1	C	226/235 (96%)	219 (97%)	6 (3%)	1 (0%)	30	43
1	D	225/235 (96%)	218 (97%)	5 (2%)	2 (1%)	14	22
All	All	905/940 (96%)	883 (98%)	18 (2%)	4 (0%)	30	43

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	120	PRO
1	D	89	ASP
1	C	120	PRO
1	A	120	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	152/158 (96%)	149 (98%)	3 (2%)	48	70
1	B	152/158 (96%)	149 (98%)	3 (2%)	48	70
1	C	151/158 (96%)	142 (94%)	9 (6%)	17	31
1	D	150/158 (95%)	143 (95%)	7 (5%)	23	41
All	All	605/632 (96%)	583 (96%)	22 (4%)	30	52

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	GLU
1	A	159	GLN
1	A	218	ARG
1	B	115	VAL
1	B	122	VAL
1	B	191	MET
1	C	11	THR
1	C	15	LYS
1	C	27	ARG
1	C	33	VAL
1	C	61	GLN
1	C	98	LEU
1	C	100	ARG
1	C	127	VAL
1	C	143	LEU
1	D	4	LEU
1	D	11	THR
1	D	93	ARG
1	D	140	THR
1	D	143	LEU
1	D	154	GLU
1	D	196	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	61	GLN
1	B	219	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ADP	C	302	2	28,29,29	1.58	5 (17%)	43,45,45	1.84	10 (23%)
3	ADP	A	302	2	28,29,29	1.76	4 (14%)	43,45,45	1.84	8 (18%)
3	ADP	D	302	2	28,29,29	1.58	5 (17%)	43,45,45	1.82	8 (18%)
3	ADP	B	302	2	28,29,29	1.56	5 (17%)	43,45,45	1.88	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	C	302	2	-	10/16/32/32	0/3/3/3
3	ADP	A	302	2	-	1/16/32/32	0/3/3/3
3	ADP	D	302	2	-	0/16/32/32	0/3/3/3
3	ADP	B	302	2	-	0/16/32/32	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	ADP	C5-C4	5.68	1.49	1.39
3	D	302	ADP	C5-C4	5.36	1.48	1.39
3	B	302	ADP	C5-C4	5.26	1.48	1.39
3	C	302	ADP	C5-C4	5.15	1.48	1.39
3	A	302	ADP	PA-O3A	4.06	1.63	1.59
3	A	302	ADP	C5-C6	3.34	1.50	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	ADP	C5-C6	3.23	1.50	1.41
3	D	302	ADP	C5-C6	3.22	1.49	1.41
3	A	302	ADP	C8-N7	2.99	1.37	1.31
3	C	302	ADP	PA-O3A	2.96	1.62	1.59
3	C	302	ADP	C5-C6	2.92	1.49	1.41
3	C	302	ADP	C8-N7	2.80	1.37	1.31
3	D	302	ADP	C8-N7	2.63	1.36	1.31
3	B	302	ADP	PA-O3A	2.43	1.62	1.59
3	D	302	ADP	PA-O3A	2.22	1.61	1.59
3	D	302	ADP	C5-N7	-2.14	1.35	1.39
3	B	302	ADP	C5-N7	-2.08	1.35	1.39
3	B	302	ADP	C8-N7	2.06	1.35	1.31
3	C	302	ADP	C5-N7	-2.01	1.35	1.39

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	ADP	C5-C4-N3	-6.24	118.13	126.72
3	D	302	ADP	C5-C4-N3	-6.08	118.34	126.72
3	B	302	ADP	C5-C4-N3	-5.89	118.61	126.72
3	C	302	ADP	C5-C4-N3	-5.80	118.72	126.72
3	B	302	ADP	N3-C4-N9	4.94	135.57	127.17
3	A	302	ADP	N3-C4-N9	4.52	134.86	127.17
3	D	302	ADP	N3-C4-N9	4.38	134.62	127.17
3	C	302	ADP	N3-C4-N9	4.27	134.43	127.17
3	B	302	ADP	C4-C5-N7	-4.14	105.84	110.58
3	D	302	ADP	C4-C5-N7	-4.05	105.95	110.58
3	A	302	ADP	C4-C5-N7	-4.01	106.00	110.58
3	C	302	ADP	C2-N3-C4	3.84	121.20	111.83
3	A	302	ADP	C2-N3-C4	3.62	120.67	111.83
3	D	302	ADP	C2-N3-C4	3.51	120.42	111.83
3	C	302	ADP	C4-C5-N7	-3.48	106.60	110.58
3	C	302	ADP	N3-C2-N1	-3.48	123.31	128.58
3	B	302	ADP	C2-N3-C4	3.42	120.19	111.83
3	B	302	ADP	C5-N7-C8	3.29	108.62	103.45
3	B	302	ADP	C4-N9-C8	3.14	109.03	105.74
3	B	302	ADP	N3-C2-N1	-2.90	124.19	128.58
3	A	302	ADP	C3'-C2'-C1'	2.82	106.79	101.46
3	D	302	ADP	C5-N7-C8	2.81	107.86	103.45
3	A	302	ADP	C5-N7-C8	2.74	107.76	103.45
3	D	302	ADP	N3-C2-N1	-2.74	124.44	128.58
3	A	302	ADP	N3-C2-N1	-2.60	124.65	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	302	ADP	C3'-C2'-C1'	2.50	106.18	101.46
3	D	302	ADP	C3'-C2'-C1'	2.48	106.15	101.46
3	C	302	ADP	C5-N7-C8	2.45	107.31	103.45
3	C	302	ADP	C6-C5-N7	2.34	136.61	132.09
3	B	302	ADP	C2-N1-C6	2.33	122.56	118.73
3	D	302	ADP	O3B-PB-O2B	2.31	116.47	107.80
3	B	302	ADP	N9-C8-N7	-2.29	110.69	113.94
3	C	302	ADP	C2'-C1'-N9	-2.18	107.89	113.30
3	A	302	ADP	C6-C5-N7	2.17	136.28	132.09
3	C	302	ADP	C2-N1-C6	2.08	122.15	118.73

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	302	ADP	PA-O3A-PB-O2B
3	C	302	ADP	C5'-O5'-PA-O1A
3	C	302	ADP	C5'-O5'-PA-O3A
3	C	302	ADP	O4'-C4'-C5'-O5'
3	C	302	ADP	C5'-O5'-PA-O2A
3	C	302	ADP	O4'-C1'-N9-C8
3	C	302	ADP	PB-O3A-PA-O1A
3	C	302	ADP	O4'-C1'-N9-C4
3	C	302	ADP	PB-O3A-PA-O2A
3	C	302	ADP	PA-O3A-PB-O1B
3	A	302	ADP	O4'-C4'-C5'-O5'


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	302	ADP	2	0
3	B	302	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	227/235 (96%)	-0.33	1 (0%) 88 86	15, 23, 34, 54	4 (1%)
1	B	226/235 (96%)	-0.29	2 (0%) 81 78	16, 25, 41, 72	1 (0%)
1	C	228/235 (97%)	0.50	8 (3%) 47 43	23, 39, 61, 75	1 (0%)
1	D	227/235 (96%)	-0.03	6 (2%) 57 53	18, 30, 48, 105	1 (0%)
All	All	908/940 (96%)	-0.04	17 (1%) 66 62	15, 28, 52, 105	7 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	-1	HIS	3.7
1	D	225	VAL	3.5
1	D	120	PRO	3.0
1	C	225	VAL	2.8
1	B	177	LEU	2.7
1	D	174	PRO	2.6
1	C	204	ASP	2.5
1	C	11	THR	2.4
1	A	177	LEU	2.3
1	B	174	PRO	2.2
1	C	174	PRO	2.2
1	C	-1	HIS	2.2
1	C	1	GLY	2.2
1	D	173	ASP	2.2
1	C	89	ASP	2.1
1	D	0	GLY	2.0
1	C	97	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ADP	C	302	27/27	0.91	0.12	31,49,59,60	0
3	ADP	D	302	27/27	0.95	0.10	16,40,47,48	0
3	ADP	A	302	27/27	0.96	0.08	11,25,34,41	27
3	ADP	B	302	27/27	0.96	0.07	15,25,32,36	0
2	MG	C	301	1/1	0.98	0.04	39,39,39,39	0
2	MG	A	301	1/1	0.99	0.02	16,16,16,16	0
2	MG	D	301	1/1	0.99	0.03	21,21,21,21	1
2	MG	B	301	1/1	1.00	0.04	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ADP C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around MG C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.