



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:59 PM UTC

PDB ID : 9CZF / pdb_00009czf
Title : Crystal structure of integrin avb6 headpiece in complex with compound MORF-627
Authors : Monroy, M.F.; Qiao, Q.; Lin, F.Y.
Deposited on : 2024-08-05
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7383 (2.54-2.50)
Clashscore	190562	8079 (2.54-2.50)
Ramachandran outliers	187476	7944 (2.54-2.50)
Sidechain outliers	187428	7946 (2.54-2.50)
RSRZ outliers	180081	7387 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	9% 92% 6%
2	B	481	8% 92% 5%
3	C	214	8% 94% 6%
4	D	218	5% 95% ..
5	G	3	33% 33% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	I	3	
6	E	6	
7	F	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	ACT	D	302	-	-	X	-

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 23140 atoms, of which 11266 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-V heavy chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	595	9111	2935	4482	786	887	21	0	3	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	400	CYS	MET	conflict	UNP P06756
A	596	GLY	-	expression tag	UNP P06756
A	597	GLY	-	expression tag	UNP P06756
A	598	SER	-	expression tag	UNP P06756
A	599	LEU	-	expression tag	UNP P06756
A	600	GLU	-	expression tag	UNP P06756
A	601	VAL	-	expression tag	UNP P06756
A	602	LEU	-	expression tag	UNP P06756
A	603	PHE	-	expression tag	UNP P06756
A	604	GLN	-	expression tag	UNP P06756
A	605	GLY	-	expression tag	UNP P06756

- Molecule 2 is a protein called Integrin beta-6.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	B	466	7074	2234	3505	612	692	31	0	1	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	270	CYS	ILE	conflict	UNP P18564
B	475	SER	-	expression tag	UNP P18564
B	476	GLY	-	expression tag	UNP P18564
B	477	HIS	-	expression tag	UNP P18564
B	478	SER	-	expression tag	UNP P18564

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	479	LEU	-	expression tag	UNP P18564
B	480	GLU	-	expression tag	UNP P18564
B	481	VAL	-	expression tag	UNP P18564
B	482	LEU	-	expression tag	UNP P18564
B	483	PHE	-	expression tag	UNP P18564
B	484	GLN	-	expression tag	UNP P18564
B	485	GLY	-	expression tag	UNP P18564


- Molecule 3 is a protein called 17E6 Fab light chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	C	214	Total	C	H	N	O	S	0	0	0
			3248	1035	1582	280	344	7			

- Molecule 4 is a protein called 17E6 Fab heavy chain.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	D	213	Total	C	H	N	O	S	0	0	0
			3121	1004	1531	258	317	11			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
5	I	3	Total	C	H	N	O		0	0	0
			63	22	24	2	15				
5	G	3	Total	C	H	N	O		0	0	0
			63	22	24	2	15				

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	6	Total	C	H	N	O	0	0	0
			117	40	45	2	30			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	F	4	Total	C	H	N	O	0	0	0
			81	28	31	2	20			

- Molecule 8 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	4	Total	Ca	0	0
			4	4		
8	B	2	Total	Ca	0	0
			2	2		

- Molecule 9 is alpha-D-mannopyranose (CCD ID: MAN) (formula: C₆H₁₂O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C H O 19 6 8 5	0	0
9	A	1	Total C O 11 6 5	0	0

- Molecule 10 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total C H O 9 3 3 3	0	0
10	A	1	Total C H O 9 3 3 3	0	0
10	A	1	Total C H O 9 3 3 3	0	0
10	A	1	Total C H O 9 3 3 3	0	0
10	B	1	Total C H O 9 3 3 3	0	0
10	B	1	Total C H O 9 3 3 3	0	0
10	C	1	Total C H O 9 3 3 3	0	0
10	D	1	Total C H O 9 3 3 3	0	0

- Molecule 11 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	1	Total	Mg	0	0
			1	1		

- Molecule 12 is (2S)-{5-fluoro-2-[(6S)-5-oxaspiro[2.5]octan-6-yl]phenyl}{(3R)-3-[4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butoxy]pyrrolidin-1-yl}acetic acid (CCD ID: A1A6I) (formula: C₃₁H₄₀FN₃O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	B	1	Total	C	F	N	O	0	0
			39	31	1	3	4		

- Molecule 13 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	B	1	Total	C	O	0	0
			4	2	2		
13	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	B	1	Total	C	H	N	O	0	0
			24	8	10	1	5		

- Molecule 15 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	B	1	Total	Cl	0	0
			1	1		


- Molecule 16 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	43	Total	O	0	0
			43	43		
16	B	32	Total	O	0	0
			32	32		
16	D	6	Total	O	0	0
			6	6		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Integrin alpha-V heavy chain



- Molecule 2: Integrin beta-6




- Molecule 3: 17E6 Fab light chain



- Molecule 4: 17E6 Fab heavy chain





- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 67% 33%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 33% 33% 33%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 50% 50%



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 75% 25%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	95.84Å 133.13Å 169.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.67 – 2.53 54.67 – 2.53	Depositor EDS
% Data completeness (in resolution range)	99.9 (54.67-2.53) 99.9 (54.67-2.53)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.17 (at 2.55Å)	Xtriage
Refinement program	PHENIX 1.17.1-3660	Depositor
R, R_{free}	0.213 , 0.245 0.216 , 0.247	Depositor DCC
R_{free} test set	3644 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	65.7	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	23140	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, CA, NAG, A1A6I, GOL, ACT, CL, MG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.11	0/4745	0.35	1/6424 (0.0%)
2	B	0.10	0/3642	0.31	0/4932
3	C	0.10	0/1702	0.30	0/2309
4	D	0.09	0/1631	0.27	0/2226
All	All	0.10	0/11720	0.32	1/15891 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	B	0	1
All	All	0	3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	116	THR	N-CA-C	-5.88	98.28	110.80

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	LYS	Peptide
1	A	147	ILE	Peptide
2	B	378	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4629	4482	4476	23	0
2	B	3569	3505	3493	16	0
3	C	1666	1582	1582	8	0
4	D	1590	1531	1531	3	0
5	G	39	24	34	1	0
5	I	39	24	34	0	0
6	E	72	45	61	0	0
7	F	50	31	43	0	0
8	A	4	0	0	0	0
8	B	2	0	0	0	0
9	A	22	8	20	0	0
10	A	24	12	32	3	0
10	B	12	6	16	1	0
10	C	6	3	8	0	0
10	D	6	3	8	0	0
11	B	1	0	0	0	0
12	B	39	0	0	0	0
13	B	4	0	3	1	0
13	D	4	0	3	2	0
14	B	14	10	13	2	0
15	B	1	0	0	0	0
16	A	43	0	0	0	0
16	B	32	0	0	0	0
16	D	6	0	0	0	0
All	All	11874	11266	11357	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:B:2008:NAG:O7	14:B:2008:NAG:O3	2.05	0.73
1:A:115:ARG:O	1:A:116:THR:HG23	1.93	0.69
4:D:100:LEU:CD1	13:D:302:ACT:H2	2.28	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147:ILE:HG13	1:A:147:ILE:O	2.00	0.62
3:C:123:GLU:N	3:C:123:GLU:OE1	2.34	0.61
2:B:161:VAL:HG21	2:B:216:SER:HB3	1.85	0.59
1:A:147:ILE:O	1:A:148:ASP:HB2	2.03	0.59
1:A:470:VAL:HG11	1:A:541:TYR:CD2	2.38	0.58
10:A:2010:GOL:H12	2:B:271:PRO:HB2	1.86	0.58
1:A:211:ARG:HB2	10:A:2009:GOL:H11	1.86	0.57
2:B:113:ASP:OD2	13:B:2007:ACT:H2	2.04	0.57
4:D:143:LEU:HB3	4:D:215:ILE:HD13	1.87	0.56
1:A:397:ALA:HB2	1:A:429:VAL:HG12	1.88	0.54
1:A:557:ILE:N	1:A:557:ILE:HD12	2.24	0.53
4:D:100:LEU:HD13	13:D:302:ACT:H2	1.93	0.51
1:A:9:ALA:HB3	1:A:434:LEU:HB3	1.92	0.51
1:A:302:ASP:OD1	1:A:303:ARG:N	2.45	0.50
2:B:379:ASN:H	2:B:379:ASN:ND2	2.10	0.49
3:C:136:LEU:HD11	3:C:146:VAL:CG1	2.43	0.48
1:A:489:ARG:O	1:A:528:SER:HA	2.12	0.48
2:B:112:GLU:OE1	2:B:112:GLU:N	2.43	0.48
1:A:110:PRO:HG2	10:A:2008:GOL:H11	1.96	0.48
3:C:55:HIS:O	3:C:58:VAL:HG22	2.13	0.47
5:G:1:NAG:O7	5:G:1:NAG:O3	2.26	0.47
3:C:115:VAL:HG22	3:C:136:LEU:HB3	1.96	0.47
3:C:156:GLN:O	3:C:156:GLN:HG2	2.14	0.47
2:B:109:ARG:NH2	2:B:112:GLU:OE2	2.48	0.46
3:C:54:LEU:HD22	3:C:58:VAL:HG23	1.97	0.46
1:A:463:LEU:HD21	1:A:541:TYR:CE1	2.51	0.45
3:C:136:LEU:HD11	3:C:146:VAL:HG11	1.98	0.45
14:B:2008:NAG:HO3	14:B:2008:NAG:C7	2.16	0.45
2:B:388:LYS:NZ	10:B:2005:GOL:O3	2.35	0.45
1:A:43:ALA:HB3	1:A:55:GLN:HG2	1.99	0.45
2:B:362:VAL:C	2:B:363:LEU:HD12	2.43	0.44
2:B:365:ASP:O	2:B:414:ARG:NH1	2.50	0.44
1:A:148:ASP:HB3	1:A:150:ASP:OD1	2.18	0.44
1:A:284:ASP:OD2	1:A:289:ASP:N	2.49	0.43
2:B:130:ASP:OD1	2:B:130:ASP:N	2.52	0.42
2:B:427:LEU:C	2:B:427:LEU:HD23	2.45	0.42
1:A:24:ASP:OD1	1:A:25:PHE:N	2.47	0.42
2:B:362:VAL:HG21	2:B:373:PHE:HZ	1.84	0.42
1:A:443:VAL:HG11	1:A:561:TYR:CE2	2.54	0.41
1:A:17:SER:HB2	1:A:43:ALA:HB2	2.02	0.41
1:A:169:VAL:O	1:A:185:SER:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:108:ARG:NH1	3:C:109:ALA:O	2.51	0.41
2:B:303:VAL:HG12	2:B:363:LEU:HD21	2.02	0.41
2:B:87:ILE:HG22	2:B:425:ASP:HB3	2.01	0.41
2:B:183:ILE:HB	2:B:184:PRO:C	2.45	0.41
1:A:30:ALA:O	1:A:31:SER:OG	2.36	0.41
1:A:171:LEU:C	1:A:171:LEU:HD23	2.46	0.41
1:A:115:ARG:O	1:A:116:THR:CG2	2.67	0.41
1:A:101:LYS:HG2	1:A:102:GLN:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	596/605 (98%)	581 (98%)	13 (2%)	2 (0%)	36	53
2	B	463/481 (96%)	446 (96%)	16 (4%)	1 (0%)	43	62
3	C	212/214 (99%)	201 (95%)	11 (5%)	0	100	100
4	D	209/218 (96%)	207 (99%)	2 (1%)	0	100	100
All	All	1480/1518 (98%)	1435 (97%)	42 (3%)	3 (0%)	43	62

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	116	THR
1	A	148	ASP
2	B	379	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	491/495 (99%)	487 (99%)	4 (1%)	73	88
2	B	407/419 (97%)	404 (99%)	3 (1%)	76	89
3	C	192/192 (100%)	188 (98%)	4 (2%)	47	72
4	D	178/182 (98%)	176 (99%)	2 (1%)	65	83
All	All	1268/1288 (98%)	1255 (99%)	13 (1%)	68	85

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	TRP
1	A	155	CYS
1	A	275	TYR
1	A	469	LYS
2	B	218	ASN
2	B	376	ILE
2	B	377	CYS
3	C	37	GLN
3	C	105	GLU
3	C	136	LEU
3	C	194	CYS
4	D	133	CYS
4	D	216	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	352	GLN
1	A	458	ASN
1	A	534	GLN
2	B	110	GLN
2	B	306	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	319	HIS
2	B	323	ASN
2	B	379	ASN
2	B	391	HIS
3	C	77	ASN
3	C	137	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	E	1	1,6	14,14,15	0.27	0	17,19,21	0.53	0
6	NAG	E	2	6	14,14,15	0.27	0	17,19,21	0.43	0
6	BMA	E	3	6	11,11,12	0.60	0	15,15,17	0.71	0
6	MAN	E	4	6	11,11,12	0.62	0	15,15,17	1.08	2 (13%)
6	MAN	E	5	6	11,11,12	0.84	1 (9%)	15,15,17	0.83	1 (6%)
6	MAN	E	6	6	11,11,12	0.74	0	15,15,17	1.15	2 (13%)
7	NAG	F	1	1,7	14,14,15	0.29	0	17,19,21	0.55	0
7	NAG	F	2	7	14,14,15	0.20	0	17,19,21	0.50	0
7	BMA	F	3	7	11,11,12	0.55	0	15,15,17	0.87	0
7	MAN	F	4	7	11,11,12	0.67	0	15,15,17	0.81	1 (6%)
5	NAG	G	1	5	14,14,15	0.47	0	17,19,21	0.77	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	G	2	5	14,14,15	0.34	0	17,19,21	0.37	0
5	BMA	G	3	5	11,11,12	0.70	0	15,15,17	1.04	1 (6%)
5	NAG	I	1	1,5	14,14,15	0.38	0	17,19,21	0.43	0
5	NAG	I	2	5	14,14,15	0.62	1 (7%)	17,19,21	1.19	1 (5%)
5	BMA	I	3	5	11,11,12	0.61	0	15,15,17	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	E	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	E	2	6	-	4/6/23/26	0/1/1/1
6	BMA	E	3	6	-	2/2/19/22	0/1/1/1
6	MAN	E	4	6	-	2/2/19/22	0/1/1/1
6	MAN	E	5	6	-	0/2/19/22	0/1/1/1
6	MAN	E	6	6	-	2/2/19/22	0/1/1/1
7	NAG	F	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	F	2	7	-	0/6/23/26	0/1/1/1
7	BMA	F	3	7	-	0/2/19/22	0/1/1/1
7	MAN	F	4	7	-	1/2/19/22	0/1/1/1
5	NAG	G	1	5	-	1/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
5	BMA	G	3	5	-	1/2/19/22	0/1/1/1
5	NAG	I	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	I	2	5	-	4/6/23/26	0/1/1/1
5	BMA	I	3	5	-	2/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	5	MAN	O5-C1	-2.27	1.39	1.43
5	I	2	NAG	O5-C1	2.17	1.47	1.43

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	2	NAG	C1-O5-C5	4.52	118.24	112.19
6	E	6	MAN	C1-O5-C5	3.00	116.21	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	3	BMA	C1-O5-C5	2.79	115.92	112.19
5	G	1	NAG	C1-O5-C5	2.64	115.72	112.19
6	E	4	MAN	C1-O5-C5	2.62	115.70	112.19
6	E	6	MAN	O2-C2-C3	-2.24	105.50	110.15
6	E	4	MAN	O2-C2-C3	-2.22	105.55	110.15
6	E	5	MAN	O2-C2-C3	-2.19	105.61	110.15
7	F	4	MAN	O2-C2-C3	-2.04	105.93	110.15

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	G	2	NAG	C1-C2-N2-C7
6	E	3	BMA	O5-C5-C6-O6
6	E	3	BMA	C4-C5-C6-O6
6	E	6	MAN	O5-C5-C6-O6
5	I	2	NAG	C4-C5-C6-O6
6	E	6	MAN	C4-C5-C6-O6
6	E	4	MAN	C4-C5-C6-O6
6	E	2	NAG	O5-C5-C6-O6
5	I	2	NAG	O5-C5-C6-O6
5	I	2	NAG	C8-C7-N2-C2
5	I	2	NAG	O7-C7-N2-C2
6	E	2	NAG	C8-C7-N2-C2
6	E	2	NAG	O7-C7-N2-C2
6	E	2	NAG	C4-C5-C6-O6
6	E	4	MAN	O5-C5-C6-O6
7	F	4	MAN	O5-C5-C6-O6
5	G	2	NAG	C4-C5-C6-O6
5	I	1	NAG	O5-C5-C6-O6
5	G	1	NAG	C3-C2-N2-C7
5	G	3	BMA	O5-C5-C6-O6
5	I	3	BMA	O5-C5-C6-O6
5	I	3	BMA	C4-C5-C6-O6


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry

Of 22 ligands modelled in this entry, 8 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
10	GOL	A	2007	-	5,5,5	0.92	0	5,5,5	1.09	0
10	GOL	B	2006	-	5,5,5	0.94	0	5,5,5	1.07	0
10	GOL	D	301	-	5,5,5	0.92	0	5,5,5	1.07	0
10	GOL	A	2009	-	5,5,5	0.93	0	5,5,5	1.09	0
13	ACT	B	2007	-	3,3,3	1.38	0	3,3,3	1.36	0
12	A1A6I	B	2004	11	43,44,44	2.70	10 (23%)	43,63,63	1.20	6 (13%)
14	NAG	B	2008	2	14,14,15	0.40	0	17,19,21	0.38	0
13	ACT	D	302	-	3,3,3	1.37	0	3,3,3	1.37	0
9	MAN	A	2005	-	11,11,12	0.65	0	15,15,17	0.99	2 (13%)
10	GOL	A	2008	-	5,5,5	0.95	0	5,5,5	1.07	0
9	MAN	A	2006	-	11,11,12	0.68	0	15,15,17	0.95	2 (13%)
10	GOL	C	301	-	5,5,5	0.91	0	5,5,5	1.08	0
10	GOL	A	2010	-	5,5,5	0.91	0	5,5,5	1.09	0
10	GOL	B	2005	-	5,5,5	0.96	0	5,5,5	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GOL	A	2007	-	-	2/4/4/4	-
10	GOL	B	2006	-	-	1/4/4/4	-
10	GOL	D	301	-	-	2/4/4/4	-
10	GOL	A	2009	-	-	2/4/4/4	-
12	A1A6I	B	2004	11	-	14/24/56/56	0/6/6/6
14	NAG	B	2008	2	-	3/6/23/26	0/1/1/1
9	MAN	A	2005	-	-	2/2/19/22	0/1/1/1
10	GOL	A	2008	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	MAN	A	2006	-	-	2/2/19/22	0/1/1/1
10	GOL	C	301	-	-	0/4/4/4	-
10	GOL	A	2010	-	-	4/4/4/4	-
10	GOL	B	2005	-	-	1/4/4/4	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	B	2004	A1A6I	C09-C08	10.72	1.69	1.52
12	B	2004	A1A6I	C09-N05	-8.73	1.34	1.47
12	B	2004	A1A6I	C06-N05	4.82	1.59	1.47
12	B	2004	A1A6I	C07-C06	4.59	1.61	1.52
12	B	2004	A1A6I	C07-C08	-3.75	1.33	1.52
12	B	2004	A1A6I	C19-C18	3.32	1.56	1.51
12	B	2004	A1A6I	O39-C38	2.79	1.47	1.43
12	B	2004	A1A6I	C34-C33	-2.64	1.48	1.53
12	B	2004	A1A6I	C34-C35	-2.41	1.47	1.53
12	B	2004	A1A6I	C14-C15	2.04	1.55	1.51

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	B	2004	A1A6I	C09-N05-C04	-2.94	108.39	113.08
12	B	2004	A1A6I	C14-C15-N16	2.52	119.88	116.06
9	A	2005	MAN	C1-O5-C5	2.39	115.39	112.19
9	A	2006	MAN	C1-O5-C5	2.28	115.24	112.19
12	B	2004	A1A6I	C29-C27-C26	-2.26	120.24	123.23
12	B	2004	A1A6I	O39-C38-C35	2.22	112.75	110.97
9	A	2006	MAN	O2-C2-C3	-2.22	105.56	110.15
12	B	2004	A1A6I	C24-C23-C18	-2.22	118.49	121.39
9	A	2005	MAN	O2-C2-C3	-2.14	105.72	110.15
12	B	2004	A1A6I	C06-N05-C04	-2.12	109.70	113.08

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	A	2007	GOL	C1-C2-C3-O3
10	A	2007	GOL	O2-C2-C3-O3
10	A	2008	GOL	C1-C2-C3-O3
10	A	2010	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	A	2010	GOL	O1-C1-C2-C3
10	A	2010	GOL	C1-C2-C3-O3
12	B	2004	A1A6I	N05-C04-C25-C31
12	B	2004	A1A6I	C07-C08-O10-C11
12	B	2004	A1A6I	C09-C08-O10-C11
12	B	2004	A1A6I	C25-C31-C32-C33
12	B	2004	A1A6I	C25-C31-C32-O39
9	A	2005	MAN	O5-C5-C6-O6
9	A	2005	MAN	C4-C5-C6-O6
9	A	2006	MAN	O5-C5-C6-O6
12	B	2004	A1A6I	O10-C11-C12-C13
12	B	2004	A1A6I	C12-C13-C14-C15
14	B	2008	NAG	O5-C5-C6-O6
10	A	2009	GOL	C1-C2-C3-O3
10	B	2006	GOL	O1-C1-C2-C3
10	D	301	GOL	O1-C1-C2-C3
10	A	2008	GOL	O2-C2-C3-O3
10	A	2009	GOL	O2-C2-C3-O3
10	A	2010	GOL	O2-C2-C3-O3
10	D	301	GOL	O1-C1-C2-O2
9	A	2006	MAN	C4-C5-C6-O6
14	B	2008	NAG	C3-C2-N2-C7
12	B	2004	A1A6I	C30-C31-C32-C33
12	B	2004	A1A6I	C30-C31-C32-O39
14	B	2008	NAG	C4-C5-C6-O6
10	A	2008	GOL	O1-C1-C2-O2
10	B	2005	GOL	O1-C1-C2-O2
12	B	2004	A1A6I	O01-C02-C04-C25
12	B	2004	A1A6I	C13-C14-C15-C24
12	B	2004	A1A6I	C13-C14-C15-N16
12	B	2004	A1A6I	O03-C02-C04-C25
12	B	2004	A1A6I	C02-C04-C25-C31

There are no ring outliers.

7 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	2009	GOL	1	0
13	B	2007	ACT	1	0
14	B	2008	NAG	2	0
13	D	302	ACT	2	0
10	A	2008	GOL	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	2010	GOL	1	0
10	B	2005	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand NAG B 2008



Ligand MAN A 2005





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	595/605 (98%)	0.56	55 (9%) 14 13	30, 77, 143, 180	2 (0%)
2	B	466/481 (96%)	0.56	37 (7%) 18 17	51, 78, 142, 173	0
3	C	214/214 (100%)	0.73	17 (7%) 18 17	62, 93, 139, 164	0
4	D	213/218 (97%)	0.53	11 (5%) 33 29	62, 87, 127, 147	0
All	All	1488/1518 (98%)	0.58	120 (8%) 18 16	30, 82, 141, 180	2 (0%)

All (120) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	D	217	PRO	6.2
1	A	466	THR	5.5
2	B	39	GLY	4.8
2	B	477	HIS	4.7
2	B	8	LEU	4.6
1	A	486	VAL	4.5
4	D	133	CYS	4.5
2	B	55	LEU	4.4
1	A	595	ASP	4.4
2	B	443	VAL	4.3
1	A	398	ARG	4.1
3	C	214	CYS	4.0
1	A	515	TYR	3.8
2	B	11	ALA	3.8
1	A	468	LEU	3.7
2	B	31	ASN	3.7
2	B	5	GLY	3.7
1	A	399	SER	3.6
1	A	572	THR	3.6
1	A	502	LEU	3.5
2	B	62	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	57	PHE	3.4
3	C	197	THR	3.4
1	A	564	ASP	3.3
1	A	552	LEU	3.3
1	A	473	PHE	3.3
1	A	494	GLN	3.3
1	A	30	ALA	3.2
4	D	138	GLY	3.2
2	B	475	SER	3.2
1	A	565	TYR	3.1
1	A	527	ILE	3.1
4	D	132	VAL	3.0
1	A	31	SER	3.0
2	B	100	GLY	3.0
1	A	567	THR	3.0
1	A	465	GLY	3.0
1	A	147	ILE	3.0
1	A	434	LEU	3.0
1	A	581	PHE	3.0
1	A	532	LEU	2.9
1	A	467	ALA	2.9
2	B	53	CYS	2.9
1	A	570	ASP	2.9
2	B	20	ILE	2.8
1	A	568	ALA	2.8
4	D	215	ILE	2.8
2	B	13	THR	2.8
1	A	397	ALA	2.8
2	B	6	CYS	2.8
2	B	9	GLY	2.7
1	A	265[A]	TYR	2.7
2	B	101	ALA	2.7
4	D	216	GLU	2.7
2	B	147	SER	2.7
1	A	61	TRP	2.7
3	C	142	LYS	2.6
1	A	569	ALA	2.6
2	B	52	GLY	2.6
2	B	466	PRO	2.6
3	C	146	VAL	2.6
1	A	541	TYR	2.6
4	D	67	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	58	ILE	2.5
3	C	145	ASN	2.5
1	A	62	SER	2.5
1	A	400	CYS	2.5
2	B	98	PRO	2.5
2	B	40	GLU	2.5
4	D	175	LEU	2.5
2	B	448	SER	2.5
2	B	380	GLY	2.5
2	B	408	HIS	2.4
2	B	22	PRO	2.4
2	B	476	GLY	2.4
1	A	509	ARG	2.4
1	A	133	GLY	2.3
2	B	209	ILE	2.3
3	C	205	ILE	2.3
3	C	105	GLU	2.3
3	C	3	GLN	2.3
1	A	490	LYS	2.3
1	A	32	SER	2.3
1	A	463	LEU	2.3
3	C	9	SER	2.3
4	D	165	SER	2.2
3	C	175	PHE	2.2
1	A	403	SER	2.2
1	A	558	PHE	2.2
2	B	27	CYS	2.2
1	A	574	LEU	2.2
3	C	127	SER	2.2
3	C	188	ARG	2.2
1	A	556	THR	2.2
4	D	192	THR	2.2
2	B	99	GLY	2.2
1	A	543	ARG	2.2
1	A	395	TRP	2.2
3	C	212	ASN	2.1
1	A	582	THR	2.1
2	B	49	LEU	2.1
3	C	202	THR	2.1
1	A	9	ALA	2.1
2	B	28	ALA	2.1
2	B	50	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	492	ASN	2.1
1	A	573	GLY	2.1
4	D	163	SER	2.1
1	A	64	THR	2.1
1	A	530	GLY	2.1
2	B	30	GLU	2.1
1	A	470	VAL	2.1
1	A	63	SER	2.1
1	A	369	LYS	2.0
3	C	169	LYS	2.0
3	C	159	VAL	2.0
1	A	557	ILE	2.0
3	C	150	ILE	2.0
1	A	462	SER	2.0
2	B	447	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	I	1	14/15	-	-	53,78,93,100	0
5	NAG	I	2	14/15	-	-	94,102,122,127	0
5	BMA	I	3	11/12	-	-	120,123,150,151	0
7	BMA	F	3	11/12	0.36	0.16	69,79,95,99	0
7	MAN	F	4	11/12	0.66	0.11	89,93,117,121	0
6	BMA	E	3	11/12	0.68	0.15	122,130,157,158	0
7	NAG	F	2	14/15	0.81	0.13	57,64,83,83	0
6	NAG	E	2	14/15	0.84	0.14	105,115,138,141	0
7	NAG	F	1	14/15	0.90	0.11	43,69,88,88	0
6	MAN	E	4	11/12	-	-	134,135,171,171	0
6	MAN	E	5	11/12	-	-	129,136,167,169	0
6	MAN	E	6	11/12	-	-	139,146,173,175	0
5	BMA	G	3	11/12	0.90	0.10	101,121,139,141	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	E	1	14/15	0.93	0.10	75,91,107,116	0
5	NAG	G	2	14/15	0.94	0.09	120,125,149,152	0
5	NAG	G	1	14/15	0.95	0.10	114,120,144,145	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	NAG	B	2008	14/15	0.60	0.15	94,116,139,141	0
10	GOL	B	2005	6/6	0.68	0.21	88,90,113,118	0
9	MAN	A	2005	11/12	0.68	0.21	100,111,132,134	0
9	MAN	A	2006	11/12	0.78	0.15	100,104,106,109	0
13	ACT	D	302	4/4	0.84	0.23	62,69,70,78	0
10	GOL	A	2009	6/6	0.86	0.17	76,82,102,106	0
10	GOL	C	301	6/6	0.86	0.18	81,86,103,103	0
10	GOL	D	301	6/6	0.88	0.14	81,82,98,100	0
10	GOL	A	2010	6/6	0.90	0.16	74,82,92,92	0
13	ACT	B	2007	4/4	0.91	0.15	72,72,73,73	0
10	GOL	A	2008	6/6	0.93	0.19	62,68,92,99	0
15	CL	B	2009	1/1	0.93	0.30	87,87,87,87	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	GOL	B	2006	6/6	0.94	0.11	80,87,105,109	0
12	A1A6I	B	2004	39/39	0.94	0.12	51,60,78,79	0
10	GOL	A	2007	6/6	0.95	0.11	58,61,72,74	0
8	CA	A	2004	1/1	0.98	0.04	63,63,63,63	0
8	CA	A	2003	1/1	0.98	0.04	74,74,74,74	0
8	CA	B	2002	1/1	0.99	0.03	49,49,49,49	0
8	CA	B	2003	1/1	0.99	0.03	61,61,61,61	0
8	CA	A	2001	1/1	0.99	0.03	62,62,62,62	0
8	CA	A	2002	1/1	0.99	0.05	74,74,74,74	0
11	MG	B	2001	1/1	0.99	0.03	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAG B 2008:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MAN A 2005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MAN A 2006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1A6I B 2004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.