



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:51 PM UTC

PDB ID : 2D06 / pdb_00002d06
Title : Human Sult1A1 Complexed With Pap and estradiol
Authors : Gamage, N.U.; Tsvetanov, S.; Duggleby, R.G.; McManus, M.E.; Martin, J.L.
Deposited on : 2005-07-25
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	% 66% 27% • •
1	B	295	2% 59% 36% • •

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4821 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Sulfotransferase 1A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	12	1	0
			2313	1502	377	419	15			
1	B	288	Total	C	N	O	S	26	2	0
			2295	1494	379	405	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	213	HIS	ARG	SEE REMARK 999	UNP P50225
B	213	HIS	ARG	SEE REMARK 999	UNP P50225

- Molecule 2 is ADENOSINE-3'-5'-DIPHOSPHATE (CCD ID: A3P) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is ESTRADIOL (CCD ID: EST) (formula: $C_{18}H_{24}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			20	18	2		
3	B	1	Total	C	O	0	0
			20	18	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	64	Total	O	0	0
			64	64		
4	B	55	Total	O	0	0
			55	55		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sulfotransferase 1A1



• Molecule 1: Sulfotransferase 1A1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	123.64Å 86.07Å 72.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.77 – 2.30 29.77 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (29.77-2.30) 99.4 (29.77-2.30)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.217 , 0.283 0.217 , 0.280	Depositor DCC
R_{free} test set	3508 reflections (9.99%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtriage
Anisotropy	0.442	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 62.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4821	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 29.91 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4306e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A3P, EST

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	1/2387 (0.0%)	1.11	21/3248 (0.6%)
1	B	0.65	0/2369	1.06	12/3221 (0.4%)
All	All	0.69	1/4756 (0.0%)	1.09	33/6469 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	225	GLN	CA-C	-5.91	1.45	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	TYR	N-CA-C	-9.45	98.17	110.07
1	A	260	MET	N-CA-C	8.86	123.50	109.50
1	B	99	THR	CA-C-N	8.01	128.31	119.90
1	B	99	THR	C-N-CA	8.01	128.31	119.90
1	A	132	ALA	N-CA-C	7.50	119.45	111.28
1	A	73	ALA	CA-C-N	6.84	127.25	119.93
1	A	73	ALA	C-N-CA	6.84	127.25	119.93
1	B	147	LYS	N-CA-C	6.75	120.97	112.87
1	B	171	SER	N-CA-C	6.50	119.14	109.59
1	A	226	HIS	N-CA-C	6.36	120.64	113.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	TRP	N-CA-C	-6.32	104.47	111.36
1	A	47	PRO	N-CA-C	6.29	121.08	111.15
1	A	215	LEU	CA-C-N	6.27	126.03	119.76
1	A	215	LEU	C-N-CA	6.27	126.03	119.76
1	A	99	THR	CA-C-N	6.20	127.14	120.13
1	A	99	THR	C-N-CA	6.20	127.14	120.13
1	B	243	VAL	CA-C-N	6.20	126.22	119.90
1	B	243	VAL	C-N-CA	6.20	126.22	119.90
1	A	18	VAL	N-CA-C	6.03	114.47	107.89
1	B	46	TYR	N-CA-C	-5.97	102.52	109.93
1	B	226	HIS	N-CA-C	5.94	120.37	113.18
1	A	82	LEU	N-CA-C	5.86	120.98	111.37
1	A	45	THR	CB-CA-C	-5.80	100.69	110.43
1	A	77	MET	N-CA-C	-5.79	105.89	113.12
1	B	21	ILE	N-CA-C	-5.44	102.56	109.58
1	B	170	GLY	N-CA-C	5.43	122.11	112.02
1	B	82	LEU	N-CA-C	5.42	120.25	111.37
1	A	125	VAL	N-CA-C	5.41	115.91	108.12
1	A	159	LEU	N-CA-C	-5.28	104.94	111.33
1	A	283	LYS	N-CA-C	5.24	117.73	111.71
1	A	147	LYS	N-CA-C	5.14	121.76	110.80
1	B	269	THR	N-CA-C	-5.14	104.08	110.41
1	A	241	THR	N-CA-C	-5.07	106.69	112.92

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	240	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2313	0	2218	56	0
1	B	2295	0	2205	83	0
2	A	27	0	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	27	0	11	0	0
3	A	20	0	24	1	0
3	B	20	0	24	0	0
4	A	64	0	0	2	0
4	B	55	0	0	3	0
All	All	4821	0	4493	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197:LYS:HE3	1:B:259:GLY:O	1.75	0.86
1:B:8:SER:HB2	4:B:3089:HOH:O	1.80	0.81
1:A:76:PHE:HB3	1:A:240:TYR:OH	1.80	0.80
1:B:60:MET:HB3	1:B:223:MET:CE	2.11	0.80
1:B:89:ILE:HG23	1:B:90:PRO:HD2	1.69	0.74
1:B:270:VAL:O	1:B:274:GLU:HG3	1.88	0.73
1:B:54:VAL:HG21	1:B:128:VAL:HG21	1.70	0.73
1:B:14:TYR:CE2	1:B:19:PRO:HG3	2.25	0.71
1:A:143:TYR:HB3	1:A:152:PRO:HG3	1.73	0.70
1:A:34:PHE:O	1:A:117:THR:HG21	1.93	0.69
1:A:96:LEU:HD11	1:A:105:LEU:HD22	1.75	0.69
1:B:111:LEU:HD21	1:B:182:LEU:HD22	1.75	0.68
1:B:143:TYR:HB3	1:B:152:PRO:HG3	1.76	0.67
1:B:51:THR:HG21	1:B:106:LYS:HE3	1.76	0.67
1:A:255:PHE:HD2	1:A:256:MET:HE2	1.62	0.64
1:B:275:ARG:HH11	1:B:275:ARG:HB2	1.63	0.64
1:A:186:HIS:CD2	1:A:187:PRO:HD2	2.33	0.63
1:B:186:HIS:CD2	1:B:187:PRO:HD2	2.32	0.63
1:B:131:ASN:O	1:B:135:VAL:HG23	1.98	0.63
1:A:157:SER:O	1:A:160:GLU:HB2	1.99	0.62
1:A:275:ARG:HH11	1:A:275:ARG:HG3	1.63	0.62
1:B:157:SER:O	1:B:160:GLU:HB2	1.99	0.62
1:A:106:LYS:HD3	4:A:3053:HOH:O	1.99	0.62
1:B:275:ARG:HB2	1:B:275:ARG:NH1	2.15	0.61
1:A:59:ASP:OD2	1:A:78:ARG:NH1	2.33	0.61
1:A:34:PHE:HE1	1:A:96:LEU:HD21	1.67	0.60
1:A:96:LEU:HD11	1:A:105:LEU:CD2	2.31	0.60
1:B:168:SER:O	1:B:169:TYR:HB2	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ILE:CG2	1:A:90:PRO:HD2	2.32	0.59
1:A:60:MET:SD	1:A:223:MET:HG2	2.42	0.59
1:B:34:PHE:CE1	1:B:96:LEU:HD21	2.38	0.59
1:B:216:PRO:HG2	1:B:219:THR:OG1	2.03	0.58
1:B:34:PHE:HE1	1:B:96:LEU:HD21	1.68	0.58
1:B:279:ASP:O	1:B:282:GLU:HB2	2.04	0.58
1:B:112:ALA:C	1:B:113:LEU:HD23	2.29	0.57
1:A:255:PHE:CD2	1:A:256:MET:HE2	2.40	0.57
1:B:75:ILE:HG23	1:B:76:PHE:N	2.20	0.57
1:A:60:MET:HA	1:A:70:CYS:SG	2.44	0.57
1:B:249:ASP:OD2	1:B:252:ILE:HG13	2.05	0.57
1:A:163:MET:O	1:A:283:LYS:NZ	2.37	0.56
1:B:60:MET:HE2	1:B:223:MET:CE	2.35	0.56
1:A:9:ARG:HD2	1:A:149:HIS:O	2.05	0.56
1:A:160:GLU:CD	1:A:275:ARG:HH21	2.14	0.56
1:A:14:TYR:CE2	1:A:19:PRO:HG3	2.41	0.55
1:A:89:ILE:HD11	1:A:247:PHE:CE2	2.41	0.55
1:B:255:PHE:HD2	1:B:256:MET:HE2	1.71	0.55
1:B:275:ARG:HH11	1:B:275:ARG:CB	2.19	0.54
1:A:23:TYR:CE2	1:A:87:PRO:CG	2.92	0.53
1:B:140:TYR:CZ	1:B:144:HIS:HE1	2.28	0.52
1:A:34:PHE:CE1	1:A:96:LEU:HD21	2.45	0.51
1:A:59:ASP:OD2	1:A:78:ARG:HD2	2.10	0.51
1:B:59:ASP:OD2	1:B:78:ARG:HD2	2.09	0.51
1:B:203:GLU:OE1	1:B:206:LYS:HE3	2.11	0.51
1:B:255:PHE:CD2	1:B:256:MET:HE2	2.45	0.51
1:A:81:PHE:CD2	1:A:106:LYS:HE2	2.44	0.51
1:A:198:GLU:CD	1:A:292:ARG:HH22	2.18	0.51
1:B:260[B]:MET:HG3	1:B:263:ASP:HB2	1.92	0.51
1:B:228:SER:HB2	1:B:230:LYS:HE2	1.93	0.51
1:A:180:TRP:CE2	1:A:184:ARG:NH2	2.79	0.51
1:B:164:VAL:HA	4:B:3095:HOH:O	2.11	0.51
1:B:60:MET:HB3	1:B:223:MET:HE2	1.92	0.50
1:B:198:GLU:CD	1:B:292:ARG:HH22	2.19	0.50
1:A:47:PRO:HB3	3:A:304:EST:H2	1.94	0.49
1:B:92:GLY:O	1:B:96:LEU:HB2	2.12	0.49
1:B:233:LYS:HA	1:B:256:MET:HG3	1.93	0.49
1:A:23:TYR:CE2	1:A:87:PRO:HG3	2.48	0.49
1:B:207:ILE:O	1:B:211:VAL:HG22	2.13	0.48
1:B:96:LEU:HD11	1:B:105:LEU:CD2	2.43	0.48
1:B:294:GLU:O	1:B:295:LEU:HB2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:ARG:HD3	1:B:149:HIS:O	2.14	0.48
1:A:89:ILE:HG23	1:A:90:PRO:HD2	1.96	0.47
1:A:223:MET:O	1:A:224:VAL:C	2.54	0.47
1:B:60:MET:HE2	1:B:223:MET:HE3	1.96	0.47
1:B:60:MET:HE2	1:B:223:MET:HG2	1.96	0.47
1:B:284:MET:O	1:B:285:ALA:C	2.57	0.47
1:A:41:LEU:HB3	1:A:104:LEU:HD23	1.97	0.47
1:A:101:ALA:HA	1:A:102:PRO:C	2.39	0.47
1:B:125:VAL:HB	1:B:188:VAL:HG22	1.97	0.47
1:B:55:SER:HB3	1:B:75:ILE:HD11	1.97	0.46
1:B:197:LYS:CE	1:B:259:GLY:O	2.56	0.46
1:B:265:LYS:NZ	1:B:294:GLU:HG2	2.31	0.46
1:B:74:PRO:O	1:B:77:MET:HB2	2.15	0.46
1:A:197:LYS:HE2	1:A:259:GLY:O	2.15	0.46
1:B:54:VAL:HG21	1:B:128:VAL:CG2	2.40	0.46
1:B:219:THR:O	1:B:222:PHE:HB3	2.16	0.46
1:B:186:HIS:CD2	1:B:187:PRO:CD	2.99	0.45
1:A:74:PRO:O	1:A:75:ILE:C	2.59	0.45
1:A:216:PRO:O	1:A:219:THR:N	2.45	0.45
1:B:60:MET:HE1	1:B:223:MET:HA	1.97	0.45
1:A:216:PRO:HD2	1:A:219:THR:OG1	2.16	0.45
1:A:58:LEU:HD23	1:A:58:LEU:HA	1.81	0.45
1:B:99:THR:HA	1:B:100:PRO:HD3	1.67	0.45
1:B:223:MET:O	1:B:224:VAL:C	2.58	0.45
1:B:243:VAL:HA	1:B:244:PRO:HD3	1.84	0.44
1:A:63:GLN:NE2	1:A:63:GLN:HA	2.33	0.44
1:A:140:TYR:CZ	1:A:144:HIS:HE1	2.35	0.44
1:A:275:ARG:HH11	1:A:275:ARG:CG	2.29	0.44
1:B:201:LYS:HE3	1:B:221:ASP:OD1	2.18	0.44
1:B:89:ILE:CG2	1:B:90:PRO:HD2	2.42	0.44
1:A:69:LYS:O	1:A:72:ARG:HG2	2.17	0.44
1:A:89:ILE:HG22	1:A:90:PRO:HD2	1.99	0.44
1:A:37:ARG:HD2	4:A:3118:HOH:O	2.18	0.44
1:B:24:PHE:N	1:B:24:PHE:HD1	2.16	0.44
1:B:181:GLU:O	1:B:184:ARG:HB2	2.18	0.43
1:B:295:LEU:HD12	1:B:295:LEU:N	2.33	0.43
1:A:145:MET:HE1	1:A:248:MET:HE2	1.99	0.43
1:B:24:PHE:N	1:B:24:PHE:CD1	2.86	0.43
1:B:40:ASP:CG	1:B:103:ARG:HH21	2.26	0.43
1:B:234:LYS:O	1:B:236:PRO:HD3	2.18	0.43
1:B:81:PHE:CG	1:B:84:PHE:HB2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:MET:HB3	1:B:223:MET:HE3	1.95	0.43
1:B:109:LEU:HA	1:B:110:PRO:HD3	1.89	0.43
1:B:60:MET:HE2	1:B:223:MET:HE2	2.01	0.43
1:B:69:LYS:O	1:B:72:ARG:HG2	2.19	0.42
1:B:125:VAL:O	1:B:188:VAL:HA	2.19	0.42
1:B:106:LYS:HG2	1:B:107:THR:N	2.33	0.42
1:A:215:LEU:HD13	1:A:219:THR:HG21	2.02	0.42
1:A:238:THR:O	1:A:256:MET:HE3	2.20	0.42
1:B:43:ILE:HD11	1:B:58:LEU:HD12	2.01	0.42
1:B:81:PHE:HB3	1:B:84:PHE:HB2	2.00	0.42
1:A:108:HIS:HB2	1:A:169:TYR:CE1	2.55	0.42
1:A:23:TYR:CD2	1:A:87:PRO:HD3	2.55	0.42
1:A:168:SER:O	1:A:169:TYR:HB2	2.21	0.41
1:B:282:GLU:O	1:B:285:ALA:HB2	2.19	0.41
1:B:71:HIS:HA	1:B:237:MET:HG3	2.01	0.41
1:B:74:PRO:HG2	1:B:77:MET:HG2	2.02	0.41
1:B:216:PRO:O	1:B:219:THR:N	2.53	0.41
1:B:265:LYS:HZ2	1:B:294:GLU:HG2	1.86	0.41
1:B:228:SER:HB2	1:B:230:LYS:CE	2.49	0.41
1:A:284:MET:HE3	1:A:284:MET:HB3	1.76	0.41
1:A:46:TYR:CD2	1:A:172:TRP:HD1	2.39	0.41
1:B:289:LEU:HD23	1:B:289:LEU:HA	1.89	0.41
1:A:28:LEU:HD23	1:A:28:LEU:HA	1.85	0.40
1:B:73:ALA:HB1	1:B:74:PRO:HD2	2.03	0.40
1:A:23:TYR:HE2	1:A:87:PRO:HG3	1.86	0.40
1:A:167:VAL:O	1:A:168:SER:C	2.65	0.40
1:A:114:LEU:O	1:A:115:PRO:C	2.65	0.40
1:B:235:ASN:ND2	1:B:237:MET:H	2.20	0.40
1:B:271:ALA:HB3	4:B:3014:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/295 (97%)	266 (93%)	20 (7%)	1 (0%)	36	46
1	B	288/295 (98%)	261 (91%)	27 (9%)	0	100	100
All	All	575/590 (98%)	527 (92%)	47 (8%)	1 (0%)	43	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	147	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/265 (93%)	233 (94%)	14 (6%)	18	27
1	B	241/265 (91%)	232 (96%)	9 (4%)	30	45
All	All	488/530 (92%)	465 (95%)	23 (5%)	23	35

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	LEU
1	A	67	LEU
1	A	98	ASP
1	A	105	LEU
1	A	117	THR
1	A	131	ASN
1	A	139	TYR
1	A	143	TYR
1	A	159	LEU
1	A	181	GLU
1	A	197	LYS
1	A	243	VAL
1	A	244	PRO
1	A	289	LEU
1	B	41	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	115	PRO
1	B	143	TYR
1	B	159	LEU
1	B	184	ARG
1	B	230	LYS
1	B	258	LYS
1	B	275	ARG
1	B	294	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	71	HIS
1	A	144	HIS
1	B	144	HIS
1	B	226	HIS
1	B	235	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EST	A	304	-	23,23,23	2.89	14 (60%)	36,36,36	1.20	4 (11%)
3	EST	B	305	-	23,23,23	2.91	15 (65%)	36,36,36	1.20	3 (8%)
2	A3P	A	2001	-	29,29,29	1.72	5 (17%)	44,45,45	1.24	4 (9%)
2	A3P	B	2002	-	29,29,29	2.00	5 (17%)	44,45,45	1.20	5 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EST	A	304	-	-	-	0/4/4/4
3	EST	B	305	-	-	-	0/4/4/4
2	A3P	A	2001	-	-	3/15/31/31	0/3/3/3
2	A3P	B	2002	-	-	5/15/31/31	0/3/3/3

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2002	A3P	P1-O3'	6.29	1.70	1.59
3	A	304	EST	C9-C8	5.78	1.61	1.54
3	A	304	EST	C5-C10	5.69	1.49	1.40
3	B	305	EST	C9-C8	5.43	1.60	1.54
3	B	305	EST	C5-C10	5.15	1.48	1.40
2	A	2001	A3P	P1-O3'	5.13	1.68	1.59
3	B	305	EST	C1-C10	4.89	1.45	1.39
3	A	304	EST	C1-C10	4.72	1.45	1.39
2	B	2002	A3P	P2-O6P	4.58	1.71	1.54
2	A	2001	A3P	P2-O6P	4.07	1.69	1.54
3	A	304	EST	C4-C5	3.95	1.45	1.39
3	B	305	EST	C18-C13	3.49	1.60	1.54
3	B	305	EST	C4-C5	3.45	1.44	1.39
3	A	304	EST	C8-C14	3.43	1.60	1.53
3	A	304	EST	C18-C13	3.39	1.59	1.54
3	B	305	EST	C8-C14	3.37	1.59	1.53
3	B	305	EST	C2-C1	3.30	1.44	1.38
2	B	2002	A3P	C5-N7	3.30	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	305	EST	C13-C14	3.11	1.60	1.55
3	B	305	EST	C2-C3	3.06	1.44	1.39
3	A	304	EST	C2-C1	3.03	1.43	1.38
3	B	305	EST	C10-C9	2.94	1.56	1.52
3	B	305	EST	C4-C3	2.93	1.43	1.39
3	B	305	EST	C11-C9	2.78	1.57	1.53
3	A	304	EST	C13-C14	2.76	1.60	1.55
2	B	2002	A3P	C4-N3	2.73	1.39	1.34
3	A	304	EST	C4-C3	2.70	1.43	1.39
3	A	304	EST	C10-C9	2.60	1.56	1.52
3	A	304	EST	C2-C3	2.60	1.43	1.39
3	A	304	EST	C11-C9	2.47	1.57	1.53
2	A	2001	A3P	C5-N7	2.46	1.43	1.39
3	A	304	EST	C6-C5	2.30	1.55	1.51
2	B	2002	A3P	C5-C6	2.30	1.47	1.41
2	A	2001	A3P	P1-O2P	-2.28	1.46	1.54
3	B	305	EST	C6-C5	2.15	1.54	1.51
3	A	304	EST	C7-C6	2.14	1.56	1.52
3	B	305	EST	C16-C17	2.12	1.57	1.53
2	A	2001	A3P	C3'-C4'	2.09	1.58	1.52
3	B	305	EST	C13-C17	2.01	1.57	1.54

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	A3P	O4'-C4'-C5'	-3.19	99.11	109.33
3	B	305	EST	C11-C9-C8	-2.93	107.62	111.45
3	A	304	EST	C11-C9-C8	-2.86	107.71	111.45
3	A	304	EST	C15-C14-C13	-2.79	100.56	103.84
3	B	305	EST	C15-C14-C13	-2.76	100.59	103.84
2	B	2002	A3P	O3P-P1-O2P	2.63	117.66	107.80
2	A	2001	A3P	O3P-P1-O2P	2.54	117.33	107.80
2	A	2001	A3P	O3'-P1-O1P	-2.54	100.28	109.33
3	B	305	EST	C16-C17-C13	2.41	106.42	104.52
3	A	304	EST	C16-C17-C13	2.36	106.39	104.52
2	B	2002	A3P	C2'-C3'-C4'	-2.30	99.22	103.24
2	A	2001	A3P	O4'-C1'-N9	-2.21	103.84	108.09
2	B	2002	A3P	O6P-P2-O5P	2.19	116.03	107.80
2	B	2002	A3P	O3'-P1-O1P	-2.18	101.56	109.33
2	B	2002	A3P	O4'-C1'-N9	-2.05	104.16	108.09
3	A	304	EST	C13-C14-C8	-2.00	111.57	114.41

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2001	A3P	C2'-C3'-O3'-P1
2	B	2002	A3P	C2'-C3'-O3'-P1
2	A	2001	A3P	C4'-C3'-O3'-P1
2	B	2002	A3P	C4'-C3'-O3'-P1
2	B	2002	A3P	C2'-C1'-N9-C8
2	B	2002	A3P	C2'-C1'-N9-C4
2	A	2001	A3P	C2'-C1'-N9-C8
2	B	2002	A3P	O4'-C1'-N9-C8



There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	304	EST	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/295 (97%)	-0.16	2 (0%) 84 85	17, 47, 75, 99	9 (3%)
1	B	288/295 (97%)	0.07	6 (2%) 63 65	26, 50, 85, 107	14 (4%)
All	All	576/590 (97%)	-0.04	8 (1%) 73 75	17, 49, 80, 107	23 (3%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	PHE	3.5
1	A	240	TYR	3.4
1	B	242	THR	2.7
1	B	87	PRO	2.6
1	B	295	LEU	2.4
1	B	260[A]	MET	2.3
1	B	90	PRO	2.1
1	A	295	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EST	A	304	20/20	0.92	0.12	48,62,70,82	0
3	EST	B	305	20/20	0.93	0.12	41,64,87,88	0
2	A3P	B	2002	27/27	0.96	0.08	29,48,59,67	0
2	A3P	A	2001	27/27	0.98	0.07	21,40,52,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around EST A 304:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EST B 305:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A3P B 2002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A3P A 2001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.