



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:31 PM UTC

PDB ID : 9D00 / pdb_00009d00
Title : HPK1 kinase domain T165E,S171E phosphomimetic mutant in complex with compound 53
Authors : Johnson, E.; McTigue, M.; Cronin, C.N.
Deposited on : 2024-08-05
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	14% 83% 9% 8%
1	B	309	8% 84% 8% 8%
1	C	309	19% 81% 11% 8%
1	D	309	55% 79% 13% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9632 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Mitogen-activated protein kinase kinase kinase kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	284	Total	C	N	O	S	0	0	0
			2244	1446	390	397	11			
1	B	284	Total	C	N	O	S	0	0	0
			2244	1446	388	399	11			
1	C	284	Total	C	N	O	S	0	0	0
			2246	1448	390	397	11			
1	D	285	Total	C	N	O	S	0	0	0
			2251	1451	390	399	11			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q92918
A	0	SER	-	expression tag	UNP Q92918
A	165	GLU	THR	conflict	UNP Q92918
A	171	GLU	SER	conflict	UNP Q92918
B	-1	GLY	-	expression tag	UNP Q92918
B	0	SER	-	expression tag	UNP Q92918
B	165	GLU	THR	conflict	UNP Q92918
B	171	GLU	SER	conflict	UNP Q92918
C	-1	GLY	-	expression tag	UNP Q92918
C	0	SER	-	expression tag	UNP Q92918
C	165	GLU	THR	conflict	UNP Q92918
C	171	GLU	SER	conflict	UNP Q92918
D	-1	GLY	-	expression tag	UNP Q92918
D	0	SER	-	expression tag	UNP Q92918
D	165	GLU	THR	conflict	UNP Q92918
D	171	GLU	SER	conflict	UNP Q92918

- Molecule 2 is 4-[(1R)-1-aminopropyl]-6-methoxy-2-{6-[4-(propan-2-yl)-4H-1,2,4-triazol-3-yl]pyridin-2-yl}-2,3-dihydro-1H-isoinol-1-one (CCD ID: A1A1A) (formula: C₂₂H₂₆N₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			30	22	6	2		
2	B	1	Total	C	N	O	0	0
			30	22	6	2		
2	C	1	Total	C	N	O	0	0
			30	22	6	2		
2	D	1	Total	C	N	O	0	0
			30	22	6	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	135	Total	O	0	0
			135	135		
3	B	156	Total	O	0	0
			156	156		
3	C	134	Total	O	0	0
			134	134		
3	D	102	Total	O	0	0
			102	102		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Mitogen-activated protein kinase kinase kinase 1



- Molecule 1: Mitogen-activated protein kinase kinase kinase 1




- Molecule 1: Mitogen-activated protein kinase kinase kinase 1



● Molecule 1: Mitogen-activated protein kinase kinase kinase kinase 1

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	56.78Å 80.33Å 84.09Å 103.45° 106.49° 103.18°	Depositor
Resolution (Å)	33.34 – 1.95 33.34 – 1.95	Depositor EDS
% Data completeness (in resolution range)	69.8 (33.34-1.95) 69.7 (33.34-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 1.95Å)	Xtriage
Refinement program	BUSTER 2.11.8 (21-NOV-2022)	Depositor
R, R_{free}	0.246 , 0.279 0.241 , 0.271	Depositor DCC
R_{free} test set	3298 reflections (3.44%)	wwPDB-VP
Wilson B-factor (Å ²)	40.0	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9632	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.67 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0680e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1A1A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2291	1.04	2/3093 (0.1%)
1	B	0.79	0/2290	1.03	1/3093 (0.0%)
1	C	0.73	0/2292	1.05	2/3095 (0.1%)
1	D	0.67	0/2298	1.02	2/3104 (0.1%)
All	All	0.73	0/9171	1.03	7/12385 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	3

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	94	CYS	CA-C-N	6.97	127.84	120.03
1	A	94	CYS	C-N-CA	6.97	127.84	120.03
1	D	94	CYS	CA-C-N	5.78	127.41	120.13
1	D	94	CYS	C-N-CA	5.78	127.41	120.13
1	B	95	GLY	N-CA-C	5.07	120.01	113.27
1	C	55	ASP	CA-C-N	5.04	128.63	121.02
1	C	55	ASP	C-N-CA	5.04	128.63	121.02

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	169	ARG	Sidechain
1	C	236	ARG	Sidechain
1	C	70	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2244	0	2311	17	0
1	B	2244	0	2302	16	0
1	C	2246	0	2313	20	0
1	D	2251	0	2317	25	0
2	A	30	0	0	0	0
2	B	30	0	0	0	0
2	C	30	0	0	1	0
2	D	30	0	0	1	0
3	A	135	0	0	0	0
3	B	156	0	0	0	0
3	C	134	0	0	1	0
3	D	102	0	0	3	0
All	All	9632	0	9243	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:5:ASP:HB3	1:C:8:ILE:HG12	1.39	1.03
1:D:124:GLY:HA2	3:D:512:HOH:O	1.76	0.85
1:A:191:GLY:HA3	1:B:186:VAL:HG21	1.61	0.82
1:D:74:ILE:HG13	3:D:512:HOH:O	1.88	0.73
1:C:179:MET:HE3	1:C:183:VAL:HG12	1.72	0.70
1:D:173:ILE:HG13	1:D:179:MET:HE1	1.73	0.70
1:C:280:ASN:HD22	1:C:282:GLY:H	1.39	0.70
1:D:280:ASN:HD22	1:D:282:GLY:H	1.41	0.68
1:C:186:VAL:HG11	1:D:191:GLY:HA3	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:VAL:HG11	1:B:191:GLY:HA3	1.78	0.65
1:C:260:LYS:H	1:C:260:LYS:HD2	1.60	0.64
1:B:280:ASN:HD22	1:B:282:GLY:H	1.43	0.64
1:C:8:ILE:CD1	1:C:80:SER:HB2	2.28	0.63
1:B:260:LYS:HD2	1:B:260:LYS:H	1.63	0.63
1:C:191:GLY:HA3	1:D:186:VAL:HG21	1.81	0.63
1:C:8:ILE:HD13	1:C:80:SER:HB2	1.82	0.62
1:B:173:ILE:HG13	1:B:179:MET:HE1	1.81	0.61
1:D:134:ILE:HG12	1:D:194:GLU:HB3	1.83	0.61
1:A:263:PRO:HB3	1:A:267:LYS:HD3	1.83	0.61
1:B:263:PRO:HB3	1:B:267:LYS:HD3	1.81	0.61
1:D:11:ARG:HH11	1:D:16:HIS:CE1	2.18	0.60
1:D:263:PRO:HB3	1:D:267:LYS:HD3	1.83	0.60
1:A:260:LYS:H	1:A:260:LYS:HD2	1.67	0.59
1:C:103:TYR:HA	1:C:106:THR:HG22	1.86	0.58
1:B:222:ARG:HH11	1:B:226:LEU:HD11	1.71	0.56
1:B:63:ILE:HD11	1:B:87:LEU:HD21	1.88	0.56
1:A:8:ILE:HD12	1:A:80:SER:HB2	1.90	0.52
1:C:218:VAL:HG13	1:C:222:ARG:HE	1.75	0.52
1:D:57:SER:O	1:D:61:LYS:HG2	2.09	0.52
1:D:285:LEU:HD23	1:D:288:LEU:HD12	1.92	0.52
1:A:220:PRO:HB3	1:B:176:PRO:HD3	1.91	0.51
1:D:11:ARG:NH1	1:D:16:HIS:CE1	2.78	0.51
1:D:169:ARG:HH12	1:D:186:VAL:HG12	1.77	0.49
1:C:76:ALA:HB3	1:C:92:GLU:HB2	1.95	0.49
1:C:281:ARG:HG3	3:C:502:HOH:O	2.12	0.49
1:A:76:ALA:HB3	1:A:92:GLU:HB2	1.95	0.48
1:C:5:ASP:HB3	1:C:8:ILE:CG1	2.26	0.48
1:A:191:GLY:HA3	1:B:186:VAL:CG2	2.39	0.48
1:A:148:ALA:O	1:A:281:ARG:HD2	2.14	0.47
1:B:76:ALA:HB3	1:B:92:GLU:HB2	1.98	0.46
1:D:63:ILE:HD11	1:D:87:LEU:HD21	1.97	0.46
1:D:76:ALA:HB3	1:D:92:GLU:HB2	1.97	0.46
1:C:219:HIS:CE1	1:C:221:LEU:HB3	2.51	0.45
1:A:223:VAL:HG12	1:A:227:MET:HE3	1.97	0.45
1:C:223:VAL:O	1:C:227:MET:HG3	2.17	0.45
1:D:22:ARG:HG3	1:D:32:PHE:CE2	2.52	0.45
1:C:185:ALA:HA	1:D:228:THR:HG22	1.99	0.45
1:D:36:ASP:OD1	1:D:38:VAL:HG22	2.17	0.44
1:C:263:PRO:HB3	1:C:267:LYS:HD3	2.00	0.44
1:D:11:ARG:NH1	1:D:16:HIS:HE1	2.15	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:23:LEU:HD12	3:D:522:HOH:O	2.18	0.44
1:A:22:ARG:HH11	1:A:30:GLU:HB3	1.83	0.43
1:B:5:ASP:CG	1:B:6:PRO:HD2	2.42	0.43
1:B:222:ARG:NH1	1:B:226:LEU:HD11	2.33	0.43
2:C:401:A1A1A:N2	2:C:401:A1A1A:C17	2.82	0.43
2:D:401:A1A1A:C17	2:D:401:A1A1A:N2	2.81	0.43
1:A:56:VAL:HG12	1:A:56:VAL:O	2.19	0.42
1:B:47:MET:HE3	1:B:47:MET:HB3	1.84	0.42
1:B:20:LEU:HD11	1:B:35:ARG:HB2	2.02	0.42
1:D:234:PRO:HA	1:D:235:PRO:HD3	1.97	0.42
1:A:191:GLY:CA	1:B:186:VAL:HG21	2.42	0.42
1:A:222:ARG:O	1:A:226:LEU:HG	2.20	0.41
1:C:188:LEU:HD12	1:D:228:THR:HG21	2.02	0.41
1:C:220:PRO:HB3	1:D:176:PRO:HD3	2.02	0.41
1:A:103:TYR:HA	1:A:106:THR:HG22	2.01	0.41
1:C:70:ARG:HD2	1:C:70:ARG:HA	1.78	0.41
1:A:47:MET:HE2	1:A:86:LYS:HD3	2.03	0.40
1:D:20:LEU:HD11	1:D:35:ARG:HB2	2.03	0.40
1:A:221:LEU:HG	1:A:225:PHE:CE2	2.57	0.40
1:D:12:ASP:OD1	1:D:83:TRP:CD1	2.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	280/309 (91%)	275 (98%)	5 (2%)	0	100	100
1	B	278/309 (90%)	274 (99%)	4 (1%)	0	100	100
1	C	278/309 (90%)	273 (98%)	5 (2%)	0	100	100
1	D	281/309 (91%)	274 (98%)	7 (2%)	0	100	100
All	All	1117/1236 (90%)	1096 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/262 (92%)	237 (98%)	4 (2%)	53	49
1	B	241/262 (92%)	238 (99%)	3 (1%)	63	61
1	C	242/262 (92%)	238 (98%)	4 (2%)	53	49
1	D	242/262 (92%)	236 (98%)	6 (2%)	42	34
All	All	966/1048 (92%)	949 (98%)	17 (2%)	51	47

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	MET
1	A	173	ILE
1	A	233	GLN
1	A	236	ARG
1	B	8	ILE
1	B	49	LYS
1	B	281	ARG
1	C	56	VAL
1	C	173	ILE
1	C	238	LYS
1	C	291	LEU
1	D	49	LYS
1	D	59	LEU
1	D	166	LEU
1	D	193	ASN
1	D	194	GLU
1	D	291	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	100	GLN
1	A	104	GLN
1	A	142	ASN
1	A	276	GLN
1	B	16	HIS
1	B	21	GLN
1	B	100	GLN
1	B	123	GLN
1	B	142	ASN
1	B	212	GLN
1	B	276	GLN
1	B	280	ASN
1	C	100	GLN
1	C	104	GLN
1	C	142	ASN
1	C	219	HIS
1	C	276	GLN
1	C	280	ASN
1	D	16	HIS
1	D	104	GLN
1	D	123	GLN
1	D	142	ASN
1	D	280	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	A1A1A	D	401	-	33,33,33	0.87	1 (3%)	40,48,48	1.61	8 (20%)
2	A1A1A	B	401	-	33,33,33	0.95	1 (3%)	40,48,48	1.49	7 (17%)
2	A1A1A	C	401	-	33,33,33	0.86	1 (3%)	40,48,48	1.44	6 (15%)
2	A1A1A	A	901	-	33,33,33	0.96	1 (3%)	40,48,48	1.36	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1A1A	D	401	-	-	2/20/32/32	0/4/4/4
2	A1A1A	B	401	-	-	0/20/32/32	0/4/4/4
2	A1A1A	C	401	-	-	2/20/32/32	0/4/4/4
2	A1A1A	A	901	-	-	0/20/32/32	0/4/4/4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	A1A1A	C13-C15	-3.33	1.43	1.47
2	B	401	A1A1A	C13-C15	-2.93	1.43	1.47
2	C	401	A1A1A	C13-C15	-2.25	1.44	1.47
2	D	401	A1A1A	C17-N4	-2.12	1.46	1.48

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	A1A1A	C8-N1-C9	-4.39	108.68	112.39
2	D	401	A1A1A	N4-C15-N3	-3.80	108.53	110.31
2	C	401	A1A1A	O2-C9-C6	-3.74	121.41	128.66
2	A	901	A1A1A	O2-C9-C6	-3.73	121.43	128.66
2	D	401	A1A1A	O2-C9-C6	-3.66	121.56	128.66
2	A	901	A1A1A	O2-C9-N1	3.42	131.49	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	A1A1A	O2-C9-C6	-3.39	122.09	128.66
2	D	401	A1A1A	O2-C9-N1	3.14	131.04	125.90
2	B	401	A1A1A	C8-N1-C9	-3.12	109.75	112.39
2	C	401	A1A1A	O2-C9-N1	3.00	130.80	125.90
2	C	401	A1A1A	C8-N1-C9	-2.93	109.92	112.39
2	B	401	A1A1A	O2-C9-N1	2.91	130.65	125.90
2	B	401	A1A1A	C22-C21-C20	-2.90	106.07	113.34
2	B	401	A1A1A	N4-C15-N3	-2.89	108.96	110.31
2	B	401	A1A1A	C1-C6-C5	-2.89	120.56	123.27
2	C	401	A1A1A	C14-C13-C15	2.75	123.19	119.40
2	D	401	A1A1A	C14-C13-C15	2.71	123.15	119.40
2	C	401	A1A1A	C15-C13-N2	-2.58	113.71	118.06
2	B	401	A1A1A	C14-C13-C15	2.57	122.95	119.40
2	D	401	A1A1A	C15-C13-N2	-2.41	114.00	118.06
2	A	901	A1A1A	C8-N1-C9	-2.34	110.41	112.39
2	C	401	A1A1A	C18-C17-N4	2.27	112.93	110.14
2	D	401	A1A1A	C7-O1-C2	-2.18	112.82	117.50
2	A	901	A1A1A	C21-C20-N6	-2.16	102.09	110.57
2	A	901	A1A1A	C15-C13-N2	-2.16	114.41	118.06
2	D	401	A1A1A	C5-C8-N1	2.13	104.77	102.53

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	401	A1A1A	N6-C20-C21-C22
2	C	401	A1A1A	C1-C2-O1-C7
2	C	401	A1A1A	C3-C2-O1-C7
2	D	401	A1A1A	C4-C20-C21-C22


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	A1A1A	1	0
2	C	401	A1A1A	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1A1A B 401



Ligand A1A1A C 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	284/309 (91%)	0.96	44 (15%) 5 5	27, 48, 80, 93	0
1	B	284/309 (91%)	0.54	25 (8%) 15 18	25, 38, 66, 86	0
1	C	284/309 (91%)	1.34	59 (20%) 2 2	28, 57, 90, 128	0
1	D	285/309 (92%)	2.50	171 (60%) 0 0	36, 75, 96, 113	0
All	All	1137/1236 (91%)	1.34	299 (26%) 1 1	25, 55, 90, 128	0

All (299) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	173	ILE	7.4
1	D	273	LEU	7.3
1	C	178	TRP	7.0
1	D	247	PHE	6.9
1	B	4	VAL	6.8
1	D	4	VAL	6.7
1	D	251	ILE	6.3
1	D	274	VAL	6.1
1	D	117	VAL	5.9
1	D	279	LEU	5.8
1	C	288	LEU	5.7
1	D	254	THR	5.6
1	D	198	ILE	5.5
1	D	75	VAL	5.4
1	D	66	LEU	5.3
1	D	109	LEU	5.1
1	C	173	ILE	5.1
1	D	250	PHE	5.1
1	D	265	ALA	5.0
1	D	153	LEU	5.0
1	D	259	PRO	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	228	THR	5.0
1	D	145	ILE	5.0
1	D	195	LEU	4.9
1	C	179	MET	4.8
1	D	90	CYS	4.8
1	C	176	PRO	4.8
1	D	255	LEU	4.8
1	D	288	LEU	4.7
1	C	38	VAL	4.7
1	D	151	VAL	4.6
1	A	6	PRO	4.6
1	A	232	TYR	4.6
1	D	269	LEU	4.6
1	C	174	GLY	4.5
1	D	266	THR	4.5
1	C	287	LEU	4.5
1	B	259	PRO	4.5
1	C	291	LEU	4.4
1	D	121	VAL	4.4
1	D	129	HIS	4.3
1	C	31	VAL	4.3
1	D	154	ALA	4.2
1	D	263	PRO	4.2
1	D	283	LEU	4.2
1	D	144	LEU	4.2
1	D	281	ARG	4.2
1	D	152	ARG	4.1
1	D	118	CYS	4.1
1	D	253	VAL	4.1
1	A	174	GLY	4.1
1	D	201	LEU	4.1
1	C	270	SER	4.1
1	B	170	LEU	4.1
1	A	167	ALA	4.0
1	D	208	LEU	4.0
1	B	217	ASP	4.0
1	D	205	ALA	4.0
1	D	277	PRO	4.0
1	C	175	THR	4.0
1	A	169	ARG	4.0
1	D	47	MET	3.9
1	D	130	SER	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	63	ILE	3.9
1	D	114	ILE	3.9
1	A	231	GLY	3.9
1	D	169	ARG	3.8
1	B	173	ILE	3.8
1	C	186	VAL	3.8
1	C	170	LEU	3.8
1	D	284	ILE	3.7
1	D	87	LEU	3.7
1	C	172	PHE	3.7
1	C	279	LEU	3.6
1	D	264	SER	3.6
1	D	56	VAL	3.6
1	D	235	PRO	3.6
1	A	170	LEU	3.6
1	D	23	LEU	3.6
1	C	183	VAL	3.6
1	D	48	VAL	3.6
1	B	225	PHE	3.6
1	D	112	LEU	3.6
1	D	200	SER	3.6
1	D	65	ILE	3.5
1	D	143	ILE	3.5
1	D	105	VAL	3.5
1	D	216	PHE	3.5
1	D	199	TRP	3.5
1	D	116	TYR	3.5
1	A	225	PHE	3.5
1	D	122	LEU	3.5
1	D	50	MET	3.4
1	D	8	ILE	3.4
1	D	134	ILE	3.4
1	A	172	PHE	3.4
1	D	280	ASN	3.4
1	D	88	TRP	3.4
1	D	249	ASN	3.4
1	C	177	TYR	3.3
1	D	124	GLY	3.3
1	B	8	ILE	3.3
1	D	31	VAL	3.3
1	C	180	ALA	3.3
1	C	216	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	93	PHE	3.3
1	C	284	ILE	3.3
1	C	19	LEU	3.3
1	D	76	ALA	3.3
1	D	59	LEU	3.3
1	C	259	PRO	3.3
1	D	138	ILE	3.2
1	D	246	ALA	3.2
1	D	291	LEU	3.2
1	D	149	GLY	3.2
1	D	25	GLY	3.2
1	D	197	ASP	3.2
1	D	193	ASN	3.2
1	D	84	LEU	3.2
1	D	287	LEU	3.2
1	D	173	ILE	3.1
1	D	103	TYR	3.1
1	C	4	VAL	3.1
1	C	285	LEU	3.1
1	D	38	VAL	3.1
1	D	89	ILE	3.1
1	D	97	GLY	3.1
1	B	166	LEU	3.1
1	D	73	ASN	3.1
1	A	236	ARG	3.1
1	D	252	LYS	3.0
1	D	282	GLY	3.0
1	D	74	ILE	3.0
1	D	83	TRP	3.0
1	D	140	GLY	3.0
1	D	45	LEU	3.0
1	C	230	SER	3.0
1	D	99	LEU	2.9
1	D	17	TYR	2.9
1	D	77	TYR	2.9
1	D	245	ALA	2.9
1	B	236	ARG	2.9
1	D	186	VAL	2.9
1	D	126	ALA	2.9
1	A	47	MET	2.9
1	D	28	TYR	2.9
1	D	13	PRO	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	49	LYS	2.9
1	D	194	GLU	2.9
1	A	186	VAL	2.8
1	C	273	LEU	2.8
1	D	206	ILE	2.8
1	C	278	GLY	2.8
1	D	43	VAL	2.8
1	D	260	LYS	2.8
1	B	232	TYR	2.8
1	D	81	TYR	2.8
1	A	9	PHE	2.8
1	C	39	SER	2.7
1	C	293	ASN	2.7
1	D	271	HIS	2.7
1	D	203	ILE	2.7
1	D	232	TYR	2.7
1	D	289	ASP	2.7
1	A	166	LEU	2.7
1	D	211	LEU	2.7
1	D	285	LEU	2.7
1	A	8	ILE	2.7
1	D	102	ILE	2.7
1	A	11	ARG	2.7
1	A	48	VAL	2.7
1	D	243	TRP	2.7
1	D	18	ASP	2.7
1	D	32	PHE	2.7
1	D	94	CYS	2.7
1	A	175	THR	2.7
1	A	188	LEU	2.7
1	A	223	VAL	2.7
1	C	151	VAL	2.7
1	B	231	GLY	2.6
1	C	149	GLY	2.6
1	D	24	GLY	2.6
1	C	280	ASN	2.6
1	D	82	LEU	2.6
1	A	191	GLY	2.6
1	A	224	LEU	2.6
1	C	43	VAL	2.6
1	D	187	ALA	2.6
1	D	258	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	128	LEU	2.6
1	D	268	MET	2.6
1	D	218	VAL	2.6
1	D	127	TYR	2.5
1	D	64	LEU	2.5
1	C	83	TRP	2.5
1	D	190	GLY	2.5
1	D	44	ALA	2.5
1	D	262	ARG	2.5
1	B	277	PRO	2.5
1	D	125	LEU	2.5
1	A	163	GLY	2.5
1	D	278	GLY	2.5
1	C	184	ALA	2.5
1	A	228	THR	2.5
1	D	267	LYS	2.5
1	D	69	CYS	2.5
1	D	192	TYR	2.5
1	C	236	ARG	2.5
1	D	71	HIS	2.5
1	C	77	TYR	2.4
1	C	168	ARG	2.4
1	D	95	GLY	2.4
1	C	290	LYS	2.4
1	B	186	VAL	2.4
1	D	123	GLN	2.4
1	C	20	LEU	2.4
1	D	133	LYS	2.4
1	D	292	LYS	2.4
1	D	167	ALA	2.4
1	D	209	ALA	2.4
1	D	100	GLN	2.4
1	D	135	HIS	2.4
1	C	222	ARG	2.4
1	C	164	ALA	2.4
1	C	167	ALA	2.4
1	A	38	VAL	2.4
1	B	188	LEU	2.3
1	D	156	PHE	2.3
1	B	6	PRO	2.3
1	B	189	LYS	2.3
1	D	113	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	170	LEU	2.3
1	D	256	THR	2.3
1	C	146	ASN	2.3
1	A	162	ILE	2.3
1	C	105	VAL	2.3
1	C	289	ASP	2.3
1	B	172	PHE	2.3
1	D	46	LYS	2.3
1	D	160	ALA	2.3
1	D	110	SER	2.3
1	D	196	CYS	2.3
1	A	221	LEU	2.3
1	A	261	LYS	2.3
1	A	83	TRP	2.2
1	D	150	GLU	2.2
1	D	270	SER	2.2
1	D	91	MET	2.2
1	C	166	LEU	2.2
1	D	191	GLY	2.2
1	D	248	HIS	2.2
1	A	50	MET	2.2
1	D	132	LYS	2.2
1	A	23	LEU	2.2
1	B	226	LEU	2.2
1	D	237	LEU	2.2
1	D	231	GLY	2.2
1	A	185	ALA	2.2
1	A	240	LYS	2.2
1	C	292	LYS	2.2
1	A	222	ARG	2.2
1	D	22	ARG	2.2
1	A	165	GLU	2.2
1	C	48	VAL	2.2
1	C	121	VAL	2.2
1	D	79	GLY	2.2
1	C	185	ALA	2.2
1	D	61	LYS	2.2
1	B	50	MET	2.1
1	D	78	HIS	2.1
1	B	212	GLN	2.1
1	D	276	GLN	2.1
1	A	56	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	68	THR	2.1
1	C	282	GLY	2.1
1	C	6	PRO	2.1
1	C	70	ARG	2.1
1	C	169	ARG	2.1
1	D	72	ALA	2.1
1	A	131	GLN	2.1
1	D	5	ASP	2.1
1	D	107	GLY	2.1
1	A	19	LEU	2.1
1	A	20	LEU	2.1
1	B	104	GLN	2.1
1	A	37	LYS	2.1
1	D	26	GLY	2.1
1	A	87	LEU	2.1
1	C	42	LEU	2.1
1	C	18	ASP	2.1
1	B	216	PHE	2.0
1	A	81	TYR	2.0
1	B	5	ASP	2.0
1	B	222	ARG	2.0
1	D	229	LYS	2.0
1	A	216	PHE	2.0
1	D	9	PHE	2.0
1	C	106	THR	2.0
1	D	202	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	$Q < 0.9$
2	A1A1A	D	401	30/30	0.80	0.13	65,67,67,67	0
2	A1A1A	C	401	30/30	0.93	0.08	40,46,48,48	0
2	A1A1A	B	401	30/30	0.96	0.06	24,27,31,33	0
2	A1A1A	A	901	30/30	0.97	0.06	34,36,38,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1A1A D 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around A1A1A C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1A1A B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.