



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:19 PM UTC

PDB ID : 2D1I / pdb_00002d1i
Title : Structure of human Atg4b
Authors : Kumanomidou, T.; Mizushima, T.; Komatsu, M.; Suzuki, A.; Tanida, I.; Sou, Y.S.; Ueno, T.; Kominami, E.; Tanaka, K.; Yamane, T.
Deposited on : 2005-08-24
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	 66% 17% . . 15%
1	B	398	 64% 17% . . 15%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5724 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cysteine protease APG4B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2693	1725	453	494	21			
1	B	339	Total	C	N	O	S	0	0	0
			2693	1725	453	494	21			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	cloning artifact	UNP Q9Y4P1
A	-3	PRO	-	cloning artifact	UNP Q9Y4P1
A	-2	LEU	-	cloning artifact	UNP Q9Y4P1
A	-1	GLY	-	cloning artifact	UNP Q9Y4P1
A	0	SER	-	cloning artifact	UNP Q9Y4P1
B	-4	GLY	-	cloning artifact	UNP Q9Y4P1
B	-3	PRO	-	cloning artifact	UNP Q9Y4P1
B	-2	LEU	-	cloning artifact	UNP Q9Y4P1
B	-1	GLY	-	cloning artifact	UNP Q9Y4P1
B	0	SER	-	cloning artifact	UNP Q9Y4P1


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	171	Total	O	0	0
			171	171		
2	B	167	Total	O	0	0
			167	167		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cysteine protease APG4B



• Molecule 1: Cysteine protease APG4B



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	51.28Å 161.32Å 51.27Å 90.00° 119.58° 90.00°	Depositor
Resolution (Å)	44.59 – 2.00 44.59 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (44.59-2.00) 98.6 (44.59-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.08 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.220 , 0.283 0.219 , 0.282	Depositor DCC
R_{free} test set	2435 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	33.8	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.015 for l,k,-h-l 0.015 for -h-l,k,h 0.017 for -h-l,-k,l 0.017 for h,-k,-h-l 0.487 for l,-k,h	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5724	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/2769	0.90	6/3764 (0.2%)
1	B	0.64	0/2769	0.89	6/3764 (0.2%)
All	All	0.64	0/5538	0.90	12/7528 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	63	GLY	N-CA-C	-8.16	103.64	114.25
1	A	287	GLU	CA-C-N	5.78	127.07	119.84
1	A	287	GLU	C-N-CA	5.78	127.07	119.84
1	A	18	ASP	N-CA-C	-5.74	104.94	111.14
1	B	21	GLU	N-CA-C	5.37	117.44	107.99
1	B	367	LEU	CA-C-N	5.25	131.16	121.70
1	B	367	LEU	C-N-CA	5.25	131.16	121.70
1	A	289	THR	N-CA-C	5.15	117.05	107.99
1	B	287	GLU	CA-C-N	5.12	126.24	119.84
1	B	287	GLU	C-N-CA	5.12	126.24	119.84
1	A	367	LEU	CA-C-N	5.03	130.76	121.70
1	A	367	LEU	C-N-CA	5.03	130.76	121.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	20	PRO	Peptide
1	B	20	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2693	0	2622	75	0
1	B	2693	0	2622	62	0
2	A	171	0	0	7	0
2	B	167	0	0	4	0
All	All	5724	0	5244	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:ARG:NH2	1:A:94:ARG:HD2	1.53	1.23
1:A:20:PRO:HB3	1:A:35:ILE:HG12	1.24	1.19
1:A:31:ARG:HH21	1:A:94:ARG:CD	1.65	1.09
1:A:31:ARG:HH21	1:A:94:ARG:HD2	0.93	1.05
1:B:258:GLY:HA2	1:B:259:LYS:HB2	1.31	1.04
1:A:367:LEU:HA	1:A:368:SER:HB2	1.42	0.97
1:A:31:ARG:CZ	2:A:514:HOH:O	2.13	0.95
1:B:344:GLY:HA2	1:B:345:ALA:HB3	1.54	0.88
1:A:258:GLY:HA2	1:A:259:LYS:HB2	1.55	0.88
1:A:20:PRO:HB3	1:A:35:ILE:CG1	2.06	0.85
1:B:367:LEU:HA	1:B:368:SER:HB2	1.59	0.84
1:A:258:GLY:HA2	1:A:259:LYS:CB	2.08	0.82
1:A:118:ARG:HE	1:A:288:PRO:HG3	1.44	0.81
1:B:18:ASP:HB3	1:B:19:PHE:C	2.05	0.80
1:B:262:SER:HB2	1:B:280:HIS:CE1	2.21	0.76
1:A:367:LEU:HA	1:A:368:SER:CB	2.16	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:GLY:HA2	1:A:345:ALA:C	2.12	0.75
1:A:130:GLN:HG3	2:A:440:HOH:O	1.88	0.74
1:A:31:ARG:NH2	1:A:94:ARG:CD	2.33	0.74
1:A:132:GLY:HA3	1:A:143:TYR:OH	1.90	0.72
1:A:20:PRO:HB2	1:A:21:GLU:HA	1.72	0.71
1:A:20:PRO:HB2	1:A:21:GLU:HG2	1.72	0.71
1:A:20:PRO:HB2	1:A:21:GLU:CA	2.20	0.71
1:A:218:PRO:HB2	2:A:453:HOH:O	1.91	0.70
1:A:238:ALA:HB1	1:A:346:LEU:HG	1.74	0.70
1:B:142:TRP:CD2	1:B:260:PRO:HB3	2.26	0.70
1:A:217:SER:HB2	1:A:218:PRO:HD2	1.74	0.70
1:B:355:GLN:H	1:B:356:PRO:HD2	1.58	0.68
1:A:18:ASP:C	1:A:20:PRO:HD3	2.20	0.66
1:B:258:GLY:CA	1:B:259:LYS:HB2	2.14	0.66
1:B:18:ASP:HB3	1:B:19:PHE:CA	2.25	0.66
1:B:287:GLU:HB3	1:B:288:PRO:HD2	1.78	0.65
1:A:361:CYS:HB3	1:A:364:VAL:HG22	1.78	0.65
1:B:292:CYS:O	1:B:294:ILE:HD12	1.97	0.65
1:A:259:LYS:HD3	1:A:314:ASP:HB2	1.79	0.65
1:A:237:GLU:HB2	2:A:439:HOH:O	1.96	0.65
1:B:45:ASP:O	1:B:49:ARG:HD2	1.97	0.64
1:B:361:CYS:HB2	1:B:363:ASP:H	1.63	0.64
1:B:231:GLY:HA3	1:B:234:ASP:O	1.98	0.63
1:A:217:SER:HB2	1:A:218:PRO:CD	2.29	0.62
1:A:20:PRO:CB	1:A:21:GLU:HA	2.30	0.61
1:A:367:LEU:CA	1:A:368:SER:HB2	2.25	0.61
1:A:19:PHE:HB3	1:A:307:ARG:NH2	2.15	0.61
1:A:178:GLU:HG2	1:A:181:ARG:HH12	1.64	0.61
1:A:258:GLY:CA	1:A:259:LYS:CB	2.80	0.60
1:B:259:LYS:HE2	1:B:262:SER:H	1.66	0.59
1:B:287:GLU:CB	1:B:288:PRO:HD2	2.33	0.59
1:B:367:LEU:HA	1:B:368:SER:CB	2.32	0.59
1:A:231:GLY:HA3	1:A:234:ASP:O	2.02	0.59
1:A:98:TRP:HZ3	1:A:302:GLN:HE21	1.52	0.58
1:A:20:PRO:HB2	1:A:21:GLU:CG	2.33	0.58
1:B:369:LEU:HB2	1:B:373:ASP:CB	2.34	0.57
1:A:31:ARG:NH2	2:A:514:HOH:O	2.28	0.57
1:A:31:ARG:HH21	1:A:94:ARG:CG	2.15	0.57
1:A:118:ARG:NE	1:A:288:PRO:HG3	2.18	0.57
1:A:339:LEU:O	1:A:345:ALA:HB3	2.05	0.57
1:B:19:PHE:HB2	1:B:307:ARG:CZ	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:GLY:HA2	1:B:259:LYS:CB	2.20	0.56
1:B:232:LEU:HD23	1:B:233:THR:H	1.71	0.56
1:B:345:ALA:HA	1:B:347:PRO:HD3	1.87	0.55
1:B:290:ASP:O	1:B:291:GLY:C	2.49	0.55
1:B:366:ASN:HB3	2:B:400:HOH:O	2.06	0.54
1:A:308:MET:HE3	1:A:312:GLU:HB2	1.90	0.54
1:B:172:ASN:HD21	1:B:366:ASN:H	1.56	0.54
1:B:337:LYS:HE2	1:B:351:LEU:HD11	1.90	0.54
1:A:172:ASN:HD21	1:A:366:ASN:H	1.55	0.54
1:B:361:CYS:HB2	1:B:363:ASP:N	2.23	0.54
1:A:28:ILE:HD11	1:A:42:ILE:HG23	1.90	0.53
1:B:142:TRP:CE2	1:B:260:PRO:HB3	2.43	0.53
1:A:289:THR:HG22	1:A:291:GLY:O	2.08	0.53
1:B:362:PRO:HB3	2:B:456:HOH:O	2.09	0.53
1:A:19:PHE:HB3	1:A:307:ARG:HH22	1.73	0.52
1:A:338:LYS:O	1:A:341:LEU:HG	2.10	0.52
1:A:98:TRP:HZ3	1:A:302:GLN:NE2	2.07	0.52
1:B:259:LYS:HG3	1:B:314:ASP:HB2	1.90	0.52
1:A:246:CYS:O	1:A:252:SER:OG	2.23	0.51
1:B:96:TRP:HE1	1:B:104:GLN:NE2	2.08	0.51
1:A:217:SER:CB	1:A:218:PRO:CD	2.90	0.50
1:A:367:LEU:HB2	2:A:407:HOH:O	2.11	0.49
1:B:121:SER:HB2	1:B:124:SER:HB3	1.93	0.49
1:B:18:ASP:HB3	1:B:20:PRO:N	2.27	0.49
1:B:369:LEU:HB2	1:B:373:ASP:HB2	1.93	0.49
1:B:301:CYS:SG	1:B:303:HIS:CD2	3.06	0.48
1:A:301:CYS:SG	1:A:303:HIS:CD2	3.07	0.48
1:A:20:PRO:CB	1:A:21:GLU:CA	2.90	0.48
1:B:21:GLU:HB3	1:B:36:PHE:CE1	2.48	0.48
1:A:301:CYS:SG	1:A:303:HIS:NE2	2.86	0.48
1:A:118:ARG:HE	1:A:288:PRO:CG	2.22	0.47
1:A:71:GLY:O	1:A:261:ASN:ND2	2.47	0.47
1:A:361:CYS:HB3	1:A:362:PRO:HA	1.96	0.47
1:A:121:SER:HB2	1:A:124:SER:HB3	1.96	0.47
1:A:89:CYS:SG	1:A:94:ARG:CZ	3.03	0.46
1:B:27:TRP:CD2	1:B:248:MET:HG2	2.50	0.45
1:B:331:ASP:O	1:B:334:GLN:HG2	2.15	0.45
1:B:146:ASN:HD21	1:B:150:GLN:HE21	1.64	0.45
1:A:258:GLY:HA2	1:A:259:LYS:HB3	1.95	0.45
1:A:361:CYS:HB3	1:A:362:PRO:CA	2.47	0.45
1:A:178:GLU:HG2	1:A:181:ARG:HH22	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:GLU:HA	1:A:240:VAL:HG23	1.98	0.45
1:B:292:CYS:HB2	2:B:455:HOH:O	2.18	0.44
1:B:345:ALA:HA	1:B:346:LEU:C	2.42	0.44
1:A:31:ARG:HG3	1:A:33:TYR:CE2	2.52	0.44
1:B:76:LEU:HD13	1:B:128:ILE:HG22	2.00	0.44
1:B:96:TRP:HE1	1:B:104:GLN:HE21	1.64	0.44
1:B:132:GLY:HA3	1:B:143:TYR:OH	2.17	0.44
1:A:371:SER:HA	1:A:372:SER:HA	1.65	0.44
1:A:76:LEU:HD21	1:A:143:TYR:CD2	2.53	0.43
1:B:367:LEU:CA	1:B:368:SER:HB2	2.41	0.43
1:B:74:CYS:SG	2:B:428:HOH:O	2.60	0.43
1:B:20:PRO:HB2	1:B:21:GLU:H	1.65	0.43
1:B:283:GLN:NE2	1:B:298:SER:HB2	2.34	0.43
1:A:178:GLU:HG2	1:A:181:ARG:NH1	2.31	0.43
1:B:304:PRO:HA	1:B:305:PRO:HD3	1.93	0.42
1:A:309:SER:HB2	1:A:312:GLU:HG2	2.01	0.42
1:B:287:GLU:HB3	1:B:288:PRO:CD	2.49	0.42
1:B:371:SER:HA	1:B:372:SER:HA	1.78	0.42
1:A:242:THR:OG1	1:A:346:LEU:O	2.29	0.42
1:B:261:ASN:CB	1:B:262:SER:HA	2.50	0.42
1:A:27:TRP:CD2	1:A:248:MET:HG2	2.55	0.42
1:B:237:GLU:H	1:B:237:GLU:HG2	1.62	0.41
1:A:258:GLY:CA	1:A:259:LYS:HB2	2.37	0.41
1:B:301:CYS:SG	1:B:303:HIS:NE2	2.93	0.41
1:A:217:SER:CB	1:A:218:PRO:HD2	2.44	0.41
1:B:27:TRP:O	1:B:268:GLY:HA3	2.21	0.41
1:A:361:CYS:CB	1:A:364:VAL:HG22	2.47	0.41
1:B:216:PRO:HA	1:B:217:SER:HA	1.91	0.41
1:A:241:GLU:HB3	1:A:344:GLY:O	2.20	0.41
1:B:344:GLY:CA	1:B:345:ALA:O	2.69	0.41
1:A:31:ARG:HG3	1:A:33:TYR:CZ	2.56	0.41
1:B:344:GLY:HA3	1:B:345:ALA:O	2.21	0.41
1:A:31:ARG:NH1	1:A:45:ASP:OD2	2.51	0.40
1:A:339:LEU:C	1:A:341:LEU:H	2.28	0.40
1:B:113:ASN:HA	1:B:116:ILE:HG12	2.03	0.40
1:B:217:SER:HB2	1:B:218:PRO:HD2	2.03	0.40
1:B:250:PRO:HD2	1:B:335:GLN:HE22	1.86	0.40
1:B:355:GLN:O	1:B:356:PRO:C	2.63	0.40
1:A:137:LYS:HE2	2:A:564:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/398 (84%)	314 (94%)	15 (4%)	6 (2%)	6	3
1	B	335/398 (84%)	312 (93%)	11 (3%)	12 (4%)	2	1
All	All	670/796 (84%)	626 (93%)	26 (4%)	18 (3%)	4	1

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	356	PRO
1	A	20	PRO
1	A	359	LEU
1	A	368	SER
1	B	20	PRO
1	B	288	PRO
1	B	291	GLY
1	B	345	ALA
1	B	355	GLN
1	B	358	HIS
1	B	361	CYS
1	B	368	SER
1	A	259	LYS
1	A	360	ALA
1	B	259	LYS
1	B	139	ILE
1	B	260	PRO
1	A	356	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	297/344 (86%)	281 (95%)	16 (5%)	20	17
1	B	297/344 (86%)	283 (95%)	14 (5%)	23	22
All	All	594/688 (86%)	564 (95%)	30 (5%)	21	19

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	18	ASP
1	A	103	ARG
1	A	234	ASP
1	A	235	ILE
1	A	289	THR
1	A	341	LEU
1	A	346	LEU
1	A	348	MET
1	A	350	GLU
1	A	355	GLN
1	A	357	SER
1	A	359	LEU
1	A	364	VAL
1	A	369	LEU
1	A	371	SER
1	B	49	ARG
1	B	76	LEU
1	B	103	ARG
1	B	189	CYS
1	B	237	GLU
1	B	259	LYS
1	B	261	ASN
1	B	302	GLN
1	B	339	LEU
1	B	341	LEU
1	B	348	MET
1	B	350	GLU
1	B	351	LEU
1	B	369	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	ASN
1	A	172	ASN
1	A	283	GLN
1	A	366	ASN
1	B	104	GLN
1	B	113	ASN
1	B	130	GLN
1	B	141	GLN
1	B	150	GLN
1	B	172	ASN
1	B	245	HIS
1	B	283	GLN
1	B	302	GLN
1	B	358	HIS
1	B	366	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	339/398 (85%)	-1.19	0 100 100	22, 38, 66, 78	0
1	B	339/398 (85%)	-1.19	0 100 100	22, 38, 67, 77	0
All	All	678/796 (85%)	-1.19	0 100 100	22, 38, 67, 78	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.