



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:56 PM UTC

PDB ID : 2D1Y / pdb_00002d1y
Title : Crystal structure of TT0321 from *Thermus thermophilus* HB8
Authors : Asada, Y.; Kunishima, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-09-02
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	256	
1	B	256	
1	C	256	
1	D	256	

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hypothetical protein TT0321.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total 1774	C 1119	N 324	O 327	S 4	4	0	0
1	B	242	Total 1795	C 1131	N 329	O 330	S 5	8	0	0
1	C	248	Total 1837	C 1157	N 335	O 341	S 4	0	0	0
1	D	240	Total 1777	C 1121	N 324	O 328	S 4	0	0	0

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	B	1	Total 44	C 21	N 7	O 14	P 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	222	Total	O	0	0
			222	222		
3	B	210	Total	O	0	0
			210	210		
3	C	202	Total	O	0	0
			202	202		
3	D	193	Total	O	0	0
			193	193		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: hypothetical protein TT0321




- Molecule 1: hypothetical protein TT0321




- Molecule 1: hypothetical protein TT0321



- Molecule 1: hypothetical protein TT0321





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.39Å 95.33Å 71.41Å 90.00° 108.25° 90.00°	Depositor
Resolution (Å)	28.93 – 1.65 28.93 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.7 (28.93-1.65) 99.8 (28.93-1.65)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.79 (at 1.65Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.175 , 0.194 0.174 , 0.193	Depositor DCC
R_{free} test set	5439 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	15.3	Xtriage
Anisotropy	0.773	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8186	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/1797	0.85	4/2433 (0.2%)
1	B	0.34	0/1818	0.86	5/2460 (0.2%)
1	C	0.36	0/1863	0.89	4/2526 (0.2%)
1	D	0.34	0/1800	0.88	5/2438 (0.2%)
All	All	0.35	0/7278	0.87	18/9857 (0.2%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	180	GLY	N-CA-C	-7.28	102.07	112.55
1	B	33	VAL	N-CA-C	7.08	118.48	108.36
1	A	180	GLY	N-CA-C	-6.79	102.77	112.55
1	C	180	GLY	N-CA-C	-6.79	100.95	112.77
1	C	33	VAL	N-CA-C	6.24	118.00	108.71
1	A	137	VAL	N-CA-C	-5.98	103.67	112.04
1	D	147	ALA	N-CA-C	5.93	118.22	111.11
1	B	180	GLY	N-CA-C	-5.91	104.04	112.55
1	C	137	VAL	N-CA-C	-5.73	104.02	112.04
1	D	33	VAL	N-CA-C	5.49	116.21	108.36
1	B	147	ALA	N-CA-C	5.35	117.53	111.11
1	A	147	ALA	N-CA-C	5.24	117.40	111.11
1	A	33	VAL	N-CA-C	5.17	115.75	108.36
1	B	137	VAL	N-CA-C	-5.16	104.46	111.89
1	D	137	VAL	N-CA-C	-5.09	104.55	111.89
1	C	201	ARG	CD-NE-CZ	-5.09	117.28	124.40
1	B	38	LEU	N-CA-C	-5.08	106.58	112.89
1	D	241	VAL	N-CA-C	-5.01	98.92	109.34

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1774	0	1815	41	0
1	B	1795	0	1839	31	0
1	C	1837	0	1876	32	0
1	D	1777	0	1819	28	0
2	A	44	0	26	2	0
2	B	44	0	26	1	0
2	C	44	0	26	3	0
2	D	44	0	26	2	0
3	A	222	0	0	7	0
3	B	210	0	0	3	0
3	C	202	0	0	2	0
3	D	193	0	0	4	0
All	All	8186	0	7453	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:ARG:HH11	1:A:171:ARG:HB3	1.29	0.98
1:A:144:GLN:HG3	3:A:1201:HOH:O	1.74	0.87
1:C:165:LEU:HD11	1:D:248:SER:HB2	1.58	0.86
1:A:211:ARG:HH11	1:A:211:ARG:HB3	1.42	0.85
1:C:248:SER:HB2	1:D:165:LEU:HD11	1.60	0.84
1:A:171:ARG:HB3	1:A:171:ARG:NH1	1.99	0.77
1:A:165:LEU:HD11	1:B:248:SER:HB2	1.66	0.76
1:A:248:SER:HB2	1:B:165:LEU:HD11	1.69	0.74
1:C:198:GLU:HG2	1:C:202:ARG:NH1	2.07	0.69
1:B:100:GLU:HA	1:B:103:ARG:NH1	2.09	0.67
1:D:229:GLU:HG3	3:D:1174:HOH:O	1.97	0.65
1:C:43:LYS:O	1:C:47:GLU:HG3	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:201:ARG:O	1:C:205:GLU:HG3	1.99	0.62
1:B:111:ALA:HB3	1:B:112:PRO:HD3	1.81	0.61
1:D:111:ALA:HB3	1:D:112:PRO:HD3	1.81	0.61
1:A:181:ALA:HB3	1:A:208:HIS:CE1	2.36	0.60
1:D:181:ALA:HB3	1:D:208:HIS:CE1	2.36	0.60
1:A:246:THR:HA	1:C:249:PHE:CZ	2.37	0.60
1:B:100:GLU:HA	1:B:103:ARG:HH12	1.67	0.59
1:D:138:GLN:OE1	1:D:143:GLU:HG2	2.03	0.59
1:A:39:ARG:HB3	1:A:41:GLU:OE2	2.03	0.58
3:A:1179:HOH:O	1:B:230:LYS:HG3	2.03	0.58
1:C:111:ALA:HB3	1:C:112:PRO:HD3	1.83	0.58
1:C:65:VAL:O	1:C:69:GLU:HG3	2.04	0.58
1:A:230:LYS:HD2	1:B:221:GLU:OE1	2.04	0.57
1:C:97:ARG:HH11	1:C:100:GLU:HG2	1.69	0.57
1:C:97:ARG:NH1	1:C:100:GLU:HG2	2.18	0.57
1:C:41:GLU:HB2	3:C:1155:HOH:O	2.04	0.57
1:B:97:ARG:O	1:B:100:GLU:HG2	2.05	0.57
1:A:201:ARG:O	1:A:205:GLU:HG3	2.06	0.56
1:A:221:GLU:OE1	1:B:230:LYS:HD2	2.05	0.56
1:A:111:ALA:HB3	1:A:112:PRO:HD3	1.87	0.56
1:B:249:PHE:CZ	1:D:246:THR:HA	2.40	0.56
2:C:1003:NAD:H52A	3:C:1049:HOH:O	2.07	0.55
1:D:66:ARG:NH1	3:D:1161:HOH:O	2.38	0.55
1:A:65:VAL:O	1:A:69:GLU:HG3	2.08	0.54
1:A:66:ARG:O	1:A:70:GLU:HG3	2.08	0.54
1:A:144:GLN:NE2	3:A:1172:HOH:O	2.40	0.53
1:A:217:GLU:H	1:A:217:GLU:CD	2.17	0.53
1:A:249:PHE:CZ	1:C:246:THR:HA	2.44	0.53
1:A:43:LYS:O	1:A:47:GLU:HG3	2.08	0.52
1:D:136:SER:HB2	2:D:1004:NAD:H6N	1.91	0.52
1:B:246:THR:HA	1:D:249:PHE:CZ	2.45	0.52
1:B:250:MET:HG2	1:D:143:GLU:HB2	1.92	0.52
1:D:187:VAL:C	1:D:189:GLU:H	2.18	0.51
1:A:171:ARG:HH11	1:A:171:ARG:CB	2.12	0.51
1:B:138:GLN:OE1	1:B:143:GLU:HG2	2.11	0.51
1:B:168:ALA:HB3	1:B:169:PRO:HD3	1.92	0.50
1:D:97:ARG:O	1:D:100:GLU:HG2	2.11	0.50
1:B:66:ARG:O	1:B:70:GLU:HG3	2.12	0.50
2:B:1002:NAD:H52A	3:B:1043:HOH:O	2.12	0.49
1:B:25:ALA:HB1	1:B:224:LEU:HD11	1.93	0.49
1:B:181:ALA:HB3	1:B:208:HIS:CE1	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:250:MET:HE3	1:B:250:MET:C	2.38	0.49
1:C:105:LEU:HD23	1:C:152:SER:HB3	1.94	0.49
1:A:121:ARG:HH11	1:A:121:ARG:HG2	1.78	0.49
1:D:168:ALA:HB3	1:D:169:PRO:HD3	1.95	0.48
1:A:41:GLU:H	1:A:41:GLU:CD	2.20	0.48
1:A:168:ALA:N	1:A:169:PRO:CD	2.76	0.48
1:A:246:THR:HG22	1:C:249:PHE:CE2	2.48	0.48
1:C:168:ALA:N	1:C:169:PRO:CD	2.77	0.47
1:D:65:VAL:O	1:D:69:GLU:HG3	2.14	0.47
1:C:136:SER:HB2	2:C:1003:NAD:H6N	1.96	0.47
1:B:2:GLY:N	1:B:5:ALA:HB2	2.30	0.47
1:A:181:ALA:HB3	1:A:208:HIS:HE1	1.79	0.46
1:D:217:GLU:H	1:D:217:GLU:CD	2.22	0.46
1:A:138:GLN:NE2	1:A:143:GLU:OE2	2.47	0.46
1:A:211:ARG:HB3	1:A:211:ARG:NH1	2.21	0.46
1:B:43:LYS:O	1:B:47:GLU:HG3	2.15	0.46
1:C:168:ALA:HB3	1:C:169:PRO:HD3	1.98	0.46
1:A:208:HIS:HD2	1:A:242:ASP:O	1.99	0.45
1:D:207:LEU:HB3	1:D:245:MET:HE2	1.97	0.45
1:A:20:ARG:O	1:A:24:GLN:HG3	2.16	0.45
1:C:217:GLU:CD	1:C:217:GLU:H	2.24	0.45
1:D:202:ARG:HH11	1:D:202:ARG:HG3	1.80	0.45
1:C:198:GLU:HG2	1:C:202:ARG:HH11	1.78	0.45
1:B:201:ARG:O	1:B:205:GLU:HG3	2.15	0.45
1:D:3:LEU:HD12	1:D:3:LEU:HA	1.79	0.45
1:B:204:TRP:HA	1:B:204:TRP:CE3	2.52	0.45
1:D:43:LYS:O	1:D:47:GLU:HG3	2.17	0.45
1:D:100:GLU:OE1	3:D:1189:HOH:O	2.21	0.44
1:C:198:GLU:HG2	1:C:202:ARG:HH12	1.82	0.44
2:D:1004:NAD:H52A	3:D:1052:HOH:O	2.17	0.44
1:C:221:GLU:OE1	1:D:230:LYS:HD2	2.17	0.44
2:A:1001:NAD:H52A	3:A:1044:HOH:O	2.18	0.44
1:C:28:ARG:NH2	1:C:221:GLU:OE2	2.50	0.44
1:D:171:ARG:HG2	1:D:171:ARG:HH11	1.83	0.44
1:B:186:ALA:O	1:B:189:GLU:HG2	2.18	0.44
1:C:3:LEU:HD21	1:C:230:LYS:HE3	2.00	0.44
1:A:217:GLU:CD	1:A:217:GLU:N	2.76	0.44
1:B:250:MET:HE3	1:B:250:MET:O	2.17	0.43
1:C:56:VAL:HG13	1:C:63:GLU:HB3	2.00	0.43
1:D:168:ALA:N	1:D:169:PRO:CD	2.80	0.43
1:C:217:GLU:CD	1:C:217:GLU:N	2.76	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:GLU:HG2	3:A:1191:HOH:O	2.18	0.43
1:A:168:ALA:HB3	1:A:169:PRO:HD3	2.01	0.43
1:B:109:LEU:C	1:B:112:PRO:HD2	2.43	0.43
1:A:56:VAL:HG13	1:A:63:GLU:HB3	2.01	0.43
1:B:137:VAL:HG22	3:B:1186:HOH:O	2.19	0.43
1:C:38:LEU:HD23	1:C:38:LEU:HA	1.81	0.42
1:C:181:ALA:HB3	1:C:208:HIS:CE1	2.54	0.42
1:C:135:ALA:O	2:C:1003:NAD:H6N	2.18	0.42
1:A:229:GLU:HG2	3:A:1180:HOH:O	2.20	0.42
1:A:32:LEU:HB3	1:A:75:LEU:HD22	2.00	0.42
1:A:136:SER:HB2	2:A:1001:NAD:H6N	2.01	0.42
1:B:69:GLU:HG3	3:B:1021:HOH:O	2.20	0.42
1:D:56:VAL:HG13	1:D:63:GLU:HB3	2.01	0.42
1:A:249:PHE:CE2	1:C:246:THR:HG22	2.55	0.41
1:B:217:GLU:H	1:B:217:GLU:CD	2.27	0.41
1:B:250:MET:HE1	1:D:144:GLN:HG3	2.03	0.41
1:A:167:LEU:HB3	1:A:172:ILE:HB	2.03	0.41
1:A:207:LEU:HB3	1:A:245:MET:HE2	2.02	0.41
1:D:217:GLU:CD	1:D:217:GLU:N	2.79	0.41
1:A:141:PHE:CD2	1:C:249:PHE:HE2	2.38	0.41
1:B:167:LEU:HB3	1:B:172:ILE:HB	2.03	0.41
1:D:124:ARG:HH11	1:D:124:ARG:HG2	1.85	0.41
1:B:168:ALA:N	1:B:169:PRO:CD	2.85	0.40
1:C:36:CYS:HA	1:C:54:PHE:O	2.20	0.40
1:C:109:LEU:C	1:C:112:PRO:HD2	2.46	0.40
1:A:121:ARG:HD2	3:A:1017:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/256 (92%)	231 (98%)	5 (2%)	0	100	100
1	B	238/256 (93%)	231 (97%)	7 (3%)	0	100	100
1	C	246/256 (96%)	241 (98%)	5 (2%)	0	100	100
1	D	236/256 (92%)	228 (97%)	7 (3%)	1 (0%)	30	15
All	All	956/1024 (93%)	931 (97%)	24 (2%)	1 (0%)	48	30

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	201	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	171/185 (92%)	168 (98%)	3 (2%)	51	30
1	B	174/185 (94%)	171 (98%)	3 (2%)	53	32
1	C	179/185 (97%)	178 (99%)	1 (1%)	78	68
1	D	172/185 (93%)	171 (99%)	1 (1%)	78	68
All	All	696/740 (94%)	688 (99%)	8 (1%)	65	48

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LEU
1	A	41	GLU
1	A	211	ARG
1	B	35	LEU
1	B	204	TRP
1	B	250	MET
1	C	224	LEU
1	D	35	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	B	144	GLN
1	C	83	ASN
1	C	84	ASN
1	D	83	ASN
1	D	144	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAD	A	1001	-	46,48,48	1.58	7 (15%)	64,73,73	1.56	7 (10%)
2	NAD	D	1004	-	46,48,48	1.59	8 (17%)	64,73,73	1.56	7 (10%)
2	NAD	C	1003	-	46,48,48	1.56	6 (13%)	64,73,73	1.57	7 (10%)
2	NAD	B	1002	-	46,48,48	1.57	7 (15%)	64,73,73	1.57	6 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	1001	-	-	4/30/62/62	0/5/5/5
2	NAD	D	1004	-	-	4/30/62/62	0/5/5/5
2	NAD	C	1003	-	-	5/30/62/62	0/5/5/5
2	NAD	B	1002	-	-	2/30/62/62	0/5/5/5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1004	NAD	C2N-N1N	5.23	1.40	1.35
2	A	1001	NAD	C2N-N1N	5.18	1.40	1.35
2	C	1003	NAD	C2N-N1N	5.10	1.40	1.35
2	B	1002	NAD	C2N-N1N	5.10	1.40	1.35
2	C	1003	NAD	C4N-C3N	4.47	1.46	1.39
2	D	1004	NAD	C4N-C3N	4.44	1.46	1.39
2	A	1001	NAD	C4N-C3N	4.41	1.46	1.39
2	B	1002	NAD	C4N-C3N	4.35	1.46	1.39
2	A	1001	NAD	C2A-N1A	3.12	1.39	1.33
2	D	1004	NAD	C2A-N1A	3.11	1.39	1.33
2	D	1004	NAD	C6N-N1N	3.07	1.42	1.35
2	A	1001	NAD	C6N-N1N	3.06	1.42	1.35
2	C	1003	NAD	C2A-N1A	3.06	1.39	1.33
2	B	1002	NAD	C6N-N1N	3.03	1.42	1.35
2	B	1002	NAD	C2A-N1A	3.02	1.39	1.33
2	C	1003	NAD	C6N-N1N	2.84	1.41	1.35
2	A	1001	NAD	C8A-N7A	2.47	1.36	1.31
2	B	1002	NAD	C8A-N7A	2.45	1.36	1.31
2	A	1001	NAD	PA-O3	-2.42	1.56	1.59
2	C	1003	NAD	C8A-N7A	2.35	1.36	1.31
2	B	1002	NAD	PA-O3	-2.22	1.57	1.59
2	C	1003	NAD	PN-O3	2.22	1.61	1.59
2	D	1004	NAD	C8A-N7A	2.16	1.35	1.31
2	B	1002	NAD	C5N-C4N	2.16	1.42	1.38
2	D	1004	NAD	C4A-N3A	2.15	1.38	1.34
2	D	1004	NAD	PN-O3	2.09	1.61	1.59
2	A	1001	NAD	C5N-C4N	2.08	1.42	1.38
2	D	1004	NAD	PA-O3	-2.01	1.57	1.59

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1002	NAD	C6N-N1N-C2N	5.59	126.63	121.88
2	C	1003	NAD	C6N-N1N-C2N	5.56	126.60	121.88
2	A	1001	NAD	C6N-N1N-C2N	5.55	126.60	121.88
2	D	1004	NAD	C6N-N1N-C2N	5.47	126.53	121.88
2	A	1001	NAD	C5N-C6N-N1N	-4.96	113.61	120.38
2	B	1002	NAD	C5N-C6N-N1N	-4.86	113.75	120.38
2	C	1003	NAD	C5N-C4N-C3N	-4.83	115.62	120.36
2	C	1003	NAD	C5N-C6N-N1N	-4.78	113.87	120.38
2	D	1004	NAD	C5N-C6N-N1N	-4.68	114.00	120.38
2	A	1001	NAD	C5N-C4N-C3N	-4.64	115.80	120.36
2	D	1004	NAD	C5N-C4N-C3N	-4.64	115.80	120.36
2	B	1002	NAD	C5N-C4N-C3N	-4.60	115.84	120.36
2	A	1001	NAD	C6N-C5N-C4N	4.60	126.08	119.45
2	C	1003	NAD	C6N-C5N-C4N	4.54	125.99	119.45
2	B	1002	NAD	C6N-C5N-C4N	4.52	125.96	119.45
2	D	1004	NAD	C6N-C5N-C4N	4.51	125.95	119.45
2	C	1003	NAD	C2N-C3N-C4N	3.08	121.84	118.26
2	D	1004	NAD	C2N-C3N-C4N	3.02	121.77	118.26
2	B	1002	NAD	C2N-C3N-C4N	2.87	121.60	118.26
2	A	1001	NAD	C2N-C3N-C4N	2.86	121.58	118.26
2	C	1003	NAD	C4D-O4D-C1D	-2.82	107.34	109.92
2	D	1004	NAD	C4D-O4D-C1D	-2.71	107.45	109.92
2	B	1002	NAD	C4D-O4D-C1D	-2.57	107.57	109.92
2	A	1001	NAD	C4D-O4D-C1D	-2.54	107.60	109.92
2	D	1004	NAD	O4B-C1B-C2B	-2.17	101.97	106.62
2	A	1001	NAD	O4B-C1B-C2B	-2.12	102.08	106.62
2	C	1003	NAD	O4B-C1B-C2B	-2.05	102.23	106.62

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	NAD	PA-O3-PN-O2N
2	B	1002	NAD	PA-O3-PN-O2N
2	C	1003	NAD	PA-O3-PN-O2N
2	D	1004	NAD	PA-O3-PN-O2N
2	A	1001	NAD	C3B-C4B-C5B-O5B
2	B	1002	NAD	C5D-O5D-PN-O3
2	A	1001	NAD	O4B-C4B-C5B-O5B
2	C	1003	NAD	C4B-C5B-O5B-PA
2	A	1001	NAD	C4B-C5B-O5B-PA
2	D	1004	NAD	C4B-C5B-O5B-PA
2	C	1003	NAD	C3B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	1004	NAD	C3B-C4B-C5B-O5B
2	C	1003	NAD	PA-O3-PN-O1N
2	C	1003	NAD	O4B-C4B-C5B-O5B
2	D	1004	NAD	PN-O3-PA-O2A


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	NAD	2	0
2	D	1004	NAD	2	0
2	C	1003	NAD	3	0
2	B	1002	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	240/256 (93%)	0.09	17 (7%)	22 25	10, 16, 38, 55	1 (0%)
1	B	242/256 (94%)	0.18	18 (7%)	20 23	10, 17, 47, 54	2 (0%)
1	C	248/256 (96%)	0.07	5 (2%)	65 70	11, 17, 32, 37	0
1	D	240/256 (93%)	0.03	11 (4%)	37 41	11, 16, 36, 56	0
All	All	970/1024 (94%)	0.09	51 (5%)	32 36	10, 16, 35, 56	3 (0%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	249	PHE	5.8
1	B	204	TRP	5.6
1	D	192	ALA	5.4
1	A	204	TRP	5.4
1	B	186	ALA	5.1
1	B	207	LEU	5.0
1	A	191	ILE	4.6
1	A	249	PHE	4.5
1	D	204	TRP	4.5
1	B	250	MET	4.3
1	A	192	ALA	4.2
1	B	2	GLY	4.1
1	D	188	LEU	4.1
1	D	200	THR	4.0
1	D	207	LEU	4.0
1	D	249	PHE	3.9
1	A	190	ALA	3.9
1	B	190	ALA	3.6
1	A	201	ARG	3.6
1	B	187	VAL	3.5
1	A	187	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	202	ARG	3.3
1	A	189	GLU	3.1
1	A	202	ARG	3.1
1	B	191	ILE	3.1
1	C	49	ILE	3.0
1	D	191	ILE	3.0
1	B	199	ARG	2.9
1	C	48	ALA	2.8
1	A	186	ALA	2.8
1	D	201	ARG	2.8
1	A	203	ASP	2.8
1	D	202	ARG	2.7
1	A	207	LEU	2.7
1	B	189	GLU	2.6
1	A	229	GLU	2.6
1	B	188	LEU	2.6
1	A	188	LEU	2.5
1	B	185	GLU	2.5
1	D	190	ALA	2.5
1	B	3	LEU	2.4
1	D	24	GLN	2.3
1	B	201	ARG	2.2
1	B	249	PHE	2.2
1	B	206	ASP	2.1
1	C	47	GLU	2.1
1	A	185	GLU	2.1
1	B	200	THR	2.1
1	C	28	ARG	2.1
1	A	144	GLN	2.0
1	A	180	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAD	B	1002	44/44	0.93	0.08	16,20,29,31	0
2	NAD	A	1001	44/44	0.95	0.07	16,20,27,30	0
2	NAD	C	1003	44/44	0.95	0.07	13,16,24,27	0
2	NAD	D	1004	44/44	0.95	0.07	14,18,26,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAD A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 1003:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD D 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.