



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:50 PM UTC

PDB ID : 2D3I / pdb_00002d3i
Title : Crystal Structure of Aluminum-Bound Ovotransferrin at 2.15 Angstrom Resolution
Authors : Mizutani, K.; Mikami, B.; Aibara, S.; Hirose, M.
Deposited on : 2005-09-28
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	686	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ovotransferrin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	670	5189	3247	898	1003	41	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	64	VAL	ALA	SEE REMARK 999	UNP P02789
A	133	ILE	LEU	SEE REMARK 999	UNP P02789

- Molecule 2 is ALUMINUM ION (CCD ID: AL) (formula: Al).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Al	0	0
			2	2		

- Molecule 3 is BICARBONATE ION (CCD ID: BCT) (formula: CHO_3^-).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 1	O 3	0	0
3	A	1	Total 4	C 1	O 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	270	Total 270	O 270	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ovotransferrin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.35Å 59.18Å 87.97Å 90.00° 95.72° 90.00°	Depositor
Resolution (Å)	49.03 – 2.15 49.03 – 2.15	Depositor EDS
% Data completeness (in resolution range)	98.4 (49.03-2.15) 98.4 (49.03-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.72 (at 2.14Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.206 , 0.243 0.202 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.430	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5469	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCT, AL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/5289	0.90	15/7136 (0.2%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	589	VAL	N-CA-C	7.29	117.20	108.45
1	A	212	THR	N-CA-C	6.73	119.19	111.11
1	A	64	VAL	N-CA-C	-5.89	104.61	110.62
1	A	365	SER	N-CA-C	-5.88	105.88	113.16
1	A	250	HIS	N-CA-C	-5.58	102.77	110.35
1	A	210	HIS	N-CA-C	5.46	119.03	112.38
1	A	500	GLN	N-CA-C	5.45	117.97	111.71
1	A	103	GLU	N-CA-C	5.29	122.08	110.80
1	A	597	ARG	N-CA-C	-5.23	102.61	110.24
1	A	535	GLY	N-CA-C	5.21	120.82	112.58
1	A	544	THR	N-CA-C	5.21	117.36	111.11
1	A	588	GLU	N-CA-C	-5.19	100.78	109.24
1	A	509	PRO	CA-C-N	5.06	124.50	119.24
1	A	509	PRO	C-N-CA	5.06	124.50	119.24
1	A	60	ASP	N-CA-C	-5.04	103.40	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5189	0	5056	120	0
2	A	2	0	0	0	0
3	A	8	0	0	0	0
4	A	270	0	0	1	0
All	All	5469	0	5056	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:548:ASN:HD22	1:A:553:ASN:HD22	1.07	1.01
1:A:439:LYS:HD2	1:A:567:GLU:HG3	1.64	0.79
1:A:548:ASN:ND2	1:A:553:ASN:HD22	1.79	0.79
1:A:214:ASN:HD22	1:A:221:LYS:HE3	1.49	0.77
1:A:497:ARG:NH1	1:A:500:GLN:HE22	1.83	0.76
1:A:603:LYS:O	1:A:607:LEU:HD23	1.87	0.75
1:A:314:MET:HE1	1:A:683:LEU:HD13	1.69	0.74
1:A:457:ALA:HB3	1:A:460:ARG:HD3	1.69	0.74
1:A:558:ALA:HA	1:A:561:LEU:HD13	1.71	0.72
1:A:63:GLN:HE22	1:A:121:ARG:HG2	1.57	0.69
1:A:417:ASP:HB3	1:A:420:GLN:HG3	1.74	0.69
1:A:144:GLU:HG3	1:A:334:ASP:OD2	1.92	0.69
1:A:444:ASN:O	1:A:448:LEU:HD13	1.93	0.69
1:A:487:GLY:HA2	1:A:501:LEU:HD12	1.75	0.69
1:A:497:ARG:CZ	1:A:500:GLN:HE22	2.09	0.65
1:A:70:ALA:HB2	1:A:73:LYS:NZ	2.11	0.64
1:A:520:LYS:HD3	1:A:529:ARG:NH1	2.13	0.63
1:A:355:LYS:HE3	1:A:373:VAL:CG2	2.30	0.61
1:A:652:THR:OG1	1:A:655:GLU:HG3	2.01	0.60
1:A:540:ILE:HD12	1:A:544:THR:HB	1.85	0.59
1:A:568:LEU:HG	1:A:578:VAL:HA	1.84	0.59
1:A:395:ASP:HA	1:A:592:HIS:CD2	2.39	0.58
1:A:83:GLU:HG3	1:A:305:ILE:HG21	1.85	0.58
1:A:665:ILE:HD11	1:A:669:LYS:HZ1	1.70	0.57
1:A:60:ASP:HA	1:A:250:HIS:CD2	2.39	0.57
1:A:12:ILE:HD13	1:A:16:GLU:OE1	2.05	0.57
1:A:508:ILE:HD12	1:A:509:PRO:HA	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:599:GLU:H	1:A:599:GLU:CD	2.12	0.56
1:A:603:LYS:HG2	1:A:607:LEU:HD23	1.87	0.56
1:A:600:LYS:HZ2	1:A:603:LYS:CE	2.19	0.55
1:A:417:ASP:HB3	1:A:420:GLN:CG	2.36	0.55
1:A:487:GLY:HA2	1:A:501:LEU:CD1	2.36	0.54
1:A:345:ILE:HD11	1:A:607:LEU:CB	2.37	0.54
1:A:24:ARG:HG3	1:A:34:LEU:O	2.08	0.54
1:A:298:LEU:O	1:A:299:LEU:HB2	2.06	0.54
1:A:532:VAL:HG21	1:A:561:LEU:HD21	1.89	0.53
1:A:234:GLN:HE21	1:A:238:ASN:HD22	1.56	0.53
1:A:355:LYS:CD	1:A:373:VAL:HG22	2.38	0.53
1:A:436:VAL:HG21	1:A:540:ILE:HD11	1.91	0.53
1:A:508:ILE:HD12	1:A:510:PRO:HD3	1.89	0.53
1:A:185:ASN:HD22	1:A:185:ASN:C	2.16	0.53
1:A:12:ILE:HD13	1:A:12:ILE:H	1.73	0.53
1:A:179:LYS:N	1:A:179:LYS:HD2	2.24	0.52
1:A:70:ALA:HB2	1:A:73:LYS:HZ1	1.74	0.52
1:A:263:ILE:O	1:A:267:LEU:HD22	2.10	0.52
1:A:611:GLN:HE22	1:A:615:PHE:HE2	1.57	0.52
1:A:14:SER:HB2	1:A:15:PRO:HD3	1.92	0.52
1:A:411:MET:HG3	1:A:608:LEU:HD23	1.92	0.51
1:A:70:ALA:HB2	1:A:73:LYS:HZ2	1.77	0.50
1:A:557:TRP:CZ3	1:A:558:ALA:HB2	2.47	0.50
1:A:520:LYS:HD3	1:A:529:ARG:CZ	2.42	0.49
1:A:586:LEU:O	1:A:587:ALA:HB2	2.12	0.49
1:A:540:ILE:HD12	1:A:544:THR:CB	2.43	0.49
1:A:468:MET:HE3	1:A:480:PHE:CD1	2.47	0.49
1:A:226:LEU:HG	1:A:236:VAL:HA	1.95	0.48
1:A:557:TRP:CE3	1:A:558:ALA:HB2	2.48	0.48
1:A:635:LEU:O	1:A:636:LEU:HB2	2.12	0.48
1:A:452:LYS:HA	1:A:486:GLU:O	2.14	0.48
1:A:521:TYR:CG	1:A:530:CYS:HB2	2.49	0.48
1:A:359:ASP:O	1:A:363:VAL:HG23	2.14	0.48
1:A:508:ILE:HA	1:A:509:PRO:C	2.38	0.48
1:A:17:GLU:OE1	1:A:38:GLN:HB2	2.13	0.48
1:A:430:SER:HB2	1:A:589:VAL:O	2.13	0.47
1:A:235:PRO:HG2	1:A:238:ASN:CG	2.39	0.47
1:A:345:ILE:HD11	1:A:607:LEU:HB2	1.95	0.47
1:A:577:ASN:HB3	1:A:580:ASP:OD2	2.14	0.47
1:A:292:ASP:CG	1:A:294:VAL:HG12	2.40	0.47
1:A:540:ILE:HD12	1:A:544:THR:CG2	2.44	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:PRO:HB2	1:A:179:LYS:HD2	1.96	0.46
1:A:603:LYS:HG2	1:A:607:LEU:CD2	2.45	0.46
1:A:80:GLU:OE2	1:A:301:LYS:HD3	2.16	0.46
1:A:210:HIS:HB2	1:A:239:TYR:CG	2.51	0.46
1:A:355:LYS:HE3	1:A:373:VAL:HG22	1.98	0.46
1:A:115:CYS:SG	1:A:203:GLY:HA3	2.55	0.46
1:A:186:ALA:HB1	1:A:187:PRO:HD2	1.98	0.45
1:A:432:PHE:HB2	1:A:542:HIS:HB3	1.99	0.45
1:A:81:VAL:O	1:A:305:ILE:HG12	2.17	0.45
1:A:214:ASN:HD22	1:A:221:LYS:CE	2.22	0.45
1:A:592:HIS:CE1	1:A:638:LYS:HE2	2.52	0.45
1:A:250:HIS:CE1	1:A:301:LYS:HD2	2.52	0.45
1:A:283:HIS:CG	1:A:287:PRO:HD3	2.51	0.45
1:A:247:VAL:HG22	1:A:248:ALA:N	2.33	0.44
1:A:548:ASN:HD22	1:A:553:ASN:ND2	1.91	0.44
1:A:329:GLN:HA	1:A:329:GLN:OE1	2.18	0.44
1:A:493:PRO:HB2	1:A:496:SER:HB3	2.00	0.44
1:A:531:LEU:HB2	1:A:538:ALA:HB2	1.99	0.44
1:A:626:MET:SD	1:A:629:GLU:OE1	2.76	0.44
1:A:168:GLN:HG3	4:A:864:HOH:O	2.18	0.43
1:A:497:ARG:NH1	1:A:500:GLN:NE2	2.61	0.43
1:A:345:ILE:HD11	1:A:607:LEU:HB3	1.99	0.43
1:A:395:ASP:HA	1:A:592:HIS:CG	2.53	0.43
1:A:244:TRP:O	1:A:245:ALA:HB2	2.18	0.43
1:A:600:LYS:HZ2	1:A:603:LYS:HE3	1.82	0.43
1:A:60:ASP:HB3	1:A:63:GLN:NE2	2.33	0.43
1:A:524:TYR:OH	1:A:638:LYS:HE2	2.19	0.43
1:A:143:ILE:HG12	1:A:333:LYS:O	2.20	0.42
1:A:75:LYS:HA	1:A:76:PRO:HD3	1.86	0.42
1:A:600:LYS:NZ	1:A:603:LYS:NZ	2.68	0.42
1:A:572:ASP:OD1	1:A:574:ARG:HG2	2.20	0.42
1:A:631:GLN:O	1:A:633:LYS:HG3	2.20	0.42
1:A:186:ALA:HB1	1:A:187:PRO:CD	2.50	0.41
1:A:438:ARG:NH2	1:A:531:LEU:O	2.53	0.41
1:A:259:LYS:O	1:A:263:ILE:HG13	2.21	0.41
1:A:398:LEU:HD22	1:A:398:LEU:N	2.35	0.41
1:A:97:VAL:HG22	1:A:198:LEU:HD12	2.02	0.41
1:A:499:CYS:O	1:A:512:LYS:HE2	2.21	0.41
1:A:589:VAL:HB	1:A:590:PRO:HD2	2.02	0.41
1:A:361:TRP:HE1	1:A:611:GLN:NE2	2.19	0.41
1:A:394:LEU:HG	1:A:398:LEU:HB3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:LEU:HB2	1:A:206:ALA:HB2	2.02	0.41
1:A:305:ILE:O	1:A:306:MET:HB2	2.21	0.40
1:A:7:ILE:O	1:A:34:LEU:HD23	2.21	0.40
1:A:456:THR:O	1:A:457:ALA:HB2	2.21	0.40
1:A:461:THR:O	1:A:466:ILE:HG12	2.21	0.40
1:A:540:ILE:HD12	1:A:544:THR:HG21	2.02	0.40
1:A:7:ILE:HD12	1:A:263:ILE:HG12	2.03	0.40
1:A:466:ILE:N	1:A:467:PRO:HD2	2.36	0.40
1:A:34:LEU:CD2	1:A:35:THR:N	2.85	0.40
1:A:216:ASN:O	1:A:290:LYS:HG2	2.21	0.40
1:A:355:LYS:HG2	1:A:373:VAL:CG2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	664/686 (97%)	632 (95%)	29 (4%)	3 (0%)	24 20

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	103	GLU
1	A	122	SER
1	A	457	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	566/581 (97%)	542 (96%)	24 (4%)	26	25

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ILE
1	A	18	LYS
1	A	24	ARG
1	A	29	GLN
1	A	34	LEU
1	A	97	VAL
1	A	185	ASN
1	A	198	LEU
1	A	227	LEU
1	A	267	LEU
1	A	335	GLN
1	A	373	VAL
1	A	394	LEU
1	A	418	GLU
1	A	448	LEU
1	A	513	CYS
1	A	520	LYS
1	A	564	ASP
1	A	599	GLU
1	A	636	LEU
1	A	640	LEU
1	A	644	LEU
1	A	675	ASP
1	A	683	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	126	ASN
1	A	185	ASN
1	A	214	ASN
1	A	220	GLN
1	A	234	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	335	GLN
1	A	343	ASN
1	A	420	GLN
1	A	446	ASN
1	A	472	HIS
1	A	500	GLN
1	A	503	GLN
1	A	548	ASN
1	A	611	GLN
1	A	618	ASN
1	A	672	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BCT	A	690	2	3,3,3	1.04	0	2,3,3	0.14	0
3	BCT	A	688	2	3,3,3	1.04	0	2,3,3	0.11	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	670/686 (97%)	0.40	42 (6%) 26 29	12, 26, 50, 66	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	442	ASN	4.8
1	A	443	VAL	3.8
1	A	441	SER	3.8
1	A	334	ASP	3.8
1	A	573	GLY	3.6
1	A	506	GLY	3.6
1	A	87	GLY	3.3
1	A	29	GLN	3.2
1	A	417	ASP	3.2
1	A	439	LYS	3.1
1	A	578	VAL	3.0
1	A	333	LYS	2.9
1	A	438	ARG	2.7
1	A	342	GLU	2.7
1	A	440	ASP	2.7
1	A	85	THR	2.6
1	A	482	GLU	2.6
1	A	367	GLY	2.5
1	A	507	GLY	2.5
1	A	686	LYS	2.5
1	A	446	ASN	2.5
1	A	335	GLN	2.4
1	A	418	GLU	2.4
1	A	671	CYS	2.4
1	A	576	ALA	2.3
1	A	343	ASN	2.3
1	A	419	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	88	SER	2.2
1	A	563	MET	2.2
1	A	555	ALA	2.2
1	A	575	ARG	2.2
1	A	508	ILE	2.1
1	A	498	LEU	2.1
1	A	445	TRP	2.1
1	A	437	ALA	2.1
1	A	447	ASN	2.1
1	A	520	LYS	2.1
1	A	33	SER	2.0
1	A	366	ASN	2.0
1	A	444	ASN	2.0
1	A	569	LEU	2.0
1	A	675	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AL	A	689	1/1	0.98	0.03	21,21,21,21	0
3	BCT	A	690	4/4	0.98	0.04	17,18,19,21	0
3	BCT	A	688	4/4	0.99	0.04	11,13,13,15	0
2	AL	A	687	1/1	0.99	0.03	12,12,12,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.