



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:18 AM UTC

PDB ID : 2D3Z / pdb_00002d3z
Title : X-ray crystal structure of hepatitis C virus RNA-dependent RNA polymerase in complex with non-nucleoside analogue inhibitor
Authors : Biswal, B.K.; Wang, M.; Cherney, M.M.; Chan, L.; Yannopoulos, C.G.; Bilimoria, D.; Bedard, J.; James, M.N.G.
Deposited on : 2005-10-04
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	570	7% 80% 17% ..
1	B	570	4% 82% 15% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 10043 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	560	Total	C	N	O	S	0	0	0
			4356	2748	767	810	31			
1	B	559	Total	C	N	O	S	0	0	0
			4344	2740	766	807	31			

- Molecule 2 is 5-(4-FLUOROPHENYL)-3-[(4-METHYLPHENYL)SULFONYL]AMINO}T HIOPHENE-2-CARBOXYLIC ACID (CCD ID: FIH) (formula: $C_{18}H_{14}FNO_4S_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0
			26	18	1	1	4	2	
2	B	1	Total	C	F	N	O	S	0
			26	18	1	1	4	2	


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	617	Total 617	O 617	0	0
3	B	674	Total 674	O 674	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: polypeptide



• Molecule 1: polypeptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.75Å 106.13Å 127.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.11 – 1.80 33.11 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (33.11-1.80) 89.6 (33.11-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.45 (at 1.81Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.199 , 0.232 0.192 , 0.227	Depositor DCC
R_{free} test set	4795 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	18.6	Xtriage
Anisotropy	0.403	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10043	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.08 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.8047e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FIH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/4451	0.83	6/6041 (0.1%)
1	B	0.35	0/4438	0.85	5/6022 (0.1%)
All	All	0.35	0/8889	0.84	11/12063 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	196	SER	N-CA-C	-6.86	100.06	110.07
1	A	196	SER	N-CA-C	-6.44	100.67	110.07
1	A	192	GLY	N-CA-C	6.12	121.56	113.37
1	B	175	LEU	N-CA-C	5.45	121.78	113.61
1	A	244	ASP	N-CA-C	-5.26	100.52	108.67
1	B	351	GLY	N-CA-C	-5.25	100.73	113.18
1	A	351	GLY	N-CA-C	-5.12	101.05	113.18
1	A	195	TYR	N-CA-C	5.07	117.75	109.59
1	B	101	PHE	N-CA-C	5.06	118.28	112.57
1	A	175	LEU	N-CA-C	5.05	121.72	114.39
1	B	418	THR	N-CA-C	5.04	117.20	110.35

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4356	0	4370	75	0
1	B	4344	0	4360	71	0
2	A	26	0	13	1	0
2	B	26	0	13	1	0
3	A	617	0	0	8	0
3	B	674	0	0	9	0
All	All	10043	0	8756	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:VAL:HG21	1:A:365:SER:HB3	1.38	1.02
1:B:170:CYS:HA	1:B:173:MET:HE3	1.46	0.97
1:B:5:THR:HG23	1:B:278:ARG:HH12	1.29	0.95
1:A:5:THR:HG23	1:A:278:ARG:HH12	1.37	0.89
1:A:321:VAL:CG2	1:A:365:SER:HB3	2.02	0.88
1:A:12:THR:HG21	1:A:270:LYS:HD3	1.57	0.86
1:A:79:LYS:HE2	1:A:81:LYS:HE2	1.59	0.84
1:B:81:LYS:HA	1:B:81:LYS:HE2	1.59	0.82
1:A:48:ARG:HG2	1:A:159:LEU:HD13	1.66	0.78
1:A:541:ALA:HB1	1:A:544:GLN:HE21	1.46	0.78
1:B:12:THR:HG21	1:B:270:LYS:HD3	1.64	0.78
1:A:535:LYS:HG3	1:A:536:LEU:H	1.48	0.77
1:A:422:ARG:HA	1:A:426:MET:HE2	1.65	0.77
1:B:381:VAL:HG11	1:B:474:LEU:CD2	2.16	0.76
1:A:337:ARG:O	1:A:341:GLU:HG3	1.88	0.74
1:A:381:VAL:HG11	1:A:474:LEU:CD2	2.20	0.72
1:A:381:VAL:HG11	1:A:474:LEU:HD22	1.72	0.70
1:B:381:VAL:HG11	1:B:474:LEU:HD22	1.74	0.70
1:A:510:ARG:HH11	1:A:510:ARG:HG2	1.57	0.68
1:A:321:VAL:HG21	1:A:365:SER:CB	2.21	0.66
1:A:422:ARG:CA	1:A:426:MET:HE2	2.26	0.65
1:B:527:ASN:HD21	1:B:534:LEU:H	1.42	0.65
1:A:239:ILE:HG12	3:A:2523:HOH:O	1.96	0.65
1:A:83:LEU:HB2	1:A:173:MET:HA	1.78	0.64
1:A:81:LYS:HD3	3:A:2041:HOH:O	1.98	0.64
1:B:541:ALA:O	1:B:544:GLN:HG2	1.98	0.64
1:B:5:THR:HG21	1:B:278:ARG:HH22	1.63	0.64
1:A:149:PRO:O	1:A:150:GLU:HG3	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:336:LEU:HD12	1:B:356:PRO:HD3	1.82	0.61
1:B:508:ARG:NH1	1:B:512:LEU:HD11	2.15	0.61
1:A:541:ALA:O	1:A:544:GLN:HG2	2.01	0.61
1:A:119:ILE:HD13	1:A:169:VAL:HG11	1.83	0.61
1:B:222:ARG:HD3	3:B:3633:HOH:O	2.02	0.60
1:B:5:THR:HG22	3:B:3296:HOH:O	2.02	0.59
1:B:506:SER:O	1:B:510:ARG:HD3	2.02	0.59
1:B:510:ARG:HG2	1:B:510:ARG:HH11	1.66	0.59
1:A:187:MET:HE3	1:A:296:TYR:CD2	2.37	0.59
1:A:455:GLU:HB3	3:A:2107:HOH:O	2.03	0.58
1:B:337:ARG:O	1:B:341:GLU:HG3	2.02	0.58
1:B:381:VAL:HG11	1:B:474:LEU:HD21	1.85	0.58
1:A:510:ARG:HG2	1:A:510:ARG:NH1	2.19	0.58
1:B:461:GLN:HG3	3:B:3190:HOH:O	2.02	0.58
1:A:182:LEU:HD23	1:A:182:LEU:C	2.29	0.57
1:B:182:LEU:C	1:B:182:LEU:HD23	2.29	0.57
1:B:461:GLN:HE21	1:B:541:ALA:C	2.12	0.57
1:A:527:ASN:HD21	1:A:534:LEU:H	1.51	0.57
1:A:535:LYS:HG3	1:A:536:LEU:N	2.17	0.56
1:A:5:THR:HG21	1:A:278:ARG:HH22	1.70	0.56
1:A:170:CYS:HA	1:A:173:MET:HE3	1.87	0.56
1:B:50:LYS:HB3	1:B:50:LYS:NZ	2.21	0.55
1:A:461:GLN:HB3	1:A:542:ALA:HA	1.88	0.55
1:B:106:LYS:HB2	3:B:3552:HOH:O	2.07	0.55
1:B:300:SER:HA	1:B:313:MET:HE1	1.89	0.54
1:B:515:GLY:HA2	1:B:519:ALA:HB2	1.90	0.54
1:B:119:ILE:HD13	1:B:169:VAL:HG11	1.88	0.54
1:A:506:SER:O	1:A:510:ARG:HD3	2.08	0.54
1:A:84:SER:OG	1:A:87:GLU:HG3	2.08	0.53
1:B:5:THR:HG23	1:B:278:ARG:NH1	2.10	0.53
1:B:19:SER:H	1:B:20:LYS:NZ	2.07	0.53
1:A:514:GLN:HB2	1:A:518:ALA:HB3	1.90	0.53
1:A:325:GLU:HG3	3:A:2225:HOH:O	2.09	0.52
1:B:510:ARG:HG2	3:B:3257:HOH:O	2.09	0.52
1:B:48:ARG:HG2	1:B:159:LEU:HD13	1.90	0.52
1:B:314:LEU:HB3	1:B:321:VAL:CG1	2.40	0.52
1:A:381:VAL:HG11	1:A:474:LEU:HD21	1.93	0.51
1:A:83:LEU:HD13	3:A:2050:HOH:O	2.09	0.51
1:B:433:LEU:HB3	1:B:439:LEU:HD12	1.92	0.51
1:A:300:SER:OG	1:A:313:MET:HE1	2.10	0.51
1:A:510:ARG:O	1:A:514:GLN:HG2	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:501:ARG:HD2	3:B:3303:HOH:O	2.10	0.51
1:B:510:ARG:HG2	1:B:510:ARG:NH1	2.26	0.50
1:A:346:TYR:O	1:A:347:SER:HB3	2.11	0.50
1:B:508:ARG:HE	1:B:530:VAL:HG11	1.77	0.50
1:B:461:GLN:HE21	1:B:542:ALA:N	2.10	0.49
1:A:336:LEU:HD12	1:A:356:PRO:HD3	1.93	0.49
1:A:527:ASN:O	1:A:530:VAL:HG22	2.12	0.49
1:B:482:ILE:HG23	2:B:3001:FIH:H4	1.94	0.49
1:A:535:LYS:CG	1:A:536:LEU:H	2.23	0.49
1:A:81:LYS:HG2	3:A:2470:HOH:O	2.12	0.48
1:A:306:ALA:HB3	1:A:308:LEU:HD13	1.95	0.48
1:A:485:VAL:O	1:A:489:LEU:HG	2.13	0.48
1:B:169:VAL:HG12	1:B:173:MET:HE2	1.96	0.48
1:B:144:VAL:HB	1:B:394:ARG:HG2	1.95	0.48
1:A:433:LEU:HB3	1:A:439:LEU:HD12	1.96	0.47
1:B:93:PRO:HG3	1:B:561:TYR:HB2	1.96	0.47
1:A:390:THR:HB	1:A:391:PRO:HD3	1.97	0.47
1:B:38:TYR:OH	1:B:155:LYS:HG2	2.14	0.47
1:A:319:ASP:CG	1:A:366:CYS:H	2.22	0.47
1:A:482:ILE:HG23	2:A:2001:FIH:H4	1.96	0.47
1:B:124:LYS:O	1:B:128:GLU:HG3	2.15	0.47
1:A:5:THR:HG23	1:A:278:ARG:NH1	2.18	0.47
1:A:144:VAL:HB	1:A:394:ARG:HG2	1.95	0.47
1:B:83:LEU:HB2	1:B:173:MET:HA	1.97	0.47
1:A:113:SER:O	1:A:117:ASN:ND2	2.48	0.47
1:B:81:LYS:HE3	3:B:3162:HOH:O	2.15	0.46
1:A:14:CYS:HB2	1:A:139:MET:HE1	1.97	0.46
1:A:541:ALA:HB1	1:A:544:GLN:NE2	2.22	0.46
1:B:84:SER:OG	1:B:87:GLU:HG3	2.15	0.46
1:A:220:ASP:HB2	3:A:2468:HOH:O	2.15	0.46
1:A:141:LYS:HE2	1:A:160:ILE:HB	1.98	0.46
1:A:187:MET:HE3	1:A:296:TYR:HB2	1.98	0.46
1:A:86:GLU:O	1:A:90:LYS:HG3	2.16	0.45
1:B:346:TYR:O	1:B:347:SER:HB3	2.16	0.45
1:B:510:ARG:NH1	3:B:3257:HOH:O	2.50	0.45
1:B:135:ASP:HB2	3:B:3479:HOH:O	2.17	0.45
1:A:149:PRO:HG2	1:A:150:GLU:H	1.82	0.45
1:B:187:MET:HE3	1:B:296:TYR:CD1	2.52	0.45
1:B:172:LYS:HE3	1:B:560:ILE:HD13	1.99	0.44
1:A:422:ARG:O	1:A:426:MET:HE2	2.18	0.44
1:A:172:LYS:HE3	1:A:560:ILE:HD13	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:THR:CG2	1:B:278:ARG:HH22	2.29	0.44
1:B:19:SER:H	1:B:20:LYS:HZ3	1.65	0.43
1:B:508:ARG:HH22	1:B:534:LEU:HD21	1.82	0.43
1:A:381:VAL:O	1:A:381:VAL:HG13	2.19	0.43
1:B:461:GLN:HE21	1:B:542:ALA:HA	1.83	0.43
1:B:488:CYS:O	1:B:492:LEU:HD13	2.18	0.43
1:B:93:PRO:HA	1:B:94:PRO:HD3	1.89	0.43
1:A:237:GLU:HG3	1:A:257:THR:OG1	2.19	0.42
1:A:533:LYS:N	1:A:533:LYS:HD2	2.34	0.42
1:B:492:LEU:HD12	1:B:492:LEU:N	2.34	0.42
1:B:541:ALA:C	1:B:543:SER:H	2.27	0.42
1:A:268:ASN:HB3	1:A:274:CYS:SG	2.58	0.42
1:B:319:ASP:CG	1:B:366:CYS:H	2.27	0.42
1:B:79:LYS:HA	1:B:244:ASP:HB3	2.02	0.42
1:A:540:PRO:O	1:A:542:ALA:N	2.53	0.42
1:B:390:THR:HB	1:B:391:PRO:HD3	2.01	0.42
1:A:426:MET:HE1	1:A:525:LEU:O	2.20	0.42
1:B:540:PRO:O	1:B:542:ALA:N	2.52	0.42
1:B:336:LEU:HD23	1:B:336:LEU:HA	1.89	0.42
1:A:492:LEU:HD12	1:A:492:LEU:N	2.35	0.42
1:A:85:VAL:HG21	1:A:120:HIS:CE1	2.55	0.41
1:B:176:TYR:OH	1:B:562:HIS:HE1	2.02	0.41
1:B:535:LYS:O	1:B:535:LYS:HG3	2.20	0.41
1:A:321:VAL:CG2	1:A:365:SER:CB	2.86	0.41
1:B:82:LEU:HD21	1:B:249:ALA:HB2	2.02	0.41
1:A:160:ILE:HA	1:A:282:SER:OG	2.20	0.41
1:A:82:LEU:HD13	1:A:249:ALA:HB2	2.03	0.41
1:A:247:PRO:HD2	3:A:2373:HOH:O	2.21	0.41
1:B:30:LEU:HD23	1:B:396:ALA:HA	2.02	0.41
1:A:30:LEU:HD23	1:A:396:ALA:HA	2.03	0.41
1:B:381:VAL:HG13	1:B:381:VAL:O	2.21	0.41
1:A:112:SER:O	1:A:116:VAL:HG23	2.20	0.40
1:B:306:ALA:HB3	1:B:308:LEU:HD13	2.02	0.40
1:B:388:PRO:C	1:B:391:PRO:HD2	2.46	0.40
1:B:527:ASN:ND2	1:B:534:LEU:H	2.16	0.40
1:B:92:THR:HA	1:B:93:PRO:HD3	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	556/570 (98%)	543 (98%)	10 (2%)	3 (0%)	24	14
1	B	555/570 (97%)	541 (98%)	10 (2%)	4 (1%)	18	8
All	All	1111/1140 (98%)	1084 (98%)	20 (2%)	7 (1%)	21	11

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	540	PRO
1	B	540	PRO
1	A	541	ALA
1	B	541	ALA
1	A	542	ALA
1	B	542	ALA
1	B	538	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	478/485 (99%)	472 (99%)	6 (1%)	61	54
1	B	476/485 (98%)	470 (99%)	6 (1%)	61	54
All	All	954/970 (98%)	942 (99%)	12 (1%)	61	54

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LYS
1	A	57	LEU
1	A	106	LYS
1	A	303	CYS
1	A	439	LEU
1	A	510	ARG
1	B	14	CYS
1	B	20	LYS
1	B	57	LEU
1	B	159	LEU
1	B	439	LEU
1	B	510	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	GLN
1	A	309	GLN
1	A	374	HIS
1	A	527	ASN
1	A	544	GLN
1	B	49	GLN
1	B	148	GLN
1	B	330	GLN
1	B	374	HIS
1	B	402	HIS
1	B	406	ASN
1	B	461	GLN
1	B	502	HIS
1	B	514	GLN
1	B	527	ASN
1	B	544	GLN
1	B	562	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FIH	A	2001	-	28,28,28	2.12	15 (53%)	40,41,41	1.84	8 (20%)
2	FIH	B	3001	-	28,28,28	2.14	15 (53%)	40,41,41	1.85	8 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FIH	A	2001	-	-	2/19/19/19	0/3/3/3
2	FIH	B	3001	-	-	2/19/19/19	0/3/3/3

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FIH	C1-C2	3.09	1.43	1.37
2	B	3001	FIH	C1-C2	3.01	1.43	1.37
2	B	3001	FIH	C19-C20	2.96	1.43	1.38
2	A	2001	FIH	C20-S18	2.94	1.81	1.76
2	A	2001	FIH	C19-C20	2.90	1.43	1.38
2	B	3001	FIH	C21-C20	2.85	1.43	1.38
2	A	2001	FIH	C6-C5	2.80	1.43	1.39
2	B	3001	FIH	C20-S18	2.79	1.80	1.76
2	A	2001	FIH	C21-C20	2.74	1.43	1.38
2	B	3001	FIH	C3-C2	2.73	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FIH	C6-C1	2.73	1.43	1.38
2	B	3001	FIH	C6-C1	2.70	1.43	1.38
2	A	2001	FIH	S18-N17	2.68	1.70	1.64
2	B	3001	FIH	S18-N17	2.67	1.70	1.64
2	B	3001	FIH	C8-N17	2.65	1.47	1.42
2	B	3001	FIH	C6-C5	2.65	1.43	1.39
2	A	2001	FIH	C3-C2	2.62	1.42	1.37
2	B	3001	FIH	C4-C5	2.62	1.43	1.39
2	A	2001	FIH	C8-N17	2.61	1.47	1.42
2	B	3001	FIH	O26-S18	2.56	1.46	1.43
2	A	2001	FIH	O27-S18	2.55	1.46	1.43
2	B	3001	FIH	C22-C21	2.46	1.42	1.38
2	A	2001	FIH	C4-C5	2.42	1.43	1.39
2	A	2001	FIH	C22-C21	2.40	1.42	1.38
2	B	3001	FIH	O27-S18	2.40	1.46	1.43
2	A	2001	FIH	C24-C19	2.38	1.42	1.38
2	A	2001	FIH	O26-S18	2.34	1.46	1.43
2	B	3001	FIH	C24-C19	2.27	1.42	1.38
2	B	3001	FIH	C4-C3	2.25	1.42	1.38
2	A	2001	FIH	C4-C3	2.03	1.42	1.38

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	FIH	O27-S18-O26	-6.22	111.96	119.52
2	B	3001	FIH	O27-S18-O26	-6.22	111.97	119.52
2	A	2001	FIH	C20-S18-N17	5.32	114.55	106.06
2	B	3001	FIH	C20-S18-N17	5.11	114.20	106.06
2	B	3001	FIH	C10-S11-C7	3.91	94.87	91.75
2	A	2001	FIH	C10-S11-C7	3.56	94.59	91.75
2	A	2001	FIH	C7-C8-N17	3.23	124.65	121.24
2	B	3001	FIH	C7-C8-N17	3.18	124.59	121.24
2	B	3001	FIH	C3-C2-C1	-3.10	118.73	122.80
2	A	2001	FIH	C3-C2-C1	-3.03	118.83	122.80
2	A	2001	FIH	C9-C8-C7	-2.48	111.14	113.80
2	B	3001	FIH	C9-C8-C7	-2.47	111.15	113.80
2	B	3001	FIH	C6-C1-C2	2.27	120.70	118.38
2	A	2001	FIH	C4-C3-C2	2.21	120.65	118.38
2	B	3001	FIH	C4-C3-C2	2.15	120.59	118.38
2	A	2001	FIH	C6-C1-C2	2.07	120.50	118.38

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2001	FIH	C7-C8-N17-S18
2	B	3001	FIH	C7-C8-N17-S18
2	B	3001	FIH	C8-N17-S18-O26
2	A	2001	FIH	C8-N17-S18-O26

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2001	FIH	1	0
2	B	3001	FIH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	560/570 (98%)	0.17	40 (7%)	22 20	10, 18, 40, 66	0
1	B	559/570 (98%)	0.01	25 (4%)	38 37	9, 17, 33, 66	0
All	All	1119/1140 (98%)	0.09	65 (5%)	29 27	9, 18, 38, 66	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	542	ALA	9.2
1	B	536	LEU	6.7
1	B	539	ILE	6.6
1	A	539	ILE	5.7
1	B	542	ALA	5.7
1	B	563	SER	5.4
1	B	534	LEU	5.4
1	A	563	SER	5.3
1	B	545	LEU	5.3
1	A	534	LEU	4.8
1	A	536	LEU	4.8
1	A	540	PRO	4.8
1	B	541	ALA	4.7
1	A	541	ALA	4.6
1	A	543	SER	4.5
1	B	14	CYS	4.4
1	A	150	GLU	4.3
1	B	537	THR	4.3
1	A	535	LYS	4.2
1	A	545	LEU	4.1
1	B	543	SER	4.1
1	A	330	GLN	3.9
1	B	538	PRO	3.9
1	B	540	PRO	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	535	LYS	3.4
1	A	111	LEU	3.3
1	A	537	THR	3.2
1	A	538	PRO	3.2
1	A	149	PRO	3.1
1	B	377	SER	3.1
1	B	153	GLY	3.1
1	A	106	LYS	3.1
1	B	366	CYS	3.1
1	A	377	SER	3.0
1	B	16	ALA	3.0
1	A	531	LYS	3.0
1	B	548	SER	2.9
1	A	110	ASN	2.9
1	A	544	GLN	2.9
1	A	14	CYS	2.9
1	A	105	ALA	2.8
1	B	547	LEU	2.8
1	B	95	HIS	2.8
1	B	531	LYS	2.7
1	A	112	SER	2.6
1	B	461	GLN	2.5
1	A	331	GLU	2.5
1	A	102	GLY	2.5
1	A	461	GLN	2.5
1	A	154	ARG	2.4
1	B	15	ALA	2.4
1	A	547	LEU	2.4
1	B	532	THR	2.3
1	A	246	ALA	2.3
1	A	128	GLU	2.3
1	B	148	GLN	2.3
1	A	366	CYS	2.3
1	A	81	LYS	2.2
1	A	352	ASP	2.2
1	A	514	GLN	2.1
1	A	103	TYR	2.1
1	A	55	ASP	2.1
1	A	247	PRO	2.0
1	A	148	GLN	2.0
1	A	381	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FIH	A	2001	26/26	0.92	0.10	18,23,29,32	0
2	FIH	B	3001	26/26	0.93	0.10	17,25,29,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FIH A 2001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.