



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:50 PM UTC

PDB ID : 8D3Z / pdb_00008d3z
Title : Crystal structure of GalS1 in complex with Manganese from Populus tri-chocarpas
Authors : Pereira, J.H.; Prabhakar, P.K.; Urbanowicz, B.R.; Adams, P.D.
Deposited on : 2022-06-01
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1853 (2.58-2.54)
Clashscore	190562	1897 (2.58-2.54)
Ramachandran outliers	187476	1875 (2.58-2.54)
Sidechain outliers	187428	1875 (2.58-2.54)
RSRZ outliers	180081	1853 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	424	 4% 68% 25% 6%
1	B	424	 16% 59% 33% 6%
2	C	2	 50% 50%
2	E	2	 50% 50%
3	D	7	 14% 86%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	7	14%71%14%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6928 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galactan synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	399	Total	C	N	O	S	0	0	0
			3278	2105	562	598	13			
1	B	399	Total	C	N	O	S	0	0	0
			3278	2105	562	598	13			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP A0A2K2AMS7
B	1	GLY	-	expression tag	UNP A0A2K2AMS7

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			27	15	2	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	7	Total	C	N	O	0	0	0
			83	46	2	35			
3	F	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mn	0	0
			1	1		
4	B	1	Total	Mn	0	0
			1	1		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	32	Total	O	0	0
			32	32		
6	B	5	Total	O	0	0
			5	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Galactan synthase



• Molecule 1: Galactan synthase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%

 MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%


 MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  14% 86%

 MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  14% 71% 14%

 MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	169.98Å 169.98Å 73.96Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.07 – 2.56 49.07 – 2.56	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.07-2.56) 100.0 (49.07-2.56)	Depositor EDS
R_{merge}	0.02	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.230 , 0.264 0.230 , 0.264	Depositor DCC
R_{free} test set	2005 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	69.0	Xtriage
Anisotropy	0.188	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 66.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6928	wwPDB-VP
Average B, all atoms (Å ²)	107.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, MN, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/3381	0.60	3/4591 (0.1%)
1	B	0.29	0/3381	0.54	0/4591
All	All	0.31	0/6762	0.57	3/9182 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	3
All	All	0	6

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85	ARG	CG-CD-NE	6.50	126.29	112.00
1	A	423	TYR	CA-CB-CG	6.09	124.86	113.90
1	A	85	ARG	CB-CG-CD	-5.21	99.32	111.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	268	PRO	Peptide
1	A	422	ALA	Peptide
1	A	85	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	116	GLN	Peptide
1	B	361	ARG	Sidechain
1	B	420	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3278	0	3092	89	0
1	B	3278	0	3093	110	0
2	C	28	0	25	0	0
2	E	27	0	24	2	0
3	D	83	0	70	0	0
3	F	83	0	70	4	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	56	0	52	1	0
5	B	56	0	52	1	0
6	A	32	0	0	4	0
6	B	5	0	0	0	0
All	All	6928	0	6478	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:THR:HG21	1:B:336:ASN:HD22	1.28	0.95
1:A:77:ILE:HD12	1:A:124:MET:HG3	1.50	0.93
1:B:362:TYR:HE1	1:B:364:HIS:HB2	1.38	0.88
1:A:94:ASP:OD2	6:A:601:HOH:O	1.93	0.86
1:A:90:LYS:HE2	1:A:92:LEU:HD21	1.59	0.84
1:B:292:PRO:HG2	1:B:319:GLU:HB3	1.62	0.81
1:B:113:ASN:OD1	1:B:116:GLN:N	2.15	0.80
1:B:362:TYR:CE1	1:B:364:HIS:HB2	2.18	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:272:THR:HG22	1:B:274:GLU:H	1.48	0.79
1:B:90:LYS:HZ3	1:B:92:LEU:HG	1.46	0.78
1:B:105:VAL:HG21	1:B:339:ALA:HB2	1.66	0.78
1:A:85:ARG:HD3	1:A:85:ARG:H	1.51	0.75
1:A:89:TYR:HE2	1:A:91:MET:HE3	1.53	0.73
1:A:228:GLN:OE1	1:A:235:TYR:OH	2.08	0.72
1:B:357:GLU:OE2	1:B:357:GLU:N	2.22	0.71
1:A:89:TYR:CE2	1:A:91:MET:HE3	2.26	0.69
1:B:76:TRP:CD1	1:B:114:PRO:HB2	2.28	0.68
1:A:103:VAL:O	6:A:601:HOH:O	2.11	0.68
1:B:168:SER:H	1:B:238:GLN:HE22	1.42	0.68
1:B:52:THR:OG1	1:B:110:PHE:O	2.11	0.67
1:B:61:SER:O	1:B:68:ARG:NH1	2.19	0.67
1:B:285:GLN:HG3	1:B:352:THR:HG23	1.76	0.67
1:B:91:MET:SD	1:B:347:ASN:ND2	2.66	0.67
1:A:297:LEU:HD12	1:A:391:TYR:HD2	1.59	0.67
1:A:318:ARG:NH1	1:A:399:ASP:OD2	2.27	0.67
1:B:213:PRO:HA	1:B:424:SER:C	2.21	0.66
1:A:80:ASN:HD21	5:A:502:NAG:C1	2.08	0.66
1:B:254:ASN:ND2	2:E:1:NAG:O5	2.27	0.65
1:A:268:PRO:O	1:A:271:ASN:ND2	2.30	0.64
1:B:54:PHE:HE2	1:B:76:TRP:CZ3	2.15	0.64
1:A:182:MET:HE1	1:A:195:PHE:CD1	2.32	0.63
1:A:85:ARG:HD3	1:A:85:ARG:N	2.13	0.63
1:A:31:PHE:HE1	1:B:44:MET:HE3	1.64	0.62
1:A:295:SER:HA	1:A:315:LEU:HD13	1.82	0.62
1:A:85:ARG:H	1:A:85:ARG:CD	2.12	0.61
1:B:272:THR:HG22	1:B:274:GLU:N	2.15	0.61
1:B:49:GLY:O	1:B:250:ARG:NH1	2.33	0.61
1:A:405:LEU:O	1:A:409:ILE:HG12	2.01	0.61
1:A:180:GLU:HG2	1:A:310:TRP:CD2	2.36	0.60
1:B:163:LEU:HD13	1:B:194:HIS:HB3	1.82	0.60
1:B:342:VAL:HG23	1:B:343:HIS:ND1	2.16	0.60
1:A:71:TRP:CE2	1:A:90:LYS:HE3	2.38	0.59
1:B:321:ARG:HH22	1:B:394:LEU:HD12	1.68	0.59
1:B:53:THR:HG21	3:F:1:NAG:H3	1.83	0.58
1:B:168:SER:HB2	1:B:241:VAL:HG21	1.85	0.58
1:A:176:SER:HB3	1:A:424:SER:HB3	1.84	0.58
1:A:32:GLN:HG3	1:A:34:TYR:CE1	2.39	0.58
1:B:77:ILE:HD13	1:B:83:SER:HB2	1.86	0.57
1:B:40:LEU:HD22	1:B:127:ALA:HB1	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:68:ARG:HG2	1:B:71:TRP:HA	1.87	0.57
1:B:73:LYS:HE3	1:B:126:ASN:ND2	2.20	0.56
1:B:263:GLU:HG2	1:B:362:TYR:CE1	2.39	0.56
1:A:267:LEU:HD22	1:A:276:VAL:HG21	1.87	0.56
1:A:91:MET:HE1	1:A:338:TYR:HB3	1.87	0.56
1:B:420:VAL:C	1:B:422:ALA:H	2.13	0.56
1:A:272:THR:O	1:A:276:VAL:HG23	2.06	0.56
1:A:90:LYS:HE2	1:A:92:LEU:CD2	2.34	0.55
1:B:47:TYR:OH	1:B:248:ARG:NH1	2.34	0.55
1:B:185:HIS:CE1	1:B:264:TYR:HA	2.41	0.55
1:A:289:GLU:HG3	1:A:357:GLU:HG3	1.89	0.54
1:A:293:MET:HE1	1:A:399:ASP:HB3	1.90	0.54
1:A:179:ARG:NH2	1:A:413:GLU:OE2	2.41	0.54
1:A:91:MET:HE1	1:A:338:TYR:CB	2.38	0.54
1:B:167:SER:HB2	1:B:238:GLN:HE22	1.73	0.54
1:A:297:LEU:HD21	1:A:380:LEU:HD11	1.89	0.53
1:A:184:TYR:CE1	1:A:402:MET:HE1	2.43	0.53
1:B:86:ALA:HB2	1:B:110:PHE:CE2	2.43	0.53
1:A:131:GLU:C	1:A:133:GLN:N	2.66	0.53
1:B:101:TYR:CD2	1:B:234:TYR:HB3	2.44	0.53
1:B:92:LEU:HD22	1:B:102:THR:HG23	1.91	0.53
1:A:72:TYR:HA	1:A:126:ASN:O	2.09	0.52
1:B:54:PHE:HD2	1:B:123:LEU:HD22	1.75	0.52
1:A:184:TYR:CZ	1:A:402:MET:HE1	2.44	0.52
1:A:198:HIS:HB3	1:A:225:ILE:HD13	1.92	0.52
1:A:101:TYR:HD2	1:A:234:TYR:HB3	1.73	0.52
1:A:30:ILE:HD12	1:A:30:ILE:O	2.11	0.51
1:B:358:THR:H	1:B:359:LYS:NZ	2.09	0.51
1:B:247:HIS:HD2	3:F:1:NAG:H81	1.75	0.50
1:B:173:LEU:HD22	1:B:369:ILE:HG13	1.93	0.50
1:A:125:LEU:HB3	1:A:139:PHE:CE1	2.46	0.50
1:B:53:THR:C	1:B:54:PHE:HD1	2.19	0.50
1:B:76:TRP:CZ2	1:B:121:GLY:HA3	2.46	0.50
1:A:310:TRP:O	1:A:314:LYS:HG3	2.11	0.50
1:B:247:HIS:CD2	3:F:1:NAG:H81	2.47	0.50
1:A:31:PHE:CE1	1:B:44:MET:HE3	2.45	0.50
1:A:295:SER:N	6:A:602:HOH:O	2.30	0.50
1:B:336:ASN:HD21	3:F:4:MAN:H62	1.76	0.50
1:B:358:THR:C	1:B:359:LYS:HD3	2.36	0.50
1:A:293:MET:HE2	1:A:363:TYR:CE1	2.46	0.49
1:B:419:ASN:O	1:B:422:ALA:HB3	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:CYS:HB2	1:B:86:ALA:HB3	1.95	0.49
1:B:199:ASP:CG	1:B:203:VAL:HB	2.37	0.49
1:A:85:ARG:N	1:A:85:ARG:CD	2.75	0.49
1:A:276:VAL:HG12	1:A:280:PHE:CE1	2.48	0.49
1:B:40:LEU:CD2	1:B:127:ALA:HB1	2.42	0.49
1:A:290:GLN:HB2	1:A:362:TYR:CZ	2.48	0.49
1:A:385:LYS:HG2	1:A:386:ASN:ND2	2.28	0.48
1:A:73:LYS:HE3	1:A:128:TYR:OH	2.13	0.48
1:A:44:MET:SD	1:A:240:LEU:HG	2.54	0.48
1:B:26:PRO:C	1:B:28:LYS:H	2.20	0.48
1:A:75:GLU:HA	1:A:85:ARG:HA	1.94	0.48
1:A:347:ASN:ND2	6:A:604:HOH:O	2.42	0.48
1:B:76:TRP:CG	1:B:114:PRO:HB2	2.49	0.48
1:B:91:MET:HE1	1:B:338:TYR:HB2	1.96	0.48
1:B:180:GLU:HG2	1:B:310:TRP:CD2	2.49	0.48
1:B:213:PRO:HA	1:B:424:SER:O	2.13	0.48
1:B:126:ASN:OD1	1:B:138:LYS:HG3	2.13	0.48
1:B:132:SER:OG	1:B:133:GLN:OE1	2.32	0.48
1:B:167:SER:O	1:B:169:LEU:HD22	2.14	0.48
1:B:250:ARG:NH1	1:B:251:TYR:OH	2.46	0.48
1:B:48:ARG:HG3	1:B:54:PHE:CE1	2.49	0.47
1:A:131:GLU:O	1:A:131:GLU:CD	2.58	0.47
1:B:118:ASN:ND2	1:B:149:TYR:HB3	2.30	0.47
1:B:310:TRP:HE3	1:B:312:PHE:CE2	2.32	0.47
1:B:78:SER:HA	1:B:121:GLY:HA2	1.95	0.47
1:B:158:TYR:H	2:E:1:NAG:H83	1.80	0.47
1:A:64:ILE:O	1:A:66:VAL:N	2.41	0.46
1:A:301:ASP:OD1	1:A:303:THR:HG22	2.15	0.46
1:B:283:TYR:CD2	1:B:353:LEU:HB2	2.51	0.46
1:A:297:LEU:HD12	1:A:391:TYR:CD2	2.47	0.46
1:B:160:TYR:O	1:B:253:ALA:HA	2.16	0.46
1:A:319:GLU:CD	1:A:394:LEU:HD23	2.41	0.46
1:B:122:ARG:CG	1:B:143:GLU:HG3	2.46	0.46
1:B:168:SER:H	1:B:238:GLN:NE2	2.12	0.46
1:B:420:VAL:C	1:B:422:ALA:N	2.73	0.46
1:A:295:SER:HA	1:A:315:LEU:CD1	2.45	0.45
1:A:380:LEU:HD13	1:A:389:THR:HG21	1.96	0.45
1:B:48:ARG:CZ	1:B:149:TYR:HE2	2.30	0.45
1:B:80:ASN:O	5:B:502:NAG:H82	2.16	0.45
1:A:229:ALA:HA	1:A:232:ASP:HB2	1.97	0.45
1:A:280:PHE:CD2	1:A:353:LEU:HD23	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:411:ASP:O	1:A:414:ARG:N	2.50	0.45
1:B:272:THR:HB	1:B:275:SER:HB3	1.99	0.45
1:A:131:GLU:O	1:A:133:GLN:N	2.50	0.45
1:B:388:VAL:HG22	1:B:397:VAL:HG12	1.98	0.45
1:A:76:TRP:HB3	1:A:84:ILE:HG23	1.99	0.45
1:B:67:PHE:HB2	1:B:131:GLU:HG2	1.98	0.44
1:B:101:TYR:HD2	1:B:234:TYR:HB3	1.82	0.44
1:B:106:VAL:HG11	1:B:125:LEU:HD11	2.00	0.44
1:B:151:GLU:OE1	1:B:155:ARG:NH2	2.44	0.44
1:B:267:LEU:HD21	1:B:360:ILE:HD12	2.00	0.44
1:B:274:GLU:HA	1:B:277:LEU:HB2	1.99	0.44
1:A:359:LYS:HE2	1:A:359:LYS:HB3	1.78	0.44
1:A:106:VAL:HG11	1:A:125:LEU:HD11	2.00	0.43
1:B:206:GLU:OE1	1:B:206:GLU:N	2.44	0.43
1:A:76:TRP:CG	1:A:114:PRO:HB2	2.53	0.43
1:B:95:TRP:HB2	1:B:236:TYR:CE2	2.53	0.43
1:A:71:TRP:CD2	1:A:90:LYS:HE3	2.53	0.43
1:A:131:GLU:O	1:A:132:SER:C	2.60	0.43
1:A:285:GLN:HG3	1:A:352:THR:HG23	1.99	0.43
1:A:423:TYR:HD2	1:A:423:TYR:O	2.01	0.43
1:B:123:LEU:C	1:B:124:MET:HE2	2.43	0.43
1:B:207:VAL:HG12	1:B:211:LEU:CD2	2.49	0.42
1:B:297:LEU:HD21	1:B:391:TYR:CG	2.54	0.42
1:A:180:GLU:HG2	1:A:310:TRP:CG	2.54	0.42
1:B:228:GLN:NE2	1:B:237:ASN:OD1	2.52	0.42
1:B:272:THR:N	1:B:275:SER:OG	2.50	0.42
1:A:64:ILE:C	1:A:66:VAL:H	2.26	0.42
1:B:96:GLY:HA2	1:B:102:THR:OG1	2.19	0.42
1:B:321:ARG:CZ	1:B:395:PRO:HD2	2.49	0.42
1:B:419:ASN:HB3	1:B:422:ALA:HB2	2.01	0.42
1:A:101:TYR:CD2	1:A:234:TYR:HB3	2.53	0.42
1:A:160:TYR:O	1:A:253:ALA:HA	2.20	0.42
1:A:321:ARG:HG3	1:A:395:PRO:HD2	2.01	0.42
1:A:358:THR:HG23	1:A:359:LYS:HG2	2.01	0.42
1:A:378:GLU:OE1	1:A:378:GLU:HA	2.19	0.42
1:B:69:LEU:HA	1:B:70:PRO:HA	1.75	0.42
1:B:122:ARG:HG2	1:B:143:GLU:HG3	2.01	0.42
1:B:297:LEU:HD11	1:B:396:TYR:CD2	2.55	0.42
1:A:132:SER:C	1:A:134:ARG:N	2.78	0.42
1:A:328:ARG:O	1:A:329:LYS:HD3	2.20	0.42
1:B:167:SER:HB2	1:B:238:GLN:NE2	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:VAL:HB	1:A:59:LEU:HB2	2.02	0.41
1:A:237:ASN:OD1	1:A:237:ASN:N	2.53	0.41
1:B:317:PHE:HA	1:B:397:VAL:O	2.21	0.41
1:B:370:GLN:OE1	1:B:370:GLN:N	2.45	0.41
1:A:34:TYR:CD1	1:A:34:TYR:N	2.88	0.41
1:A:162:TYR:O	1:A:193:SER:HA	2.20	0.41
1:B:278:LYS:HA	1:B:281:SER:HB3	2.03	0.41
1:A:402:MET:HA	1:A:402:MET:HE2	2.02	0.41
1:B:153:LYS:HE2	1:B:153:LYS:HB3	1.85	0.41
1:B:351:LYS:HD2	1:B:352:THR:H	1.86	0.41
1:A:184:TYR:OH	1:A:402:MET:HE1	2.21	0.41
1:A:168:SER:HB3	1:A:238:GLN:HE22	1.86	0.41
1:B:79:ASN:ND2	1:B:120:GLY:HA3	2.36	0.41
1:B:84:ILE:HD11	1:B:110:PHE:CD2	2.56	0.41
1:B:200:ALA:HB2	1:B:225:ILE:CD1	2.51	0.41
1:A:135:LYS:HA	1:A:135:LYS:HD2	1.87	0.41
1:B:40:LEU:C	1:B:40:LEU:HD23	2.46	0.41
1:B:94:ASP:HA	1:B:239:PHE:CE2	2.55	0.41
1:B:290:GLN:HG2	1:B:292:PRO:HD3	2.03	0.41
1:B:163:LEU:HD23	1:B:249:TYR:HB3	2.02	0.40
1:B:402:MET:HE3	1:B:402:MET:HB3	1.94	0.40
1:B:163:LEU:CD2	1:B:249:TYR:HB3	2.51	0.40
1:A:315:LEU:C	1:A:316:LEU:HD23	2.46	0.40
1:A:101:TYR:HB2	1:A:235:TYR:HB3	2.03	0.40
1:B:156:PRO:HA	1:B:157:PRO:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/424 (94%)	374 (94%)	20 (5%)	3 (1%)	16	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	397/424 (94%)	360 (91%)	33 (8%)	4 (1%)	12	17
All	All	794/848 (94%)	734 (92%)	53 (7%)	7 (1%)	14	20

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	423	TYR
1	B	95	TRP
1	A	65	HIS
1	B	423	TYR
1	B	322	THR
1	B	421	GLN
1	A	268	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/365 (94%)	338 (99%)	4 (1%)	63	76
1	B	342/365 (94%)	335 (98%)	7 (2%)	48	64
All	All	684/730 (94%)	673 (98%)	11 (2%)	55	70

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	TYR
1	A	173	LEU
1	A	237	ASN
1	A	424	SER
1	B	67	PHE
1	B	97	TYR
1	B	113	ASN
1	B	162	TYR
1	B	215	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	321	ARG
1	B	375	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	133	GLN
1	A	271	ASN
1	A	386	ASN
1	B	115	ASN
1	B	228	GLN
1	B	237	ASN
1	B	238	GLN
1	B	336	ASN
1	B	366	HIS
1	B	367	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	1.30	1 (7%)	17,19,21	0.90	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	2	2	14,14,15	0.41	0	17,19,21	0.40	0
3	NAG	D	1	1,3	14,14,15	0.54	0	17,19,21	0.50	0
3	NAG	D	2	3	14,14,15	0.58	1 (7%)	17,19,21	0.59	0
3	BMA	D	3	3	11,11,12	0.87	1 (9%)	15,15,17	1.02	1 (6%)
3	MAN	D	4	3	11,11,12	0.65	0	15,15,17	1.24	2 (13%)
3	MAN	D	5	3	11,11,12	0.82	1 (9%)	15,15,17	1.14	2 (13%)
3	MAN	D	6	3	11,11,12	0.94	0	15,15,17	1.12	1 (6%)
3	MAN	D	7	3	11,11,12	1.04	1 (9%)	15,15,17	1.07	1 (6%)
2	NAG	E	1	2	12,12,15	0.22	0	15,15,21	0.71	1 (6%)
2	NAG	E	2	2	14,14,15	0.33	0	17,19,21	0.38	0
3	NAG	F	1	1,3	14,14,15	0.23	0	17,19,21	0.46	0
3	NAG	F	2	3	14,14,15	0.22	0	17,19,21	0.55	0
3	BMA	F	3	3	11,11,12	1.00	1 (9%)	15,15,17	0.89	0
3	MAN	F	4	3	11,11,12	0.77	0	15,15,17	1.11	2 (13%)
3	MAN	F	5	3	11,11,12	0.97	1 (9%)	15,15,17	0.90	0
3	MAN	F	6	3	11,11,12	0.81	1 (9%)	15,15,17	1.29	2 (13%)
3	MAN	F	7	3	11,11,12	0.78	0	15,15,17	0.98	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
3	MAN	D	4	3	-	0/2/19/22	0/1/1/1
3	MAN	D	5	3	-	0/2/19/22	0/1/1/1
3	MAN	D	6	3	-	1/2/19/22	0/1/1/1
3	MAN	D	7	3	-	2/2/19/22	0/1/1/1
2	NAG	E	1	2	-	9/15/15/26	-
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	2/2/19/22	0/1/1/1
3	MAN	F	6	3	-	2/2/19/22	0/1/1/1
3	MAN	F	7	3	-	0/2/19/22	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1	NAG	O5-C1	-4.45	1.36	1.43
3	D	7	MAN	O5-C5	3.12	1.49	1.43
3	F	6	MAN	C1-C2	2.28	1.57	1.52
3	D	3	BMA	C1-C2	2.25	1.57	1.52
3	D	5	MAN	O5-C1	-2.16	1.40	1.43
3	F	3	BMA	C2-C3	2.07	1.55	1.52
3	F	5	MAN	O5-C1	-2.03	1.40	1.43
3	D	2	NAG	O5-C1	-2.02	1.40	1.43

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	6	MAN	C1-O5-C5	3.38	116.72	112.19
3	D	4	MAN	O2-C2-C3	-3.35	103.20	110.15
3	D	6	MAN	C1-O5-C5	3.17	116.43	112.19
3	F	7	MAN	C1-O5-C5	2.90	116.07	112.19
3	D	5	MAN	O2-C2-C3	-2.88	104.18	110.15
3	F	4	MAN	O2-C2-C3	-2.87	104.20	110.15
3	F	4	MAN	C1-O5-C5	2.57	115.62	112.19
3	D	7	MAN	C1-O5-C5	2.54	115.60	112.19
3	D	4	MAN	C1-O5-C5	2.51	115.55	112.19
2	E	1	NAG	C5-C4-C3	-2.19	109.92	113.57
3	D	5	MAN	C1-O5-C5	2.14	115.05	112.19
3	F	6	MAN	O2-C2-C3	-2.11	105.77	110.15
3	D	3	BMA	C2-C3-C4	2.10	114.55	110.86
2	C	1	NAG	C4-C3-C2	2.06	114.04	111.02

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	1	NAG	N2-C2-C3-C4
2	E	1	NAG	N2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	F	1	NAG	O5-C5-C6-O6
3	D	7	MAN	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
3	D	7	MAN	C4-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
3	F	5	MAN	O5-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	F	6	MAN	C4-C5-C6-O6
3	D	6	MAN	C4-C5-C6-O6
2	E	1	NAG	C3-C4-C5-O5
2	E	1	NAG	O4-C4-C5-O5
2	E	1	NAG	O4-C4-C5-C6
3	F	6	MAN	O5-C5-C6-O6
3	F	5	MAN	C4-C5-C6-O6
2	E	1	NAG	C3-C4-C5-C6
2	E	1	NAG	O3-C3-C4-C5


There are no ring outliers.


3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	NAG	2	0
3	F	1	NAG	3	0
3	F	4	MAN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	B	502	-	14,14,15	0.25	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	504	1	14,14,15	0.47	0	17,19,21	0.85	1 (5%)
5	NAG	A	503	1	14,14,15	0.23	0	17,19,21	0.55	0
5	NAG	B	503	1	14,14,15	0.27	0	17,19,21	0.49	0
5	NAG	B	505	1	14,14,15	0.40	0	17,19,21	0.55	0
5	NAG	B	504	1	14,14,15	0.38	0	17,19,21	0.48	0
5	NAG	A	505	1	14,14,15	0.46	0	17,19,21	0.58	0
5	NAG	A	502	-	14,14,15	0.50	0	17,19,21	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	502	-	-	2/6/23/26	0/1/1/1
5	NAG	A	504	1	-	0/6/23/26	0/1/1/1
5	NAG	A	503	1	-	2/6/23/26	0/1/1/1
5	NAG	B	503	1	-	2/6/23/26	0/1/1/1
5	NAG	B	505	1	-	4/6/23/26	0/1/1/1
5	NAG	B	504	1	-	0/6/23/26	0/1/1/1
5	NAG	A	505	1	-	4/6/23/26	0/1/1/1
5	NAG	A	502	-	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	504	NAG	C1-O5-C5	3.09	116.33	112.19

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	502	NAG	O5-C5-C6-O6
5	A	505	NAG	O5-C5-C6-O6
5	B	505	NAG	O5-C5-C6-O6
5	B	503	NAG	O5-C5-C6-O6
5	A	503	NAG	O5-C5-C6-O6
5	B	502	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	B	505	NAG	C4-C5-C6-O6
5	A	505	NAG	C4-C5-C6-O6
5	B	503	NAG	C4-C5-C6-O6
5	A	503	NAG	C4-C5-C6-O6
5	A	502	NAG	C4-C5-C6-O6
5	A	505	NAG	C1-C2-N2-C7
5	B	505	NAG	C1-C2-N2-C7
5	B	505	NAG	C3-C2-N2-C7
5	A	502	NAG	O5-C5-C6-O6
5	A	505	NAG	C3-C2-N2-C7



There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	502	NAG	1	0
5	A	502	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	399/424 (94%)	0.32	19 (4%) 35 36	50, 78, 132, 179	0
1	B	399/424 (94%)	1.09	68 (17%) 4 3	71, 124, 187, 214	0
All	All	798/848 (94%)	0.71	87 (10%) 10 10	50, 99, 177, 214	0

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	422	ALA	6.5
1	B	125	LEU	5.7
1	B	421	GLN	5.4
1	B	331	ALA	5.0
1	B	255	TRP	4.3
1	B	349	ILE	4.2
1	B	97	TYR	4.2
1	B	67	PHE	4.1
1	A	95	TRP	4.0
1	B	424	SER	3.9
1	B	142	LEU	3.9
1	A	88	ALA	3.9
1	B	26	PRO	3.9
1	A	67	PHE	3.7
1	B	123	LEU	3.6
1	B	65	HIS	3.6
1	B	74	CYS	3.6
1	B	257	PHE	3.5
1	A	26	PRO	3.4
1	B	348	VAL	3.2
1	B	30	ILE	3.2
1	B	70	PRO	3.1
1	B	96	GLY	3.1
1	A	31	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	64	ILE	3.1
1	A	270	GLY	3.1
1	B	423	TYR	3.0
1	B	27	ASN	2.9
1	B	128	TYR	2.9
1	A	235	TYR	2.9
1	B	139	PHE	2.8
1	B	52	THR	2.8
1	B	106	VAL	2.7
1	B	163	LEU	2.7
1	B	390	TRP	2.6
1	B	73	LYS	2.6
1	A	30	ILE	2.6
1	B	143	GLU	2.6
1	B	389	THR	2.6
1	B	95	TRP	2.5
1	B	66	VAL	2.5
1	B	322	THR	2.5
1	B	303	THR	2.5
1	A	228	GLN	2.5
1	A	233	GLY	2.5
1	B	332	ILE	2.4
1	B	330	TYR	2.4
1	B	420	VAL	2.4
1	B	81	GLY	2.4
1	A	271	ASN	2.4
1	A	66	VAL	2.4
1	A	422	ALA	2.4
1	B	87	LYS	2.4
1	B	72	TYR	2.3
1	A	84	ILE	2.3
1	B	40	LEU	2.3
1	B	94	ASP	2.3
1	B	60	ALA	2.3
1	B	76	TRP	2.3
1	B	68	ARG	2.3
1	A	200	ALA	2.2
1	B	170	TYR	2.3
1	B	365	TYR	2.3
1	B	112	VAL	2.2
1	A	86	ALA	2.2
1	B	129	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	256	THR	2.2
1	B	71	TRP	2.2
1	A	423	TYR	2.2
1	B	379	PHE	2.2
1	B	124	MET	2.1
1	B	273	LEU	2.1
1	B	162	TYR	2.1
1	B	80	ASN	2.1
1	B	284	THR	2.1
1	B	89	TYR	2.1
1	B	283	TYR	2.1
1	A	69	LEU	2.1
1	B	69	LEU	2.1
1	A	269	GLU	2.1
1	B	132	SER	2.1
1	B	31	PHE	2.0
1	B	278	LYS	2.0
1	B	370	GLN	2.0
1	B	100	VAL	2.0
1	B	105	VAL	2.0
1	B	277	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MAN	F	7	11/12	0.20	0.14	156,170,176,178	0
3	MAN	F	6	11/12	0.37	0.13	147,155,161,161	0
2	NAG	E	2	14/15	0.46	0.13	167,188,197,199	0
3	NAG	F	2	14/15	0.46	0.20	164,179,184,184	0
3	BMA	F	3	11/12	0.58	0.13	163,168,173,174	0
3	MAN	D	7	11/12	0.59	0.16	87,102,112,119	0
2	NAG	E	1	13/15	0.62	0.11	150,160,174,183	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MAN	F	4	11/12	0.64	0.12	164,173,177,178	0
2	NAG	C	2	14/15	0.77	0.13	96,106,118,118	0
3	MAN	F	5	11/12	0.77	0.11	153,171,173,176	0
3	NAG	F	1	14/15	0.78	0.14	156,174,179,181	0
3	MAN	D	6	11/12	0.86	0.12	95,98,109,110	0
2	NAG	C	1	14/15	0.87	0.13	63,78,94,99	0
3	MAN	D	5	11/12	0.89	0.12	83,89,99,99	0
3	NAG	D	2	14/15	0.91	0.11	65,73,84,95	0
3	NAG	D	1	14/15	0.92	0.12	58,64,73,77	0
3	MAN	D	4	11/12	0.94	0.09	68,70,77,80	0
3	BMA	D	3	11/12	0.95	0.08	56,68,78,91	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	B	502	14/15	0.03	0.16	160,179,187,188	0
5	NAG	B	505	14/15	0.34	0.17	145,161,174,176	0
5	NAG	B	504	14/15	0.47	0.14	171,186,195,197	0
5	NAG	A	505	14/15	0.59	0.17	141,158,164,170	0
5	NAG	B	503	14/15	0.72	0.15	122,148,154,154	0
5	NAG	A	504	14/15	0.75	0.16	92,111,118,118	0
5	NAG	A	503	14/15	0.81	0.13	118,131,139,139	0
5	NAG	A	502	14/15	0.86	0.12	63,92,98,100	0
4	MN	A	501	1/1	0.86	0.18	108,108,108,108	0
4	MN	B	501	1/1	0.87	0.14	111,111,111,111	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAG B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG B 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG A 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG B 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG A 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAG A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.