



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2026 – 03:53 AM EDT

PDB ID : 2D4H / pdb_00002d4h
Title : Crystal-structure of the N-terminal large GTPase Domain of human Guanylate Binding protein 1 (hGBP1) in complex with GMP
Authors : Ghosh, A.; Praefcke, G.J.K.; Renault, L.; Wittinghofer, A.; Herrmann, C.
Deposited on : 2005-10-19
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	% 57% 28% 5% • 9%
1	B	328	% 56% 27% • 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Interferon-induced guanylate-binding protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	299	Total	C	N	O	S	0	0	0
			2366	1519	394	439	14			
1	B	284	Total	C	N	O	S	0	0	0
			2245	1447	375	410	13			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	cloning artifact	UNP P32455
A	-9	HIS	-	expression tag	UNP P32455
A	-8	HIS	-	expression tag	UNP P32455
A	-7	HIS	-	expression tag	UNP P32455
A	-6	HIS	-	expression tag	UNP P32455
A	-5	HIS	-	expression tag	UNP P32455
A	-4	HIS	-	expression tag	UNP P32455
A	-3	MET	-	cloning artifact	UNP P32455
A	-2	ARG	-	cloning artifact	UNP P32455
A	-1	GLY	-	cloning artifact	UNP P32455
A	0	SER	-	cloning artifact	UNP P32455
B	-10	MET	-	cloning artifact	UNP P32455
B	-9	HIS	-	expression tag	UNP P32455
B	-8	HIS	-	expression tag	UNP P32455
B	-7	HIS	-	expression tag	UNP P32455
B	-6	HIS	-	expression tag	UNP P32455
B	-5	HIS	-	expression tag	UNP P32455
B	-4	HIS	-	expression tag	UNP P32455
B	-3	MET	-	cloning artifact	UNP P32455
B	-2	ARG	-	cloning artifact	UNP P32455
B	-1	GLY	-	cloning artifact	UNP P32455
B	0	SER	-	cloning artifact	UNP P32455

- Molecule 2 is GUANOSINE-5'-MONOPHOSPHATE (CCD ID: 5GP) (formula: C₁₀H₁₄N₅O₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			24	10	5	8	1		
2	B	1	Total	C	N	O	P	0	0
			24	10	5	8	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	63	Total	O	0	0
			63	63		
3	B	56	Total	O	0	0
			56	56		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.92Å 173.45Å 49.63Å 90.00° 110.85° 90.00°	Depositor
Resolution (Å)	19.92 – 2.90 19.92 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (19.92-2.90) 98.9 (19.92-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.53 (at 2.88Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.233 , 0.275 0.224 , 0.225	Depositor DCC
R_{free} test set	697 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.135	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 42.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.057 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4778	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5GP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2416	0.83	0/3267
1	B	0.38	0/2294	0.87	4/3100 (0.1%)
All	All	0.38	0/4710	0.85	4/6367 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	252	LYS	N-CA-C	6.67	118.93	110.33
1	B	251	GLU	N-CA-C	5.61	115.51	108.45
1	B	191	ALA	N-CA-C	5.29	116.33	108.60
1	B	193	GLY	N-CA-C	-5.00	107.62	114.67

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2366	0	2383	74	0
1	B	2245	0	2266	51	0
2	A	24	0	12	1	0
2	B	24	0	12	2	0
3	A	63	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	56	0	0	1	0
All	All	4778	0	4673	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:SER:HA	1:B:20:ARG:HH21	1.39	0.87
1:A:246:LYS:HE2	1:A:251:GLU:HG2	1.63	0.80
1:A:62:LYS:H	1:A:62:LYS:HD2	1.58	0.68
1:B:222:PRO:O	1:B:226:ILE:HG12	1.93	0.68
1:B:190:GLU:O	1:B:195:PRO:HA	1.94	0.68
1:B:144:TYR:HE1	1:B:148:LEU:HD13	1.59	0.67
1:B:129:ASN:HD21	1:B:183:ARG:HD3	1.62	0.63
1:A:66:SER:HB3	1:A:252:LYS:HD2	1.81	0.63
1:B:231:PRO:HD2	3:B:610:HOH:O	1.99	0.61
1:B:190:GLU:HG3	1:B:196:LEU:HD12	1.81	0.61
1:A:16:ASN:HD22	1:A:115:ILE:HD11	1.66	0.60
1:A:192:ASP:CG	1:A:193:GLY:N	2.59	0.60
1:A:191:ALA:HB2	1:A:195:PRO:HA	1.84	0.59
1:A:186:SER:HB3	1:A:239:ASP:HA	1.85	0.58
1:B:246:LYS:HG2	1:B:248:ALA:H	1.68	0.58
1:A:282:LEU:HD21	1:A:296:LEU:HD21	1.85	0.57
1:A:20:ARG:HH22	1:A:305:SER:HB2	1.69	0.57
1:A:20:ARG:HH12	1:A:305:SER:HB2	1.70	0.57
1:B:226:ILE:HG22	1:B:233:LYS:HZ1	1.70	0.57
1:A:246:LYS:CE	1:A:251:GLU:HG2	2.35	0.57
1:A:24:ASN:O	1:A:28:LEU:HG	2.05	0.56
1:B:12:CYS:SG	1:B:15:GLU:HG3	2.45	0.56
1:B:289:ASN:ND2	1:B:291:PRO:HD2	2.20	0.56
1:B:127:VAL:HG22	1:B:179:VAL:HB	1.89	0.55
1:A:110:GLN:HE21	1:A:110:GLN:HA	1.70	0.55
1:A:198:PRO:HG3	1:A:237:VAL:HG22	1.87	0.55
1:A:302:ASN:O	1:A:306:SER:HB2	2.07	0.55
1:B:261:GLU:OE2	1:B:261:GLU:HA	2.07	0.55
1:A:175:PHE:CD2	1:A:176:PRO:HD2	2.43	0.54
1:B:88:LYS:O	1:B:91:HIS:HB2	2.07	0.54
1:B:58:LEU:HD13	1:B:270:CYS:SG	2.49	0.53
1:B:289:ASN:H	1:B:292:ARG:HB2	1.74	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ASN:HD21	1:B:26:GLU:HB2	1.74	0.52
1:A:67:LEU:HG	1:A:246:LYS:NZ	2.25	0.52
1:A:62:LYS:H	1:A:62:LYS:CD	2.23	0.52
1:A:64:GLY:HA2	1:A:252:LYS:HE2	1.92	0.51
1:A:171:PHE:CZ	1:A:175:PHE:HE1	2.29	0.51
1:A:44:VAL:HG21	1:A:116:PHE:CE1	2.45	0.51
1:A:186:SER:HB3	1:A:240:ARG:H	1.76	0.51
1:A:67:LEU:CD2	1:A:253:LEU:HG	2.41	0.50
1:A:182:LEU:HD12	1:A:237:VAL:HG12	1.93	0.50
1:A:40:VAL:HB	1:A:123:SER:HA	1.93	0.50
1:A:20:ARG:HG2	1:A:22:MET:HE3	1.93	0.50
1:A:249:GLN:HB3	1:A:250:LEU:HD13	1.94	0.50
1:A:16:ASN:HD21	1:A:111:ASN:HB2	1.76	0.50
1:A:31:LEU:HD12	1:A:38:MET:HE1	1.93	0.50
1:A:62:LYS:HD2	1:A:62:LYS:N	2.24	0.50
1:A:54:LEU:O	1:A:58:LEU:HB2	2.12	0.49
1:B:172:VAL:HG21	1:B:228:LYS:HE3	1.92	0.49
1:B:31:LEU:HD21	1:B:293:LEU:HD23	1.94	0.49
1:A:153:ARG:CZ	1:A:174:PHE:HB3	2.42	0.49
1:A:246:LYS:NZ	1:A:246:LYS:HA	2.27	0.49
1:A:306:SER:HA	1:B:20:ARG:NH2	2.19	0.49
1:A:155:LYS:HE2	1:A:308:ASP:HB3	1.94	0.48
1:A:67:LEU:HD23	1:A:253:LEU:HG	1.95	0.48
1:B:185:PHE:HD2	1:B:237:VAL:HG13	1.78	0.48
1:A:202:LEU:O	1:A:206:LEU:HB2	2.14	0.48
1:A:16:ASN:ND2	1:A:111:ASN:HB2	2.29	0.48
1:A:192:ASP:CG	1:A:193:GLY:H	2.21	0.47
1:B:80:MET:HA	1:B:95:LEU:O	2.14	0.47
1:B:197:THR:HB	1:B:200:GLU:HG3	1.96	0.47
1:A:6:HIS:O	1:A:7:MET:C	2.57	0.47
1:B:217:GLU:C	1:B:219:PHE:H	2.22	0.47
1:A:19:GLY:C	1:A:111:ASN:HD21	2.23	0.47
1:B:178:PHE:HB3	1:B:233:LYS:HA	1.97	0.46
1:B:44:VAL:HA	1:B:98:THR:OG1	2.15	0.46
1:B:63:LYS:HB3	1:B:64:GLY:H	1.57	0.46
1:A:171:PHE:CE2	1:A:175:PHE:HE1	2.34	0.46
1:A:217:GLU:C	1:A:219:PHE:H	2.24	0.46
1:A:127:VAL:HG22	1:A:179:VAL:HB	1.98	0.46
1:A:136:GLN:HE22	1:A:222:PRO:HG3	1.81	0.45
1:B:246:LYS:HE2	1:B:248:ALA:HA	1.99	0.45
1:A:47:TYR:CE2	1:A:103:ASP:HA	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ARG:HE	1:A:171:PHE:HE1	1.63	0.45
1:A:183:ARG:C	1:A:185:PHE:H	2.25	0.45
1:B:238:PHE:CD2	1:B:265:GLN:HB3	2.51	0.45
1:A:288:VAL:HG13	1:A:292:ARG:HB3	1.98	0.45
1:B:139:MET:HE2	1:B:223:ARG:HG3	1.98	0.45
1:A:183:ARG:C	1:A:185:PHE:N	2.75	0.45
1:B:226:ILE:HG22	1:B:233:LYS:NZ	2.30	0.45
1:A:80:MET:HA	1:A:95:LEU:O	2.17	0.44
1:A:54:LEU:HG	1:A:183:ARG:HH21	1.82	0.44
1:B:67:LEU:HD11	1:B:253:LEU:HD11	1.99	0.44
1:A:31:LEU:O	1:A:290:GLY:HA3	2.17	0.44
1:A:38:MET:HG3	1:A:289:ASN:HA	1.99	0.44
1:A:221:LEU:N	1:A:222:PRO:HD2	2.33	0.44
1:A:67:LEU:HG	1:A:246:LYS:HZ3	1.83	0.44
1:A:247:LEU:H	1:A:247:LEU:HD23	1.83	0.44
1:A:147:GLU:HG2	1:A:314:ASN:HD21	1.83	0.44
1:A:191:ALA:HA	1:A:196:LEU:HD13	1.99	0.43
1:B:78:ILE:HA	1:B:97:ASP:O	2.17	0.43
1:B:48:ARG:HA	2:B:593:5GP:O5'	2.18	0.43
1:A:183:ARG:NH1	2:A:593:5GP:O6	2.52	0.43
1:A:12:CYS:SG	1:A:15:GLU:HB3	2.58	0.43
1:A:147:GLU:CD	1:A:314:ASN:ND2	2.77	0.43
1:B:243:HIS:HB3	1:B:258:LEU:HD23	2.01	0.43
1:B:114:TRP:O	1:B:118:LEU:HB2	2.19	0.43
1:B:188:ASP:O	1:B:189:LEU:HB2	2.19	0.43
1:A:78:ILE:HG13	1:A:115:ILE:HG23	2.01	0.43
1:B:116:PHE:CD1	1:B:116:PHE:C	2.97	0.42
1:B:79:TRP:O	1:B:96:LEU:HA	2.19	0.42
1:A:134:ILE:HD12	1:A:205:SER:OG	2.19	0.42
1:A:174:PHE:HZ	1:A:283:SER:HG	1.68	0.42
1:B:116:PHE:C	1:B:116:PHE:HD1	2.28	0.42
1:B:127:VAL:HA	1:B:179:VAL:O	2.19	0.42
1:B:144:TYR:C	1:B:144:TYR:CD1	2.98	0.42
1:A:314:ASN:HD22	1:A:314:ASN:HA	1.61	0.41
1:B:18:ASN:HD22	1:B:18:ASN:HA	1.61	0.41
1:A:139:MET:HE3	1:A:223:ARG:HG3	2.03	0.41
1:B:56:ASN:N	1:B:56:ASN:HD22	2.19	0.41
1:A:147:GLU:OE2	1:A:151:ARG:HD3	2.21	0.41
1:A:58:LEU:HD13	1:A:270:CYS:SG	2.61	0.41
1:B:36:GLN:HB3	1:B:90:GLY:O	2.20	0.41
1:A:118:LEU:HA	1:A:121:LEU:HD12	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:PHE:CZ	1:A:175:PHE:CE1	3.08	0.41
1:B:306:SER:C	1:B:308:ASP:H	2.28	0.41
1:B:221:LEU:HB2	1:B:222:PRO:CD	2.51	0.41
1:B:273:ILE:O	1:B:277:SER:HB2	2.21	0.41
1:B:197:THR:CG2	1:B:198:PRO:HD2	2.51	0.40
1:B:183:ARG:NH2	2:B:593:5GP:N7	2.69	0.40
1:A:187:LEU:O	1:A:188:ASP:C	2.64	0.40
1:A:190:GLU:HG3	1:A:196:LEU:HD22	2.04	0.40
1:B:282:LEU:O	1:B:283:SER:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/328 (89%)	265 (91%)	16 (6%)	10 (3%)	3	12
1	B	276/328 (84%)	249 (90%)	21 (8%)	6 (2%)	5	20
All	All	567/656 (86%)	514 (91%)	37 (6%)	16 (3%)	4	15

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	B	245	ARG
1	A	7	MET
1	B	63	LYS
1	B	169	ALA
1	B	186	SER
1	A	187	LEU
1	A	248	ALA
1	B	18	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	68	GLY
1	A	71	VAL
1	A	184	ASP
1	A	309	LEU
1	B	168	SER
1	A	250	LEU
1	A	246	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/293 (91%)	229 (86%)	38 (14%)	3	11
1	B	251/293 (86%)	223 (89%)	28 (11%)	6	19
All	All	518/586 (88%)	452 (87%)	66 (13%)	4	14

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	A	17	THR
1	A	21	LEU
1	A	22	MET
1	A	26	GLU
1	A	31	LEU
1	A	40	VAL
1	A	44	VAL
1	A	55	MET
1	A	57	LYS
1	A	58	LEU
1	A	62	LYS
1	A	63	LYS
1	A	69	SER
1	A	93	LEU
1	A	110	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	113	SER
1	A	124	SER
1	A	125	THR
1	A	148	LEU
1	A	159	ASP
1	A	160	GLU
1	A	175	PHE
1	A	192	ASP
1	A	206	LEU
1	A	212	THR
1	A	216	ASP
1	A	233	LYS
1	A	240	ARG
1	A	246	LYS
1	A	250	LEU
1	A	252	LYS
1	A	283	SER
1	A	292	ARG
1	A	309	LEU
1	A	311	CYS
1	A	312	MET
1	A	314	ASN
1	B	18	ASN
1	B	44	VAL
1	B	56	ASN
1	B	57	LYS
1	B	58	LEU
1	B	61	LYS
1	B	62	LYS
1	B	115	ILE
1	B	118	LEU
1	B	135	ASN
1	B	147	GLU
1	B	153	ARG
1	B	173	SER
1	B	174	PHE
1	B	189	LEU
1	B	190	GLU
1	B	206	LEU
1	B	207	LYS
1	B	208	LEU
1	B	209	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	215	LYS
1	B	233	LYS
1	B	249	GLN
1	B	250	LEU
1	B	251	GLU
1	B	254	GLN
1	B	265	GLN
1	B	305	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	18	ASN
1	A	56	ASN
1	A	72	GLN
1	A	109	ASN
1	A	110	GLN
1	A	111	ASN
1	A	136	GLN
1	A	137	GLN
1	A	141	GLN
1	A	302	ASN
1	A	314	ASN
1	B	6	HIS
1	B	16	ASN
1	B	18	ASN
1	B	129	ASN
1	B	249	GLN
1	B	254	GLN
1	B	265	GLN
1	B	287	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	5GP	B	593	-	26,26,26	1.34	4 (15%)	39,40,40	1.64	10 (25%)
2	5GP	A	593	-	26,26,26	1.30	4 (15%)	39,40,40	1.74	10 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5GP	B	593	-	-	4/10/26/26	0/3/3/3
2	5GP	A	593	-	-	2/10/26/26	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	593	5GP	C5-N7	-2.82	1.33	1.39
2	B	593	5GP	C2-N3	2.69	1.39	1.33
2	B	593	5GP	C4-N3	2.64	1.40	1.34
2	A	593	5GP	C2-N3	2.62	1.39	1.33
2	A	593	5GP	C4-N3	2.62	1.40	1.34
2	A	593	5GP	C5-N7	-2.62	1.33	1.39
2	A	593	5GP	C4-N9	-2.12	1.32	1.38
2	B	593	5GP	O4'-C1'	2.07	1.46	1.42

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	593	5GP	C5-C4-N3	-4.82	120.72	128.39
2	A	593	5GP	C5-C4-N3	-4.53	121.18	128.39
2	A	593	5GP	C2-N3-C4	4.25	119.62	112.30
2	B	593	5GP	C2-N3-C4	4.16	119.46	112.30
2	A	593	5GP	O5'-P-OP1	3.22	115.15	106.44
2	B	593	5GP	N9-C4-N3	2.93	131.82	125.95
2	A	593	5GP	C2-N1-C6	-2.85	119.95	125.11
2	B	593	5GP	O5'-P-OP1	2.79	113.97	106.44
2	B	593	5GP	C2-N1-C6	-2.75	120.12	125.11
2	A	593	5GP	C5-C6-N1	2.65	119.99	113.25
2	A	593	5GP	N9-C4-N3	2.58	131.12	125.95
2	B	593	5GP	C5-C6-N1	2.50	119.61	113.25
2	B	593	5GP	O6-C6-C5	-2.34	120.35	126.53
2	A	593	5GP	C4-C5-N7	-2.33	106.98	110.67
2	A	593	5GP	O6-C6-C5	-2.31	120.43	126.53
2	A	593	5GP	N9-C8-N7	-2.29	109.15	113.40
2	B	593	5GP	C4-C5-N7	-2.22	107.15	110.67
2	B	593	5GP	N9-C8-N7	-2.20	109.33	113.40
2	B	593	5GP	C8-N7-C5	2.18	108.14	104.26
2	A	593	5GP	C8-N7-C5	2.11	108.02	104.26

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	593	5GP	C3'-C4'-C5'-O5'
2	B	593	5GP	C3'-C4'-C5'-O5'
2	A	593	5GP	O4'-C4'-C5'-O5'
2	B	593	5GP	O4'-C4'-C5'-O5'
2	B	593	5GP	C2'-C1'-N9-C8
2	B	593	5GP	C2'-C1'-N9-C4



There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	593	5GP	2	0
2	A	593	5GP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	299/328 (91%)	-0.05	4 (1%) 75 67	13, 28, 49, 66	0
1	B	284/328 (86%)	0.07	2 (0%) 84 79	21, 35, 55, 76	0
All	All	583/656 (88%)	0.01	6 (1%) 79 73	13, 32, 51, 76	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	109	ASN	3.8
1	A	186	SER	2.9
1	B	100	GLY	2.6
1	A	192	ASP	2.5
1	A	69	SER	2.4
1	B	150	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	5GP	B	593	24/24	0.95	0.08	22,29,34,34	0
2	5GP	A	593	24/24	0.97	0.06	18,24,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 5GP B 593:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 5GP A 593:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.