



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:11 AM UTC

PDB ID : 3D4N / pdb_00003d4n
Title : Crystal Structure of Human 11-beta-Hydroxysteroid Dehydrogenase (HSD1)
in Complex with Sulfonamide Inhibitor
Authors : Wang, Z.; Liu, J.; Sudom, A.; Walker, N.P.
Deposited on : 2008-05-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	
1	B	286	
1	C	286	
1	D	286	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8585 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Corticosteroid 11-beta-dehydrogenase isozyme 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	7	0
			2023	1289	342	377	15			
1	B	265	Total	C	N	O	S	0	6	0
			2050	1310	344	380	16			
1	C	260	Total	C	N	O	S	0	2	0
			2001	1276	339	371	15			
1	D	261	Total	C	N	O	S	0	9	0
			2032	1295	341	379	17			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	MET	-	expression tag	UNP P28845
A	8	LYS	-	expression tag	UNP P28845
A	9	HIS	-	expression tag	UNP P28845
A	10	GLN	-	expression tag	UNP P28845
A	11	HIS	-	expression tag	UNP P28845
A	12	GLN	-	expression tag	UNP P28845
A	13	HIS	-	expression tag	UNP P28845
A	14	GLN	-	expression tag	UNP P28845
A	15	HIS	-	expression tag	UNP P28845
A	16	GLN	-	expression tag	UNP P28845
A	17	HIS	-	expression tag	UNP P28845
A	18	GLN	-	expression tag	UNP P28845
A	19	HIS	-	expression tag	UNP P28845
A	20	GLN	-	expression tag	UNP P28845
A	21	GLN	-	expression tag	UNP P28845
A	22	PRO	-	expression tag	UNP P28845
A	23	LEU	-	expression tag	UNP P28845
A	272	SER	CYS	engineered mutation	UNP P28845
B	7	MET	-	expression tag	UNP P28845
B	8	LYS	-	expression tag	UNP P28845
B	9	HIS	-	expression tag	UNP P28845

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	10	GLN	-	expression tag	UNP P28845
B	11	HIS	-	expression tag	UNP P28845
B	12	GLN	-	expression tag	UNP P28845
B	13	HIS	-	expression tag	UNP P28845
B	14	GLN	-	expression tag	UNP P28845
B	15	HIS	-	expression tag	UNP P28845
B	16	GLN	-	expression tag	UNP P28845
B	17	HIS	-	expression tag	UNP P28845
B	18	GLN	-	expression tag	UNP P28845
B	19	HIS	-	expression tag	UNP P28845
B	20	GLN	-	expression tag	UNP P28845
B	21	GLN	-	expression tag	UNP P28845
B	22	PRO	-	expression tag	UNP P28845
B	23	LEU	-	expression tag	UNP P28845
B	272	SER	CYS	engineered mutation	UNP P28845
C	7	MET	-	expression tag	UNP P28845
C	8	LYS	-	expression tag	UNP P28845
C	9	HIS	-	expression tag	UNP P28845
C	10	GLN	-	expression tag	UNP P28845
C	11	HIS	-	expression tag	UNP P28845
C	12	GLN	-	expression tag	UNP P28845
C	13	HIS	-	expression tag	UNP P28845
C	14	GLN	-	expression tag	UNP P28845
C	15	HIS	-	expression tag	UNP P28845
C	16	GLN	-	expression tag	UNP P28845
C	17	HIS	-	expression tag	UNP P28845
C	18	GLN	-	expression tag	UNP P28845
C	19	HIS	-	expression tag	UNP P28845
C	20	GLN	-	expression tag	UNP P28845
C	21	GLN	-	expression tag	UNP P28845
C	22	PRO	-	expression tag	UNP P28845
C	23	LEU	-	expression tag	UNP P28845
C	272	SER	CYS	engineered mutation	UNP P28845
D	7	MET	-	expression tag	UNP P28845
D	8	LYS	-	expression tag	UNP P28845
D	9	HIS	-	expression tag	UNP P28845
D	10	GLN	-	expression tag	UNP P28845
D	11	HIS	-	expression tag	UNP P28845
D	12	GLN	-	expression tag	UNP P28845
D	13	HIS	-	expression tag	UNP P28845
D	14	GLN	-	expression tag	UNP P28845
D	15	HIS	-	expression tag	UNP P28845

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	16	GLN	-	expression tag	UNP P28845
D	17	HIS	-	expression tag	UNP P28845
D	18	GLN	-	expression tag	UNP P28845
D	19	HIS	-	expression tag	UNP P28845
D	20	GLN	-	expression tag	UNP P28845
D	21	GLN	-	expression tag	UNP P28845
D	22	PRO	-	expression tag	UNP P28845
D	23	LEU	-	expression tag	UNP P28845
D	272	SER	CYS	engineered mutation	UNP P28845

- # NAP

- Molecule 3 is 1-[[[(3R)-3-methyl-4-(4-[(1S)-2,2,2-trifluoro-1-hydroxy-1-methylethyl]phenyl)sulfonyl]piperazin-1-yl]methyl}cyclopropanecarboxamide (CCD ID: D4N) (formula: $\text{C}_{19}\text{H}_{26}\text{F}_3\text{N}_3\text{O}_4\text{S}$).






Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			30	19	3	3	4	1		
3	B	1	Total	C	F	N	O	S	0	0
			30	19	3	3	4	1		
3	C	1	Total	C	F	N	O	S	0	0
			30	19	3	3	4	1		
3	D	1	Total	C	F	N	O	S	0	0
			30	19	3	3	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	52	Total	O	0	0
			52	52		
4	B	48	Total	O	0	0
			48	48		
4	C	47	Total	O	0	0
			47	47		
4	D	20	Total	O	0	0
			20	20		

- Molecule 1: Corticosteroid 11-beta-dehydrogenase isozyme 1





● Molecule 1: Corticosteroid 11-beta-dehydrogenase isozyme 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.62Å 153.76Å 73.91Å 90.00° 93.11° 90.00°	Depositor
Resolution (Å)	76.92 – 2.50 76.88 – 2.50	Depositor EDS
% Data completeness (in resolution range)	93.5 (76.92-2.50) 93.5 (76.88-2.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.83 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, R_{free}	0.227 , 0.259 0.221 , 0.241	Depositor DCC
R_{free} test set	2050 reflections (4.70%)	wwPDB-VP
Wilson B-factor (Å ²)	31.0	Xtriage
Anisotropy	0.732	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8585	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, D4N

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2089	0.81	2/2820 (0.1%)
1	B	0.40	0/2113	0.81	3/2854 (0.1%)
1	C	0.41	0/2042	0.81	4/2755 (0.1%)
1	D	0.37	0/2104	0.77	0/2837
All	All	0.39	0/8348	0.80	9/11266 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	270	ASN	CA-C-N	9.21	128.55	118.97
1	C	270	ASN	C-N-CA	9.21	128.55	118.97
1	A	171	LEU	N-CA-C	-6.96	103.63	111.07
1	B	97	THR	N-CA-C	-5.52	105.34	111.36
1	B	204[A]	SER	N-CA-C	-5.49	106.35	113.16
1	B	204[B]	SER	N-CA-C	-5.49	106.35	113.16
1	C	37	VAL	N-CA-C	5.42	115.70	108.11
1	A	173	GLY	N-CA-C	-5.32	106.54	115.80
1	C	216	GLY	N-CA-C	-5.24	104.55	112.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2023	0	2072	68	0
1	B	2050	0	2106	65	0
1	C	2001	0	2046	44	0
1	D	2032	0	2075	51	0
2	A	48	0	25	1	0
2	B	48	0	25	2	0
2	C	48	0	25	3	0
2	D	48	0	25	2	0
3	A	30	0	26	0	0
3	B	30	0	26	0	0
3	C	30	0	26	0	0
3	D	30	0	26	0	0
4	A	52	0	0	0	0
4	B	48	0	0	0	0
4	C	47	0	0	0	0
4	D	20	0	0	0	0
All	All	8585	0	8503	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:ILE:O	1:A:231:VAL:HG22	1.27	1.28
1:D:229:GLY:O	1:D:230:ILE:HG12	1.22	1.26
1:A:230:ILE:O	1:A:231:VAL:CG2	1.97	1.13
1:A:227:VAL:HG23	1:A:228:SER:H	1.10	1.09
1:D:230:ILE:O	1:D:232:HIS:HB3	1.55	1.04
1:A:230:ILE:C	1:A:231:VAL:CG2	2.38	0.96
1:C:233:MET:SD	1:C:233:MET:O	2.24	0.95
1:D:229:GLY:O	1:D:230:ILE:CG1	2.15	0.95
1:D:217:LEU:HD21	1:D:224:MET:HE1	1.51	0.92
1:A:109:LEU:HD23	1:A:109:LEU:C	1.95	0.92
1:C:60:HIS:HD1	1:C:85:SER:HG	1.19	0.90
1:C:272:SER:O	1:C:276:LEU:HD12	1.76	0.85
1:A:230:ILE:C	1:A:231:VAL:HG23	2.02	0.85
1:A:129:PHE:HB3	1:B:197[B]:ILE:HD11	1.57	0.84
1:A:227:VAL:HG23	1:A:228:SER:N	1.91	0.82
1:B:105:GLN:O	1:B:109:LEU:HD13	1.79	0.81
1:A:130:HIS:C	1:A:132:ASP:H	1.90	0.79
1:B:261:SER:O	1:B:265:THR:HG23	1.82	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224:MET:HA	1:A:224:MET:HE2	1.65	0.78
1:D:270:ASN:C	1:D:270:ASN:HD22	1.91	0.77
1:D:233:MET:HE3	1:D:233:MET:H	1.51	0.76
1:D:229:GLY:C	1:D:230:ILE:HG12	2.12	0.74
1:A:227:VAL:O	1:A:228:SER:C	2.31	0.73
1:A:109:LEU:HD23	1:A:109:LEU:O	1.87	0.73
1:A:40:THR:OG1	1:A:120:HIS:HD2	1.71	0.73
1:C:56:LYS:HE3	1:C:81:LEU:HD22	1.70	0.72
1:B:230:ILE:O	1:B:231:VAL:CG2	2.38	0.72
1:C:270:ASN:C	1:C:270:ASN:HD22	1.98	0.71
1:C:224:MET:HE2	1:C:224:MET:HA	1.72	0.70
1:D:94:GLU:OE2	1:D:138:LYS:NZ	2.25	0.69
1:A:109:LEU:C	1:A:109:LEU:CD2	2.64	0.69
1:B:122:THR:O	1:B:124:THR:HG22	1.92	0.68
1:B:171:LEU:HD22	1:B:268:ILE:HD13	1.75	0.67
1:A:227:VAL:CG2	1:A:228:SER:H	1.96	0.67
1:D:224:MET:HA	1:D:224:MET:HE2	1.77	0.66
1:A:276:LEU:HB3	1:A:280:TYR:CE1	2.32	0.65
1:B:230:ILE:C	1:B:231:VAL:HG23	2.21	0.64
1:C:216:GLY:HA3	1:C:259:ASP:OD2	1.98	0.62
1:D:230:ILE:O	1:D:232:HIS:CB	2.42	0.62
1:C:93:MET:HG3	1:C:120:HIS:CE1	2.35	0.61
1:B:216:GLY:HA3	1:B:259:ASP:OD2	2.00	0.61
1:D:263:TRP:O	1:D:267:LEU:HB2	1.99	0.61
1:B:194:PHE:CD2	1:B:197[A]:ILE:HD11	2.36	0.61
1:B:272:SER:O	1:B:276:LEU:HG	2.01	0.60
1:B:228:SER:O	1:B:230:ILE:HG13	2.01	0.60
1:B:230:ILE:O	1:B:231:VAL:HG22	1.99	0.60
1:C:23:LEU:C	1:C:25:GLU:H	2.10	0.59
1:A:130:HIS:C	1:A:132:ASP:N	2.58	0.59
1:B:273:ARG:HA	1:B:276:LEU:HD12	1.84	0.59
1:D:276:LEU:HB3	1:D:280:TYR:CE1	2.38	0.59
1:C:270:ASN:HD21	1:C:272:SER:HB2	1.66	0.59
1:B:219:ASP:HA	1:B:224:MET:HE3	1.85	0.58
1:A:126:LEU:HD11	1:A:227:VAL:HG12	1.84	0.58
1:B:119:ASN:HD22	1:B:168:VAL:HG21	1.69	0.58
1:B:228:SER:C	1:B:230:ILE:H	2.10	0.58
1:B:228:SER:O	1:B:230:ILE:N	2.36	0.58
1:C:270:ASN:C	1:C:270:ASN:ND2	2.60	0.58
1:C:77:HIS:CD2	1:C:81:LEU:HD11	2.39	0.57
1:B:230:ILE:C	1:B:231:VAL:CG2	2.77	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:ARG:O	1:A:31:MET:HG3	2.05	0.57
1:D:270:ASN:C	1:D:270:ASN:ND2	2.60	0.57
1:B:178:PRO:O	1:B:179[B]:MET:HB2	2.04	0.57
1:C:267:LEU:HB3	1:D:276:LEU:HD21	1.88	0.56
1:B:266:LEU:O	1:B:269:ARG:HG2	2.05	0.56
1:A:276:LEU:HD21	1:B:267:LEU:HB3	1.88	0.56
1:A:91:GLY:HA3	1:A:98:PHE:CZ	2.41	0.55
1:B:40:THR:OG1	1:B:120:HIS:HD2	1.89	0.55
1:D:178:PRO:O	1:D:179[B]:MET:HB2	2.06	0.55
1:D:40:THR:OG1	1:D:120:HIS:HD2	1.90	0.55
1:B:199:LYS:O	1:B:203:VAL:HG12	2.06	0.54
1:B:64:THR:O	1:B:65:ALA:HB2	2.07	0.54
1:C:131:ASP:HB3	1:D:152:VAL:HG13	1.88	0.54
1:C:137:ARG:O	1:C:141:GLU:HG3	2.07	0.54
1:A:129:PHE:CB	1:B:197[B]:ILE:HD11	2.32	0.54
1:B:155:LEU:HB3	1:B:156:PRO:HD3	1.88	0.53
1:D:130:HIS:O	1:D:131:ASP:OD1	2.26	0.53
1:D:40:THR:HA	1:D:64:THR:HG22	1.90	0.53
1:B:129:PHE:CZ	1:B:131:ASP:HA	2.43	0.53
1:C:171:LEU:HD22	1:C:268:ILE:HD13	1.90	0.53
1:D:44:LYS:HG2	2:D:4:NAP:H3B	1.91	0.53
1:C:88:TYR:CD1	1:C:88:TYR:C	2.87	0.53
1:C:64:THR:HB	1:C:102:PHE:CE1	2.44	0.52
1:B:230:ILE:O	1:B:231:VAL:HG23	2.06	0.52
1:C:194:PHE:HA	1:C:197:ILE:HG12	1.91	0.52
1:B:42:ALA:HB3	1:B:63:VAL:HB	1.91	0.52
1:A:171:LEU:C	1:A:173:GLY:H	2.16	0.52
1:D:29:PRO:HB3	1:D:57:MET:HG2	1.92	0.52
1:A:91:GLY:HA3	1:A:98:PHE:CE1	2.44	0.52
1:A:217:LEU:HD21	1:A:224:MET:HE1	1.92	0.52
1:B:148:VAL:HG22	1:B:193:PHE:CE1	2.45	0.52
1:A:71:LEU:HD13	1:A:88:TYR:HB2	1.91	0.51
1:A:119:ASN:HD22	1:A:168:VAL:HG21	1.76	0.51
1:D:46:ILE:HG22	1:D:50:MET:HE2	1.92	0.51
1:D:272:SER:O	1:D:275:ILE:HB	2.10	0.51
1:D:275:ILE:HG22	1:D:276:LEU:N	2.25	0.51
1:A:276:LEU:HB3	1:A:280:TYR:HE1	1.75	0.51
1:B:144:PHE:CD2	1:B:145[B]:LEU:HD12	2.45	0.51
1:C:140:MET:HE3	1:D:144:PHE:CE2	2.46	0.51
1:A:267:LEU:HB3	1:B:276:LEU:HD21	1.93	0.50
1:A:37:VAL:HG22	1:A:115:MET:HB3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:221:GLU:HA	1:D:221:GLU:OE1	2.12	0.50
1:B:227:VAL:O	1:B:228:SER:C	2.53	0.50
1:B:270:ASN:HD22	1:B:271:PRO:HD2	1.75	0.50
1:C:126:LEU:HD11	1:C:227:VAL:HG12	1.94	0.50
1:A:239:GLU:CD	1:A:239:GLU:H	2.19	0.50
1:A:267:LEU:HB3	1:B:276:LEU:CD2	2.42	0.50
1:B:119:ASN:ND2	2:B:2:NAP:H4D	2.27	0.49
1:B:126:LEU:HD22	1:B:179[B]:MET:HB3	1.93	0.49
1:B:104:ALA:O	1:B:108:LYS:HG3	2.12	0.49
1:D:255:GLU:OE2	1:D:257:TYR:OH	2.20	0.49
1:C:131:ASP:HB3	1:D:152:VAL:CG1	2.43	0.49
1:A:69:GLU:O	1:A:72:GLN:HB2	2.13	0.49
1:D:270:ASN:ND2	1:D:273:ARG:H	2.11	0.49
1:D:72:GLN:OE1	1:D:88:TYR:CE2	2.66	0.48
1:C:270:ASN:HA	1:C:271:PRO:HD2	1.64	0.48
1:C:272:SER:O	1:C:276:LEU:CD1	2.56	0.48
1:A:227:VAL:CG2	1:A:228:SER:N	2.64	0.48
1:B:30:GLU:CD	1:B:30:GLU:H	2.22	0.48
1:A:126:LEU:HD22	1:A:179:MET:HB2	1.96	0.48
1:C:139:SER:O	1:C:143:ASN:HB2	2.14	0.48
1:D:170:SER:HB3	2:D:4:NAP:H5N	1.96	0.48
1:A:40:THR:O	1:A:119:ASN:HB3	2.14	0.47
1:A:178:PRO:C	1:A:179:MET:HG2	2.38	0.47
1:C:178:PRO:O	1:C:179:MET:HB2	2.14	0.47
1:C:276:LEU:HD21	1:D:267:LEU:HB3	1.95	0.47
1:A:263:TRP:O	1:A:267:LEU:HG	2.14	0.47
1:A:193:PHE:HB2	1:B:185:ALA:HB2	1.97	0.47
1:C:49:GLU:OE1	1:C:238:LYS:HE2	2.15	0.47
1:D:72:GLN:OE1	1:D:88:TYR:HE2	1.98	0.47
1:A:126:LEU:HD12	1:A:226:ALA:O	2.14	0.47
1:A:273:ARG:O	1:A:277:GLU:HG3	2.15	0.47
1:C:26:GLU:H	1:C:26:GLU:HG2	1.60	0.47
1:C:213:CYS:SG	1:C:245:ILE:HG23	2.54	0.47
1:D:216:GLY:HA3	1:D:259:ASP:OD2	2.14	0.47
1:B:93:MET:HG3	1:B:120:HIS:CE1	2.50	0.46
1:A:131:ASP:O	1:A:133:ILE:N	2.49	0.46
1:B:53:HIS:O	1:B:57:MET:HG3	2.15	0.46
1:B:194:PHE:HA	1:B:197[A]:ILE:HG12	1.96	0.46
1:D:270:ASN:HD21	1:D:272:SER:HB2	1.80	0.46
1:B:93:MET:HG2	2:B:2:NAP:H2A	1.97	0.46
1:D:131:ASP:OD1	1:D:131:ASP:C	2.57	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:LEU:C	1:A:173:GLY:N	2.74	0.46
1:A:120:HIS:HE1	1:A:146:SER:OG	1.98	0.45
1:A:261:SER:O	1:A:265:THR:HG22	2.17	0.45
1:C:270:ASN:ND2	1:C:273:ARG:H	2.15	0.45
1:C:271:PRO:O	1:C:272:SER:C	2.58	0.45
1:A:270:ASN:C	1:A:270:ASN:ND2	2.74	0.45
1:D:52:TYR:O	1:D:55:ALA:HB3	2.17	0.45
1:B:217:LEU:O	1:B:218:ILE:HD13	2.17	0.45
1:A:270:ASN:C	1:A:270:ASN:HD22	2.25	0.44
1:B:67[B]:SER:HB2	1:B:70:THR:OG1	2.17	0.44
1:A:131:ASP:OD2	1:B:152:VAL:HG13	2.17	0.44
1:D:187:LYS:O	1:D:190:LEU:HB2	2.18	0.44
1:B:263:TRP:CE3	1:D:279:LEU:HD13	2.54	0.43
1:C:194:PHE:CD2	1:C:197:ILE:HD11	2.54	0.43
1:C:276:LEU:HD22	1:D:268:ILE:HD12	2.01	0.43
1:B:279:LEU:HD13	1:D:263:TRP:CE3	2.54	0.43
1:B:178:PRO:C	1:B:179[A]:MET:HG2	2.44	0.43
1:B:255:GLU:OE2	1:B:257:TYR:OH	2.29	0.43
1:A:148:VAL:O	1:A:152:VAL:HG23	2.19	0.43
1:A:139:SER:O	1:A:143:ASN:HB2	2.18	0.43
1:A:169:SER:HB2	1:A:212:LEU:HD11	2.00	0.43
1:D:37:VAL:HG22	1:D:115:MET:HB3	2.01	0.43
1:D:77:HIS:CE1	1:D:81:LEU:HD11	2.54	0.43
1:B:228:SER:C	1:B:230:ILE:N	2.75	0.43
1:B:270:ASN:C	1:B:270:ASN:ND2	2.76	0.43
1:C:169:SER:N	1:C:213:CYS:O	2.50	0.43
1:A:75:VAL:HG13	1:A:86:ALA:O	2.19	0.42
1:A:215:LEU:HD11	1:A:245:ILE:HD11	2.01	0.42
1:D:91:GLY:HA3	1:D:98:PHE:CZ	2.54	0.42
1:A:119:ASN:ND2	2:A:1:NAP:H4D	2.35	0.42
1:B:141:GLU:OE1	1:B:145[A]:LEU:HD23	2.19	0.42
1:B:204[B]:SER:OG	1:B:206:VAL:HG23	2.19	0.42
1:A:126:LEU:HD22	1:A:179:MET:CB	2.49	0.42
1:C:121:ILE:HG12	2:C:3:NAP:H3D	2.00	0.42
1:B:144:PHE:HD2	1:B:145[B]:LEU:HD12	1.83	0.42
1:C:91:GLY:HA3	1:C:98:PHE:CZ	2.54	0.42
1:C:119:ASN:ND2	2:C:3:NAP:H4D	2.35	0.42
1:C:40:THR:OG1	1:C:120:HIS:HD2	2.03	0.42
1:A:262:LEU:HA	1:A:265:THR:HG23	2.01	0.41
1:C:46:ILE:HD11	1:C:218:ILE:HG13	2.02	0.41
1:A:39:VAL:HG12	1:A:42:ALA:HB2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:ILE:HD13	1:B:149:VAL:HG22	2.02	0.41
1:A:218:ILE:O	1:A:220:THR:N	2.52	0.41
1:B:261:SER:OG	1:B:263:TRP:HB2	2.20	0.41
1:D:178:PRO:C	1:D:179[A]:MET:HG2	2.46	0.41
1:B:87:HIS:CB	1:B:109:LEU:HD23	2.50	0.41
1:D:126:LEU:HB3	1:D:179[B]:MET:SD	2.60	0.41
1:A:175:VAL:HG12	1:B:273:ARG:HG3	2.02	0.41
1:A:140:MET:HE2	1:B:140:MET:HE2	2.02	0.41
1:C:203:VAL:C	1:C:205:ARG:H	2.27	0.41
1:A:30:GLU:CD	1:A:30:GLU:H	2.28	0.41
1:D:64:THR:O	1:D:65:ALA:HB2	2.20	0.41
1:A:177:TYR:HB3	1:A:178:PRO:HD2	2.02	0.41
1:A:276:LEU:HD22	1:A:280:TYR:OH	2.20	0.41
1:B:174:LYS:NZ	1:B:191:ASP:OD2	2.35	0.41
1:D:144:PHE:O	1:D:148:VAL:HG23	2.21	0.41
1:B:194:PHE:HD2	1:B:197[A]:ILE:HD11	1.82	0.41
1:B:197[B]:ILE:HD13	1:B:200:GLU:OE2	2.20	0.41
1:A:196:SER:O	1:A:200:GLU:HG3	2.21	0.40
1:B:270:ASN:HD22	1:B:270:ASN:C	2.30	0.40
1:D:217:LEU:HD21	1:D:224:MET:CE	2.34	0.40
1:A:46:ILE:HG22	1:A:50:MET:HE2	2.03	0.40
1:A:93:MET:O	1:A:96:MET:HE1	2.21	0.40
1:D:27:PHE:CD2	1:D:247:LYS:HG2	2.56	0.40
1:A:87:HIS:CD2	1:A:109:LEU:HD11	2.56	0.40
1:C:198:ARG:HA	1:C:210:ILE:HD12	2.03	0.40
1:C:217:LEU:HD21	1:C:224:MET:HE1	2.02	0.40
1:C:93:MET:HG2	2:C:3:NAP:H2A	2.03	0.40
1:D:71:LEU:HD13	1:D:88:TYR:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/286 (92%)	247 (94%)	14 (5%)	3 (1%)	11	22
1	B	269/286 (94%)	250 (93%)	16 (6%)	3 (1%)	11	22
1	C	258/286 (90%)	238 (92%)	18 (7%)	2 (1%)	16	31
1	D	266/286 (93%)	252 (95%)	13 (5%)	1 (0%)	30	49
All	All	1057/1144 (92%)	987 (93%)	61 (6%)	9 (1%)	14	27

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	132	ASP
1	A	231	VAL
1	B	229	GLY
1	A	219	ASP
1	B	65	ALA
1	D	65	ALA
1	C	24	ASN
1	C	22	PRO
1	B	231	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/243 (93%)	218 (96%)	8 (4%)	32	58
1	B	228/243 (94%)	219 (96%)	9 (4%)	28	55
1	C	219/243 (90%)	206 (94%)	13 (6%)	18	37
1	D	227/243 (93%)	217 (96%)	10 (4%)	25	50
All	All	900/972 (93%)	860 (96%)	40 (4%)	24	50

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ARG
1	A	109	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	170	SER
1	A	179	MET
1	A	231	VAL
1	A	239	GLU
1	A	265	THR
1	A	275	ILE
1	B	124	THR
1	B	138	LYS
1	B	170	SER
1	B	203	VAL
1	B	205	ARG
1	B	234	GLN
1	B	265	THR
1	B	268	ILE
1	B	275	ILE
1	C	26	GLU
1	C	44	LYS
1	C	70	THR
1	C	131	ASP
1	C	145	LEU
1	C	170	SER
1	C	199	LYS
1	C	205	ARG
1	C	225	LYS
1	C	260	SER
1	C	265	THR
1	C	270	ASN
1	C	275	ILE
1	D	70	THR
1	D	119	ASN
1	D	123	ASN
1	D	138	LYS
1	D	160	GLN
1	D	170	SER
1	D	233	MET
1	D	262	LEU
1	D	270	ASN
1	D	275	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	24	ASN
1	A	87	HIS
1	A	119	ASN
1	A	120	HIS
1	A	134	HIS
1	A	270	ASN
1	B	53	HIS
1	B	119	ASN
1	B	120	HIS
1	B	127	ASN
1	B	234	GLN
1	B	270	ASN
1	C	24	ASN
1	C	77	HIS
1	C	87	HIS
1	C	119	ASN
1	C	120	HIS
1	C	234	GLN
1	C	270	ASN
1	D	87	HIS
1	D	119	ASN
1	D	120	HIS
1	D	270	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAP	A	1	-	50,52,52	1.65	4 (8%)	71,80,80	1.43	9 (12%)
2	NAP	C	3	-	50,52,52	1.65	4 (8%)	71,80,80	1.54	9 (12%)
3	D4N	D	293	-	30,32,32	2.29	3 (10%)	46,52,52	1.94	9 (19%)
2	NAP	D	4	-	50,52,52	1.66	4 (8%)	71,80,80	1.47	7 (9%)
3	D4N	B	293	-	30,32,32	2.23	1 (3%)	46,52,52	1.91	8 (17%)
2	NAP	B	2	-	50,52,52	1.62	5 (10%)	71,80,80	1.52	10 (14%)
3	D4N	A	293	-	30,32,32	2.41	3 (10%)	46,52,52	2.16	10 (21%)
3	D4N	C	293	-	30,32,32	2.30	2 (6%)	46,52,52	1.87	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1	-	-	3/35/67/67	0/5/5/5
2	NAP	C	3	-	-	3/35/67/67	0/5/5/5
3	D4N	D	293	-	-	3/34/55/55	0/3/3/3
2	NAP	D	4	-	-	2/35/67/67	0/5/5/5
3	D4N	B	293	-	-	2/34/55/55	0/3/3/3
2	NAP	B	2	-	-	2/35/67/67	0/5/5/5
3	D4N	A	293	-	-	1/34/55/55	0/3/3/3
3	D4N	C	293	-	-	1/34/55/55	0/3/3/3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	293	D4N	C11-S14	-12.27	1.60	1.76
3	D	293	D4N	C11-S14	-11.82	1.60	1.76
3	C	293	D4N	C11-S14	-11.78	1.60	1.76
3	B	293	D4N	C11-S14	-11.53	1.60	1.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4	NAP	O7N-C7N	9.29	1.41	1.24
2	C	3	NAP	O7N-C7N	9.25	1.41	1.24
2	A	1	NAP	O7N-C7N	9.20	1.41	1.24
2	B	2	NAP	O7N-C7N	9.06	1.41	1.24
3	A	293	D4N	C1-C3	-3.46	1.50	1.53
3	C	293	D4N	C1-C3	-2.90	1.51	1.53
3	D	293	D4N	C1-C3	-2.80	1.51	1.53
2	B	2	NAP	C2A-N1A	2.56	1.38	1.33
2	A	1	NAP	C2A-N1A	2.52	1.38	1.33
2	C	3	NAP	C2A-N1A	2.47	1.38	1.33
2	B	2	NAP	C2A-N3A	2.45	1.38	1.33
2	D	4	NAP	C2A-N1A	2.44	1.38	1.33
2	A	1	NAP	C2A-N3A	2.41	1.38	1.33
2	D	4	NAP	C2A-N3A	2.38	1.38	1.33
2	C	3	NAP	C2A-N3A	2.34	1.38	1.33
2	A	1	NAP	C8A-N7A	2.32	1.36	1.31
2	C	3	NAP	C8A-N7A	2.24	1.36	1.31
3	A	293	D4N	C5-C8	-2.19	1.50	1.53
2	D	4	NAP	C8A-N7A	2.16	1.35	1.31
2	B	2	NAP	C8A-N7A	2.15	1.35	1.31
3	D	293	D4N	C5-C8	-2.02	1.50	1.53
2	B	2	NAP	C2N-N1N	2.02	1.37	1.35

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	293	D4N	O16-S14-O15	-7.46	107.95	119.59
3	B	293	D4N	O16-S14-O15	-7.38	108.07	119.59
3	C	293	D4N	O16-S14-O15	-7.20	108.35	119.59
3	A	293	D4N	C19-C18-N17	6.66	116.28	109.00
3	D	293	D4N	O16-S14-O15	-6.56	109.35	119.59
3	D	293	D4N	C19-C18-N17	6.13	115.69	109.00
3	C	293	D4N	C19-C18-N17	5.65	115.17	109.00
2	D	4	NAP	N3A-C2A-N1A	-5.64	120.05	128.58
2	A	1	NAP	N3A-C2A-N1A	-5.54	120.20	128.58
2	B	2	NAP	N3A-C2A-N1A	-5.49	120.26	128.58
3	B	293	D4N	C19-C18-N17	5.47	114.97	109.00
2	C	3	NAP	N3A-C2A-N1A	-5.27	120.61	128.58
3	D	293	D4N	C22-N17-S14	-4.97	110.64	120.12
2	C	3	NAP	C5A-C4A-N3A	-4.75	120.17	126.72
2	B	2	NAP	C5A-C4A-N3A	-4.50	120.52	126.72
3	A	293	D4N	C22-N17-S14	-4.41	111.72	120.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	NAP	N9A-C8A-N7A	-4.18	108.01	113.94
3	B	293	D4N	C22-N17-S14	-4.12	112.27	120.12
2	D	4	NAP	C5A-C4A-N3A	-4.09	121.08	126.72
2	B	2	NAP	N9A-C8A-N7A	-4.01	108.25	113.94
2	D	4	NAP	N9A-C8A-N7A	-4.01	108.25	113.94
3	A	293	D4N	C6-C1-C3	-3.95	111.50	115.24
2	C	3	NAP	N9A-C8A-N7A	-3.92	108.37	113.94
2	B	2	NAP	C5A-N7A-C8A	3.55	109.02	103.45
2	C	3	NAP	C5A-N7A-C8A	3.49	108.94	103.45
2	A	1	NAP	C5A-C4A-N3A	-3.49	121.91	126.72
2	C	3	NAP	C2A-N3A-C4A	3.48	120.32	111.83
2	B	2	NAP	C2A-N3A-C4A	3.47	120.30	111.83
2	D	4	NAP	C5A-N7A-C8A	3.43	108.84	103.45
3	D	293	D4N	C11-S14-N17	3.38	113.25	107.36
3	C	293	D4N	C11-S14-N17	3.37	113.25	107.36
3	A	293	D4N	F4-C2-C5	-3.36	107.64	112.40
2	A	1	NAP	C5A-N7A-C8A	3.35	108.72	103.45
2	D	4	NAP	C2A-N3A-C4A	3.31	119.92	111.83
3	C	293	D4N	C22-N17-S14	-3.24	113.94	120.12
2	C	3	NAP	N3A-C4A-N9A	3.20	132.60	127.17
3	A	293	D4N	C19-N20-C21	-3.12	104.33	109.53
3	B	293	D4N	C11-S14-N17	3.10	112.78	107.36
3	A	293	D4N	O1-C3-C1	-3.10	117.84	120.62
2	A	1	NAP	C2A-N3A-C4A	3.02	119.21	111.83
3	B	293	D4N	F3-C2-C5	-2.95	108.23	112.40
2	B	2	NAP	N3A-C4A-N9A	2.79	131.92	127.17
2	C	3	NAP	C2B-C1B-N9A	-2.78	109.19	113.75
2	B	2	NAP	C4A-C5A-N7A	-2.68	107.52	110.58
2	B	2	NAP	O4B-C1B-N9A	2.64	113.16	108.09
3	C	293	D4N	F1-C2-C5	-2.61	108.71	112.40
2	C	3	NAP	C4A-C5A-N7A	-2.61	107.60	110.58
3	C	293	D4N	C18-N17-S14	-2.55	111.82	118.40
2	D	4	NAP	C4A-C5A-N7A	-2.52	107.70	110.58
2	D	4	NAP	N3A-C4A-N9A	2.52	131.44	127.17
3	A	293	D4N	C11-S14-N17	2.50	111.72	107.36
3	D	293	D4N	F3-C2-C5	-2.50	108.87	112.40
3	A	293	D4N	F3-C2-C5	-2.49	108.88	112.40
3	A	293	D4N	C18-N17-S14	-2.48	112.02	118.40
3	D	293	D4N	C14-C1-C3	-2.47	112.90	115.24
2	A	1	NAP	C4A-C5A-N7A	-2.45	107.78	110.58
2	B	2	NAP	C3N-C7N-N7N	2.44	120.74	117.74
3	D	293	D4N	F4-C2-C5	-2.38	109.04	112.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	293	D4N	C18-N17-S14	-2.38	112.28	118.40
3	B	293	D4N	F4-C2-C5	-2.36	109.07	112.40
3	B	293	D4N	C19-N20-C21	-2.31	105.68	109.53
3	D	293	D4N	C18-N17-S14	-2.28	112.52	118.40
2	A	1	NAP	C4A-N9A-C8A	2.25	108.10	105.74
3	D	293	D4N	C9-C8-C5	-2.09	119.14	121.43
2	A	1	NAP	N3A-C4A-N9A	2.07	130.69	127.17
2	A	1	NAP	C2N-C3N-C4N	2.04	120.63	118.26
3	C	293	D4N	F4-C2-C5	-2.03	109.53	112.40
2	C	3	NAP	C4A-N9A-C8A	2.03	107.87	105.74
2	B	2	NAP	C2B-C1B-N9A	-2.02	110.42	113.75
3	C	293	D4N	C14-C1-C3	-2.01	113.34	115.24

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	293	D4N	C6-C1-C23-N20
3	D	293	D4N	C14-C1-C23-N20
2	C	3	NAP	O4D-C4D-C5D-O5D
2	C	3	NAP	C3D-C4D-C5D-O5D
2	B	2	NAP	PN-O3-PA-O1A
2	A	1	NAP	O4B-C4B-C5B-O5B
2	D	4	NAP	PN-O3-PA-O2A
2	A	1	NAP	C2B-O2B-P2B-O2X
2	A	1	NAP	C3B-C2B-O2B-P2B
3	A	293	D4N	C1-C23-N20-C19
3	B	293	D4N	C1-C23-N20-C21
3	D	293	D4N	C1-C23-N20-C21
3	B	293	D4N	C14-C1-C23-N20
3	C	293	D4N	C14-C1-C23-N20
2	B	2	NAP	PN-O3-PA-O2A
2	C	3	NAP	PN-O3-PA-O2A
2	D	4	NAP	O4B-C4B-C5B-O5B

There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NAP	1	0
2	C	3	NAP	3	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	4	NAP	2	0
2	B	2	NAP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand D4N D 293







Ligand D4N B 293





Ligand D4N A 293





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/286 (91%)	0.28	12 (4%) 37 33	13, 25, 46, 54	7 (2%)
1	B	265/286 (92%)	0.30	10 (3%) 44 39	10, 26, 45, 57	6 (2%)
1	C	260/286 (90%)	0.12	5 (1%) 66 62	12, 21, 37, 51	2 (0%)
1	D	261/286 (91%)	0.33	5 (1%) 66 62	11, 28, 43, 50	9 (3%)
All	All	1047/1144 (91%)	0.26	32 (3%) 51 47	10, 25, 44, 57	24 (2%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	231	VAL	4.5
1	A	230	ILE	4.1
1	B	228	SER	3.9
1	B	284	TYR	3.3
1	C	233	MET	3.2
1	B	130	HIS	3.2
1	D	263	TRP	3.1
1	B	131	ASP	2.9
1	A	226	ALA	2.8
1	A	280	TYR	2.8
1	D	233	MET	2.7
1	A	132	ASP	2.6
1	B	282	THR	2.6
1	D	230	ILE	2.5
1	C	23	LEU	2.4
1	A	232	HIS	2.4
1	A	233	MET	2.4
1	C	21	GLN	2.4
1	C	263	TRP	2.4
1	D	232	HIS	2.3
1	B	229	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	123	ASN	2.3
1	A	234	GLN	2.2
1	A	282	THR	2.2
1	A	23	LEU	2.2
1	B	22	PRO	2.1
1	B	230	ILE	2.1
1	C	230	ILE	2.1
1	A	22	PRO	2.1
1	B	232	HIS	2.1
1	A	278	PHE	2.0
1	B	280	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	D4N	A	293	30/30	0.93	0.10	24,25,30,30	0
3	D4N	B	293	30/30	0.94	0.10	27,29,30,31	0
3	D4N	D	293	30/30	0.94	0.09	24,25,26,27	0
3	D4N	C	293	30/30	0.96	0.07	23,24,25,25	0
2	NAP	B	2	48/48	0.96	0.07	15,17,22,22	0
2	NAP	C	3	48/48	0.97	0.06	11,13,18,18	0
2	NAP	D	4	48/48	0.97	0.06	20,22,24,25	0
2	NAP	A	1	48/48	0.97	0.06	13,17,18,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around D4N A 293:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D4N B 293:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D4N D 293:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D4N C 293:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP B 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP C 3:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP D 4:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 1:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.