



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:51 PM UTC

PDB ID : 3D4Z / pdb_00003d4z
Title : GOLGI MANNOSIDASE II complex with gluco-imidazole
Authors : Kuntz, D.A.; Tarling, C.A.; Withers, S.G.; Rose, D.R.
Deposited on : 2008-05-15
Resolution : 1.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2660 (1.40-1.40)
Ramachandran outliers	187476	2611 (1.40-1.40)
Sidechain outliers	187428	2610 (1.40-1.40)
RSRZ outliers	180081	2561 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1045	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9422 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-mannosidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1016	Total	C	N	O	S	0	9	0
			8264	5256	1445	1522	41			


There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ARG	-	expression tag	UNP Q24451
A	2	SER	-	expression tag	UNP Q24451
A	3	SER	-	expression tag	UNP Q24451
A	4	HIS	-	expression tag	UNP Q24451
A	5	HIS	-	expression tag	UNP Q24451
A	6	HIS	-	expression tag	UNP Q24451
A	7	HIS	-	expression tag	UNP Q24451
A	8	HIS	-	expression tag	UNP Q24451
A	9	HIS	-	expression tag	UNP Q24451
A	10	GLY	-	expression tag	UNP Q24451
A	11	GLU	-	expression tag	UNP Q24451
A	12	PHE	-	expression tag	UNP Q24451
A	907	LYS	GLU	SEE REMARK 999	UNP Q24451

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 4 is GLUCOIMIDAZOLE (CCD ID: GIM) (formula: $C_8H_{13}N_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	2	4		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1135	Total 1135	O 1135	0	6

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.65Å 109.30Å 137.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.39 30.00 – 1.39	Depositor EDS
% Data completeness (in resolution range)	97.6 (30.00-1.39) 94.7 (30.00-1.39)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.69 (at 1.39Å)	Xtriage
Refinement program	SHELXL-97, SHELX, CNS	Depositor
R, R_{free}	0.144 , 0.181 0.146 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	11.0	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.44 , 65.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9422	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GIM, MRD, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	1/8500 (0.0%)	1.30	35/11541 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1044	SER	C-N	5.38	1.40	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	ASN	OD1-CG-ND2	-9.24	113.36	122.60
1	A	691	GLN	OE1-CD-NE2	9.14	131.74	122.60
1	A	836	PHE	CA-CB-CG	8.60	122.40	113.80
1	A	533	GLY	CA-C-O	-7.70	116.91	122.23
1	A	344	PHE	CA-CB-CG	-7.06	106.74	113.80
1	A	797	HIS	CA-CB-CG	-7.03	106.77	113.80
1	A	425	HIS	CA-CB-CG	-7.02	106.78	113.80
1	A	986	GLN	CA-C-O	-6.88	112.73	120.43
1	A	617	ARG	CA-CB-CG	6.18	126.47	114.10
1	A	144	ASN	CA-C-O	6.07	127.40	120.90
1	A	691	GLN	CB-CG-CD	-6.04	102.33	112.60
1	A	640	LYS	CA-C-O	6.03	125.42	119.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	ASP	CA-CB-CG	-6.02	106.58	112.60
1	A	53	SER	N-CA-C	5.99	120.74	112.90
1	A	786	ASP	CA-CB-CG	5.97	118.57	112.60
1	A	285	PHE	CA-CB-CG	-5.91	107.89	113.80
1	A	980	HIS	CA-CB-CG	-5.80	108.00	113.80
1	A	547	GLU	CB-CG-CD	5.74	122.36	112.60
1	A	204	ASP	CA-C-O	-5.61	112.48	120.16
1	A	533	GLY	O-C-N	5.58	129.11	122.64
1	A	1043	HIS	CA-C-N	-5.57	113.15	120.95
1	A	1043	HIS	C-N-CA	-5.57	113.15	120.95
1	A	646	TYR	CA-CB-CG	-5.50	104.01	113.90
1	A	78	HIS	CA-CB-CG	-5.45	108.35	113.80
1	A	371	ASN	OD1-CG-ND2	5.40	128.00	122.60
1	A	287	PHE	CA-CB-CG	-5.39	108.41	113.80
1	A	387	HIS	CA-CB-CG	-5.25	108.55	113.80
1	A	804	PHE	CA-CB-CG	5.24	119.04	113.80
1	A	518	ASP	CA-CB-CG	-5.23	107.37	112.60
1	A	930	ASP	CA-CB-CG	-5.16	107.44	112.60
1	A	134	PHE	CA-CB-CG	-5.12	108.68	113.80
1	A	787	ASN	OD1-CG-ND2	5.10	127.70	122.60
1	A	84	PHE	CA-CB-CG	-5.09	108.71	113.80
1	A	117	HIS	CA-CB-CG	-5.05	108.75	113.80
1	A	254	LYS	CA-CB-CG	5.02	124.14	114.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	954	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8264	0	8050	72	0
2	A	1	0	0	0	0
3	A	8	0	14	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	14	0	12	1	0
5	A	1135	0	0	22	0
All	All	9422	0	8076	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:583:LEU:O	1:A:583:LEU:HD23	1.77	0.84
1:A:907:LYS:HE2	1:A:907:LYS:H	1.49	0.77
1:A:651:LEU:HD22	1:A:659:LEU:HD11	1.68	0.76
1:A:568:LEU:HD12	1:A:770:ARG:HD3	1.71	0.70
1:A:256:ASP:HB2	5:A:1195:HOH:O	1.93	0.68
1:A:907:LYS:H	1:A:907:LYS:CE	2.06	0.68
1:A:742:GLN:HG3	5:A:1236:HOH:O	1.95	0.66
1:A:995:GLN:HG3	5:A:1372:HOH:O	1.96	0.65
1:A:451:MET:HA	1:A:451:MET:HE2	1.77	0.64
3:A:1047:MRD:HMC3	5:A:1655:HOH:O	1.97	0.62
3:A:1047:MRD:HMC1	5:A:1654:HOH:O	1.99	0.62
1:A:280:LYS:HE3	1:A:301:VAL:HG21	1.83	0.60
1:A:954:ARG:NH1	5:A:1364:HOH:O	2.33	0.59
1:A:975:VAL:HG21	1:A:1003:LEU:CD1	2.33	0.59
1:A:280:LYS:HE3	1:A:301:VAL:CG2	2.34	0.57
1:A:204:ASP:OD2	4:A:1048:GIM:H2	2.05	0.57
1:A:996:LYS:HE3	5:A:1360:HOH:O	2.03	0.57
1:A:615:LYS:HD3	5:A:1446:HOH:O	2.04	0.56
1:A:904:ARG:HG2	1:A:985:MET:SD	2.46	0.56
1:A:714:LYS:HD2	5:A:1959:HOH:O	2.07	0.55
1:A:51:ARG:NH2	5:A:1067:HOH:O	2.40	0.54
1:A:907:LYS:HE2	1:A:907:LYS:N	2.20	0.53
1:A:53:SER:OG	1:A:55:LYS:HG2	2.09	0.52
1:A:988:GLY:O	1:A:990:PRO:HD3	2.10	0.52
1:A:1026:MET:HE3	5:A:1948:HOH:O	2.09	0.51
1:A:62:TRP:CD2	1:A:65:GLY:HA3	2.45	0.51
1:A:47:GLU:HG2	5:A:1787:HOH:O	2.11	0.50
1:A:895:VAL:HG12	1:A:897:GLU:HG3	1.94	0.50
1:A:190:LYS:HE3	5:A:2057:HOH:O	2.12	0.49
1:A:174:HIS:CE1	1:A:176:ARG:HD3	2.49	0.48
1:A:544:ILE:HD13	1:A:574:SER:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:PRO:HD2	1:A:470:HIS:CE1	2.49	0.48
1:A:599:HIS:HB3	5:A:2161:HOH:O	2.14	0.47
1:A:640:LYS:HG2	1:A:646:TYR:CE1	2.50	0.47
1:A:225:LEU:HD21	1:A:264[A]:MET:SD	2.55	0.46
1:A:707:PRO:HG2	1:A:797:HIS:CE1	2.51	0.46
1:A:138[B]:TYR:CE2	1:A:146:LYS:HE2	2.50	0.46
1:A:986:GLN:NE2	5:A:1130:HOH:O	2.47	0.46
1:A:96[A]:ILE:HD11	1:A:878:LEU:HA	1.97	0.46
1:A:610:GLN:NE2	5:A:1449:HOH:O	2.49	0.46
1:A:82:LYS:HE2	5:A:1979:HOH:O	2.15	0.45
1:A:992:GLU:OE1	1:A:992:GLU:N	2.40	0.45
1:A:686:LEU:HD22	1:A:697:ILE:HG12	1.99	0.45
1:A:300:LYS:NZ	5:A:2014:HOH:O	2.50	0.44
1:A:143:GLU:O	1:A:147:LEU:HG	2.18	0.44
1:A:235:LYS:O	1:A:239:GLN:HG3	2.18	0.43
1:A:583:LEU:HD22	1:A:944:GLY:HA3	1.99	0.43
1:A:842:THR:OG1	1:A:898:LYS:NZ	2.50	0.43
1:A:583:LEU:O	1:A:583:LEU:CD2	2.58	0.43
1:A:592:VAL:HA	1:A:617:ARG:O	2.19	0.43
1:A:613:THR:HG21	5:A:2103:HOH:O	2.19	0.43
1:A:192:PHE:O	1:A:193[A]:MET:HE2	2.19	0.42
1:A:125:LYS:HE3	5:A:1094:HOH:O	2.18	0.42
1:A:150:LYS:HG2	1:A:193[A]:MET:CE	2.49	0.42
1:A:154:LYS:NZ	5:A:2146:HOH:O	2.48	0.42
1:A:48:LEU:HD11	1:A:236:GLU:HG2	2.01	0.42
1:A:499:MET:HE2	1:A:499:MET:HB2	1.76	0.42
1:A:907:LYS:H	1:A:907:LYS:NZ	2.16	0.42
1:A:971:LYS:HB2	1:A:971:LYS:HE2	1.56	0.42
1:A:678:LEU:O	1:A:769:MET:HE1	2.20	0.42
1:A:96[A]:ILE:HD12	1:A:479:LYS:HE2	2.02	0.41
1:A:538:ASP:OD1	1:A:538:ASP:O	2.37	0.41
1:A:536:VAL:HG22	1:A:779:LEU:HD11	2.02	0.41
1:A:538:ASP:OD1	1:A:538:ASP:C	2.63	0.41
1:A:511:LYS:HA	1:A:512:PRO:HD3	1.91	0.41
1:A:580:VAL:HG22	1:A:634:LEU:HD22	2.02	0.41
1:A:435[A]:TYR:CE2	1:A:526:LEU:HD13	2.56	0.41
1:A:304:ARG:HH11	1:A:304:ARG:HD2	1.70	0.41
1:A:235:LYS:NZ	5:A:1665:HOH:O	2.49	0.40
1:A:344:PHE:HB3	1:A:350:TRP:CZ2	2.56	0.40
1:A:344:PHE:HB3	1:A:350:TRP:CE2	2.56	0.40
1:A:150:LYS:HG2	1:A:193[A]:MET:HE1	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:484:VAL:O	1:A:488:GLN:HG3	2.21	0.40
1:A:539:SER:O	1:A:539:SER:OG	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1023/1045 (98%)	1000 (98%)	21 (2%)	2 (0%)	43 19

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	95	TRP
1	A	204	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	911/929 (98%)	899 (99%)	12 (1%)	61 30

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	SER
1	A	57	ILE
1	A	78	HIS
1	A	144	ASN
1	A	275	CYS
1	A	447	SER
1	A	539	SER
1	A	663	GLN
1	A	691	GLN
1	A	766	GLN
1	A	906	SER
1	A	907	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	249	GLN
1	A	347	ASN
1	A	380	GLN
1	A	709	HIS
1	A	812	GLN
1	A	923	GLN
1	A	993	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MRD	A	1047	-	7,7,7	0.24	0	9,10,10	0.78	0
4	GIM	A	1048	2	12,15,15	1.04	2 (16%)	14,22,22	1.53	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MRD	A	1047	-	-	2/5/5/5	-
4	GIM	A	1048	2	-	0/2/22/22	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1048	GIM	C1-N1	-2.06	1.31	1.34
4	A	1048	GIM	C8-N10	-2.05	1.36	1.38

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1048	GIM	C6-C5-C4	-3.44	106.35	112.50
4	A	1048	GIM	O3-C3-C2	-2.11	105.47	109.64
4	A	1048	GIM	O4-C4-C5	-2.04	106.15	109.86

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1047	MRD	C2-C3-C4-O4
3	A	1047	MRD	C2-C3-C4-C5

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1047	MRD	2	0
4	A	1048	GIM	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1016/1045 (97%)	0.73	123 (12%) 8 9	5, 14, 31, 69	9 (0%)

All (123) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	534	SER	8.9
1	A	536	VAL	8.4
1	A	603	LEU	7.0
1	A	539	SER	6.9
1	A	993	HIS	6.7
1	A	720	HIS	6.7
1	A	682	ASN	6.4
1	A	77	ALA	5.6
1	A	538	ASP	5.5
1	A	989	THR	5.4
1	A	521	PHE	5.3
1	A	537	GLU	5.1
1	A	57	ILE	5.1
1	A	291	GLY	4.8
1	A	139	HIS	4.7
1	A	583	LEU	4.7
1	A	991	GLU	4.6
1	A	535	GLY	4.6
1	A	683	GLY	4.6
1	A	994	THR	4.5
1	A	662	GLY	4.5
1	A	614	THR	4.3
1	A	702	ASP	4.3
1	A	655	ASN	4.1
1	A	602	THR	3.9
1	A	613	THR	3.9
1	A	701	GLN	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	78	HIS	3.9
1	A	703	SER	3.8
1	A	654	LYS	3.7
1	A	30	GLN	3.7
1	A	639	SER	3.5
1	A	719	SER	3.5
1	A	990	PRO	3.5
1	A	304	ARG	3.4
1	A	541	THR	3.4
1	A	606	THR	3.4
1	A	1045	SER	3.3
1	A	600	HIS	3.3
1	A	147	LEU	3.3
1	A	700	THR	3.2
1	A	75	TYR	3.2
1	A	992	GLU	3.2
1	A	604	THR	3.1
1	A	676	ILE	3.1
1	A	638	ASP	3.1
1	A	601	ASP	3.0
1	A	599	HIS	3.0
1	A	1031	VAL	3.0
1	A	309	GLN	3.0
1	A	395	ALA	2.9
1	A	544	ILE	2.8
1	A	610	GLN	2.8
1	A	297	CYS	2.8
1	A	705	HIS	2.8
1	A	72	PRO	2.7
1	A	392	ALA	2.7
1	A	584	ALA	2.7
1	A	308	ASP	2.7
1	A	547	GLU	2.7
1	A	51	ARG	2.7
1	A	533	GLY	2.7
1	A	704	PRO	2.7
1	A	290	MET	2.7
1	A	666	GLU	2.7
1	A	653	ARG	2.6
1	A	1025	GLY	2.6
1	A	144	ASN	2.6
1	A	1026	MET	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	389	ALA	2.6
1	A	739	GLU	2.6
1	A	936	GLU	2.6
1	A	995	GLN	2.6
1	A	659	LEU	2.6
1	A	934	PHE	2.6
1	A	987	CYS	2.5
1	A	520	SER	2.5
1	A	548	ASP	2.5
1	A	359	ARG	2.5
1	A	148	GLN	2.5
1	A	907	LYS	2.5
1	A	347	ASN	2.4
1	A	154	LYS	2.4
1	A	195	VAL	2.4
1	A	954	ARG	2.3
1	A	96[A]	ILE	2.3
1	A	697	ILE	2.3
1	A	367	GLN	2.3
1	A	1022	HIS	2.3
1	A	256	ASP	2.3
1	A	531	TRP	2.3
1	A	898	LYS	2.3
1	A	691	GLN	2.3
1	A	396	GLU	2.3
1	A	61	VAL	2.3
1	A	251	TRP	2.2
1	A	295	LEU	2.2
1	A	449	ASP	2.2
1	A	651	LEU	2.2
1	A	661	LEU	2.2
1	A	699	LEU	2.2
1	A	786	ASP	2.2
1	A	1003	LEU	2.2
1	A	116	ARG	2.2
1	A	53	SER	2.2
1	A	642	GLU	2.2
1	A	532	PRO	2.2
1	A	908	LEU	2.2
1	A	73	LEU	2.1
1	A	1020	LEU	2.1
1	A	783	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	313	ALA	2.1
1	A	317	LEU	2.1
1	A	678	LEU	2.1
1	A	640	LYS	2.1
1	A	1028	ALA	2.1
1	A	76	ASN	2.1
1	A	1007	ALA	2.1
1	A	940	ILE	2.1
1	A	1027	VAL	2.1
1	A	1002	LEU	2.0
1	A	1023	LEU	2.0
1	A	191	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MRD	A	1047	8/8	0.86	0.14	14,18,27,27	0
4	GIM	A	1048	14/14	0.97	0.07	7,9,10,10	0
2	ZN	A	1046	1/1	1.00	0.04	9,9,9,9	0

6.5 Other polymers [i](#)

There are no such residues in this entry.