



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 03:55 AM UTC

PDB ID : 4D43 / pdb\_00004d43  
Title : Crystal structure of S. aureus FabI in complex with NADP and 2-(2-chloro-4-nitrophenoxy)-5-ethyl-4-fluorophenol  
Authors : Schiebel, J.; Chang, A.; Tonge, P.J.; Sotriffer, C.A.; Kisker, C.  
Deposited on : 2014-10-26  
Resolution : 2.15 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	 2% 78% 12% 10%
1	B	282	 74% 15% 10%
1	C	282	 76% 13% 10%
1	D	282	 75% 14% 10%
1	E	282	 2% 80% 9% 10%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	282	 77% 12% • 10%
1	G	282	 2% 72% 18% • 10%
1	H	282	 2% 77% 12% • 10%

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 18357 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C	N	O	S	0	11	0
			2042	1284	357	396	5			
1	B	254	Total	C	N	O	S	0	5	0
			1987	1251	346	386	4			
1	C	254	Total	C	N	O	S	0	10	0
			2034	1279	354	396	5			
1	D	254	Total	C	N	O	S	0	4	0
			1979	1246	343	386	4			
1	E	254	Total	C	N	O	S	0	10	0
			2036	1280	357	394	5			
1	F	254	Total	C	N	O	S	0	2	0
			1967	1241	339	383	4			
1	G	254	Total	C	N	O	S	0	12	0
			2046	1285	359	397	5			
1	H	254	Total	C	N	O	S	0	10	0
			2032	1276	356	395	5			

There are 216 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-25	MET	-	expression tag	UNP Q7A6D8
A	-24	LYS	-	expression tag	UNP Q7A6D8
A	-23	HIS	-	expression tag	UNP Q7A6D8
A	-22	HIS	-	expression tag	UNP Q7A6D8
A	-21	HIS	-	expression tag	UNP Q7A6D8
A	-20	HIS	-	expression tag	UNP Q7A6D8
A	-19	HIS	-	expression tag	UNP Q7A6D8
A	-18	HIS	-	expression tag	UNP Q7A6D8
A	-17	PRO	-	expression tag	UNP Q7A6D8
A	-16	MET	-	expression tag	UNP Q7A6D8
A	-15	SER	-	expression tag	UNP Q7A6D8
A	-14	ASP	-	expression tag	UNP Q7A6D8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	TYR	-	expression tag	UNP Q7A6D8
A	-12	ASP	-	expression tag	UNP Q7A6D8
A	-11	ILE	-	expression tag	UNP Q7A6D8
A	-10	PRO	-	expression tag	UNP Q7A6D8
A	-9	THR	-	expression tag	UNP Q7A6D8
A	-8	THR	-	expression tag	UNP Q7A6D8
A	-7	GLU	-	expression tag	UNP Q7A6D8
A	-6	ASN	-	expression tag	UNP Q7A6D8
A	-5	LEU	-	expression tag	UNP Q7A6D8
A	-4	TYR	-	expression tag	UNP Q7A6D8
A	-3	PHE	-	expression tag	UNP Q7A6D8
A	-2	GLN	-	expression tag	UNP Q7A6D8
A	-1	GLY	-	expression tag	UNP Q7A6D8
A	0	ALA	-	expression tag	UNP Q7A6D8
A	2	VAL	LEU	engineered mutation	UNP Q7A6D8
B	-25	MET	-	expression tag	UNP Q7A6D8
B	-24	LYS	-	expression tag	UNP Q7A6D8
B	-23	HIS	-	expression tag	UNP Q7A6D8
B	-22	HIS	-	expression tag	UNP Q7A6D8
B	-21	HIS	-	expression tag	UNP Q7A6D8
B	-20	HIS	-	expression tag	UNP Q7A6D8
B	-19	HIS	-	expression tag	UNP Q7A6D8
B	-18	HIS	-	expression tag	UNP Q7A6D8
B	-17	PRO	-	expression tag	UNP Q7A6D8
B	-16	MET	-	expression tag	UNP Q7A6D8
B	-15	SER	-	expression tag	UNP Q7A6D8
B	-14	ASP	-	expression tag	UNP Q7A6D8
B	-13	TYR	-	expression tag	UNP Q7A6D8
B	-12	ASP	-	expression tag	UNP Q7A6D8
B	-11	ILE	-	expression tag	UNP Q7A6D8
B	-10	PRO	-	expression tag	UNP Q7A6D8
B	-9	THR	-	expression tag	UNP Q7A6D8
B	-8	THR	-	expression tag	UNP Q7A6D8
B	-7	GLU	-	expression tag	UNP Q7A6D8
B	-6	ASN	-	expression tag	UNP Q7A6D8
B	-5	LEU	-	expression tag	UNP Q7A6D8
B	-4	TYR	-	expression tag	UNP Q7A6D8
B	-3	PHE	-	expression tag	UNP Q7A6D8
B	-2	GLN	-	expression tag	UNP Q7A6D8
B	-1	GLY	-	expression tag	UNP Q7A6D8
B	0	ALA	-	expression tag	UNP Q7A6D8
B	2	VAL	LEU	engineered mutation	UNP Q7A6D8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-25	MET	-	expression tag	UNP Q7A6D8
C	-24	LYS	-	expression tag	UNP Q7A6D8
C	-23	HIS	-	expression tag	UNP Q7A6D8
C	-22	HIS	-	expression tag	UNP Q7A6D8
C	-21	HIS	-	expression tag	UNP Q7A6D8
C	-20	HIS	-	expression tag	UNP Q7A6D8
C	-19	HIS	-	expression tag	UNP Q7A6D8
C	-18	HIS	-	expression tag	UNP Q7A6D8
C	-17	PRO	-	expression tag	UNP Q7A6D8
C	-16	MET	-	expression tag	UNP Q7A6D8
C	-15	SER	-	expression tag	UNP Q7A6D8
C	-14	ASP	-	expression tag	UNP Q7A6D8
C	-13	TYR	-	expression tag	UNP Q7A6D8
C	-12	ASP	-	expression tag	UNP Q7A6D8
C	-11	ILE	-	expression tag	UNP Q7A6D8
C	-10	PRO	-	expression tag	UNP Q7A6D8
C	-9	THR	-	expression tag	UNP Q7A6D8
C	-8	THR	-	expression tag	UNP Q7A6D8
C	-7	GLU	-	expression tag	UNP Q7A6D8
C	-6	ASN	-	expression tag	UNP Q7A6D8
C	-5	LEU	-	expression tag	UNP Q7A6D8
C	-4	TYR	-	expression tag	UNP Q7A6D8
C	-3	PHE	-	expression tag	UNP Q7A6D8
C	-2	GLN	-	expression tag	UNP Q7A6D8
C	-1	GLY	-	expression tag	UNP Q7A6D8
C	0	ALA	-	expression tag	UNP Q7A6D8
C	2	VAL	LEU	engineered mutation	UNP Q7A6D8
D	-25	MET	-	expression tag	UNP Q7A6D8
D	-24	LYS	-	expression tag	UNP Q7A6D8
D	-23	HIS	-	expression tag	UNP Q7A6D8
D	-22	HIS	-	expression tag	UNP Q7A6D8
D	-21	HIS	-	expression tag	UNP Q7A6D8
D	-20	HIS	-	expression tag	UNP Q7A6D8
D	-19	HIS	-	expression tag	UNP Q7A6D8
D	-18	HIS	-	expression tag	UNP Q7A6D8
D	-17	PRO	-	expression tag	UNP Q7A6D8
D	-16	MET	-	expression tag	UNP Q7A6D8
D	-15	SER	-	expression tag	UNP Q7A6D8
D	-14	ASP	-	expression tag	UNP Q7A6D8
D	-13	TYR	-	expression tag	UNP Q7A6D8
D	-12	ASP	-	expression tag	UNP Q7A6D8
D	-11	ILE	-	expression tag	UNP Q7A6D8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-10	PRO	-	expression tag	UNP Q7A6D8
D	-9	THR	-	expression tag	UNP Q7A6D8
D	-8	THR	-	expression tag	UNP Q7A6D8
D	-7	GLU	-	expression tag	UNP Q7A6D8
D	-6	ASN	-	expression tag	UNP Q7A6D8
D	-5	LEU	-	expression tag	UNP Q7A6D8
D	-4	TYR	-	expression tag	UNP Q7A6D8
D	-3	PHE	-	expression tag	UNP Q7A6D8
D	-2	GLN	-	expression tag	UNP Q7A6D8
D	-1	GLY	-	expression tag	UNP Q7A6D8
D	0	ALA	-	expression tag	UNP Q7A6D8
D	2	VAL	LEU	engineered mutation	UNP Q7A6D8
E	-25	MET	-	expression tag	UNP Q7A6D8
E	-24	LYS	-	expression tag	UNP Q7A6D8
E	-23	HIS	-	expression tag	UNP Q7A6D8
E	-22	HIS	-	expression tag	UNP Q7A6D8
E	-21	HIS	-	expression tag	UNP Q7A6D8
E	-20	HIS	-	expression tag	UNP Q7A6D8
E	-19	HIS	-	expression tag	UNP Q7A6D8
E	-18	HIS	-	expression tag	UNP Q7A6D8
E	-17	PRO	-	expression tag	UNP Q7A6D8
E	-16	MET	-	expression tag	UNP Q7A6D8
E	-15	SER	-	expression tag	UNP Q7A6D8
E	-14	ASP	-	expression tag	UNP Q7A6D8
E	-13	TYR	-	expression tag	UNP Q7A6D8
E	-12	ASP	-	expression tag	UNP Q7A6D8
E	-11	ILE	-	expression tag	UNP Q7A6D8
E	-10	PRO	-	expression tag	UNP Q7A6D8
E	-9	THR	-	expression tag	UNP Q7A6D8
E	-8	THR	-	expression tag	UNP Q7A6D8
E	-7	GLU	-	expression tag	UNP Q7A6D8
E	-6	ASN	-	expression tag	UNP Q7A6D8
E	-5	LEU	-	expression tag	UNP Q7A6D8
E	-4	TYR	-	expression tag	UNP Q7A6D8
E	-3	PHE	-	expression tag	UNP Q7A6D8
E	-2	GLN	-	expression tag	UNP Q7A6D8
E	-1	GLY	-	expression tag	UNP Q7A6D8
E	0	ALA	-	expression tag	UNP Q7A6D8
E	2	VAL	LEU	engineered mutation	UNP Q7A6D8
F	-25	MET	-	expression tag	UNP Q7A6D8
F	-24	LYS	-	expression tag	UNP Q7A6D8
F	-23	HIS	-	expression tag	UNP Q7A6D8

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
F	-22	HIS	-	expression tag	UNP Q7A6D8
F	-21	HIS	-	expression tag	UNP Q7A6D8
F	-20	HIS	-	expression tag	UNP Q7A6D8
F	-19	HIS	-	expression tag	UNP Q7A6D8
F	-18	HIS	-	expression tag	UNP Q7A6D8
F	-17	PRO	-	expression tag	UNP Q7A6D8
F	-16	MET	-	expression tag	UNP Q7A6D8
F	-15	SER	-	expression tag	UNP Q7A6D8
F	-14	ASP	-	expression tag	UNP Q7A6D8
F	-13	TYR	-	expression tag	UNP Q7A6D8
F	-12	ASP	-	expression tag	UNP Q7A6D8
F	-11	ILE	-	expression tag	UNP Q7A6D8
F	-10	PRO	-	expression tag	UNP Q7A6D8
F	-9	THR	-	expression tag	UNP Q7A6D8
F	-8	THR	-	expression tag	UNP Q7A6D8
F	-7	GLU	-	expression tag	UNP Q7A6D8
F	-6	ASN	-	expression tag	UNP Q7A6D8
F	-5	LEU	-	expression tag	UNP Q7A6D8
F	-4	TYR	-	expression tag	UNP Q7A6D8
F	-3	PHE	-	expression tag	UNP Q7A6D8
F	-2	GLN	-	expression tag	UNP Q7A6D8
F	-1	GLY	-	expression tag	UNP Q7A6D8
F	0	ALA	-	expression tag	UNP Q7A6D8
F	2	VAL	LEU	engineered mutation	UNP Q7A6D8
G	-25	MET	-	expression tag	UNP Q7A6D8
G	-24	LYS	-	expression tag	UNP Q7A6D8
G	-23	HIS	-	expression tag	UNP Q7A6D8
G	-22	HIS	-	expression tag	UNP Q7A6D8
G	-21	HIS	-	expression tag	UNP Q7A6D8
G	-20	HIS	-	expression tag	UNP Q7A6D8
G	-19	HIS	-	expression tag	UNP Q7A6D8
G	-18	HIS	-	expression tag	UNP Q7A6D8
G	-17	PRO	-	expression tag	UNP Q7A6D8
G	-16	MET	-	expression tag	UNP Q7A6D8
G	-15	SER	-	expression tag	UNP Q7A6D8
G	-14	ASP	-	expression tag	UNP Q7A6D8
G	-13	TYR	-	expression tag	UNP Q7A6D8
G	-12	ASP	-	expression tag	UNP Q7A6D8
G	-11	ILE	-	expression tag	UNP Q7A6D8
G	-10	PRO	-	expression tag	UNP Q7A6D8
G	-9	THR	-	expression tag	UNP Q7A6D8
G	-8	THR	-	expression tag	UNP Q7A6D8

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
G	-7	GLU	-	expression tag	UNP Q7A6D8
G	-6	ASN	-	expression tag	UNP Q7A6D8
G	-5	LEU	-	expression tag	UNP Q7A6D8
G	-4	TYR	-	expression tag	UNP Q7A6D8
G	-3	PHE	-	expression tag	UNP Q7A6D8
G	-2	GLN	-	expression tag	UNP Q7A6D8
G	-1	GLY	-	expression tag	UNP Q7A6D8
G	0	ALA	-	expression tag	UNP Q7A6D8
G	2	VAL	LEU	engineered mutation	UNP Q7A6D8
H	-25	MET	-	expression tag	UNP Q7A6D8
H	-24	LYS	-	expression tag	UNP Q7A6D8
H	-23	HIS	-	expression tag	UNP Q7A6D8
H	-22	HIS	-	expression tag	UNP Q7A6D8
H	-21	HIS	-	expression tag	UNP Q7A6D8
H	-20	HIS	-	expression tag	UNP Q7A6D8
H	-19	HIS	-	expression tag	UNP Q7A6D8
H	-18	HIS	-	expression tag	UNP Q7A6D8
H	-17	PRO	-	expression tag	UNP Q7A6D8
H	-16	MET	-	expression tag	UNP Q7A6D8
H	-15	SER	-	expression tag	UNP Q7A6D8
H	-14	ASP	-	expression tag	UNP Q7A6D8
H	-13	TYR	-	expression tag	UNP Q7A6D8
H	-12	ASP	-	expression tag	UNP Q7A6D8
H	-11	ILE	-	expression tag	UNP Q7A6D8
H	-10	PRO	-	expression tag	UNP Q7A6D8
H	-9	THR	-	expression tag	UNP Q7A6D8
H	-8	THR	-	expression tag	UNP Q7A6D8
H	-7	GLU	-	expression tag	UNP Q7A6D8
H	-6	ASN	-	expression tag	UNP Q7A6D8
H	-5	LEU	-	expression tag	UNP Q7A6D8
H	-4	TYR	-	expression tag	UNP Q7A6D8
H	-3	PHE	-	expression tag	UNP Q7A6D8
H	-2	GLN	-	expression tag	UNP Q7A6D8
H	-1	GLY	-	expression tag	UNP Q7A6D8
H	0	ALA	-	expression tag	UNP Q7A6D8
H	2	VAL	LEU	engineered mutation	UNP Q7A6D8

- Molecule 2 is GLUTAMIC ACID (CCD ID: GLU) (formula: C<sub>5</sub>H<sub>9</sub>NO<sub>4</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 10	5	1	4	0	0
2	B	1	Total 10	5	1	4	0	0
2	C	1	Total 10	5	1	4	0	0
2	E	1	Total 10	5	1	4	0	0
2	F	1	Total 10	5	1	4	0	0
2	G	1	Total 10	5	1	4	0	0

- Molecule 3 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 8 6 2	0	0
3	B	1	Total C O 8 6 2	0	0
3	C	1	Total C O 8 6 2	0	0
3	D	1	Total C O 8 6 2	0	0
3	E	1	Total C O 8 6 2	0	0
3	F	1	Total C O 8 6 2	0	0
3	G	1	Total C O 8 6 2	0	0
3	G	1	Total C O 8 6 2	0	0
3	H	1	Total C O 8 6 2	0	0

- Molecule 4 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	48	21	7	17	3	0	0
4	B	1	48	21	7	17	3	0	0
4	C	1	48	21	7	17	3	0	0
4	D	1	48	21	7	17	3	0	0
4	E	1	48	21	7	17	3	0	0
4	F	1	48	21	7	17	3	0	0
4	G	1	48	21	7	17	3	0	0
4	H	1	48	21	7	17	3	0	0

- Molecule 5 is 2-(2-chloro-4-nitrophenoxy)-5-ethyl-4-fluorophenol (CCD ID: 9W7) (formula:  $C_{14}H_{11}ClFNO_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Cl	F	N			O
5	A	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	B	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	C	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	D	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	E	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	F	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	G	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0
5	H	1	Total 21	C 14	Cl 1	F 1	N 1	O 4	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	191	Total 191	O 191	0	0
6	B	233	Total 233	O 233	0	0
6	C	220	Total 220	O 220	0	0
6	D	140	Total 140	O 140	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
6	E	172	Total 172	O 172	0	0
6	F	201	Total 201	O 201	0	0
6	G	185	Total 185	O 185	0	0
6	H	208	Total 208	O 208	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]




- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]




- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]





- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]






• Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]





• Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]



• Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]



• Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.18Å 94.88Å 94.90Å 98.45° 111.49° 97.30°	Depositor
Resolution (Å)	40.68 – 2.15 40.68 – 2.15	Depositor EDS
% Data completeness (in resolution range)	97.5 (40.68-2.15) 97.5 (40.68-2.15)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.14 (at 2.16Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.170 , 0.230 (Not available) , 0.236	Depositor DCC
$R_{free}$ test set	7495 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.7	Xtrriage
Anisotropy	0.121	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 35.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	18357	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.63% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, 9W7, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	0/2081	0.99	3/2800 (0.1%)
1	B	0.81	0/2023	1.12	3/2724 (0.1%)
1	C	0.75	0/2070	1.11	3/2786 (0.1%)
1	D	0.68	0/2012	1.01	0/2710
1	E	0.70	0/2072	0.98	0/2788
1	F	0.76	0/2000	1.11	3/2694 (0.1%)
1	G	0.75	0/2082	1.10	2/2801 (0.1%)
1	H	0.67	0/2062	0.99	2/2775 (0.1%)
All	All	0.72	0/16402	1.05	16/22078 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	E	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	253	HIS	N-CA-C	-6.42	104.71	112.54
1	H	84	VAL	CB-CA-C	6.28	116.53	110.63
1	A	222	ASP	N-CA-C	5.96	117.64	109.18
1	B	147	TYR	CA-C-N	5.76	128.79	120.38
1	B	147	TYR	C-N-CA	5.76	128.79	120.38

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	102[A]	LEU	Peptide
1	E	104[A]	GLY	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2042	0	2064	32	0
1	B	1987	0	2007	34	0
1	C	2034	0	2051	48	0
1	D	1979	0	1994	28	0
1	E	2036	0	2058	24	1
1	F	1967	0	1987	39	0
1	G	2046	0	2065	41	0
1	H	2032	0	2046	25	0
2	A	10	0	5	1	0
2	B	10	0	5	1	0
2	C	10	0	5	0	0
2	E	10	0	5	3	0
2	F	10	0	5	2	0
2	G	10	0	5	0	0
3	A	8	0	14	1	0
3	B	8	0	14	3	0
3	C	8	0	14	0	0
3	D	8	0	14	5	0
3	E	8	0	14	0	0
3	F	8	0	14	0	0
3	G	16	0	28	4	0
3	H	8	0	14	0	0
4	A	48	0	25	1	0
4	B	48	0	25	1	0
4	C	48	0	25	1	0
4	D	48	0	25	1	0
4	E	48	0	25	0	0
4	F	48	0	25	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	48	0	25	1	0
4	H	48	0	25	0	0
5	A	21	0	10	2	0
5	B	21	0	10	0	0
5	C	21	0	10	1	0
5	D	21	0	10	1	0
5	E	21	0	10	0	0
5	F	21	0	10	0	0
5	G	21	0	10	3	0
5	H	21	0	10	0	0
6	A	191	0	0	9	1
6	B	233	0	0	16	1
6	C	220	0	0	10	0
6	D	140	0	0	4	0
6	E	172	0	0	4	0
6	F	201	0	0	12	0
6	G	185	0	0	10	1
6	H	208	0	0	2	0
All	All	18357	0	16708	253	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 253 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:LYS:HD2	6:B:2021:HOH:O	1.44	1.16
1:A:42[B]:GLU:OE1	1:A:45:ARG:NH2	1.87	1.06
1:E:210:GLU:HG3	1:E:214[B]:ARG:HD2	1.40	1.01
1:F:256:LYS:CE	6:F:2199:HOH:O	2.08	0.99
3:B:1257:MRD:H1C3	6:B:2125:HOH:O	1.62	0.99

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:2196:HOH:O	6:G:2165:HOH:O[1_566]	1.87	0.33
1:E:43:ARG:NH1	6:A:2091:HOH:O[1_554]	1.94	0.26

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/282 (93%)	250 (95%)	13 (5%)	0	100	100
1	B	257/282 (91%)	246 (96%)	11 (4%)	0	100	100
1	C	262/282 (93%)	255 (97%)	7 (3%)	0	100	100
1	D	256/282 (91%)	243 (95%)	11 (4%)	2 (1%)	16	10
1	E	262/282 (93%)	252 (96%)	10 (4%)	0	100	100
1	F	254/282 (90%)	240 (94%)	14 (6%)	0	100	100
1	G	264/282 (94%)	254 (96%)	10 (4%)	0	100	100
1	H	262/282 (93%)	253 (97%)	8 (3%)	1 (0%)	30	26
All	All	2080/2256 (92%)	1993 (96%)	84 (4%)	3 (0%)	48	50

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	104	GLY
1	H	158	ASN
1	D	103	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/234 (93%)	217 (100%)	1 (0%)	81	87
1	B	212/234 (91%)	203 (96%)	9 (4%)	26	25

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	217/234 (93%)	210 (97%)	7 (3%)	34	36
1	D	211/234 (90%)	203 (96%)	8 (4%)	29	29
1	E	217/234 (93%)	207 (95%)	10 (5%)	24	22
1	F	210/234 (90%)	205 (98%)	5 (2%)	43	47
1	G	218/234 (93%)	209 (96%)	9 (4%)	27	26
1	H	216/234 (92%)	208 (96%)	8 (4%)	30	30
All	All	1719/1872 (92%)	1662 (97%)	57 (3%)	36	34

5 of 57 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	100[A]	GLU
1	H	228	LYS
1	F	3	ASN
1	H	210	GLU
1	H	41	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	54	GLN
1	G	156	ASN
1	H	253	HIS
1	G	220	ASN
1	C	98	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAP	G	1259	-	50,52,52	1.54	5 (10%)	71,80,80	1.77	17 (23%)
3	MRD	H	1258	-	7,7,7	0.45	0	9,10,10	0.72	0
5	9W7	C	1259	-	22,22,22	0.51	0	29,31,31	0.58	0
2	GLU	E	1260	-	8,9,9	1.17	0	8,11,11	0.96	0
3	MRD	B	1257	-	7,7,7	0.57	0	9,10,10	0.82	0
4	NAP	E	1258	-	50,52,52	1.74	8 (16%)	71,80,80	1.87	14 (19%)
3	MRD	G	1257	-	7,7,7	0.40	0	9,10,10	0.28	0
3	MRD	C	1257	-	7,7,7	0.41	0	9,10,10	0.37	0
2	GLU	C	1260	-	8,9,9	1.13	0	8,11,11	1.27	1 (12%)
3	MRD	F	1257	-	7,7,7	0.46	0	9,10,10	0.73	0
5	9W7	D	1258	-	22,22,22	0.48	0	29,31,31	0.70	0
3	MRD	E	1257	-	7,7,7	0.47	0	9,10,10	0.63	0
3	MRD	A	1257	-	7,7,7	0.50	0	9,10,10	0.94	1 (11%)
4	NAP	H	1257	-	50,52,52	1.66	6 (12%)	71,80,80	1.92	15 (21%)
4	NAP	D	1257	-	50,52,52	1.67	7 (14%)	71,80,80	1.97	16 (22%)
3	MRD	D	1259	-	7,7,7	0.41	0	9,10,10	0.48	0
5	9W7	B	1259	-	22,22,22	0.52	0	29,31,31	0.64	0
2	GLU	B	1260	-	8,9,9	1.22	0	8,11,11	0.97	0
5	9W7	E	1259	-	22,22,22	0.47	0	29,31,31	0.69	0
5	9W7	F	1259	-	22,22,22	0.57	0	29,31,31	0.80	0
2	GLU	F	1260	-	8,9,9	1.23	0	8,11,11	0.94	0
4	NAP	F	1258	-	50,52,52	1.53	5 (10%)	71,80,80	1.88	17 (23%)
5	9W7	A	1259	-	22,22,22	0.53	0	29,31,31	0.74	1 (3%)
4	NAP	B	1258	-	50,52,52	1.43	4 (8%)	71,80,80	1.82	15 (21%)
5	9W7	H	1259	-	22,22,22	0.47	0	29,31,31	0.88	1 (3%)
3	MRD	G	1258	-	7,7,7	0.50	0	9,10,10	0.89	0
4	NAP	C	1258	-	50,52,52	1.59	4 (8%)	71,80,80	1.63	15 (21%)
2	GLU	G	1261	-	8,9,9	1.09	0	8,11,11	1.37	2 (25%)
2	GLU	A	1260	-	8,9,9	1.09	0	8,11,11	1.26	2 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	9W7	G	1260	-	22,22,22	0.55	0	29,31,31	0.66	0
4	NAP	A	1258	-	50,52,52	1.55	3 (6%)	71,80,80	1.76	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAP	G	1259	-	-	6/35/67/67	0/5/5/5
3	MRD	H	1258	-	-	0/5/5/5	-
5	9W7	C	1259	-	-	0/8/10/10	0/2/2/2
2	GLU	E	1260	-	-	4/9/9/9	-
3	MRD	B	1257	-	-	0/5/5/5	-
4	NAP	E	1258	-	-	8/35/67/67	0/5/5/5
3	MRD	G	1257	-	-	2/5/5/5	-
3	MRD	C	1257	-	-	1/5/5/5	-
2	GLU	C	1260	-	-	6/9/9/9	-
3	MRD	F	1257	-	-	4/5/5/5	-
5	9W7	D	1258	-	-	0/8/10/10	0/2/2/2
3	MRD	E	1257	-	-	0/5/5/5	-
3	MRD	A	1257	-	-	0/5/5/5	-
4	NAP	H	1257	-	-	7/35/67/67	0/5/5/5
4	NAP	D	1257	-	-	9/35/67/67	0/5/5/5
3	MRD	D	1259	-	-	0/5/5/5	-
5	9W7	B	1259	-	-	0/8/10/10	0/2/2/2
2	GLU	B	1260	-	-	6/9/9/9	-
5	9W7	E	1259	-	-	0/8/10/10	0/2/2/2
5	9W7	F	1259	-	-	0/8/10/10	0/2/2/2
2	GLU	F	1260	-	-	6/9/9/9	-
4	NAP	F	1258	-	-	5/35/67/67	0/5/5/5
5	9W7	A	1259	-	-	0/8/10/10	0/2/2/2
4	NAP	B	1258	-	-	5/35/67/67	0/5/5/5
5	9W7	H	1259	-	-	0/8/10/10	0/2/2/2
3	MRD	G	1258	-	-	3/5/5/5	-
4	NAP	C	1258	-	-	5/35/67/67	0/5/5/5
2	GLU	G	1261	-	-	5/9/9/9	-
2	GLU	A	1260	-	-	5/9/9/9	-
5	9W7	G	1260	-	-	0/8/10/10	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAP	A	1258	-	-	6/35/67/67	0/5/5/5

The worst 5 of 42 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1258	NAP	O7N-C7N	8.66	1.40	1.24
4	H	1257	NAP	O7N-C7N	8.39	1.39	1.24
4	E	1258	NAP	O7N-C7N	8.23	1.39	1.24
4	G	1259	NAP	O7N-C7N	8.16	1.39	1.24
4	F	1258	NAP	O7N-C7N	8.11	1.39	1.24

The worst 5 of 132 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1257	NAP	C3N-C7N-N7N	7.48	126.95	117.74
4	H	1257	NAP	N3A-C2A-N1A	-6.77	118.33	128.58
4	D	1257	NAP	N3A-C2A-N1A	-6.33	119.00	128.58
4	A	1258	NAP	N3A-C2A-N1A	-6.20	119.19	128.58
4	H	1257	NAP	O7N-C7N-C3N	-5.93	112.34	119.60

There are no chirality outliers.

5 of 93 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1260	GLU	C-CA-CB-CG
3	G	1258	MRD	C2-C3-C4-O4
3	G	1258	MRD	C2-C3-C4-C5
4	A	1258	NAP	C5D-O5D-PN-O3
4	A	1258	NAP	C5D-O5D-PN-O1N

There are no ring outliers.

19 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	1259	NAP	1	0
5	C	1259	9W7	1	0
2	E	1260	GLU	3	0
3	B	1257	MRD	3	0
3	G	1257	MRD	2	0
5	D	1258	9W7	1	0
3	A	1257	MRD	1	0


*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1257	NAP	1	0
3	D	1259	MRD	5	0
2	B	1260	GLU	1	0
2	F	1260	GLU	2	0
4	F	1258	NAP	1	0
5	A	1259	9W7	2	0
4	B	1258	NAP	1	0
3	G	1258	MRD	2	0
4	C	1258	NAP	1	0
2	A	1260	GLU	1	0
5	G	1260	9W7	3	0
4	A	1258	NAP	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	254/282 (90%)	-0.31	6 (2%) 59 63	8, 18, 39, 53	11 (4%)
1	B	254/282 (90%)	-0.25	0 100 100	7, 18, 37, 46	5 (1%)
1	C	254/282 (90%)	-0.06	3 (1%) 76 79	10, 20, 39, 50	10 (3%)
1	D	254/282 (90%)	-0.28	3 (1%) 76 79	8, 21, 46, 63	4 (1%)
1	E	254/282 (90%)	-0.29	5 (1%) 65 69	9, 18, 37, 52	10 (3%)
1	F	254/282 (90%)	-0.20	0 100 100	10, 20, 39, 53	2 (0%)
1	G	254/282 (90%)	0.04	7 (2%) 55 59	7, 21, 41, 52	12 (4%)
1	H	254/282 (90%)	-0.17	5 (1%) 65 69	7, 21, 46, 57	10 (3%)
All	All	2032/2256 (90%)	-0.19	29 (1%) 73 77	7, 20, 41, 63	64 (3%)

The worst 5 of 29 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	104[A]	GLY	17.8
1	E	104[A]	GLY	17.7
1	G	104[A]	GLY	11.5
1	H	104[A]	GLY	10.1
1	C	104[A]	GLY	8.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MRD	G	1258	8/8	0.55	0.30	48,53,55,55	0
2	GLU	C	1260	10/10	0.63	0.31	75,78,80,80	0
2	GLU	F	1260	10/10	0.64	0.28	67,71,75,76	0
2	GLU	G	1261	10/10	0.64	0.27	75,79,81,81	0
2	GLU	B	1260	10/10	0.64	0.29	80,83,88,88	0
2	GLU	E	1260	10/10	0.71	0.27	72,74,78,79	0
3	MRD	F	1257	8/8	0.75	0.25	39,55,62,62	0
3	MRD	E	1257	8/8	0.77	0.24	50,57,58,59	0
3	MRD	G	1257	8/8	0.78	0.23	38,55,60,60	0
2	GLU	A	1260	10/10	0.79	0.23	73,75,78,79	0
3	MRD	B	1257	8/8	0.79	0.20	29,41,44,45	0
3	MRD	C	1257	8/8	0.82	0.21	33,49,55,55	0
3	MRD	D	1259	8/8	0.84	0.17	40,45,50,52	0
3	MRD	A	1257	8/8	0.85	0.17	38,50,53,54	0
3	MRD	H	1258	8/8	0.87	0.16	34,45,48,48	0
5	9W7	H	1259	21/21	0.94	0.08	19,23,33,40	0
5	9W7	D	1258	21/21	0.95	0.07	15,21,33,36	0
5	9W7	G	1260	21/21	0.95	0.08	18,26,32,37	0
5	9W7	C	1259	21/21	0.95	0.08	12,20,33,37	0
5	9W7	E	1259	21/21	0.96	0.06	15,19,30,36	0
5	9W7	F	1259	21/21	0.96	0.07	13,23,28,34	0
5	9W7	A	1259	21/21	0.96	0.07	12,18,27,32	0
5	9W7	B	1259	21/21	0.96	0.08	15,21,28,33	0
4	NAP	D	1257	48/48	0.97	0.06	14,22,38,41	0
4	NAP	G	1259	48/48	0.97	0.06	11,22,26,29	0
4	NAP	E	1258	48/48	0.98	0.05	12,20,25,27	0
4	NAP	F	1258	48/48	0.98	0.05	11,19,25,26	0
4	NAP	B	1258	48/48	0.98	0.06	13,19,25,26	0
4	NAP	H	1257	48/48	0.98	0.06	13,22,39,47	0
4	NAP	C	1258	48/48	0.98	0.06	13,20,25,28	0
4	NAP	A	1258	48/48	0.98	0.05	11,19,25,26	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 9W7 H 1259:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 9W7 A 1259:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP D 1257:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP G 1259:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP E 1258:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP F 1258:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP B 1258:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP H 1257:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP C 1258:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAP A 1258:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.