



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:21 PM UTC

PDB ID : 2D5F / pdb_00002d5f
Title : Crystal Structure of Recombinant Soybean Proglycinin A3B4 subunit, its Comparison with Mature Glycinin A3B4 subunit, Responsible for Hexamer Assembly
Authors : Itoh, T.; Adachi, M.; Masuda, T.; Mikami, B.; Utsumi, S.
Deposited on : 2005-11-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	493	
1	B	493	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6535 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glycinin A3B4 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	3	0
			3033	1904	541	580	8			
1	B	385	Total	C	N	O	S	0	1	0
			3034	1905	542	579	8			

- Molecule 2 is CARBONATE ION (CCD ID: CO3) (formula: CO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	1	3		
2	B	1	Total	C	O	0	0
			4	1	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Mg 1	0	0
3	B	1	Total 1	Mg 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	240	Total 240	O 240	0	0
4	B	218	Total 218	O 218	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: glycinin A3B4 subunit



- Molecule 1: glycinin A3B4 subunit





4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	112.33Å 112.33Å 191.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.79 – 1.90 14.79 – 1.90	Depositor EDS
% Data completeness (in resolution range)	87.0 (14.79-1.90) 86.9 (14.79-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 1.90Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.182 , 0.225 0.163 , 0.204	Depositor DCC
R_{free} test set	4927 reflections (7.31%)	wwPDB-VP
Wilson B-factor (Å ²)	22.5	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 54.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.026 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6535	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CSD, MG, CO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3106	0.94	15/4219 (0.4%)
1	B	0.38	0/3099	0.91	14/4209 (0.3%)
All	All	0.37	0/6205	0.92	29/8428 (0.3%)

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	236	GLN	N-CA-C	7.63	121.68	112.38
1	A	482	LYS	N-CA-C	7.07	118.78	111.14
1	A	236	GLN	N-CA-C	6.76	120.78	112.54
1	B	491	VAL	N-CA-C	6.47	117.17	108.11
1	A	491	VAL	N-CA-C	6.35	117.06	108.17
1	A	359	LEU	CA-C-N	6.22	127.61	119.84
1	A	359	LEU	C-N-CA	6.22	127.61	119.84
1	B	389	ASN	N-CA-C	-6.14	102.26	110.55
1	B	488	GLY	N-CA-C	6.13	119.36	112.00
1	A	336	ALA	N-CA-C	5.99	120.59	113.28
1	B	466	VAL	N-CA-C	-5.84	104.82	110.72
1	A	108	GLN	N-CA-C	-5.76	105.00	111.28
1	A	16	ALA	N-CA-C	-5.75	99.92	109.46
1	B	336	ALA	N-CA-C	5.68	120.28	113.23
1	B	488	GLY	CA-C-N	5.67	125.37	119.64
1	B	488	GLY	C-N-CA	5.67	125.37	119.64
1	A	455	ILE	N-CA-C	5.54	116.94	110.62
1	A	387	ASN	N-CA-C	5.53	119.66	111.87
1	A	389	ASN	N-CA-C	-5.50	102.33	110.48
1	B	16	ALA	N-CA-C	-5.50	100.83	109.25
1	B	170	ASP	N-CA-C	-5.38	102.08	110.42
1	A	380	TYR	N-CA-C	-5.17	97.43	107.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	170	ASP	N-CA-C	-5.17	101.85	110.17
1	B	65	TYR	CA-C-N	-5.15	115.26	120.31
1	B	65	TYR	C-N-CA	-5.15	115.26	120.31
1	A	488	GLY	CA-C-N	5.08	124.69	119.56
1	A	488	GLY	C-N-CA	5.08	124.69	119.56
1	B	379	ILE	N-CA-C	5.07	115.78	108.48
1	B	387	ASN	N-CA-C	5.04	118.51	111.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3033	0	2937	98	0
1	B	3034	0	2942	81	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	240	0	0	8	0
4	B	218	0	0	4	0
All	All	6535	0	5879	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:PRO:HD3	1:A:153[A]:ASN:HD21	1.26	0.94
1:A:329:MET:HE3	1:A:331:LEU:HD21	1.51	0.90
1:B:334:ASN:HD21	1:B:337:ARG:H	1.20	0.89
1:A:66:PRO:HD3	1:A:153[A]:ASN:ND2	1.91	0.85
1:B:236:GLN:H	1:B:236:GLN:HE21	1.24	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:486:ASN:HA	1:B:107:LEU:HD11	1.61	0.82
1:A:334:ASN:HD21	1:A:337:ARG:H	1.27	0.81
1:B:334:ASN:HD22	1:B:340:ARG:HD2	1.50	0.76
1:B:82:PHE:H	1:B:112:GLN:HE22	1.33	0.76
1:A:387:ASN:HD21	1:A:451:VAL:H	1.33	0.75
1:A:20[A]:ASP:OD1	1:A:34:ASN:HB2	1.87	0.75
1:A:387:ASN:HD22	1:A:387:ASN:H	1.33	0.75
1:B:170:ASP:H	1:B:236:GLN:HE22	1.34	0.74
1:A:34:ASN:ND2	1:A:36:GLN:H	1.88	0.71
1:A:479:ARG:HH11	1:A:479:ARG:HG2	1.55	0.71
1:A:334:ASN:ND2	1:A:337:ARG:HG3	2.06	0.70
1:A:326:ILE:C	1:A:326:ILE:HD13	2.19	0.68
1:B:376:ARG:NH1	1:B:436:GLU:HA	2.09	0.68
1:B:387:ASN:HD22	1:B:387:ASN:H	1.42	0.67
1:A:330:LYS:HD2	1:B:358:THR:HG23	1.77	0.67
1:B:159:ASN:HD22	1:B:176:THR:HG22	1.59	0.66
1:B:220:ASN:ND2	1:B:222:ASP:HB3	2.10	0.66
1:B:236:GLN:H	1:B:236:GLN:NE2	1.93	0.65
1:A:34:ASN:C	1:A:34:ASN:HD22	2.05	0.65
1:A:123:LEU:HD23	1:A:332:HIS:HB2	1.78	0.65
1:B:135:ASN:ND2	1:B:137:GLY:H	1.95	0.65
1:A:477:GLN:O	1:A:480:GLN:HB3	1.97	0.64
1:B:220:ASN:HD22	1:B:222:ASP:HB3	1.61	0.63
1:A:86:PRO:HG3	1:A:323:GLU:HG3	1.80	0.63
1:A:173:HIS:HD2	4:A:1013:HOH:O	1.79	0.63
1:A:34:ASN:HD22	1:A:35:SER:N	1.96	0.63
1:A:334:ASN:HD22	1:A:340:ARG:HD3	1.61	0.63
1:B:436:GLU:OE1	1:B:436:GLU:N	2.30	0.61
1:A:343:PHE:HB2	1:A:351:ILE:HB	1.82	0.60
1:B:173:HIS:HD2	4:B:1134:HOH:O	1.83	0.60
1:A:50:ARG:HH12	1:A:67:GLN:HE22	1.49	0.59
1:A:326:ILE:HG23	1:A:327:CYS:N	2.17	0.59
1:A:354:LEU:HD12	1:A:358:THR:OG1	2.01	0.59
1:B:387:ASN:HD21	1:B:451:VAL:H	1.49	0.59
1:A:158:GLN:HG3	4:A:1216:HOH:O	2.02	0.59
1:B:385:ASN:HD21	1:B:445:LYS:HZ3	1.51	0.58
1:A:396:ARG:NH2	1:A:437:GLN:O	2.37	0.58
1:A:396:ARG:NH1	1:A:440:GLU:OE1	2.38	0.57
1:A:175:GLU:HA	1:A:178:GLN:NE2	2.20	0.57
1:B:325:ASN:ND2	1:B:326:ILE:H	2.03	0.57
1:A:486:ASN:HA	1:B:107:LEU:CD1	2.34	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:ASN:OD1	1:A:153[A]:ASN:ND2	2.38	0.56
1:B:54[B]:ARG:HH11	1:B:54[B]:ARG:HB3	1.70	0.56
1:B:93:GLN:HG3	1:B:108:GLN:HB2	1.88	0.56
1:A:325:ASN:HB2	1:B:357:LEU:HD11	1.88	0.54
1:B:385:ASN:HD21	1:B:445:LYS:NZ	2.05	0.54
1:B:486:ASN:HD22	1:B:486:ASN:N	2.06	0.54
1:B:376:ARG:HH12	1:B:436:GLU:HB3	1.73	0.53
1:A:479:ARG:HG2	1:A:479:ARG:NH1	2.24	0.53
1:A:387:ASN:H	1:A:387:ASN:ND2	2.05	0.53
1:A:387:ASN:ND2	1:A:451:VAL:H	2.05	0.53
1:B:398:LYS:NZ	1:B:417:ARG:HH21	2.06	0.53
1:A:385:ASN:HD21	1:A:445:LYS:NZ	2.07	0.53
1:A:25:SER:OG	1:A:237:ILE:HB	2.08	0.52
1:A:233:GLU:HG2	4:A:1262:HOH:O	2.09	0.52
1:A:337:ARG:HB2	1:A:340:ARG:HD2	1.91	0.52
1:B:66:PRO:HD3	1:B:127:PRO:HG3	1.91	0.52
1:B:337:ARG:HH21	1:B:340:ARG:HE	1.58	0.52
1:A:50:ARG:HH12	1:A:67:GLN:NE2	2.07	0.52
1:B:20:ASP:OD1	1:B:37:HIS:HE1	1.93	0.51
1:A:363[A]:ARG:HE	1:A:448:HIS:CD2	2.28	0.51
1:A:66:PRO:CD	1:A:153[A]:ASN:HD21	2.12	0.51
1:B:486:ASN:N	1:B:486:ASN:ND2	2.56	0.51
1:B:235:LYS:HB3	1:B:236:GLN:HE21	1.76	0.51
1:B:436:GLU:H	1:B:436:GLU:CD	2.17	0.51
1:A:340:ARG:HG2	1:A:340:ARG:HH11	1.76	0.51
1:B:135:ASN:HD22	1:B:135:ASN:C	2.18	0.51
1:B:334:ASN:ND2	1:B:337:ARG:HB2	2.26	0.51
1:A:218:ASN:ND2	4:A:1116:HOH:O	2.38	0.50
1:B:135:ASN:HD22	1:B:136:THR:N	2.10	0.50
1:B:215:GLN:NE2	4:B:1327:HOH:O	2.41	0.50
1:A:175:GLU:HA	1:A:178:GLN:HE21	1.76	0.49
1:B:325:ASN:ND2	1:B:326:ILE:HG22	2.28	0.49
1:B:54[B]:ARG:HB3	1:B:54[B]:ARG:NH1	2.27	0.49
1:B:387:ASN:HD22	1:B:387:ASN:N	2.04	0.49
1:A:387:ASN:HD22	1:A:387:ASN:N	1.98	0.48
1:B:334:ASN:HD21	1:B:337:ARG:N	2.01	0.47
1:A:25:SER:HB2	1:A:235:LYS:HB2	1.97	0.47
1:B:376:ARG:NH1	1:B:436:GLU:CA	2.75	0.47
1:A:50:ARG:HH22	1:A:67:GLN:HE22	1.61	0.47
1:B:492:ASN:HD22	1:B:492:ASN:H	1.62	0.47
1:A:436:GLU:HA	1:A:436:GLU:OE1	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:ILE:HG23	1:A:327:CYS:H	1.80	0.47
1:A:387:ASN:ND2	1:A:387:ASN:N	2.63	0.47
1:B:135:ASN:HD22	1:B:137:GLY:H	1.62	0.47
1:B:462:ILE:CG2	1:B:467:LEU:HD13	2.44	0.47
1:B:234:ARG:O	1:B:235:LYS:HB2	2.15	0.46
1:B:480:GLN:HG3	1:B:481:LEU:N	2.29	0.46
1:A:385:ASN:HD21	1:A:445:LYS:HZ3	1.63	0.46
1:B:337:ARG:NH2	1:B:340:ARG:HE	2.12	0.46
1:B:454:TYR:CZ	1:B:457:ASP:HB2	2.51	0.46
1:A:454:TYR:CZ	1:A:457:ASP:HB2	2.51	0.46
1:A:34:ASN:ND2	1:A:34:ASN:C	2.73	0.46
1:A:91:LYS:NZ	1:A:108:GLN:OE1	2.48	0.46
1:B:387:ASN:H	1:B:387:ASN:ND2	2.11	0.46
1:A:334:ASN:CG	1:A:337:ARG:HG3	2.40	0.46
1:A:159:ASN:HD22	1:A:176:THR:HG22	1.81	0.46
1:B:148:ASP:OD2	1:B:151:ASN:HB2	2.16	0.46
1:B:93:GLN:HB2	1:B:106:GLN:O	2.17	0.45
1:B:492:ASN:H	1:B:492:ASN:ND2	2.14	0.45
1:A:326:ILE:C	1:A:326:ILE:CD1	2.88	0.45
1:A:325:ASN:HB2	1:B:357:LEU:CD1	2.46	0.45
1:B:326:ILE:HG23	1:B:327:CYS:H	1.80	0.45
1:B:400:ARG:NH2	1:B:413:ASP:OD1	2.50	0.45
1:A:376:ARG:NE	1:A:436:GLU:OE1	2.49	0.44
1:B:86:PRO:HG2	1:B:323:GLU:HG3	1.98	0.44
1:A:200:GLU:HG3	1:A:201:GLY:N	2.32	0.44
1:B:93:GLN:HB3	1:B:106:GLN:OE1	2.17	0.44
1:A:400:ARG:HD3	1:A:415:GLU:OE2	2.16	0.44
1:A:69:ILE:O	1:A:122:VAL:HA	2.18	0.44
1:A:328:THR:HG23	4:A:1079:HOH:O	2.18	0.44
1:A:34:ASN:HD22	1:A:36:GLN:H	1.60	0.44
1:A:64:PRO:HG3	1:A:156:LEU:HD12	2.00	0.44
1:A:225:GLU:HG3	4:A:1259:HOH:O	2.17	0.43
1:A:334:ASN:HD21	1:A:337:ARG:HG3	1.83	0.43
4:A:1185:HOH:O	1:B:328:THR:HG22	2.18	0.43
1:A:87:GLU:HG3	1:A:111:HIS:HA	1.99	0.43
1:B:69:ILE:O	1:B:122:VAL:HA	2.18	0.43
1:B:143:ALA:C	1:B:144:ILE:HD12	2.43	0.43
1:A:437:GLN:NE2	1:A:437:GLN:HA	2.33	0.43
1:A:479:ARG:HH11	1:A:479:ARG:CG	2.28	0.43
1:A:480:GLN:NE2	1:A:484:GLN:OE1	2.34	0.43
1:B:93:GLN:HE21	1:B:108:GLN:HA	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:ASP:HA	1:A:334:ASN:HA	2.00	0.43
1:A:326:ILE:HD13	1:A:326:ILE:O	2.18	0.43
1:A:352:SER:O	1:A:370:GLN:HA	2.19	0.43
1:B:37:HIS:HD2	4:B:1137:HOH:O	2.02	0.43
1:A:86:PRO:CG	1:A:323:GLU:HG3	2.48	0.42
1:B:398:LYS:HZ2	1:B:417:ARG:HH21	1.66	0.42
1:A:92:PRO:CG	1:B:347:LYS:HD2	2.49	0.42
1:A:381:SER:HB2	1:A:382:PRO:HD2	2.00	0.42
1:B:400:ARG:NH2	1:B:402:ARG:NE	2.67	0.42
1:B:352:SER:O	1:B:370:GLN:HA	2.18	0.42
1:A:22:ARG:HG2	4:A:1009:HOH:O	2.19	0.42
1:A:51:THR:HA	1:A:141:VAL:O	2.20	0.42
1:B:326:ILE:HG23	1:B:327:CYS:N	2.35	0.42
1:A:25:SER:CB	1:A:235:LYS:HB2	2.49	0.42
1:A:220:ASN:OD1	1:A:222:ASP:HB3	2.18	0.42
1:B:441:TYR:HE2	1:B:443:VAL:CG2	2.33	0.42
1:B:121:ASP:HA	1:B:334:ASN:HA	2.02	0.42
1:A:229:SER:N	1:A:230:PRO:CD	2.83	0.42
1:B:486:ASN:ND2	4:B:1178:HOH:O	2.52	0.42
1:A:430:VAL:HG22	1:A:431:ALA:N	2.35	0.41
1:B:93:GLN:HA	1:B:108:GLN:HB2	2.02	0.41
1:A:326:ILE:CG2	1:A:327:CYS:N	2.83	0.41
1:A:157:ASP:CG	1:A:161:ARG:HH21	2.29	0.41
1:B:334:ASN:HD22	1:B:340:ARG:CD	2.28	0.41
1:A:323:GLU:O	1:A:328:THR:HG22	2.21	0.41
1:B:387:ASN:HD21	1:B:450:ALA:HA	1.86	0.41
1:B:417:ARG:HD2	1:B:420:GLN:OE1	2.21	0.41
1:A:357:LEU:HD22	1:B:325:ASN:HB2	2.03	0.41
1:A:82:PHE:HZ	1:A:331:LEU:HD11	1.86	0.41
1:B:8:GLU:OE1	1:B:8:GLU:N	2.49	0.41
1:B:392:ILE:HG23	1:B:441:TYR:CD2	2.56	0.41
1:A:341:ALA:HA	1:A:352:SER:OG	2.21	0.41
1:A:426:GLN:O	1:A:427:ASN:HB2	2.21	0.41
1:A:479:ARG:NH1	1:A:479:ARG:CG	2.84	0.41
1:A:75:LYS:HE3	1:A:136:THR:OG1	2.21	0.40
1:A:387:ASN:HD21	1:A:451:VAL:N	2.10	0.40
1:A:387:ASN:HD21	1:A:450:ALA:HA	1.86	0.40
1:A:126:PRO:HA	1:A:127:PRO:HD3	1.96	0.40
1:B:430:VAL:HG22	1:B:431:ALA:N	2.37	0.40
1:A:234:ARG:O	1:A:235:LYS:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	378/493 (77%)	363 (96%)	14 (4%)	1 (0%)	36	29
1	B	377/493 (76%)	362 (96%)	15 (4%)	0	100	100
All	All	755/986 (77%)	725 (96%)	29 (4%)	1 (0%)	48	40

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	324	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	336/435 (77%)	324 (96%)	12 (4%)	31	23
1	B	335/435 (77%)	324 (97%)	11 (3%)	33	26
All	All	671/870 (77%)	648 (97%)	23 (3%)	32	25

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	40	LEU
1	A	87	GLU
1	A	91	LYS
1	A	106	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	158	GLN
1	A	213	LEU
1	A	326	ILE
1	A	332	HIS
1	A	340	ARG
1	A	387	ASN
1	A	467	LEU
1	B	93	GLN
1	B	106	GLN
1	B	158	GLN
1	B	205	LEU
1	B	236	GLN
1	B	332	HIS
1	B	387	ASN
1	B	467	LEU
1	B	480	GLN
1	B	486	ASN
1	B	492	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	13	ASN
1	A	15	ASN
1	A	34	ASN
1	A	53	ASN
1	A	55	ASN
1	A	67	GLN
1	A	118	ASN
1	A	155	GLN
1	A	159	ASN
1	A	173	HIS
1	A	178	GLN
1	A	334	ASN
1	A	385	ASN
1	A	387	ASN
1	A	409	ASN
1	A	437	GLN
1	A	469	ASN
1	B	15	ASN
1	B	36	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	37	HIS
1	B	53	ASN
1	B	55	ASN
1	B	93	GLN
1	B	112	GLN
1	B	118	ASN
1	B	135	ASN
1	B	159	ASN
1	B	173	HIS
1	B	215	GLN
1	B	236	GLN
1	B	325	ASN
1	B	334	ASN
1	B	377	ASN
1	B	385	ASN
1	B	387	ASN
1	B	409	ASN
1	B	480	GLN
1	B	486	ASN
1	B	492	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSD	B	406	1	4,7,8	0.80	0	1,8,10	1.11	0
1	CSD	A	406	1	4,7,8	0.59	0	1,8,10	1.02	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSD	B	406	1	-	0/2/6/8	-
1	CSD	A	406	1	-	1/2/6/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	406	CSD	CA-CB-SG-OD1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CO3	B	502	-	3,3,3	0.54	0	2,3,3	0.14	0
2	CO3	A	501	-	3,3,3	0.71	0	2,3,3	0.04	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	383/493 (77%)	-0.18	5 (1%) 75 78	17, 27, 51, 75	3 (0%)
1	B	384/493 (77%)	-0.20	6 (1%) 70 74	16, 27, 49, 71	1 (0%)
All	All	767/986 (77%)	-0.19	11 (1%) 73 76	16, 27, 50, 75	4 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	107	LEU	4.2
1	B	328	THR	3.4
1	B	475	GLN	2.9
1	B	485	GLY	2.7
1	A	251	TRP	2.6
1	A	485	GLY	2.5
1	A	328	THR	2.5
1	A	476	SER	2.2
1	A	178	GLN	2.2
1	B	106	GLN	2.2
1	B	326	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSD	A	406	8/9	0.95	0.07	17,31,39,52	0
1	CSD	B	406	8/9	0.97	0.05	16,20,35,37	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CO3	B	502	4/4	0.91	0.11	27,28,45,50	0
2	CO3	A	501	4/4	0.94	0.08	28,35,44,45	0
3	MG	B	601	1/1	0.98	0.10	16,16,16,16	0
3	MG	A	602	1/1	0.99	0.06	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.