



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:04 PM UTC

PDB ID : 5D6L / pdb_00005d6l
Title : beta2AR-T4L - CIM
Authors : Ma, P.; Caffrey, M.
Deposited on : 2015-08-12
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	
2	B	2	

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 3751 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-2 adrenergic receptor,Endolysin,Beta-2 adrenergic receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	442	Total	C	N	O	S	0	0	0
			3543	2315	590	614	24			

There are 21 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	ASP	-	expression tag	UNP P07550
A	-5	TYR	-	expression tag	UNP P07550
A	-4	LYS	-	expression tag	UNP P07550
A	-3	ASP	-	expression tag	UNP P07550
A	-2	ASP	-	expression tag	UNP P07550
A	-1	ASP	-	expression tag	UNP P07550
A	0	ALA	-	expression tag	UNP P07550
A	16	ARG	GLY	conflict	UNP P07550
A	27	GLN	GLU	engineered mutation	UNP P07550
A	187	GLU	ASN	conflict	UNP P07550
A	224	GLN	-	linker	UNP P07550
A	225	GLU	-	linker	UNP P07550
A	226	ALA	-	linker	UNP P07550
A	227	LYS	-	linker	UNP P07550
A	228	ARG	-	linker	UNP P07550
A	229	GLN	-	linker	UNP P07550
A	230	LEU	MET	linker	UNP P00720
A	1012	GLY	ARG	conflict	UNP P00720
A	1054	THR	CYS	conflict	UNP P00720
A	1097	ALA	CYS	conflict	UNP P00720
A	1137	ARG	ILE	conflict	UNP P00720

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	B	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is (2S)-1-(9H-Carbazol-4-yloxy)-3-(isopropylamino)propan-2-ol (CCD ID: CAU) (formula: C₁₈H₂₂N₂O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			22	18	2	2		

- Molecule 5 is 1,4-BUTANEDIOL (CCD ID: BU1) (formula: $C_4H_{10}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	4	2		
5	A	1	Total	C	O	0	0
			6	4	2		

- Molecule 6 is ACETAMIDE (CCD ID: ACM) (formula: C_2H_5NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			4	2	1	1		

- Molecule 7 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			28	27	1		
7	A	1	Total	C	O	0	0
			28	27	1		
7	A	1	Total	C	O	0	0
			28	27	1		

- Molecule 8 is PALMITIC ACID (CCD ID: PLM) (formula: $C_{16}H_{32}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			17	16	1		

- Molecule 9 is DODECAETHYLENE GLYCOL (CCD ID: 12P) (formula: $C_{24}H_{50}O_{13}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			16	11	5		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-2 adrenergic receptor,Endolysin,Beta-2 adrenergic receptor



- Molecule 2: alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	107.26Å 170.36Å 40.27Å 90.00° 105.67° 90.00°	Depositor
Resolution (Å)	49.76 – 3.20 49.76 – 3.20	Depositor EDS
% Data completeness (in resolution range)	94.4 (49.76-3.20) 94.4 (49.76-3.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.222 , 0.260 0.228 , 0.270	Depositor DCC
R_{free} test set	502 reflections (4.62%)	wwPDB-VP
Wilson B-factor (Å ²)	74.0	Xtriage
Anisotropy	0.322	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 35.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.005 for 1/2*h+1/2*k+l,3/2*h-1/2*k+l,-l 0.002 for 1/2*h-1/2*k+l,-3/2*h-1/2*k-l,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3751	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CLR, PLM, BU1, 12P, GLC, CAU, ACM, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/3624	0.73	1/4920 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	87	VAL	CB-CA-C	-5.49	108.53	114.35

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3543	0	3610	16	0
2	B	23	0	21	1	0
3	A	30	0	0	0	0
4	A	22	0	22	0	0
5	A	12	0	20	0	0
6	A	4	0	4	0	0
7	A	84	0	119	2	0
8	A	17	0	31	0	0
9	A	16	0	18	0	0
All	All	3751	0	3845	18	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (18) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1124:LYS:HD3	1:A:1126:TRP:CZ2	2.42	0.55
1:A:1016:LYS:HG2	1:A:1057:VAL:HG22	1.90	0.53
1:A:82:MET:HE1	1:A:316:TYR:CD2	2.46	0.51
1:A:183:ASN:O	1:A:187:GLU:HG2	2.10	0.51
1:A:312:ASN:HD22	1:A:312:ASN:C	2.17	0.51
1:A:1104:PHE:O	2:B:1:BGC:H4	2.11	0.50
1:A:33:VAL:HG13	1:A:95:LEU:HD22	1.99	0.45
1:A:111:SER:HA	1:A:169:ILE:HD12	1.98	0.44
1:A:1024:TYR:HB3	1:A:1032:LEU:HD11	1.99	0.44
7:A:1212:CLR:H211	7:A:1212:CLR:H232	1.76	0.43
1:A:82:MET:HE1	1:A:316:TYR:HD2	1.82	0.43
1:A:64:LEU:HD21	1:A:331:ASP:HB3	2.01	0.42
1:A:1006:MET:HG3	1:A:1161:TYR:CZ	2.54	0.42
1:A:201:ILE:HD11	1:A:297:VAL:HG11	2.00	0.42
1:A:122:GLU:O	1:A:126:VAL:HG23	2.20	0.42
1:A:293:ASN:O	1:A:297:VAL:HG23	2.20	0.41
7:A:1214:CLR:H211	7:A:1214:CLR:H232	1.85	0.41
1:A:1125:ARG:NH2	1:A:1128:GLU:OE1	2.54	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/500 (88%)	433 (98%)	7 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/428 (89%)	382 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	229	GLN
1	A	1123	GLN
1	A	1132	ASN
1	A	1140	ASN
1	A	1141	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	B	1	2	12,12,12	0.95	1 (8%)	17,17,17	1.39	2 (11%)
2	GLC	B	2	2	11,11,12	1.46	2 (18%)	15,15,17	2.87	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	B	1	2	-	2/2/22/22	0/1/1/1
2	GLC	B	2	2	-	2/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	GLC	O2-C2	3.62	1.50	1.43
2	B	2	GLC	O5-C5	2.27	1.47	1.43
2	B	1	BGC	O4-C4	2.14	1.48	1.43

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	GLC	C2-C3-C4	-6.95	98.64	110.86
2	B	2	GLC	O5-C1-C2	-5.19	98.41	110.79
2	B	2	GLC	C1-O5-C5	4.22	117.84	112.19
2	B	1	BGC	O3-C3-C2	-3.57	101.95	110.38
2	B	2	GLC	O2-C2-C1	2.63	115.24	109.22
2	B	2	GLC	C1-C2-C3	2.46	113.22	109.64
2	B	2	GLC	O5-C5-C4	2.11	115.96	110.83
2	B	1	BGC	C1-C2-C3	2.06	114.56	110.36

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	2	GLC	O5-C5-C6-O6
2	B	1	BGC	O5-C5-C6-O6
2	B	1	BGC	C4-C5-C6-O6
2	B	2	GLC	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	BGC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	1206	-	4,4,4	0.23	0	6,6,6	0.09	0
5	BU1	A	1210	-	5,5,5	0.12	0	4,4,4	0.54	0
7	CLR	A	1212	-	31,31,31	7.13	17 (54%)	48,48,48	2.24	14 (29%)
3	SO4	A	1202	-	4,4,4	0.25	0	6,6,6	0.07	0
7	CLR	A	1214	-	31,31,31	7.11	17 (54%)	48,48,48	2.28	17 (35%)
3	SO4	A	1207	-	4,4,4	0.24	0	6,6,6	0.07	0
9	12P	A	1216	-	15,15,36	0.77	1 (6%)	14,14,35	0.36	0
3	SO4	A	1205	-	4,4,4	0.23	0	6,6,6	0.09	0
8	PLM	A	1215	1	15,16,17	0.47	0	14,15,17	0.64	0
4	CAU	A	1208	-	24,24,24	1.32	4 (16%)	33,33,33	1.36	6 (18%)
6	ACM	A	1211	1	3,3,3	0.79	0	3,3,3	0.87	0
3	SO4	A	1204	-	4,4,4	0.23	0	6,6,6	0.09	0
5	BU1	A	1209	-	5,5,5	0.12	0	4,4,4	0.55	0
3	SO4	A	1203	-	4,4,4	0.23	0	6,6,6	0.07	0
7	CLR	A	1213	-	31,31,31	7.13	17 (54%)	48,48,48	2.26	20 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BU1	A	1210	-	-	2/3/3/3	-
7	CLR	A	1212	-	-	4/10/68/68	0/4/4/4
7	CLR	A	1214	-	-	7/10/68/68	0/4/4/4
9	12P	A	1216	-	-	5/13/13/34	-
8	PLM	A	1215	1	-	5/14/14/15	-
4	CAU	A	1208	-	-	1/10/10/10	0/3/3/3
5	BU1	A	1209	-	-	1/3/3/3	-
7	CLR	A	1213	-	-	1/10/68/68	0/4/4/4

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1213	CLR	C8-C14	-21.90	1.12	1.53
7	A	1214	CLR	C8-C14	-21.81	1.12	1.53
7	A	1212	CLR	C8-C14	-21.73	1.12	1.53
7	A	1214	CLR	C12-C11	-14.39	1.24	1.53
7	A	1212	CLR	C12-C11	-14.31	1.24	1.53
7	A	1213	CLR	C12-C11	-14.23	1.25	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1213	CLR	C7-C8	-13.70	1.31	1.53
7	A	1212	CLR	C7-C8	-13.61	1.31	1.53
7	A	1214	CLR	C7-C8	-13.58	1.31	1.53
7	A	1212	CLR	C10-C5	-9.29	1.35	1.52
7	A	1214	CLR	C10-C5	-9.17	1.35	1.52
7	A	1212	CLR	C7-C6	9.15	1.68	1.50
7	A	1213	CLR	C8-C9	-9.14	1.36	1.53
7	A	1212	CLR	C8-C9	-9.11	1.36	1.53
7	A	1213	CLR	C10-C5	-9.10	1.35	1.52
7	A	1214	CLR	C8-C9	-9.03	1.36	1.53
7	A	1214	CLR	C12-C13	-8.93	1.38	1.54
7	A	1214	CLR	C7-C6	8.90	1.68	1.50
7	A	1213	CLR	C7-C6	8.89	1.68	1.50
7	A	1213	CLR	C12-C13	-8.84	1.38	1.54
7	A	1212	CLR	C12-C13	-8.80	1.38	1.54
7	A	1213	CLR	C13-C17	8.61	1.70	1.55
7	A	1212	CLR	C13-C17	8.48	1.70	1.55
7	A	1214	CLR	C13-C17	8.22	1.70	1.55
7	A	1214	CLR	C20-C17	-7.52	1.41	1.54
7	A	1212	CLR	C16-C15	7.48	1.74	1.54
7	A	1214	CLR	C16-C15	7.45	1.74	1.54
7	A	1213	CLR	C16-C15	7.42	1.74	1.54
7	A	1212	CLR	C11-C9	7.41	1.66	1.53
7	A	1213	CLR	C11-C9	7.39	1.65	1.53
7	A	1213	CLR	C20-C17	-7.37	1.41	1.54
7	A	1214	CLR	C11-C9	7.35	1.65	1.53
7	A	1212	CLR	C20-C17	-7.31	1.41	1.54
7	A	1213	CLR	C10-C9	6.41	1.66	1.56
7	A	1212	CLR	C10-C9	6.23	1.65	1.56
7	A	1214	CLR	C10-C9	6.23	1.65	1.56
7	A	1212	CLR	C15-C14	6.05	1.66	1.54
7	A	1214	CLR	C15-C14	6.02	1.66	1.54
7	A	1213	CLR	C15-C14	5.95	1.66	1.54
7	A	1213	CLR	C2-C3	-4.79	1.40	1.51
7	A	1214	CLR	C2-C3	-4.74	1.40	1.51
7	A	1212	CLR	C2-C3	-4.67	1.40	1.51
7	A	1212	CLR	C6-C5	4.52	1.42	1.33
7	A	1213	CLR	C6-C5	4.42	1.42	1.33
7	A	1214	CLR	C6-C5	4.36	1.42	1.33
4	A	1208	CAU	O14-C13	3.27	1.43	1.37
4	A	1208	CAU	C9-C8	-3.21	1.37	1.41
4	A	1208	CAU	C4-C9	-2.96	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1213	CLR	C1-C10	2.40	1.58	1.54
4	A	1208	CAU	C4-C3	-2.31	1.38	1.41
7	A	1214	CLR	C1-C10	2.29	1.58	1.54
7	A	1212	CLR	C1-C10	2.19	1.58	1.54
7	A	1212	CLR	C22-C20	2.19	1.59	1.54
9	A	1216	12P	C23-C24	2.06	1.59	1.49
7	A	1214	CLR	C22-C20	2.04	1.59	1.54
7	A	1213	CLR	C22-C20	2.01	1.59	1.54

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1214	CLR	C7-C6-C5	-6.22	114.51	125.02
7	A	1212	CLR	C7-C6-C5	-5.36	115.97	125.02
7	A	1213	CLR	C7-C6-C5	-5.31	116.05	125.02
7	A	1212	CLR	C14-C8-C9	5.31	116.02	109.09
7	A	1214	CLR	C12-C13-C14	4.82	114.45	107.25
7	A	1212	CLR	C10-C5-C6	-4.73	116.02	122.93
7	A	1214	CLR	C10-C5-C6	-4.68	116.10	122.93
7	A	1212	CLR	C12-C13-C14	4.49	113.97	107.25
7	A	1213	CLR	C12-C13-C14	4.34	113.74	107.25
7	A	1214	CLR	C14-C8-C9	4.25	114.64	109.09
7	A	1214	CLR	C7-C8-C9	4.17	114.54	109.72
7	A	1213	CLR	C7-C8-C9	3.99	114.33	109.72
7	A	1212	CLR	C18-C13-C17	-3.97	104.48	111.68
7	A	1214	CLR	C19-C10-C9	-3.84	107.35	111.66
7	A	1213	CLR	C10-C9-C8	3.71	118.14	112.71
7	A	1212	CLR	C7-C8-C14	3.69	116.16	110.93
7	A	1214	CLR	C18-C13-C17	-3.63	105.08	111.68
7	A	1213	CLR	C16-C17-C20	-3.63	106.68	112.18
7	A	1212	CLR	C12-C11-C9	3.47	119.03	113.14
7	A	1212	CLR	C19-C10-C9	-3.43	107.81	111.66
7	A	1214	CLR	C7-C8-C14	3.39	115.73	110.93
7	A	1213	CLR	C12-C11-C9	3.38	118.87	113.14
7	A	1213	CLR	C19-C10-C9	-3.37	107.88	111.66
4	A	1208	CAU	O14-C13-C9	3.29	120.71	115.52
7	A	1213	CLR	C11-C12-C13	3.24	118.20	112.74
7	A	1213	CLR	C18-C13-C17	-3.21	105.85	111.68
7	A	1213	CLR	C14-C8-C9	3.15	113.20	109.09
7	A	1213	CLR	C8-C7-C6	3.08	117.02	112.76
7	A	1212	CLR	C17-C13-C14	3.05	103.59	100.10
7	A	1214	CLR	C10-C9-C8	3.02	117.12	112.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1212	CLR	C11-C12-C13	2.94	117.71	112.74
7	A	1213	CLR	C7-C8-C14	2.91	115.05	110.93
7	A	1214	CLR	C12-C11-C9	2.88	118.03	113.14
7	A	1212	CLR	C18-C13-C12	-2.78	106.50	110.61
7	A	1214	CLR	C13-C17-C20	-2.77	115.22	119.50
7	A	1213	CLR	C9-C10-C5	2.75	113.68	109.65
7	A	1213	CLR	C18-C13-C12	-2.74	106.56	110.61
7	A	1214	CLR	C18-C13-C12	-2.67	106.67	110.61
7	A	1213	CLR	C21-C20-C22	-2.61	106.30	110.34
7	A	1213	CLR	C1-C10-C5	2.59	113.22	108.74
7	A	1212	CLR	C16-C17-C20	-2.56	108.30	112.18
4	A	1208	CAU	C10-C8-N7	2.56	132.72	129.07
7	A	1213	CLR	C3-C4-C5	-2.53	108.03	112.05
7	A	1213	CLR	C22-C20-C17	-2.51	105.13	110.33
7	A	1214	CLR	C9-C10-C5	2.47	113.26	109.65
7	A	1214	CLR	C8-C7-C6	2.39	116.07	112.76
4	A	1208	CAU	C10-C8-C9	-2.34	119.54	122.37
4	A	1208	CAU	C2-C3-N7	2.34	132.41	129.07
7	A	1213	CLR	C10-C5-C6	-2.29	119.59	122.93
7	A	1214	CLR	C1-C10-C5	2.26	112.63	108.74
7	A	1214	CLR	C11-C12-C13	2.22	116.49	112.74
7	A	1212	CLR	C7-C8-C9	2.20	112.26	109.72
7	A	1214	CLR	C17-C13-C14	2.14	102.55	100.10
4	A	1208	CAU	O14-C13-C12	-2.13	119.30	123.95
4	A	1208	CAU	C8-C9-C13	2.08	120.63	118.64
7	A	1213	CLR	C17-C13-C14	2.04	102.44	100.10
7	A	1212	CLR	C21-C20-C22	-2.03	107.20	110.34

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1212	CLR	C22-C23-C24-C25
9	A	1216	12P	O16-C17-C18-O19
7	A	1212	CLR	C21-C20-C22-C23
7	A	1212	CLR	C23-C24-C25-C26
7	A	1212	CLR	C23-C24-C25-C27
9	A	1216	12P	C30-C29-O28-C27
8	A	1215	PLM	C5-C6-C7-C8
8	A	1215	PLM	CA-CB-CC-CD
7	A	1214	CLR	C20-C22-C23-C24
9	A	1216	12P	O19-C20-C21-O22

Continued on next page...

Continued from previous page...





Mol	Chain	Res	Type	Atoms
8	A	1215	PLM	C9-CA-CB-CC
7	A	1214	CLR	C23-C24-C25-C26
7	A	1214	CLR	C13-C17-C20-C21
7	A	1214	CLR	C23-C24-C25-C27
8	A	1215	PLM	C2-C3-C4-C5
7	A	1213	CLR	C22-C23-C24-C25
9	A	1216	12P	C27-C26-O25-C24
7	A	1214	CLR	C22-C23-C24-C25
8	A	1215	PLM	C1-C2-C3-C4
7	A	1214	CLR	C16-C17-C20-C21
5	A	1210	BU1	C2-C3-C4-O6
5	A	1209	BU1	C1-C2-C3-C4
5	A	1210	BU1	C1-C2-C3-C4
7	A	1214	CLR	C13-C17-C20-C22
4	A	1208	CAU	O17-C16-C18-N19
9	A	1216	12P	C17-C18-O19-C20


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1212	CLR	1	0
7	A	1214	CLR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/500 (88%)	0.38	15 (3%) 48 30	46, 64, 85, 103	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	29	ASP	5.6
1	A	30	GLU	3.6
1	A	142	GLN	3.5
1	A	141	TYR	3.4
1	A	139	PHE	3.1
1	A	140	LYS	2.4
1	A	296	HIS	2.4
1	A	145	LEU	2.3
1	A	143	SER	2.3
1	A	146	THR	2.2
1	A	265	CYS	2.2
1	A	34	VAL	2.2
1	A	197	GLN	2.2
1	A	1062	GLU	2.1
1	A	301	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	B	2	11/12	0.69	0.20	86,91,94,94	0
2	BGC	B	1	12/12	0.82	0.14	76,93,102,103	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	CLR	A	1213	28/28	0.83	0.19	75,85,91,95	0
9	12P	A	1216	16/37	0.83	0.16	76,83,90,92	0
8	PLM	A	1215	17/18	0.84	0.21	75,83,102,102	0
3	SO4	A	1207	5/5	0.86	0.20	85,93,118,124	0
3	SO4	A	1206	5/5	0.87	0.14	105,106,122,131	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	BU1	A	1210	6/6	0.87	0.15	61,67,75,78	0
6	ACM	A	1211	4/4	0.87	0.28	65,66,70,77	0
3	SO4	A	1204	5/5	0.88	0.13	71,71,82,85	0
7	CLR	A	1214	28/28	0.88	0.18	89,99,104,105	0
7	CLR	A	1212	28/28	0.89	0.16	75,83,90,96	0
3	SO4	A	1202	5/5	0.91	0.17	67,75,78,82	0
3	SO4	A	1203	5/5	0.92	0.15	68,79,82,92	0
5	BU1	A	1209	6/6	0.93	0.14	42,49,53,60	0
3	SO4	A	1205	5/5	0.93	0.13	66,69,71,78	0
4	CAU	A	1208	22/22	0.96	0.11	55,61,68,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 12P A 1216:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLM A 1215:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLR A 1214:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLR A 1212:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CAU A 1208:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.