



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:10 AM UTC

PDB ID : 5D8P / pdb_00005d8p
Title : 2.35Å resolution structure of iron bound BfrB (wild-type, C2221 form) from *Pseudomonas aeruginosa*
Authors : Lovell, S.; Battaile, K.P.; Wang, Y.; Yao, H.; Rivera, M.
Deposited on : 2015-08-17
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	% 96% ..
1	B	158	94% ..
1	C	158	96% ..
1	D	158	93% 6% ..
1	E	158	95% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	158	 96% . .
1	G	158	 96% . .
1	H	158	 94% 5% .
1	I	158	 96% . .
1	J	158	 94% 5% .
1	K	158	 96% . .
1	L	158	 96% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	F	208	-	-	X	-
5	ACT	H	209	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16034 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	156	Total	C	N	O	S	0	1	0
			1258	795	214	242	7			
1	B	156	Total	C	N	O	S	0	1	0
			1253	794	214	238	7			
1	C	156	Total	C	N	O	S	0	1	0
			1260	799	214	240	7			
1	D	156	Total	C	N	O	S	0	1	0
			1260	796	214	243	7			
1	E	156	Total	C	N	O	S	0	1	0
			1263	800	215	241	7			
1	F	156	Total	C	N	O	S	0	1	0
			1261	798	215	241	7			
1	G	156	Total	C	N	O	S	0	1	0
			1257	797	213	240	7			
1	H	156	Total	C	N	O	S	0	1	0
			1256	795	213	241	7			
1	I	156	Total	C	N	O	S	0	1	0
			1247	790	213	237	7			
1	J	156	Total	C	N	O	S	0	1	0
			1260	797	214	242	7			
1	K	156	Total	C	N	O	S	0	1	0
			1250	793	213	237	7			
1	L	156	Total	C	N	O	S	0	1	0
			1260	799	214	240	7			

- Molecule 2 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	K	0	0
			1	1		
2	B	1	Total	K	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total K 1 1	0	0

- Molecule 3 is FE (II) ION (CCD ID: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	6	Total Fe 6 6	0	0
3	B	7	Total Fe 7 7	0	0
3	C	5	Total Fe 5 5	0	0
3	D	8	Total Fe 8 8	0	0
3	E	5	Total Fe 5 5	0	0
3	F	7	Total Fe 7 7	0	0
3	G	7	Total Fe 7 7	0	0
3	H	8	Total Fe 8 8	0	0
3	I	7	Total Fe 7 7	0	0
3	J	6	Total Fe 6 6	0	0
3	K	5	Total Fe 5 5	0	0
3	L	6	Total Fe 6 6	0	0

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	J	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	K	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	L	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	G	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	I	1	Total	C	O	0	0
			4	2	2		
5	J	1	Total	C	O	0	0
			4	2	2		
5	K	1	Total	C	O	0	0
			4	2	2		
5	L	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	35	Total	O	0	0
			35	35		
6	B	45	Total	O	0	0
			45	45		
6	C	44	Total	O	0	0
			44	44		
6	D	39	Total	O	0	0
			39	39		
6	E	46	Total	O	0	0
			46	46		
6	F	48	Total	O	0	0
			48	48		
6	G	33	Total	O	0	0
			33	33		
6	H	41	Total	O	0	0
			41	41		
6	I	45	Total	O	0	0
			45	45		
6	J	41	Total	O	0	0
			41	41		
6	K	34	Total	O	0	0
			34	34		
6	L	45	Total	O	0	0
			45	45		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ferroxidase

Chain A: 




- Molecule 1: Ferroxidase

Chain B: 



- Molecule 1: Ferroxidase

Chain C: 




- Molecule 1: Ferroxidase

Chain D: 




- Molecule 1: Ferroxidase

Chain E: 



- Molecule 1: Ferroxidase

Chain F: 



- Molecule 1: Ferroxidase

Chain G: 96% ..



- Molecule 1: Ferroxidase

Chain H: 94% 5% .



- Molecule 1: Ferroxidase

Chain I: 96% ..



- Molecule 1: Ferroxidase

Chain J: 94% 5% .



- Molecule 1: Ferroxidase

Chain K: 96% ..



- Molecule 1: Ferroxidase

Chain L: 96% ..



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	131.30Å 196.08Å 202.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.02 – 2.35 49.02 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.6 (49.02-2.35) 100.0 (49.02-2.35)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.34Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.170 , 0.227 0.174 , 0.230	Depositor DCC
R_{free} test set	5309 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	33.7	Xtriage
Anisotropy	0.448	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16034	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, FE2, K, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/1282	0.62	0/1731
1	B	0.53	0/1277	0.63	0/1724
1	C	0.49	0/1284	0.62	0/1733
1	D	0.52	0/1284	0.62	0/1734
1	E	0.53	0/1287	0.61	0/1737
1	F	0.51	0/1285	0.60	0/1735
1	G	0.50	0/1281	0.62	0/1730
1	H	0.54	0/1280	0.67	0/1729
1	I	0.49	0/1271	0.58	0/1717
1	J	0.51	0/1284	0.61	0/1733
1	K	0.50	0/1274	0.61	0/1720
1	L	0.49	0/1284	0.59	0/1733
All	All	0.51	0/15373	0.61	0/20756

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1258	0	1207	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1253	0	1205	4	0
1	C	1260	0	1218	2	0
1	D	1260	0	1206	3	0
1	E	1263	0	1222	4	0
1	F	1261	0	1218	5	0
1	G	1257	0	1209	3	0
1	H	1256	0	1208	7	0
1	I	1247	0	1195	2	0
1	J	1260	0	1211	6	0
1	K	1250	0	1201	3	0
1	L	1260	0	1218	3	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	D	1	0	0	0	0
3	A	6	0	0	0	0
3	B	7	0	0	0	0
3	C	5	0	0	0	0
3	D	8	0	0	0	0
3	E	5	0	0	0	0
3	F	7	0	0	0	0
3	G	7	0	0	0	0
3	H	8	0	0	0	0
3	I	7	0	0	0	0
3	J	6	0	0	0	0
3	K	5	0	0	0	0
3	L	6	0	0	0	0
4	A	43	0	30	3	0
4	C	43	0	30	2	0
4	D	43	0	30	1	0
4	E	43	0	30	3	0
4	J	43	0	30	3	0
4	K	43	0	30	2	0
4	L	43	0	30	1	0
5	A	4	0	3	1	0
5	B	4	0	3	1	0
5	C	4	0	3	0	0
5	D	4	0	3	0	0
5	E	4	0	3	0	0
5	F	20	0	15	2	0
5	G	4	0	3	0	0
5	H	12	0	9	2	0
5	I	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	J	4	0	3	1	0
5	K	4	0	3	0	0
5	L	4	0	3	0	0
6	A	35	0	0	0	0
6	B	45	0	0	0	0
6	C	44	0	0	1	0
6	D	39	0	0	1	0
6	E	46	0	0	0	0
6	F	48	0	0	1	0
6	G	33	0	0	1	0
6	H	41	0	0	1	0
6	I	45	0	0	0	0
6	J	41	0	0	1	0
6	K	34	0	0	2	0
6	L	45	0	0	1	0
All	All	16034	0	14782	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:73:ASP:O	6:K:301:HOH:O	2.05	0.72
1:B:97:ALA:CB	5:B:209:ACT:H3	2.19	0.71
4:K:206:HEM:HBB2	4:K:206:HEM:HMB2	1.70	0.71
1:G:84:GLN:NE2	6:G:301:HOH:O	2.26	0.67
1:F:97:ALA:HB2	5:F:208:ACT:H3	1.78	0.65
1:H:97:ALA:CB	5:H:209:ACT:H3	2.29	0.63
1:F:97:ALA:CB	5:F:208:ACT:H3	2.31	0.61
1:E:109:GLU:HG2	1:E:117:ARG:HH21	1.67	0.59
1:F:84:GLN:NE2	6:F:301:HOH:O	2.35	0.59
1:H:97:ALA:HB2	5:H:209:ACT:H3	1.86	0.57
1:J:38:LYS:CG	6:J:339:HOH:O	2.54	0.55
1:A:123:ILE:O	1:A:127:GLU:HG2	2.08	0.54
4:E:206:HEM:HBC2	4:E:206:HEM:HMC2	1.90	0.54
1:H:51:GLU:HA	1:H:51:GLU:OE1	2.09	0.52
1:C:123:ILE:O	1:C:127:GLU:HG2	2.12	0.49
4:K:206:HEM:HMC2	4:K:206:HEM:HBC2	1.94	0.49
4:E:206:HEM:CMB	4:E:206:HEM:HBB2	2.43	0.49
1:D:10:HIS:O	1:D:14:ILE:HG12	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:52:MET:HB3	4:J:207:HEM:CHD	2.42	0.49
1:J:52:MET:HB3	4:J:207:HEM:CHB	2.43	0.49
1:E:109:GLU:CG	1:E:117:ARG:HH21	2.26	0.49
1:A:52:MET:HB3	4:A:208:HEM:CHD	2.43	0.48
1:E:20:ILE:HD11	1:E:75:GLY:HA3	1.95	0.48
1:K:123:ILE:O	1:K:127:GLU:HG2	2.14	0.47
4:A:208:HEM:HBC2	4:A:208:HEM:HMC2	1.97	0.47
1:F:119:LEU:HD12	1:F:119:LEU:O	2.14	0.47
1:C:34:ASP:O	6:C:301:HOH:O	2.21	0.47
1:L:96:LYS:CG	6:L:329:HOH:O	2.62	0.47
1:L:52:MET:HB3	4:L:207:HEM:CHD	2.45	0.47
1:F:20:ILE:HG23	1:F:77:LEU:HD12	1.97	0.46
1:I:123:ILE:O	1:I:127:GLU:HG2	2.15	0.46
4:C:206:HEM:CHB	1:I:52:MET:HB3	2.46	0.46
4:C:206:HEM:HMC2	4:C:206:HEM:HBC2	1.97	0.46
1:K:53:LYS:NZ	6:K:302:HOH:O	2.45	0.45
1:J:27:LEU:HD23	1:J:79:ILE:HD12	2.00	0.44
1:D:94:GLU:O	1:D:98:THR:HG23	2.17	0.44
1:G:111:VAL:O	1:G:111:VAL:CG1	2.65	0.44
1:D:105:ILE:HG23	1:D:117:ARG:HG3	2.00	0.44
1:L:123:ILE:O	1:L:127:GLU:HG2	2.18	0.44
1:B:94:GLU:O	1:B:98:THR:HG23	2.18	0.43
1:J:123:ILE:O	1:J:127:GLU:HG2	2.18	0.43
4:D:210:HEM:O1A	6:D:301:HOH:O	2.21	0.43
1:E:52:MET:HB3	4:E:206:HEM:CHB	2.48	0.43
1:A:93:LEU:HG	5:A:209:ACT:H1	2.01	0.43
4:A:208:HEM:HBC2	4:A:208:HEM:CMC	2.49	0.43
1:H:127:GLU:HA	1:H:127:GLU:OE2	2.19	0.42
4:J:207:HEM:CMB	4:J:207:HEM:HBB2	2.50	0.42
1:B:51:GLU:HA	1:B:51:GLU:OE1	2.20	0.42
1:G:123:ILE:O	1:G:127:GLU:HG2	2.20	0.42
1:J:127:GLU:OE2	1:J:127:GLU:HA	2.20	0.41
1:H:46:HIS:HD2	6:H:340:HOH:O	2.03	0.41
1:J:97:ALA:CB	5:J:208:ACT:H2	2.51	0.41
1:B:140:LEU:O	1:B:144:VAL:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	155/158 (98%)	151 (97%)	4 (3%)	0	100	100
1	B	155/158 (98%)	155 (100%)	0	0	100	100
1	C	155/158 (98%)	154 (99%)	1 (1%)	0	100	100
1	D	155/158 (98%)	154 (99%)	1 (1%)	0	100	100
1	E	155/158 (98%)	155 (100%)	0	0	100	100
1	F	155/158 (98%)	153 (99%)	2 (1%)	0	100	100
1	G	155/158 (98%)	152 (98%)	3 (2%)	0	100	100
1	H	155/158 (98%)	154 (99%)	1 (1%)	0	100	100
1	I	155/158 (98%)	154 (99%)	1 (1%)	0	100	100
1	J	155/158 (98%)	152 (98%)	3 (2%)	0	100	100
1	K	155/158 (98%)	152 (98%)	3 (2%)	0	100	100
1	L	155/158 (98%)	154 (99%)	1 (1%)	0	100	100
All	All	1860/1896 (98%)	1840 (99%)	20 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/144 (92%)	133 (100%)	0	100	100
1	B	131/144 (91%)	130 (99%)	1 (1%)	73	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	133/144 (92%)	132 (99%)	1 (1%)	73	84
1	D	133/144 (92%)	130 (98%)	3 (2%)	44	58
1	E	134/144 (93%)	133 (99%)	1 (1%)	76	86
1	F	134/144 (93%)	133 (99%)	1 (1%)	76	86
1	G	132/144 (92%)	130 (98%)	2 (2%)	57	72
1	H	133/144 (92%)	130 (98%)	3 (2%)	44	58
1	I	130/144 (90%)	128 (98%)	2 (2%)	57	72
1	J	133/144 (92%)	132 (99%)	1 (1%)	73	84
1	K	130/144 (90%)	129 (99%)	1 (1%)	73	84
1	L	133/144 (92%)	133 (100%)	0	100	100
All	All	1589/1728 (92%)	1573 (99%)	16 (1%)	68	81

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	137	GLN
1	C	47	GLU
1	D	39	ARG
1	D	77	LEU
1	D	129	GLU
1	E	144	VAL
1	F	77	LEU
1	G	85	GLU
1	G	127	GLU
1	H	47	GLU
1	H	77	LEU
1	H	125	GLU
1	I	77	LEU
1	I	106	VAL
1	J	144	VAL
1	K	77	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	GLN
1	A	142	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	9	GLN
1	B	10	HIS
1	B	88	GLN
1	C	137	GLN
1	E	137	GLN
1	F	82	ASN
1	F	88	GLN
1	F	137	GLN
1	F	142	GLN
1	G	10	HIS
1	G	107	HIS
1	G	137	GLN
1	H	88	GLN
1	H	107	HIS
1	H	137	GLN
1	I	43	HIS
1	I	88	GLN
1	I	92	ASN
1	I	107	HIS
1	I	137	GLN
1	J	130	HIS
1	L	43	HIS
1	L	137	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 105 ligands modelled in this entry, 80 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	ACT	K	207	3	3,3,3	0.93	0	3,3,3	2.15	2 (66%)
5	ACT	B	209	3	3,3,3	0.96	0	3,3,3	1.73	1 (33%)
5	ACT	A	209	3	3,3,3	0.90	0	3,3,3	0.91	0
4	HEM	E	206	1	50,50,50	1.49	9 (18%)	67,82,82	1.53	9 (13%)
5	ACT	F	210	3	3,3,3	0.80	0	3,3,3	2.27	2 (66%)
5	ACT	F	209	3	3,3,3	0.81	0	3,3,3	1.55	0
5	ACT	I	208	3	3,3,3	0.92	0	3,3,3	1.57	0
4	HEM	A	208	1	50,50,50	1.60	7 (14%)	67,82,82	1.53	13 (19%)
5	ACT	H	210	3	3,3,3	0.85	0	3,3,3	1.61	0
5	ACT	F	208	3	3,3,3	0.80	0	3,3,3	1.64	1 (33%)
5	ACT	D	211	3	3,3,3	0.75	0	3,3,3	1.62	0
5	ACT	H	211	3	3,3,3	0.81	0	3,3,3	1.80	2 (66%)
5	ACT	H	209	3	3,3,3	0.84	0	3,3,3	1.15	0
5	ACT	L	208	3	3,3,3	0.77	0	3,3,3	1.52	1 (33%)
4	HEM	J	207	1	50,50,50	1.56	7 (14%)	67,82,82	1.67	16 (23%)
5	ACT	F	212	3	3,3,3	0.83	0	3,3,3	1.04	0
4	HEM	D	210	1	50,50,50	1.50	7 (14%)	67,82,82	1.43	9 (13%)
5	ACT	G	208	3	3,3,3	0.93	0	3,3,3	2.05	2 (66%)
4	HEM	L	207	1	50,50,50	1.58	8 (16%)	67,82,82	1.42	13 (19%)
5	ACT	C	207	3	3,3,3	0.86	0	3,3,3	1.54	0
4	HEM	K	206	1	50,50,50	1.43	7 (14%)	67,82,82	1.45	12 (17%)
5	ACT	E	207	3	3,3,3	0.80	0	3,3,3	1.36	0
5	ACT	F	211	3	3,3,3	0.83	0	3,3,3	1.41	0
5	ACT	J	208	3	3,3,3	0.76	0	3,3,3	1.64	1 (33%)
4	HEM	C	206	1	50,50,50	1.62	8 (16%)	67,82,82	1.61	12 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	J	207	1	-	4/14/54/54	-
4	HEM	K	206	1	-	4/14/54/54	-
4	HEM	D	210	1	-	5/14/54/54	-
4	HEM	E	206	1	-	4/14/54/54	-
4	HEM	L	207	1	-	6/14/54/54	-
4	HEM	C	206	1	-	4/14/54/54	-
4	HEM	A	208	1	-	4/14/54/54	-

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	207	HEM	FE-ND	6.15	2.13	1.94
4	C	206	HEM	FE-NA	5.30	2.12	1.95
4	D	210	HEM	FE-NC	5.11	2.12	1.95
4	C	206	HEM	FE-NB	5.09	2.10	1.94
4	A	208	HEM	FE-NB	5.08	2.10	1.94
4	K	206	HEM	FE-NB	4.53	2.08	1.94
4	J	207	HEM	FE-ND	4.49	2.08	1.94
4	A	208	HEM	FE-NA	4.46	2.09	1.95
4	E	206	HEM	FE-ND	4.42	2.08	1.94
4	L	207	HEM	FE-NC	4.33	2.09	1.95
4	J	207	HEM	FE-NB	4.27	2.08	1.94
4	K	206	HEM	FE-NC	4.15	2.08	1.95
4	J	207	HEM	FE-NA	4.14	2.08	1.95
4	E	206	HEM	FE-NC	4.12	2.08	1.95
4	D	210	HEM	FE-NB	3.75	2.06	1.94
4	A	208	HEM	FE-NC	3.72	2.07	1.95
4	J	207	HEM	FE-NC	3.47	2.06	1.95
4	C	206	HEM	FE-ND	3.33	2.05	1.94
4	A	208	HEM	FE-ND	3.15	2.04	1.94
4	L	207	HEM	CAC-C3C	3.09	1.55	1.47
4	K	206	HEM	FE-ND	3.07	2.04	1.94
4	E	206	HEM	FE-NA	2.97	2.05	1.95
4	L	207	HEM	CAB-C3B	2.78	1.54	1.47
4	D	210	HEM	FE-ND	2.77	2.03	1.94
4	E	206	HEM	FE-NB	2.71	2.03	1.94
4	K	206	HEM	FE-NA	2.71	2.04	1.95
4	D	210	HEM	CAB-C3B	2.65	1.54	1.47
4	A	208	HEM	CAC-C3C	2.63	1.54	1.47
4	E	206	HEM	CMB-C2B	2.62	1.56	1.50
4	J	207	HEM	CAC-C3C	2.59	1.54	1.47
4	C	206	HEM	FE-NC	2.57	2.03	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	206	HEM	CAB-C3B	2.56	1.54	1.47
4	D	210	HEM	FE-NA	2.52	2.03	1.95
4	C	206	HEM	CAC-C3C	2.50	1.54	1.47
4	C	206	HEM	CMC-C2C	2.44	1.55	1.50
4	E	206	HEM	CMA-C3A	2.42	1.55	1.50
4	K	206	HEM	CAB-C3B	2.41	1.53	1.47
4	D	210	HEM	CAC-C3C	2.41	1.53	1.47
4	D	210	HEM	CMC-C2C	2.40	1.55	1.50
4	K	206	HEM	CAC-C3C	2.37	1.53	1.47
4	A	208	HEM	CAB-C3B	2.34	1.53	1.47
4	L	207	HEM	CMC-C2C	2.33	1.55	1.50
4	L	207	HEM	CMD-C2D	2.26	1.55	1.50
4	J	207	HEM	C3D-C2D	-2.24	1.31	1.36
4	A	208	HEM	CMB-C2B	2.24	1.55	1.50
4	E	206	HEM	CMC-C2C	2.17	1.55	1.50
4	L	207	HEM	FE-NA	2.16	2.02	1.95
4	K	206	HEM	CMB-C2B	2.10	1.55	1.50
4	E	206	HEM	CAB-C3B	2.09	1.53	1.47
4	L	207	HEM	FE-NB	2.09	2.01	1.94
4	J	207	HEM	C2A-C3A	-2.09	1.33	1.38
4	C	206	HEM	CMD-C2D	2.02	1.54	1.50
4	E	206	HEM	C2A-C3A	-2.00	1.33	1.38

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	206	HEM	C4D-ND-C1D	4.66	110.72	105.21
4	A	208	HEM	C4D-ND-C1D	4.16	110.14	105.21
4	C	206	HEM	C3D-C4D-ND	-4.10	105.68	110.17
4	E	206	HEM	C4D-ND-C1D	3.89	109.81	105.21
4	J	207	HEM	C3B-C4B-NB	-3.87	106.69	109.47
4	K	206	HEM	C2A-C1A-NA	-3.81	105.92	110.15
4	J	207	HEM	C3D-C4D-ND	-3.80	106.00	110.17
4	J	207	HEM	C4D-ND-C1D	3.78	109.69	105.21
4	D	210	HEM	C4D-ND-C1D	3.66	109.54	105.21
4	A	208	HEM	CHC-C4B-NB	3.64	128.34	124.42
4	E	206	HEM	C3D-C4D-ND	-3.63	106.19	110.17
4	A	208	HEM	C3D-C4D-ND	-3.62	106.20	110.17
4	C	206	HEM	C2A-C1A-NA	-3.36	106.42	110.15
4	J	207	HEM	C1B-NB-C4B	3.35	109.17	105.21
4	A	208	HEM	C1B-NB-C4B	3.34	109.17	105.21
4	C	206	HEM	C2D-C1D-ND	-3.33	106.06	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	206	HEM	C4C-C3C-C2C	3.31	109.68	106.81
4	D	210	HEM	C3B-C2B-C1B	3.20	108.81	106.41
4	D	210	HEM	C3D-C4D-ND	-3.18	106.69	110.17
4	L	207	HEM	C4D-ND-C1D	3.16	108.95	105.21
4	A	208	HEM	C3B-C4B-NB	-3.13	107.22	109.47
4	E	206	HEM	C2D-C1D-ND	-3.04	106.39	109.90
4	L	207	HEM	C1B-NB-C4B	3.00	108.76	105.21
4	K	206	HEM	C4D-ND-C1D	2.97	108.73	105.21
4	C	206	HEM	CHC-C1C-NC	2.97	127.69	124.45
4	L	207	HEM	C3B-C4B-NB	-2.97	107.33	109.47
4	A	208	HEM	C2D-C1D-ND	-2.96	106.49	109.90
4	J	207	HEM	CHC-C4B-NB	2.95	127.59	124.42
4	D	210	HEM	C2A-C1A-NA	-2.94	106.89	110.15
4	C	206	HEM	CHA-C4D-ND	2.93	127.99	124.37
4	J	207	HEM	C2A-C1A-NA	-2.88	106.96	110.15
4	J	207	HEM	C2D-C1D-ND	-2.88	106.58	109.90
5	F	210	ACT	OXT-C-CH3	2.85	127.02	115.05
4	K	206	HEM	C2D-C1D-ND	-2.85	106.61	109.90
5	G	208	ACT	OXT-C-O	-2.73	111.90	122.03
4	J	207	HEM	O1A-CGA-CBA	-2.70	114.54	123.09
5	K	207	ACT	OXT-C-CH3	2.68	126.30	115.05
5	F	210	ACT	OXT-C-O	-2.67	112.11	122.03
4	J	207	HEM	C4C-C3C-C2C	2.64	109.10	106.81
4	L	207	HEM	C2D-C1D-ND	-2.63	106.87	109.90
4	L	207	HEM	CMC-C2C-C1C	-2.60	120.15	124.73
4	L	207	HEM	C2A-C1A-NA	-2.60	107.27	110.15
4	D	210	HEM	C2D-C1D-ND	-2.60	106.90	109.90
4	K	206	HEM	C4A-NA-C1A	2.59	110.05	105.82
4	E	206	HEM	C2A-C1A-NA	-2.59	107.28	110.15
5	K	207	ACT	OXT-C-O	-2.57	112.49	122.03
4	L	207	HEM	CHC-C4B-NB	2.52	127.14	124.42
4	J	207	HEM	CAC-C3C-C4C	-2.51	118.83	124.82
4	J	207	HEM	C4B-C3B-C2B	2.50	109.58	107.28
4	C	206	HEM	CAD-CBD-CGD	-2.47	107.11	113.67
4	E	206	HEM	CBA-CAA-C2A	-2.42	105.83	112.53
4	C	206	HEM	C4C-C3C-C2C	2.42	108.91	106.81
4	K	206	HEM	C3A-C4A-NA	-2.42	106.26	110.14
4	K	206	HEM	C3D-C4D-ND	-2.42	107.52	110.17
4	E	206	HEM	C1B-NB-C4B	2.41	108.06	105.21
4	K	206	HEM	C4C-C3C-C2C	2.41	108.90	106.81
4	A	208	HEM	C4A-C3A-C2A	2.37	109.54	106.82
4	D	210	HEM	CHC-C4B-NB	2.37	126.98	124.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	206	HEM	CHA-C1A-NA	2.37	128.16	123.86
4	L	207	HEM	C3B-C2B-C1B	2.36	108.19	106.41
4	A	208	HEM	C4B-C3B-C2B	2.32	109.41	107.28
4	C	206	HEM	CHD-C4C-C3C	2.30	129.08	125.21
5	B	209	ACT	OXT-C-O	-2.30	113.50	122.03
4	C	206	HEM	CHD-C1D-ND	2.30	126.89	124.42
5	G	208	ACT	OXT-C-CH3	2.24	124.46	115.05
5	H	211	ACT	OXT-C-CH3	2.22	124.38	115.05
4	A	208	HEM	C3A-C4A-NA	-2.22	106.58	110.14
4	E	206	HEM	CBD-CAD-C3D	-2.21	106.42	112.53
4	C	206	HEM	CMC-C2C-C1C	-2.20	120.86	124.73
4	A	208	HEM	CHA-C4D-ND	2.19	127.08	124.37
4	E	206	HEM	CAD-CBD-CGD	-2.18	107.88	113.67
5	H	211	ACT	OXT-C-O	-2.18	113.93	122.03
4	C	206	HEM	C4A-NA-C1A	2.18	109.38	105.82
4	A	208	HEM	CHD-C1D-ND	2.17	126.75	124.42
4	L	207	HEM	CAA-CBA-CGA	-2.16	107.93	113.67
4	A	208	HEM	C2A-C1A-NA	-2.16	107.76	110.15
5	J	208	ACT	OXT-C-CH3	2.14	124.03	115.05
4	K	206	HEM	C3B-C4B-NB	-2.14	107.93	109.47
4	J	207	HEM	O2A-CGA-CBA	2.13	120.73	114.00
5	F	208	ACT	OXT-C-O	-2.13	114.13	122.03
4	K	206	HEM	C1D-C2D-C3D	2.12	109.21	106.98
4	L	207	HEM	CHA-C1A-NA	2.10	127.67	123.86
4	J	207	HEM	C4C-NC-C1C	2.10	109.25	105.82
4	D	210	HEM	CBA-CAA-C2A	-2.07	106.80	112.53
4	J	207	HEM	CHD-C4C-NC	2.07	126.71	124.45
4	A	208	HEM	C2B-C1B-NB	-2.07	107.46	109.84
4	D	210	HEM	CMC-C2C-C1C	-2.07	121.08	124.73
4	J	207	HEM	C4A-NA-C1A	2.07	109.19	105.82
4	L	207	HEM	CHC-C1C-NC	2.06	126.70	124.45
4	L	207	HEM	C3D-C4D-ND	-2.05	107.92	110.17
4	J	207	HEM	C3A-C4A-NA	-2.04	106.86	110.14
4	L	207	HEM	CAC-C3C-C4C	-2.04	119.95	124.82
5	L	208	ACT	OXT-C-CH3	2.03	123.57	115.05
4	D	210	HEM	C1B-NB-C4B	2.03	107.61	105.21
4	K	206	HEM	CHC-C4B-NB	2.02	126.59	124.42
4	K	206	HEM	C1B-NB-C4B	2.01	107.59	105.21

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	L	207	HEM	C3D-CAD-CBD-CGD
4	D	210	HEM	CAA-CBA-CGA-O2A
4	D	210	HEM	CAA-CBA-CGA-O1A
4	J	207	HEM	CAA-CBA-CGA-O1A
4	C	206	HEM	CAA-CBA-CGA-O1A
4	C	206	HEM	CAA-CBA-CGA-O2A
4	E	206	HEM	CAA-CBA-CGA-O2A
4	L	207	HEM	CAD-CBD-CGD-O2D
4	D	210	HEM	CAD-CBD-CGD-O2D
4	J	207	HEM	CAA-CBA-CGA-O2A
4	L	207	HEM	CAD-CBD-CGD-O1D
4	D	210	HEM	CAD-CBD-CGD-O1D
4	E	206	HEM	CAA-CBA-CGA-O1A
4	C	206	HEM	CAD-CBD-CGD-O2D
4	L	207	HEM	CAA-CBA-CGA-O1A
4	K	206	HEM	CAA-CBA-CGA-O2A
4	A	208	HEM	CAD-CBD-CGD-O2D
4	L	207	HEM	CAA-CBA-CGA-O2A
4	J	207	HEM	CAD-CBD-CGD-O2D
4	C	206	HEM	CAD-CBD-CGD-O1D
4	E	206	HEM	CAD-CBD-CGD-O1D
4	K	206	HEM	CAA-CBA-CGA-O1A
4	E	206	HEM	CAD-CBD-CGD-O2D
4	J	207	HEM	CAD-CBD-CGD-O1D
4	A	208	HEM	CAD-CBD-CGD-O1D
4	K	206	HEM	CAD-CBD-CGD-O2D
4	A	208	HEM	CAA-CBA-CGA-O2A
4	K	206	HEM	CAD-CBD-CGD-O1D
4	L	207	HEM	C4D-C3D-CAD-CBD
4	A	208	HEM	CAA-CBA-CGA-O1A
4	D	210	HEM	C4D-C3D-CAD-CBD

There are no ring outliers.

12 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	209	ACT	1	0
5	A	209	ACT	1	0
4	E	206	HEM	3	0
4	A	208	HEM	3	0
5	F	208	ACT	2	0
5	H	209	ACT	2	0
4	J	207	HEM	3	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	210	HEM	1	0
4	L	207	HEM	1	0
4	K	206	HEM	2	0
5	J	208	ACT	1	0
4	C	206	HEM	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	156/158 (98%)	-0.16	1 (0%) 85 89	25, 39, 51, 64	1 (0%)
1	B	156/158 (98%)	-0.13	0 100 100	22, 37, 50, 55	1 (0%)
1	C	156/158 (98%)	-0.17	0 100 100	23, 38, 51, 60	1 (0%)
1	D	156/158 (98%)	-0.20	0 100 100	24, 37, 48, 59	1 (0%)
1	E	156/158 (98%)	-0.27	0 100 100	22, 37, 49, 60	1 (0%)
1	F	156/158 (98%)	-0.19	0 100 100	24, 37, 49, 60	1 (0%)
1	G	156/158 (98%)	-0.09	0 100 100	25, 39, 50, 60	1 (0%)
1	H	156/158 (98%)	-0.19	1 (0%) 85 89	21, 36, 48, 66	1 (0%)
1	I	156/158 (98%)	-0.17	0 100 100	20, 37, 49, 59	1 (0%)
1	J	156/158 (98%)	-0.16	0 100 100	21, 37, 49, 61	1 (0%)
1	K	156/158 (98%)	-0.18	1 (0%) 85 89	23, 38, 50, 67	1 (0%)
1	L	156/158 (98%)	-0.19	0 100 100	22, 37, 49, 55	1 (0%)
All	All	1872/1896 (98%)	-0.18	3 (0%) 91 92	20, 37, 50, 67	12 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	156	GLU	2.8
1	K	156	GLU	2.1
1	A	73	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FE2	I	207	1/1	0.41	0.29	102,102,102,102	0
3	FE2	D	209	1/1	0.52	0.31	103,103,103,103	0
3	FE2	I	206	1/1	0.58	0.25	104,104,104,104	0
3	FE2	F	204	1/1	0.63	0.25	103,103,103,103	0
3	FE2	K	205	1/1	0.64	0.30	98,98,98,98	0
3	FE2	L	204	1/1	0.66	0.21	98,98,98,98	0
3	FE2	D	208	1/1	0.68	0.26	101,101,101,101	0
3	FE2	G	207	1/1	0.69	0.24	96,96,96,96	0
3	FE2	C	205	1/1	0.70	0.28	99,99,99,99	0
3	FE2	L	206	1/1	0.73	0.24	110,110,110,110	0
3	FE2	L	205	1/1	0.76	0.20	97,97,97,97	0
3	FE2	H	208	1/1	0.78	0.20	95,95,95,95	0
5	ACT	H	211	4/4	0.82	0.18	48,50,53,58	0
5	ACT	H	210	4/4	0.85	0.20	47,48,51,60	0
3	FE2	E	205	1/1	0.86	0.17	87,87,87,87	0
5	ACT	F	210	4/4	0.86	0.19	41,42,55,56	0
3	FE2	D	207	1/1	0.88	0.17	84,84,84,84	0
3	FE2	D	202	1/1	0.89	0.17	83,83,83,83	0
3	FE2	H	201	1/1	0.89	0.12	90,90,90,90	0
5	ACT	G	208	4/4	0.90	0.12	40,40,43,47	0
3	FE2	D	206	1/1	0.90	0.21	79,79,79,79	0
3	FE2	B	202	1/1	0.90	0.15	89,89,89,89	0
3	FE2	G	205	1/1	0.91	0.17	80,80,80,80	0
3	FE2	I	201	1/1	0.91	0.14	85,85,85,85	0
3	FE2	C	201	1/1	0.92	0.15	81,81,81,81	0
3	FE2	I	205	1/1	0.92	0.24	82,82,82,82	0
3	FE2	A	207	1/1	0.92	0.22	80,80,80,80	0
3	FE2	G	206	1/1	0.92	0.24	84,84,84,84	0
5	ACT	F	209	4/4	0.93	0.14	50,59,62,67	0
3	FE2	L	201	1/1	0.93	0.13	86,86,86,86	0
3	FE2	A	202	1/1	0.93	0.14	82,82,82,82	0
3	FE2	K	201	1/1	0.93	0.10	81,81,81,81	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	FE2	H	206	1/1	0.93	0.14	52,52,52,52	0
5	ACT	B	209	4/4	0.94	0.10	38,42,43,45	0
5	ACT	D	211	4/4	0.94	0.12	37,40,43,49	0
3	FE2	E	204	1/1	0.94	0.17	84,84,84,84	0
3	FE2	H	205	1/1	0.94	0.17	53,53,53,53	0
5	ACT	F	212	4/4	0.94	0.10	55,62,65,67	0
3	FE2	B	208	1/1	0.94	0.21	81,81,81,81	0
3	FE2	H	207	1/1	0.94	0.18	58,58,58,58	0
3	FE2	B	207	1/1	0.94	0.18	75,75,75,75	0
5	ACT	F	211	4/4	0.95	0.09	46,49,54,56	0
3	FE2	G	201	1/1	0.95	0.11	75,75,75,75	0
3	FE2	J	201	1/1	0.95	0.11	81,81,81,81	0
5	ACT	H	209	4/4	0.95	0.11	42,47,49,51	0
4	HEM	C	206	43/43	0.95	0.10	33,41,56,63	0
4	HEM	K	206	43/43	0.95	0.10	29,40,59,62	0
5	ACT	I	208	4/4	0.95	0.15	34,44,53,58	0
5	ACT	K	207	4/4	0.95	0.11	31,40,46,51	0
3	FE2	J	205	1/1	0.96	0.18	72,72,72,72	0
5	ACT	A	209	4/4	0.96	0.10	41,45,48,49	0
4	HEM	A	208	43/43	0.96	0.10	30,41,57,80	0
3	FE2	K	204	1/1	0.96	0.20	69,69,69,69	0
5	ACT	E	207	4/4	0.96	0.10	43,45,49,51	0
5	ACT	F	208	4/4	0.96	0.09	37,41,42,49	0
4	HEM	E	206	43/43	0.96	0.09	34,41,59,63	0
5	ACT	J	208	4/4	0.96	0.09	41,52,54,59	0
4	HEM	J	207	43/43	0.96	0.09	32,40,51,64	0
5	ACT	C	207	4/4	0.97	0.09	43,46,50,55	0
4	HEM	D	210	43/43	0.97	0.08	33,37,46,49	43
4	HEM	L	207	43/43	0.97	0.09	30,34,39,45	43
3	FE2	C	204	1/1	0.97	0.15	52,52,52,52	0
3	FE2	F	206	1/1	0.97	0.12	63,63,63,63	0
3	FE2	E	203	1/1	0.98	0.12	50,50,50,50	0
3	FE2	F	207	1/1	0.98	0.08	60,60,60,60	0
3	FE2	B	205	1/1	0.98	0.12	50,50,50,50	0
3	FE2	G	204	1/1	0.98	0.13	53,53,53,53	0
3	FE2	J	206	1/1	0.98	0.24	69,69,69,69	0
3	FE2	D	205	1/1	0.98	0.14	51,51,51,51	0
3	FE2	A	206	1/1	0.98	0.12	54,54,54,54	0
3	FE2	I	204	1/1	0.98	0.10	52,52,52,52	0
3	FE2	F	205	1/1	0.98	0.12	56,56,56,56	0
5	ACT	L	208	4/4	0.98	0.06	41,48,48,54	0
3	FE2	G	203	1/1	0.99	0.09	47,47,47,47	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	FE2	E	201	1/1	0.99	0.08	45,45,45,45	0
2	K	D	201	1/1	0.99	0.09	18,18,18,18	0
3	FE2	B	206	1/1	0.99	0.12	51,51,51,51	0
3	FE2	J	203	1/1	0.99	0.07	48,48,48,48	0
3	FE2	J	204	1/1	0.99	0.10	52,52,52,52	0
3	FE2	D	203	1/1	0.99	0.07	43,43,43,43	0
3	FE2	F	201	1/1	0.99	0.08	44,44,44,44	0
3	FE2	H	202	1/1	0.99	0.09	46,46,46,46	0
3	FE2	K	202	1/1	0.99	0.08	45,45,45,45	0
3	FE2	H	203	1/1	0.99	0.08	46,46,46,46	0
3	FE2	H	204	1/1	0.99	0.07	47,47,47,47	0
3	FE2	F	203	1/1	0.99	0.16	52,52,52,52	0
3	FE2	L	202	1/1	0.99	0.08	47,47,47,47	0
2	K	A	201	1/1	0.99	0.03	21,21,21,21	0
3	FE2	A	203	1/1	0.99	0.10	48,48,48,48	0
3	FE2	B	203	1/1	0.99	0.10	45,45,45,45	0
3	FE2	C	202	1/1	0.99	0.09	48,48,48,48	0
3	FE2	I	202	1/1	0.99	0.10	46,46,46,46	0
3	FE2	I	203	1/1	0.99	0.10	48,48,48,48	0
3	FE2	B	204	1/1	0.99	0.08	45,45,45,45	0
2	K	B	201	1/1	1.00	0.08	19,19,19,19	0
3	FE2	A	204	1/1	1.00	0.06	47,47,47,47	0
3	FE2	J	202	1/1	1.00	0.07	46,46,46,46	0
3	FE2	C	203	1/1	1.00	0.08	45,45,45,45	0
3	FE2	L	203	1/1	1.00	0.08	44,44,44,44	0
3	FE2	D	204	1/1	1.00	0.09	44,44,44,44	0
3	FE2	G	202	1/1	1.00	0.07	47,47,47,47	0
3	FE2	F	202	1/1	1.00	0.08	44,44,44,44	0
3	FE2	A	205	1/1	1.00	0.10	50,50,50,50	0
3	FE2	E	202	1/1	1.00	0.10	48,48,48,48	0
3	FE2	K	203	1/1	1.00	0.08	47,47,47,47	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM C 206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM K 206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM A 208:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM E 206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM J 207:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 210:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM L 207:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.