



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 03:01 AM UTC

PDB ID : 7D8X / pdb_00007d8x
EMDB ID : EMD-30614
Title : CryoEM structure of human gamma-secretase in complex with E2012 and L685458
Authors : Yang, G.; Zhou, R.; Guo, X.; Lei, J.; Yan, C.; Shi, Y.
Deposited on : 2020-10-11
Resolution : 2.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8728 (2.10 - 3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	709	
2	B	467	
3	C	265	
4	D	143	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	2	100%
5	G	2	50% 50%
5	H	2	100%
5	I	2	50% 50%
5	J	2	50% 50%
6	F	5	40% 20% 80%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 10928 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nicastrin.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	667	Total	C	N	O	S	0	0
			5235	3321	890	1003	21		

- Molecule 2 is a protein called Presenilin-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	307	Total	C	N	O	S	0	0
			2436	1649	370	403	14		

- Molecule 3 is a protein called Gamma-secretase subunit APH-1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	243	Total	C	N	O	S	0	0
			1872	1254	299	315	4		

- Molecule 4 is a protein called Gamma-secretase subunit PEN-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	96	Total	C	N	O	S	0	0
			814	559	126	128	1		

There are 43 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-41	MET	-	initiating methionine	UNP Q9NZ42
D	-40	ALA	-	expression tag	UNP Q9NZ42
D	-39	SER	-	expression tag	UNP Q9NZ42
D	-38	TRP	-	expression tag	UNP Q9NZ42
D	-37	SER	-	expression tag	UNP Q9NZ42
D	-36	HIS	-	expression tag	UNP Q9NZ42
D	-35	PRO	-	expression tag	UNP Q9NZ42
D	-34	GLN	-	expression tag	UNP Q9NZ42
D	-33	PHE	-	expression tag	UNP Q9NZ42

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-32	GLU	-	expression tag	UNP Q9NZ42
D	-31	LYS	-	expression tag	UNP Q9NZ42
D	-30	GLY	-	expression tag	UNP Q9NZ42
D	-29	GLY	-	expression tag	UNP Q9NZ42
D	-28	GLY	-	expression tag	UNP Q9NZ42
D	-27	ALA	-	expression tag	UNP Q9NZ42
D	-26	ARG	-	expression tag	UNP Q9NZ42
D	-25	GLY	-	expression tag	UNP Q9NZ42
D	-24	GLY	-	expression tag	UNP Q9NZ42
D	-23	SER	-	expression tag	UNP Q9NZ42
D	-22	GLY	-	expression tag	UNP Q9NZ42
D	-21	GLY	-	expression tag	UNP Q9NZ42
D	-20	GLY	-	expression tag	UNP Q9NZ42
D	-19	SER	-	expression tag	UNP Q9NZ42
D	-18	TRP	-	expression tag	UNP Q9NZ42
D	-17	SER	-	expression tag	UNP Q9NZ42
D	-16	HIS	-	expression tag	UNP Q9NZ42
D	-15	PRO	-	expression tag	UNP Q9NZ42
D	-14	GLN	-	expression tag	UNP Q9NZ42
D	-13	PHE	-	expression tag	UNP Q9NZ42
D	-12	GLU	-	expression tag	UNP Q9NZ42
D	-11	LYS	-	expression tag	UNP Q9NZ42
D	-10	GLY	-	expression tag	UNP Q9NZ42
D	-9	PHE	-	expression tag	UNP Q9NZ42
D	-8	ASP	-	expression tag	UNP Q9NZ42
D	-7	TYR	-	expression tag	UNP Q9NZ42
D	-6	LYS	-	expression tag	UNP Q9NZ42
D	-5	ASP	-	expression tag	UNP Q9NZ42
D	-4	ASP	-	expression tag	UNP Q9NZ42
D	-3	ASP	-	expression tag	UNP Q9NZ42
D	-2	ASP	-	expression tag	UNP Q9NZ42
D	-1	LYS	-	expression tag	UNP Q9NZ42
D	0	GLY	-	expression tag	UNP Q9NZ42
D	1	THR	-	expression tag	UNP Q9NZ42

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	2	Total	C	N	O	0	0
			28	16	2	10		
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	H	2	Total	C	N	O	0	0
			28	16	2	10		
5	I	2	Total	C	N	O	0	0
			28	16	2	10		
5	J	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranos e-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	F	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 8 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
8	B	1	Total	C	N	O	P	0
			37	27	1	8	1	
8	C	1	Total	C	N	O	P	0
			41	31	1	8	1	

- Molecule 9 is 1-[(1S)-1-(4-fluorophenyl)ethyl]-3-[[3-methoxy-4-(4-methylimidazol-1-yl)phenyl]methylidene]piperidin-2-one (CCD ID: GZR) (formula: $C_{25}H_{26}FN_3O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	B	1	Total	C	F	N	O	0
			31	25	1	3	2	


- Molecule 10 is PHOSPHATIDYLETHANOLAMINE (CCD ID: PTY) (formula: C₄₀H₈₀NO₈P).



Mol	Chain	Residues	Atoms					AltConf
10	B	1	Total	C	N	O	P	0
			44	34	1	8	1	


- Molecule 11 is {tert}-butyl {N}-[(2 {S},3 {R},5 {R})-6-[[(2 {S})-1-[[(2 {S})-1-azanylyl-1-oxidanylidene-3-phenyl-propan-2-yl]amino]-4-methyl-1-oxidanylidene-pentan-2-yl]amino]-3-oxidanylyl-6-oxidanylidene-1-phenyl-5-(phenylmethyl)hexan-2-yl]carbamate (CCD ID: FTO)

(formula: C₃₉H₅₂N₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
11	B	1	Total	C	N	O	0
			49	39	4	6	

- Molecule 12 is CHOLESTEROL (CCD ID: CLR) (formula: C₂₇H₄₆O).



Mol	Chain	Residues	Atoms				AltConf
12	C	1	Total	C	O		0
			28	27	1		
12	C	1	Total	C	O		0
			28	27	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
12	C	1	28	27	1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Nicastrin




• Molecule 2: Presenilin-1




• Molecule 3: Gamma-secretase subunit APH-1A



- Molecule 4: Gamma-secretase subunit PEN-2




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose






- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 50% 50%



- Molecule 6: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 20% 40% 80%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	234427	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.5625	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.145	Depositor
Minimum map value	-0.071	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.028	Depositor
Map size ($\text{\AA}$)	346.4, 346.4, 346.4	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.0825, 1.0825, 1.0825	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PTY, PC1, GZR, CLR, NAG, BMA, FTO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/5358	0.62	0/7302
2	B	0.29	0/2499	0.59	0/3410
3	C	0.33	0/1924	0.62	0/2624
4	D	0.28	0/847	0.51	0/1157
All	All	0.32	0/10628	0.60	0/14493

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
3	C	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	91	ASN	Peptide
3	C	206	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5235	0	5126	46	0
2	B	2436	0	2558	14	0
3	C	1872	0	1911	14	0
4	D	814	0	804	4	0
5	E	28	0	25	0	0
5	G	28	0	25	0	0
5	H	28	0	25	0	0
5	I	28	0	25	0	0
5	J	28	0	25	0	0
6	F	61	0	52	0	0
7	A	84	0	78	0	0
8	B	37	0	48	0	0
8	C	41	0	56	0	0
9	B	31	0	0	0	0
10	B	44	0	64	2	0
11	B	49	0	0	0	0
12	C	84	0	138	2	0
All	All	10928	0	10960	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:405:ASN:HD22	2:B:454:GLN:HE22	1.43	0.67
3:C:115:ARG:NH2	3:C:232:ALA:O	2.34	0.61
1:A:530:ASN:OD1	1:A:535:GLN:NE2	2.34	0.59
1:A:559:SER:HB3	1:A:629:ARG:HH12	1.68	0.58
1:A:282:LEU:HD11	1:A:567:VAL:HG21	1.85	0.58
1:A:253:ASP:HB3	1:A:331:GLN:HG2	1.84	0.57
1:A:543:ARG:HD3	1:A:606:GLN:HE22	1.68	0.57
1:A:108:MET:HE1	1:A:121:LEU:HD21	1.85	0.57
1:A:227:THR:HG21	1:A:647:THR:HB	1.86	0.57
1:A:632:SER:OG	1:A:645:TYR:O	2.22	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:LEU:HD22	1:A:114:ARG:HD2	1.88	0.56
1:A:52:ARG:NH1	1:A:223:ALA:O	2.38	0.56
1:A:54:LEU:HD11	1:A:223:ALA:HB1	1.90	0.54
2:B:192:ALA:O	4:D:79:GLN:NE2	2.36	0.53
1:A:540:GLN:HG3	1:A:606:GLN:HE21	1.73	0.53
1:A:253:ASP:OD1	1:A:561:THR:OG1	2.27	0.53
1:A:691:ASN:HD22	3:C:23:ILE:HG22	1.74	0.53
2:B:464:GLN:O	3:C:207:ASN:ND2	2.34	0.53
2:B:194:ASP:OD2	4:D:74:TRP:NE1	2.42	0.52
1:A:49:PRO:HG3	1:A:656:ILE:HD13	1.91	0.51
2:B:106:TYR:HA	2:B:239:LYS:HD3	1.91	0.51
3:C:7:PHE:HA	3:C:10:THR:HG22	1.93	0.51
1:A:355:GLN:H	1:A:358:ASN:HD22	1.58	0.50
1:A:286:SER:OG	1:A:287:PHE:N	2.44	0.50
1:A:698:PHE:HB3	3:C:115:ARG:HH22	1.77	0.50
1:A:100:SER:HG	1:A:457:TYR:HH	1.60	0.50
2:B:174:LEU:HD12	2:B:210:MET:HE2	1.94	0.50
1:A:333:GLU:HA	1:A:337:TYR:HA	1.94	0.49
1:A:388:GLU:OE1	1:A:391:ARG:NH2	2.46	0.48
4:D:11:LYS:NZ	4:D:40:GLU:OE1	2.39	0.48
2:B:226:LEU:HD22	2:B:383:LEU:HD11	1.96	0.47
3:C:188:TRP:HH2	12:C:302:CLR:H183	1.79	0.47
2:B:194:ASP:OD1	2:B:194:ASP:N	2.47	0.47
1:A:296:GLU:HG2	1:A:369:ALA:HB3	1.96	0.47
2:B:108:ARG:NE	2:B:110:ASP:OD2	2.43	0.47
3:C:159:THR:HG21	3:C:210:TYR:CD1	2.49	0.47
1:A:146:GLY:O	1:A:432:ARG:NH1	2.47	0.46
2:B:109:LYS:O	2:B:239:LYS:NZ	2.48	0.46
1:A:265:THR:OG1	1:A:626:ARG:NH1	2.48	0.46
3:C:80:VAL:HG13	3:C:197:HIS:CD2	2.51	0.46
3:C:159:THR:HG23	3:C:214:LEU:HD22	1.98	0.46
1:A:693:LYS:NZ	3:C:242:SER:O	2.43	0.46
1:A:256:VAL:HB	1:A:329:PHE:HB2	1.98	0.46
1:A:281:ARG:NH2	1:A:334:THR:OG1	2.49	0.46
3:C:134:VAL:HG22	3:C:138:LEU:HD23	1.97	0.45
1:A:250:PRO:HA	1:A:649:THR:HG22	1.98	0.45
1:A:85:VAL:HG23	1:A:94:TYR:HB2	1.98	0.44
1:A:154:PRO:O	1:A:160:ARG:NH1	2.51	0.44
1:A:370:LEU:HD23	1:A:370:LEU:HA	1.84	0.44
1:A:460:ALA:HB1	1:A:465:VAL:HB	2.00	0.44
1:A:274:ARG:HB3	1:A:360:ASP:HB2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:350:GLY:HA2	1:A:355:GLN:HE22	1.84	0.43
2:B:247:TRP:HB2	10:B:503:PTY:H141	2.01	0.43
2:B:211:ILE:HG23	2:B:215:TRP:HE3	1.84	0.43
1:A:253:ASP:HB2	1:A:555:ILE:HG13	2.01	0.42
1:A:56:ALA:HA	1:A:227:THR:HG22	2.02	0.42
1:A:64:SER:HB2	1:A:179:PRO:HG3	2.01	0.42
3:C:203:LEU:HD13	3:C:216:PRO:HB2	2.01	0.42
1:A:84:TRP:HA	1:A:88:ASP:HB2	2.02	0.41
1:A:463:ILE:HG13	1:A:465:VAL:HG23	2.02	0.41
3:C:227:TRP:CD1	12:C:302:CLR:H152	2.56	0.41
1:A:524:GLY:HA2	1:A:531:ASN:HD21	1.86	0.41
2:B:171:LEU:HD23	2:B:210:MET:HE3	2.01	0.41
3:C:180:ASP:OD2	3:C:186:ARG:NH2	2.53	0.41
4:D:10:GLU:O	4:D:14:LEU:HB2	2.20	0.41
1:A:120:GLY:H	1:A:178:PHE:HB2	1.86	0.41
1:A:112:LYS:NZ	1:A:175:ASP:O	2.41	0.40
2:B:244:TRP:CD1	10:B:503:PTY:H111	2.56	0.40
1:A:75:VAL:HG12	1:A:97:LEU:HD23	2.03	0.40
1:A:377:TRP:CE2	1:A:445:SER:HB3	2.56	0.40
1:A:580:ASN:OD1	1:A:580:ASN:N	2.55	0.40
1:A:695:ASP:OD1	1:A:695:ASP:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	665/709 (94%)	619 (93%)	46 (7%)	0	100	100
2	B	303/467 (65%)	294 (97%)	9 (3%)	0	100	100
3	C	241/265 (91%)	233 (97%)	8 (3%)	0	100	100
4	D	94/143 (66%)	90 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1303/1584 (82%)	1236 (95%)	67 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	584/612 (95%)	584 (100%)	0	100	100
2	B	265/408 (65%)	264 (100%)	1 (0%)	84	93
3	C	193/214 (90%)	192 (100%)	1 (0%)	81	92
4	D	84/119 (71%)	84 (100%)	0	100	100
All	All	1126/1353 (83%)	1124 (100%)	2 (0%)	85	95

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	190	ASN
3	C	123	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	HIS
1	A	158	HIS
1	A	163	GLN
1	A	197	GLN
1	A	355	GLN
1	A	358	ASN
1	A	444	HIS
1	A	454	GLN
1	A	516	GLN
1	A	531	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	606	GLN
1	A	691	ASN
2	B	81	HIS
2	B	190	ASN
2	B	214	HIS
2	B	405	ASN
4	D	13	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	E	1	5,1	14,14,15	0.31	0	17,19,21	0.62	0
5	NAG	E	2	5	14,14,15	0.24	0	17,19,21	0.67	0
6	NAG	F	1	1,6	14,14,15	0.37	0	17,19,21	0.64	0
6	NAG	F	2	6	14,14,15	0.41	0	17,19,21	0.62	1 (5%)
6	BMA	F	3	6	11,11,12	0.64	0	15,15,17	0.92	2 (13%)
6	BMA	F	4	6	11,11,12	0.67	0	15,15,17	0.91	1 (6%)
6	BMA	F	5	6	11,11,12	1.62	4 (36%)	15,15,17	1.60	2 (13%)
5	NAG	G	1	5,1	14,14,15	0.45	0	17,19,21	1.13	1 (5%)
5	NAG	G	2	5	14,14,15	0.65	0	17,19,21	0.71	0
5	NAG	H	1	5,1	14,14,15	0.42	0	17,19,21	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	H	2	5	14,14,15	0.25	0	17,19,21	0.67	0
5	NAG	I	1	5,1	14,14,15	0.24	0	17,19,21	0.48	0
5	NAG	I	2	5	14,14,15	0.87	1 (7%)	17,19,21	2.36	3 (17%)
5	NAG	J	1	5,1	14,14,15	0.40	0	17,19,21	0.56	0
5	NAG	J	2	5	14,14,15	0.22	0	17,19,21	0.71	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	E	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	E	2	5	-	4/6/23/26	0/1/1/1
6	NAG	F	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	F	2	6	-	2/6/23/26	0/1/1/1
6	BMA	F	3	6	-	0/2/19/22	0/1/1/1
6	BMA	F	4	6	-	2/2/19/22	0/1/1/1
6	BMA	F	5	6	-	1/2/19/22	0/1/1/1
5	NAG	G	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	G	2	5	-	4/6/23/26	0/1/1/1
5	NAG	H	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1
5	NAG	I	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	I	2	5	-	6/6/23/26	0/1/1/1
5	NAG	J	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	0/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	5	BMA	C2-C3	2.76	1.56	1.52
6	F	5	BMA	O5-C5	2.66	1.48	1.43
5	I	2	NAG	C1-C2	2.58	1.55	1.52
6	F	5	BMA	C1-C2	2.31	1.57	1.52
6	F	5	BMA	O5-C1	2.10	1.47	1.43

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	2	NAG	C2-N2-C7	8.32	134.05	122.90
6	F	5	BMA	C1-O5-C5	4.87	118.71	112.19
5	I	2	NAG	C1-C2-N2	3.86	116.51	110.43
5	G	1	NAG	C2-N2-C7	3.48	127.57	122.90
6	F	4	BMA	C1-O5-C5	2.43	115.45	112.19
5	J	2	NAG	C1-O5-C5	2.39	115.39	112.19
6	F	3	BMA	O2-C2-C3	-2.24	105.52	110.15
5	I	2	NAG	C8-C7-N2	2.17	119.72	116.12
6	F	5	BMA	C2-C3-C4	2.12	114.59	110.86
6	F	3	BMA	C1-O5-C5	2.06	114.95	112.19
6	F	2	NAG	C1-O5-C5	2.02	114.89	112.19

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	G	2	NAG	O5-C5-C6-O6
5	I	1	NAG	O5-C5-C6-O6
5	G	2	NAG	C4-C5-C6-O6
6	F	4	BMA	O5-C5-C6-O6
5	I	1	NAG	C4-C5-C6-O6
5	E	2	NAG	C8-C7-N2-C2
5	E	2	NAG	O7-C7-N2-C2
5	G	2	NAG	C8-C7-N2-C2
5	G	2	NAG	O7-C7-N2-C2
5	H	2	NAG	C8-C7-N2-C2
5	H	2	NAG	O7-C7-N2-C2
5	I	2	NAG	C8-C7-N2-C2
5	I	2	NAG	O7-C7-N2-C2
6	F	1	NAG	C8-C7-N2-C2
6	F	1	NAG	O7-C7-N2-C2
5	I	2	NAG	O5-C5-C6-O6
6	F	2	NAG	O5-C5-C6-O6
5	E	1	NAG	O5-C5-C6-O6
5	I	2	NAG	C4-C5-C6-O6
6	F	4	BMA	C4-C5-C6-O6
5	E	2	NAG	C4-C5-C6-O6
5	G	1	NAG	C4-C5-C6-O6
5	E	2	NAG	O5-C5-C6-O6
5	G	1	NAG	O5-C5-C6-O6
6	F	5	BMA	O5-C5-C6-O6
6	F	2	NAG	C4-C5-C6-O6
5	G	1	NAG	C1-C2-N2-C7

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	E	1	NAG	C4-C5-C6-O6
5	I	2	NAG	C1-C2-N2-C7
5	G	1	NAG	C3-C2-N2-C7
5	I	2	NAG	C3-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	PC1	B	501	-	36,36,53	0.33	0	42,44,61	0.45	0
12	CLR	C	301	-	31,31,31	0.36	0	48,48,48	0.60	0
12	CLR	C	302	-	31,31,31	0.35	0	48,48,48	0.65	0
8	PC1	C	304	-	40,40,53	0.32	0	46,48,61	0.40	0
9	GZR	B	502	-	34,34,34	5.88	25 (73%)	42,48,48	2.71	12 (28%)
11	FTO	B	504	-	51,51,51	1.87	13 (25%)	65,69,69	1.41	5 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	PTY	B	503	-	43,43,49	0.30	0	46,48,54	0.33	0
7	NAG	A	806	1	14,14,15	0.22	0	17,19,21	0.66	1 (5%)
7	NAG	A	801	1	14,14,15	0.48	0	17,19,21	0.59	0
12	CLR	C	303	-	31,31,31	0.31	0	48,48,48	0.60	0
7	NAG	A	804	1	14,14,15	0.99	1 (7%)	17,19,21	2.47	4 (23%)
7	NAG	A	805	1	14,14,15	0.34	0	17,19,21	0.47	0
7	NAG	A	802	1	14,14,15	0.58	0	17,19,21	1.06	1 (5%)
7	NAG	A	803	1	14,14,15	0.38	0	17,19,21	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	PC1	B	501	-	-	5/40/40/57	-
12	CLR	C	301	-	-	4/10/68/68	0/4/4/4
12	CLR	C	302	-	-	4/10/68/68	0/4/4/4
8	PC1	C	304	-	-	9/44/44/57	-
9	GZR	B	502	-	-	6/18/32/32	0/4/4/4
11	FTO	B	504	-	-	18/53/53/53	0/3/3/3
10	PTY	B	503	-	-	8/47/47/53	-
7	NAG	A	806	1	-	0/6/23/26	0/1/1/1
7	NAG	A	801	1	-	0/6/23/26	0/1/1/1
12	CLR	C	303	-	-	6/10/68/68	0/4/4/4
7	NAG	A	804	1	-	6/6/23/26	0/1/1/1
7	NAG	A	805	1	-	0/6/23/26	0/1/1/1
7	NAG	A	802	1	-	4/6/23/26	0/1/1/1
7	NAG	A	803	1	-	2/6/23/26	0/1/1/1

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	502	GZR	C18-C13	10.99	1.56	1.39
9	B	502	GZR	C07-N04	10.56	1.64	1.47
9	B	502	GZR	C26-C20	10.39	1.55	1.38
9	B	502	GZR	C23-C24	9.11	1.54	1.40
9	B	502	GZR	C21-C25	8.95	1.54	1.37
9	B	502	GZR	C26-C23	8.66	1.53	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	502	GZR	C19-C24	8.65	1.53	1.38
9	B	502	GZR	C21-C17	8.03	1.51	1.38
9	B	502	GZR	C10-C11	-7.96	1.36	1.50
9	B	502	GZR	C22-C25	7.49	1.51	1.37
9	B	502	GZR	C17-C13	7.13	1.50	1.39
9	B	502	GZR	C20-C16	7.05	1.53	1.39
9	B	502	GZR	C18-C22	6.79	1.49	1.38
9	B	502	GZR	C19-C16	6.62	1.51	1.39
11	B	504	FTO	C16-N17	5.17	1.45	1.32
11	B	504	FTO	C13-N14	4.97	1.44	1.34
9	B	502	GZR	C12-N04	4.85	1.43	1.35
11	B	504	FTO	C10-N11	4.84	1.44	1.34
9	B	502	GZR	C16-C15	4.80	1.55	1.46
11	B	504	FTO	O03-C02	-4.62	1.40	1.48
9	B	502	GZR	C12-C11	4.23	1.57	1.45
11	B	504	FTO	C04-N05	4.11	1.44	1.34
9	B	502	GZR	C27-N05	-4.03	1.32	1.38
9	B	502	GZR	C08-C07	-4.01	1.37	1.51
9	B	502	GZR	C23-N05	3.46	1.49	1.44
9	B	502	GZR	C29-N06	-3.24	1.31	1.38
7	A	804	NAG	C1-C2	3.02	1.56	1.52
11	B	504	FTO	O18-C16	-3.01	1.18	1.23
11	B	504	FTO	O03-C04	2.98	1.40	1.34
9	B	502	GZR	C31-C29	2.98	1.55	1.50
11	B	504	FTO	C45-C43	-2.83	1.34	1.38
11	B	504	FTO	O31-C10	-2.63	1.18	1.23
9	B	502	GZR	O03-C24	2.61	1.41	1.37
11	B	504	FTO	C44-C42	2.53	1.43	1.38
11	B	504	FTO	O26-C13	-2.43	1.18	1.23
9	B	502	GZR	C08-C10	2.37	1.59	1.52
11	B	504	FTO	C43-C41	-2.18	1.34	1.38
11	B	504	FTO	C46-C44	2.16	1.43	1.38
9	B	502	GZR	O02-C12	-2.09	1.18	1.23

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	502	GZR	N05-C28-N06	-10.65	107.87	112.45
7	A	804	NAG	C2-N2-C7	8.46	134.23	122.90
9	B	502	GZR	C10-C11-C15	-8.08	117.21	125.34
11	B	504	FTO	O03-C04-N05	5.84	119.60	110.03
7	A	804	NAG	C1-C2-N2	4.25	117.13	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	502	GZR	C14-C09-N04	4.19	114.79	110.39
11	B	504	FTO	O47-C04-N05	-4.19	118.00	124.86
9	B	502	GZR	O03-C24-C23	3.77	120.72	116.04
9	B	502	GZR	C27-N05-C28	3.55	108.31	106.31
9	B	502	GZR	C16-C15-C11	-3.50	123.76	130.05
7	A	802	NAG	C2-N2-C7	3.20	127.19	122.90
9	B	502	GZR	C31-C29-N06	3.08	125.37	121.66
11	B	504	FTO	C45-C43-C41	2.96	124.77	120.61
9	B	502	GZR	O03-C24-C19	-2.62	119.56	124.08
9	B	502	GZR	O02-C12-C11	-2.49	118.27	123.54
9	B	502	GZR	C13-C09-N04	-2.45	107.24	110.38
7	A	804	NAG	C1-O5-C5	2.21	115.15	112.19
7	A	806	NAG	C1-O5-C5	2.18	115.10	112.19
11	B	504	FTO	C40-C06-N05	2.17	113.17	110.08
7	A	804	NAG	C8-C7-N2	2.15	119.68	116.12
11	B	504	FTO	C13-C12-N11	-2.12	105.37	111.11
9	B	502	GZR	C31-C29-C27	-2.10	126.58	129.00
9	B	502	GZR	C22-C25-C21	-2.05	120.11	122.80

There are no chirality outliers.

All (72) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	304	PC1	C11-O13-P-O14
8	C	304	PC1	O22-C21-O21-C2
9	B	502	GZR	C10-C11-C15-C16
9	B	502	GZR	C12-C11-C15-C16
9	B	502	GZR	C13-C09-N04-C07
9	B	502	GZR	C13-C09-N04-C12
9	B	502	GZR	C14-C09-N04-C07
9	B	502	GZR	C14-C09-N04-C12
10	B	503	PTY	C3-O11-P1-O12
10	B	503	PTY	C3-O11-P1-O14
11	B	504	FTO	O47-C04-O03-C02
11	B	504	FTO	N05-C06-C07-O39
11	B	504	FTO	N05-C06-C07-C08
11	B	504	FTO	C40-C06-C07-O39
11	B	504	FTO	C40-C06-C07-C08
11	B	504	FTO	N05-C06-C40-C41
11	B	504	FTO	C07-C06-C40-C41
11	B	504	FTO	C08-C09-C10-O31
11	B	504	FTO	C08-C09-C10-N11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	C	303	CLR	C13-C17-C20-C21
12	C	303	CLR	C16-C17-C20-C22
8	B	501	PC1	O32-C31-O31-C3
11	B	504	FTO	N05-C04-O03-C02
8	B	501	PC1	C32-C31-O31-C3
12	C	303	CLR	C16-C17-C20-C21
12	C	303	CLR	C13-C17-C20-C22
7	A	804	NAG	O5-C5-C6-O6
8	C	304	PC1	C22-C21-O21-C2
7	A	803	NAG	O5-C5-C6-O6
7	A	803	NAG	C4-C5-C6-O6
7	A	804	NAG	C4-C5-C6-O6
12	C	303	CLR	C21-C20-C22-C23
11	B	504	FTO	C01-C02-O03-C04
11	B	504	FTO	C49-C02-O03-C04
11	B	504	FTO	C48-C02-O03-C04
7	A	804	NAG	C8-C7-N2-C2
7	A	804	NAG	O7-C7-N2-C2
12	C	303	CLR	C17-C20-C22-C23
7	A	802	NAG	O5-C5-C6-O6
8	C	304	PC1	C35-C36-C37-C38
11	B	504	FTO	C32-C09-C10-O31
10	B	503	PTY	O14-C5-C6-O7
11	B	504	FTO	C32-C09-C10-N11
11	B	504	FTO	C08-C09-C32-C33
10	B	503	PTY	C31-C30-O4-C1
10	B	503	PTY	O14-C5-C6-C1
7	A	802	NAG	C4-C5-C6-O6
10	B	503	PTY	C38-C39-C40-C41
8	C	304	PC1	C21-C22-C23-C24
10	B	503	PTY	O30-C30-O4-C1
12	C	302	CLR	C16-C17-C20-C22
12	C	301	CLR	C16-C17-C20-C22
8	B	501	PC1	C12-C11-O13-P
8	C	304	PC1	C12-C11-O13-P
8	C	304	PC1	O13-C11-C12-N
7	A	804	NAG	C3-C2-N2-C7
12	C	302	CLR	C13-C17-C20-C22
12	C	302	CLR	C16-C17-C20-C21
12	C	301	CLR	C13-C17-C20-C22
12	C	301	CLR	C16-C17-C20-C21
11	B	504	FTO	C19-C15-C16-O18

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
12	C	302	CLR	C13-C17-C20-C21
7	A	802	NAG	C1-C2-N2-C7
7	A	804	NAG	C1-C2-N2-C7
7	A	802	NAG	C3-C2-N2-C7
11	B	504	FTO	N14-C15-C16-O18
8	C	304	PC1	C1-C2-O21-C21
12	C	301	CLR	C13-C17-C20-C21
8	C	304	PC1	C23-C24-C25-C26
10	B	503	PTY	C6-C1-O4-C30
8	B	501	PC1	O21-C21-C22-C23
8	B	501	PC1	O22-C21-C22-C23



There are no ring outliers.

2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	C	302	CLR	2	0
10	B	503	PTY	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand FTO B 504



Ligand PTY B 503





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30614. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 164



Y Index: 159




Z Index: 138


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.028. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 51 nm³; this corresponds to an approximate mass of 46 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-30614 and PDB model 7D8X. Per-residue inclusion information can be found in [section 3](#) on [page 11](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.028 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.028).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.028) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8050	0.6030
A	0.8530	0.6170
B	0.7430	0.5960
C	0.7960	0.5920
D	0.7460	0.5700
E	0.6430	0.5730
F	0.6560	0.5290
G	0.7860	0.5310
H	0.7500	0.5750
I	0.4290	0.5160
J	0.7500	0.5880

1.0

0.0

<0.0