



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 08:14 PM UTC

PDB ID : 6D96 / pdb_00006d96
Title : Structure of influenza neuraminidase from strain A/BrevigMission/1/1918(H1N1) expressed in HEK-293E cells
Authors : Campbell, A.C.; Krause, K.L.; Tanner, J.J.
Deposited on : 2018-04-27
Resolution : 2.15 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	404	 91% 5%
1	B	404	 91% 5%
1	C	404	 92%
1	D	404	 90% 5%
1	E	404	 91% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	404	 % 89% 7%
1	G	404	 92%
1	H	404	 % 91% 5%
2	I	3	 100%
2	J	3	 67% 33%
2	L	3	 33% 67%
2	N	3	 67% 33%
2	O	3	 33% 67%
3	K	2	 100%
3	M	2	 100%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 25633 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	386	2963	1854	509	577	23	0	1	0
1	B	386	2971	1861	509	577	24	0	1	0
1	C	386	2973	1862	511	577	23	0	1	0
1	D	386	2975	1863	510	578	24	0	2	0
1	E	386	2977	1864	510	578	25	0	2	0
1	F	386	2966	1857	509	576	24	0	1	0
1	G	386	2966	1857	509	576	24	0	1	0
1	H	386	2967	1858	510	576	23	0	0	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	66	HIS	-	expression tag	UNP Q9IGQ6
A	67	HIS	-	expression tag	UNP Q9IGQ6
A	68	HIS	-	expression tag	UNP Q9IGQ6
A	69	HIS	-	expression tag	UNP Q9IGQ6
A	70	HIS	-	expression tag	UNP Q9IGQ6
A	71	HIS	-	expression tag	UNP Q9IGQ6
A	72	SER	-	expression tag	UNP Q9IGQ6
A	73	LEU	-	expression tag	UNP Q9IGQ6
A	74	VAL	-	expression tag	UNP Q9IGQ6
A	75	PRO	-	expression tag	UNP Q9IGQ6
A	76	ARG	-	expression tag	UNP Q9IGQ6
A	77	GLY	-	expression tag	UNP Q9IGQ6
A	78	SER	-	expression tag	UNP Q9IGQ6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	79	PRO	-	expression tag	UNP Q9IGQ6
A	80	SER	-	expression tag	UNP Q9IGQ6
A	81	ARG	-	expression tag	UNP Q9IGQ6
B	66	HIS	-	expression tag	UNP Q9IGQ6
B	67	HIS	-	expression tag	UNP Q9IGQ6
B	68	HIS	-	expression tag	UNP Q9IGQ6
B	69	HIS	-	expression tag	UNP Q9IGQ6
B	70	HIS	-	expression tag	UNP Q9IGQ6
B	71	HIS	-	expression tag	UNP Q9IGQ6
B	72	SER	-	expression tag	UNP Q9IGQ6
B	73	LEU	-	expression tag	UNP Q9IGQ6
B	74	VAL	-	expression tag	UNP Q9IGQ6
B	75	PRO	-	expression tag	UNP Q9IGQ6
B	76	ARG	-	expression tag	UNP Q9IGQ6
B	77	GLY	-	expression tag	UNP Q9IGQ6
B	78	SER	-	expression tag	UNP Q9IGQ6
B	79	PRO	-	expression tag	UNP Q9IGQ6
B	80	SER	-	expression tag	UNP Q9IGQ6
B	81	ARG	-	expression tag	UNP Q9IGQ6
C	66	HIS	-	expression tag	UNP Q9IGQ6
C	67	HIS	-	expression tag	UNP Q9IGQ6
C	68	HIS	-	expression tag	UNP Q9IGQ6
C	69	HIS	-	expression tag	UNP Q9IGQ6
C	70	HIS	-	expression tag	UNP Q9IGQ6
C	71	HIS	-	expression tag	UNP Q9IGQ6
C	72	SER	-	expression tag	UNP Q9IGQ6
C	73	LEU	-	expression tag	UNP Q9IGQ6
C	74	VAL	-	expression tag	UNP Q9IGQ6
C	75	PRO	-	expression tag	UNP Q9IGQ6
C	76	ARG	-	expression tag	UNP Q9IGQ6
C	77	GLY	-	expression tag	UNP Q9IGQ6
C	78	SER	-	expression tag	UNP Q9IGQ6
C	79	PRO	-	expression tag	UNP Q9IGQ6
C	80	SER	-	expression tag	UNP Q9IGQ6
C	81	ARG	-	expression tag	UNP Q9IGQ6
D	66	HIS	-	expression tag	UNP Q9IGQ6
D	67	HIS	-	expression tag	UNP Q9IGQ6
D	68	HIS	-	expression tag	UNP Q9IGQ6
D	69	HIS	-	expression tag	UNP Q9IGQ6
D	70	HIS	-	expression tag	UNP Q9IGQ6
D	71	HIS	-	expression tag	UNP Q9IGQ6
D	72	SER	-	expression tag	UNP Q9IGQ6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	73	LEU	-	expression tag	UNP Q9IGQ6
D	74	VAL	-	expression tag	UNP Q9IGQ6
D	75	PRO	-	expression tag	UNP Q9IGQ6
D	76	ARG	-	expression tag	UNP Q9IGQ6
D	77	GLY	-	expression tag	UNP Q9IGQ6
D	78	SER	-	expression tag	UNP Q9IGQ6
D	79	PRO	-	expression tag	UNP Q9IGQ6
D	80	SER	-	expression tag	UNP Q9IGQ6
D	81	ARG	-	expression tag	UNP Q9IGQ6
E	66	HIS	-	expression tag	UNP Q9IGQ6
E	67	HIS	-	expression tag	UNP Q9IGQ6
E	68	HIS	-	expression tag	UNP Q9IGQ6
E	69	HIS	-	expression tag	UNP Q9IGQ6
E	70	HIS	-	expression tag	UNP Q9IGQ6
E	71	HIS	-	expression tag	UNP Q9IGQ6
E	72	SER	-	expression tag	UNP Q9IGQ6
E	73	LEU	-	expression tag	UNP Q9IGQ6
E	74	VAL	-	expression tag	UNP Q9IGQ6
E	75	PRO	-	expression tag	UNP Q9IGQ6
E	76	ARG	-	expression tag	UNP Q9IGQ6
E	77	GLY	-	expression tag	UNP Q9IGQ6
E	78	SER	-	expression tag	UNP Q9IGQ6
E	79	PRO	-	expression tag	UNP Q9IGQ6
E	80	SER	-	expression tag	UNP Q9IGQ6
E	81	ARG	-	expression tag	UNP Q9IGQ6
F	66	HIS	-	expression tag	UNP Q9IGQ6
F	67	HIS	-	expression tag	UNP Q9IGQ6
F	68	HIS	-	expression tag	UNP Q9IGQ6
F	69	HIS	-	expression tag	UNP Q9IGQ6
F	70	HIS	-	expression tag	UNP Q9IGQ6
F	71	HIS	-	expression tag	UNP Q9IGQ6
F	72	SER	-	expression tag	UNP Q9IGQ6
F	73	LEU	-	expression tag	UNP Q9IGQ6
F	74	VAL	-	expression tag	UNP Q9IGQ6
F	75	PRO	-	expression tag	UNP Q9IGQ6
F	76	ARG	-	expression tag	UNP Q9IGQ6
F	77	GLY	-	expression tag	UNP Q9IGQ6
F	78	SER	-	expression tag	UNP Q9IGQ6
F	79	PRO	-	expression tag	UNP Q9IGQ6
F	80	SER	-	expression tag	UNP Q9IGQ6
F	81	ARG	-	expression tag	UNP Q9IGQ6
G	66	HIS	-	expression tag	UNP Q9IGQ6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	67	HIS	-	expression tag	UNP Q9IGQ6
G	68	HIS	-	expression tag	UNP Q9IGQ6
G	69	HIS	-	expression tag	UNP Q9IGQ6
G	70	HIS	-	expression tag	UNP Q9IGQ6
G	71	HIS	-	expression tag	UNP Q9IGQ6
G	72	SER	-	expression tag	UNP Q9IGQ6
G	73	LEU	-	expression tag	UNP Q9IGQ6
G	74	VAL	-	expression tag	UNP Q9IGQ6
G	75	PRO	-	expression tag	UNP Q9IGQ6
G	76	ARG	-	expression tag	UNP Q9IGQ6
G	77	GLY	-	expression tag	UNP Q9IGQ6
G	78	SER	-	expression tag	UNP Q9IGQ6
G	79	PRO	-	expression tag	UNP Q9IGQ6
G	80	SER	-	expression tag	UNP Q9IGQ6
G	81	ARG	-	expression tag	UNP Q9IGQ6
H	66	HIS	-	expression tag	UNP Q9IGQ6
H	67	HIS	-	expression tag	UNP Q9IGQ6
H	68	HIS	-	expression tag	UNP Q9IGQ6
H	69	HIS	-	expression tag	UNP Q9IGQ6
H	70	HIS	-	expression tag	UNP Q9IGQ6
H	71	HIS	-	expression tag	UNP Q9IGQ6
H	72	SER	-	expression tag	UNP Q9IGQ6
H	73	LEU	-	expression tag	UNP Q9IGQ6
H	74	VAL	-	expression tag	UNP Q9IGQ6
H	75	PRO	-	expression tag	UNP Q9IGQ6
H	76	ARG	-	expression tag	UNP Q9IGQ6
H	77	GLY	-	expression tag	UNP Q9IGQ6
H	78	SER	-	expression tag	UNP Q9IGQ6
H	79	PRO	-	expression tag	UNP Q9IGQ6
H	80	SER	-	expression tag	UNP Q9IGQ6
H	81	ARG	-	expression tag	UNP Q9IGQ6

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	I	3	38	22	2	14	0	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	J	3	Total 38	C 22	N 2	O 14	0	0	0
2	L	3	Total 38	C 22	N 2	O 14	0	0	0
2	N	3	Total 38	C 22	N 2	O 14	0	0	0
2	O	3	Total 38	C 22	N 2	O 14	0	0	0

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	K	2	Total 24	C 14	N 1	O 9	0	0	0
3	M	2	Total 24	C 14	N 1	O 9	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	F	1	Total	C	N	O	0	0
			14	8	1	5		
4	F	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	H	1	Total	C	N	O	0	0
			14	8	1	5		
4	H	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Ca	0	0
			3	3		
5	B	2	Total	Ca	0	0
			2	2		
5	C	2	Total	Ca	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	2	Total Ca 2 2	0	0
5	E	3	Total Ca 3 3	0	0
5	F	2	Total Ca 2 2	0	0
5	G	2	Total Ca 2 2	0	0
5	H	2	Total Ca 2 2	0	0

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	E	1	Total C O 6 3 3	0	0
6	G	1	Total C O 6 3 3	0	0
6	H	1	Total C O 6 3 3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	168	Total O 168 168	0	0
7	B	190	Total O 190 190	0	0
7	C	181	Total O 181 181	0	0
7	D	143	Total O 143 143	0	0
7	E	180	Total O 180 180	0	0
7	F	166	Total O 166 166	0	0
7	G	175	Total O 175 175	0	0
7	H	142	Total O 142 142	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neuraminidase




- Molecule 1: Neuraminidase




- Molecule 1: Neuraminidase



- Molecule 1: Neuraminidase





- Molecule 1: Neuraminidase



LYS

- Molecule 1: Neuraminidase

Chain F:  89% 7%




- Molecule 1: Neuraminidase

Chain G:  92%



- Molecule 1: Neuraminidase

Chain H:  91% 5%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  67% 33%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  33% 67%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  67% 33%

MAG1
MAG2
FUC3

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  33% 67%


MAG1
MAG2
FUC3

- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAG1
FUC2

- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
FUC2

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	122.68Å 148.19Å 127.17Å 90.00° 94.80° 90.00°	Depositor
Resolution (Å)	38.96 – 2.15 38.96 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.1 (38.96-2.15) 99.0 (38.96-2.15)	Depositor EDS
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.77 (at 2.16Å)	Xtrriage
Refinement program	PHENIX (1.12_2829)	Depositor
R, R_{free}	0.186 , 0.215 0.176 , 0.206	Depositor DCC
R_{free} test set	7244 reflections (2.95%)	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtrriage
Anisotropy	0.360	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 31.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.021 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	25633	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, FUC, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.36	1/3047 (0.0%)	0.57	0/4146
1	B	0.36	0/3055	0.56	0/4153
1	C	0.36	0/3057	0.55	0/4157
1	D	0.35	1/3062 (0.0%)	0.54	0/4163
1	E	0.35	0/3064	0.58	0/4165
1	F	0.36	1/3050 (0.0%)	0.56	0/4148
1	G	0.34	0/3050	0.56	0/4148
1	H	0.33	0/3048	0.57	0/4144
All	All	0.35	3/24433 (0.0%)	0.56	0/33224

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	119	GLU	C-N	-7.21	1.17	1.33
1	A	119	GLU	C-N	-5.40	1.21	1.33
1	D	119	GLU	C-N	-5.29	1.21	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2963	0	2764	10	0
1	B	2971	0	2790	11	0
1	C	2973	0	2793	9	0
1	D	2975	0	2794	11	0
1	E	2977	0	2797	12	0
1	F	2966	0	2779	14	0
1	G	2966	0	2779	8	0
1	H	2967	0	2785	11	0
2	I	38	0	34	0	0
2	J	38	0	34	0	0
2	L	38	0	34	1	0
2	N	38	0	34	0	0
2	O	38	0	34	0	0
3	K	24	0	22	1	0
3	M	24	0	22	0	0
4	A	42	0	39	0	0
4	B	28	0	26	0	0
4	C	28	0	26	0	0
4	D	28	0	26	0	0
4	E	28	0	26	0	0
4	F	28	0	26	0	0
4	G	28	0	26	0	0
4	H	28	0	26	0	0
5	A	3	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
5	E	3	0	0	0	0
5	F	2	0	0	0	0
5	G	2	0	0	0	0
5	H	2	0	0	0	0
6	A	6	0	8	0	0
6	C	6	0	8	1	0
6	D	6	0	8	0	0
6	E	6	0	8	2	0
6	G	6	0	8	0	0
6	H	6	0	8	0	0
7	A	168	0	0	0	0
7	B	190	0	0	1	0
7	C	181	0	0	0	0
7	D	143	0	0	0	0
7	E	180	0	0	0	0
7	F	166	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	G	175	0	0	0	0
7	H	142	0	0	0	0
All	All	25633	0	22764	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 78 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:356:TYR:CD2	6:C:508:GOL:H11	2.39	0.57
1:H:84:ILE:HD12	1:H:235:GLY:HA2	1.89	0.55
2:L:2:NAG:H5	2:L:3:FUC:H61	1.89	0.54
1:E:173:PHE:CZ	1:F:101:SER:HA	2.45	0.51
1:A:430[A]:GLN:OE1	1:A:431:PRO:HA	2.10	0.51

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/404 (95%)	367 (95%)	18 (5%)	0	100	100
1	B	385/404 (95%)	369 (96%)	16 (4%)	0	100	100
1	C	385/404 (95%)	368 (96%)	17 (4%)	0	100	100
1	D	386/404 (96%)	367 (95%)	19 (5%)	0	100	100
1	E	386/404 (96%)	368 (95%)	17 (4%)	1 (0%)	36	34
1	F	385/404 (95%)	365 (95%)	20 (5%)	0	100	100
1	G	385/404 (95%)	369 (96%)	16 (4%)	0	100	100
1	H	384/404 (95%)	366 (95%)	17 (4%)	1 (0%)	36	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	3081/3232 (95%)	2939 (95%)	140 (4%)	2 (0%)	48	50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	147	GLY
1	H	148	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	328/348 (94%)	328 (100%)	0	100	100
1	B	331/348 (95%)	329 (99%)	2 (1%)	78	84
1	C	331/348 (95%)	328 (99%)	3 (1%)	70	77
1	D	332/348 (95%)	331 (100%)	1 (0%)	86	91
1	E	333/348 (96%)	330 (99%)	3 (1%)	70	77
1	F	330/348 (95%)	325 (98%)	5 (2%)	57	64
1	G	330/348 (95%)	327 (99%)	3 (1%)	70	77
1	H	330/348 (95%)	328 (99%)	2 (1%)	78	84
All	All	2645/2784 (95%)	2626 (99%)	19 (1%)	76	82

5 of 19 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	83	VAL
1	H	150	LYS
1	H	432	LYS
1	G	230	CYS
1	E	385	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	435	ASN
1	F	430	GLN
1	H	309	ASN
1	C	329	ASN
1	D	325	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

19 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	I	1	1,2	14,14,15	0.86	2 (14%)	17,19,21	0.67	0
2	NAG	I	2	2	14,14,15	0.86	2 (14%)	17,19,21	0.49	0
2	FUC	I	3	2	10,10,11	1.19	1 (10%)	14,14,16	1.38	3 (21%)
2	NAG	J	1	1,2	14,14,15	0.47	0	17,19,21	0.62	0
2	NAG	J	2	2	14,14,15	0.41	0	17,19,21	0.53	0
2	FUC	J	3	2	10,10,11	0.93	1 (10%)	14,14,16	0.92	0
3	NAG	K	1	1,3	14,14,15	0.38	0	17,19,21	1.54	3 (17%)
3	FUC	K	2	3	10,10,11	1.75	2 (20%)	14,14,16	1.56	3 (21%)
2	NAG	L	1	1,2	14,14,15	0.51	0	17,19,21	0.69	0
2	NAG	L	2	2	14,14,15	0.37	0	17,19,21	0.53	0
2	FUC	L	3	2	10,10,11	0.94	0	14,14,16	1.07	0
3	NAG	M	1	1,3	14,14,15	0.82	1 (7%)	17,19,21	0.55	0
3	FUC	M	2	3	10,10,11	1.26	1 (10%)	14,14,16	1.38	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	N	1	1,2	14,14,15	0.76	1 (7%)	17,19,21	0.62	0
2	NAG	N	2	2	14,14,15	0.45	0	17,19,21	0.48	0
2	FUC	N	3	2	10,10,11	0.92	0	14,14,16	0.93	0
2	NAG	O	1	1,2	14,14,15	0.41	0	17,19,21	0.40	0
2	NAG	O	2	2	14,14,15	0.84	1 (7%)	17,19,21	0.53	0
2	FUC	O	3	2	10,10,11	1.18	1 (10%)	14,14,16	1.58	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	I	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
2	FUC	I	3	2	-	-	0/1/1/1
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	FUC	J	3	2	-	-	0/1/1/1
3	NAG	K	1	1,3	-	6/6/23/26	0/1/1/1
3	FUC	K	2	3	-	-	0/1/1/1
2	NAG	L	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1
2	FUC	L	3	2	-	-	0/1/1/1
3	NAG	M	1	1,3	-	2/6/23/26	0/1/1/1
3	FUC	M	2	3	-	-	0/1/1/1
2	NAG	N	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	FUC	N	3	2	-	-	0/1/1/1
2	NAG	O	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	O	2	2	-	2/6/23/26	0/1/1/1
2	FUC	O	3	2	-	-	0/1/1/1

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	K	2	FUC	C2-C3	3.65	1.58	1.52
3	K	2	FUC	C4-C3	3.07	1.60	1.52
2	O	2	NAG	C1-C2	2.70	1.56	1.52
3	M	1	NAG	C1-C2	2.55	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	O	3	FUC	C4-C3	2.51	1.58	1.52

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	1	NAG	C2-N2-C7	4.64	129.12	122.90
2	O	3	FUC	C3-C4-C5	3.36	114.92	109.81
2	O	3	FUC	O5-C5-C4	2.99	114.94	109.55
3	K	2	FUC	C1-O5-C5	2.98	119.99	112.97
3	K	1	NAG	C1-O5-C5	2.78	115.91	112.19

There are no chirality outliers.

5 of 20 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	O	1	NAG	O5-C5-C6-O6
3	M	1	NAG	O5-C5-C6-O6
2	I	1	NAG	C4-C5-C6-O6
2	L	1	NAG	O5-C5-C6-O6
2	I	2	NAG	O5-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	K	2	FUC	1	0
3	K	1	NAG	1	0
2	L	2	NAG	1	0
2	L	3	FUC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 18 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	503	1	14,14,15	0.61	0	17,19,21	1.35	3 (17%)
6	GOL	D	507	-	5,5,5	0.42	0	5,5,5	0.41	0
6	GOL	A	506	-	5,5,5	0.31	0	5,5,5	0.35	0
4	NAG	A	502	1	14,14,15	0.94	1 (7%)	17,19,21	0.70	1 (5%)
4	NAG	A	501	1	14,14,15	1.52	1 (7%)	17,19,21	0.97	1 (5%)
4	NAG	E	501	1	14,14,15	0.84	2 (14%)	17,19,21	0.84	1 (5%)
4	NAG	D	502	1	14,14,15	0.51	0	17,19,21	0.45	0
4	NAG	G	505	1	14,14,15	0.94	1 (7%)	17,19,21	0.86	1 (5%)
4	NAG	C	501	1	14,14,15	0.85	1 (7%)	17,19,21	0.86	1 (5%)
6	GOL	G	508	-	5,5,5	0.31	0	5,5,5	0.80	0
4	NAG	H	505	1	14,14,15	0.96	2 (14%)	17,19,21	0.62	1 (5%)
4	NAG	F	504	1	14,14,15	0.47	0	17,19,21	0.47	0
4	NAG	E	502	1	14,14,15	0.86	1 (7%)	17,19,21	0.95	1 (5%)
6	GOL	E	508	-	5,5,5	0.39	0	5,5,5	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	H	508	-	5,5,5	0.39	0	5,5,5	0.37	0
4	NAG	G	501	1	14,14,15	0.56	0	17,19,21	0.75	1 (5%)
6	GOL	C	508	-	5,5,5	0.36	0	5,5,5	0.78	0
4	NAG	C	505	1	14,14,15	0.84	1 (7%)	17,19,21	0.81	1 (5%)
4	NAG	B	501	1	14,14,15	0.87	2 (14%)	17,19,21	0.95	1 (5%)
4	NAG	D	501	1	14,14,15	0.85	1 (7%)	17,19,21	0.94	1 (5%)
4	NAG	B	505	1	14,14,15	0.77	1 (7%)	17,19,21	0.77	0
4	NAG	F	501	1	14,14,15	0.43	0	17,19,21	1.50	1 (5%)
4	NAG	H	504	1	14,14,15	0.85	1 (7%)	17,19,21	0.72	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	503	1	-	3/6/23/26	0/1/1/1
6	GOL	D	507	-	-	2/4/4/4	-
6	GOL	A	506	-	-	4/4/4/4	-
4	NAG	A	502	1	-	0/6/23/26	0/1/1/1
4	NAG	A	501	1	-	1/6/23/26	0/1/1/1
4	NAG	E	501	1	-	2/6/23/26	0/1/1/1
4	NAG	D	502	1	-	2/6/23/26	0/1/1/1
4	NAG	G	505	1	-	0/6/23/26	0/1/1/1
4	NAG	C	501	1	-	3/6/23/26	0/1/1/1
6	GOL	G	508	-	-	2/4/4/4	-
4	NAG	H	505	1	-	1/6/23/26	0/1/1/1
4	NAG	F	504	1	-	1/6/23/26	0/1/1/1
4	NAG	E	502	1	-	4/6/23/26	0/1/1/1
6	GOL	E	508	-	-	2/4/4/4	-
6	GOL	H	508	-	-	2/4/4/4	-
4	NAG	G	501	1	-	1/6/23/26	0/1/1/1
6	GOL	C	508	-	-	4/4/4/4	-
4	NAG	C	505	1	-	2/6/23/26	0/1/1/1
4	NAG	B	501	1	-	2/6/23/26	0/1/1/1
4	NAG	D	501	1	-	2/6/23/26	0/1/1/1
4	NAG	B	505	1	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	F	501	1	-	2/6/23/26	0/1/1/1
4	NAG	H	504	1	-	3/6/23/26	0/1/1/1

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	NAG	O5-C1	5.27	1.52	1.43
4	A	502	NAG	O5-C1	3.20	1.49	1.43
4	G	505	NAG	O5-C1	3.18	1.49	1.43
4	E	502	NAG	O5-C1	2.90	1.48	1.43
4	C	505	NAG	O5-C1	2.87	1.48	1.43

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	501	NAG	C1-O5-C5	5.66	119.77	112.19
4	E	502	NAG	C1-O5-C5	3.59	116.99	112.19
4	D	501	NAG	C1-O5-C5	3.43	116.78	112.19
4	B	501	NAG	C1-O5-C5	3.38	116.72	112.19
4	A	501	NAG	C1-O5-C5	3.16	116.42	112.19

There are no chirality outliers.

5 of 48 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	503	NAG	C1-C2-N2-C7
6	C	508	GOL	O1-C1-C2-C3
6	E	508	GOL	O1-C1-C2-O2
6	E	508	GOL	O1-C1-C2-C3
6	G	508	GOL	O1-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	E	508	GOL	2	0
6	C	508	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	F	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	F	119:GLU	C	120:PRO	N	1.17

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	386/404 (95%)	-0.48	3 (0%) 82 84	15, 23, 35, 57	1 (0%)
1	B	386/404 (95%)	-0.42	3 (0%) 82 84	14, 24, 36, 55	1 (0%)
1	C	386/404 (95%)	-0.47	2 (0%) 87 89	15, 23, 36, 59	1 (0%)
1	D	386/404 (95%)	-0.35	3 (0%) 82 84	14, 27, 39, 65	2 (0%)
1	E	386/404 (95%)	-0.45	2 (0%) 87 89	14, 23, 36, 50	2 (0%)
1	F	386/404 (95%)	-0.43	4 (1%) 79 82	13, 24, 39, 58	1 (0%)
1	G	386/404 (95%)	-0.46	2 (0%) 87 89	15, 24, 37, 55	1 (0%)
1	H	386/404 (95%)	-0.29	6 (1%) 70 74	16, 27, 41, 64	0
All	All	3088/3232 (95%)	-0.42	25 (0%) 82 84	13, 24, 38, 65	9 (0%)

The worst 5 of 25 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	83	VAL	4.5
1	H	83	VAL	4.5
1	H	150	LYS	4.4
1	B	83	VAL	4.3
1	C	83	VAL	4.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FUC	I	3	10/11	0.59	0.23	70,75,78,79	0
3	NAG	K	1	14/15	0.61	0.17	55,63,74,78	0
3	FUC	K	2	10/11	0.61	0.20	76,80,83,83	0
2	NAG	O	2	14/15	0.63	0.17	66,75,80,80	0
2	NAG	N	2	14/15	0.68	0.19	72,76,81,82	0
2	NAG	I	2	14/15	0.68	0.15	65,74,77,78	0
3	FUC	M	2	10/11	0.70	0.20	72,76,79,84	0
2	FUC	O	3	10/11	0.73	0.16	64,69,70,72	0
2	NAG	L	2	14/15	0.73	0.15	70,76,80,82	0
3	NAG	M	1	14/15	0.76	0.16	49,60,66,72	0
2	NAG	J	2	14/15	0.76	0.13	65,73,75,76	0
2	NAG	I	1	14/15	0.77	0.15	48,59,69,71	0
2	FUC	L	3	10/11	0.78	0.16	64,71,72,72	0
2	FUC	J	3	10/11	0.81	0.14	61,64,65,65	0
2	NAG	L	1	14/15	0.82	0.13	49,59,73,73	0
2	NAG	J	1	14/15	0.82	0.13	45,54,63,70	0
2	NAG	O	1	14/15	0.83	0.13	48,58,70,71	0
2	FUC	N	3	10/11	0.84	0.13	53,56,58,58	0
2	NAG	N	1	14/15	0.92	0.10	39,48,57,66	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	F	504	14/15	0.53	0.22	61,68,74,76	0
4	NAG	E	502	14/15	0.57	0.18	57,66,69,71	0
4	NAG	A	502	14/15	0.60	0.21	65,76,82,84	0
4	NAG	A	503	14/15	0.60	0.21	57,66,71,73	0
4	NAG	H	505	14/15	0.61	0.19	58,68,72,73	0
4	NAG	C	505	14/15	0.63	0.18	62,76,80,80	0
4	NAG	B	505	14/15	0.67	0.17	53,61,68,69	0
4	NAG	G	501	14/15	0.68	0.16	55,63,72,72	0
4	NAG	G	505	14/15	0.72	0.17	50,60,63,63	0
4	NAG	D	502	14/15	0.72	0.15	58,65,71,71	0
4	NAG	A	501	14/15	0.74	0.16	45,50,55,55	0
4	NAG	B	501	14/15	0.74	0.17	51,59,69,74	0
4	NAG	E	501	14/15	0.77	0.16	47,54,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NAG	F	501	14/15	0.77	0.15	49,54,62,63	0
4	NAG	C	501	14/15	0.81	0.15	47,54,64,66	0
4	NAG	H	504	14/15	0.82	0.14	51,57,66,67	0
4	NAG	D	501	14/15	0.82	0.14	47,58,65,65	0
6	GOL	D	507	6/6	0.88	0.14	44,48,53,56	0
6	GOL	G	508	6/6	0.90	0.10	35,38,38,40	0
6	GOL	E	508	6/6	0.92	0.12	39,47,50,53	0
6	GOL	A	506	6/6	0.92	0.13	41,43,50,54	0
6	GOL	C	508	6/6	0.93	0.11	41,44,44,47	0
6	GOL	H	508	6/6	0.93	0.11	44,47,48,48	0
5	CA	E	509	1/1	0.95	0.08	69,69,69,69	1
5	CA	A	507	1/1	0.96	0.08	60,60,60,60	0
5	CA	F	506	1/1	0.98	0.03	29,29,29,29	0
5	CA	H	506	1/1	0.98	0.03	25,25,25,25	0
5	CA	B	507	1/1	0.99	0.02	23,23,23,23	0
5	CA	G	506	1/1	0.99	0.03	25,25,25,25	0
5	CA	C	506	1/1	0.99	0.02	21,21,21,21	0
5	CA	H	507	1/1	0.99	0.04	34,34,34,34	0
5	CA	C	507	1/1	0.99	0.03	23,23,23,23	0
5	CA	D	506	1/1	0.99	0.03	35,35,35,35	0
5	CA	E	506	1/1	0.99	0.02	20,20,20,20	0
5	CA	E	507	1/1	0.99	0.02	26,26,26,26	0
5	CA	B	506	1/1	0.99	0.02	20,20,20,20	0
5	CA	F	505	1/1	0.99	0.02	21,21,21,21	0
5	CA	A	504	1/1	1.00	0.02	16,16,16,16	0
5	CA	D	505	1/1	1.00	0.01	27,27,27,27	0
5	CA	A	505	1/1	1.00	0.02	28,28,28,28	0
5	CA	G	507	1/1	1.00	0.01	24,24,24,24	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.