



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:20 AM UTC

PDB ID : 3DAK / pdb_00003dak
Title : Crystal Structure of Domain-Swapped OSR1 kinase domain
Authors : Lee, S.; Cobb, M.H.; Goldsmith, E.J.
Deposited on : 2008-05-29
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	
1	B	290	
1	C	290	
1	D	290	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9434 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase OSR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	S	0	0	0
			2178	1393	367	404	14			
1	B	278	Total	C	N	O	S	0	0	0
			2175	1390	366	405	14			
1	C	281	Total	C	N	O	S	0	0	0
			2198	1407	369	408	14			
1	D	284	Total	C	N	O	S	0	0	0
			2225	1423	376	412	14			

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	128	Total	O	0	0
			128	128		
4	B	142	Total	O	0	0
			142	142		
4	C	145	Total	O	0	0
			145	145		
4	D	115	Total	O	0	0
			115	115		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine/threonine-protein kinase OSR1




- Molecule 1: Serine/threonine-protein kinase OSR1




- Molecule 1: Serine/threonine-protein kinase OSR1



- Molecule 1: Serine/threonine-protein kinase OSR1





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.21Å 104.48Å 162.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.25 30.00 – 2.25	Depositor EDS
% Data completeness (in resolution range)	98.1 (30.00-2.25) 98.0 (30.00-2.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 2.24Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.195 , 0.267 0.190 , 0.260	Depositor DCC
R_{free} test set	3007 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	32.1	Xtriage
Anisotropy	0.511	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 51.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9434	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.7497e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.98	1/2221 (0.0%)	1.09	4/2995 (0.1%)
1	B	0.96	1/2218 (0.0%)	1.03	1/2991 (0.0%)
1	C	0.94	0/2242	1.13	10/3024 (0.3%)
1	D	0.83	0/2269	1.01	2/3060 (0.1%)
All	All	0.93	2/8950 (0.0%)	1.07	17/12070 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	102	ASP	N-CA	5.57	1.53	1.46
1	A	231	PRO	CA-C	5.36	1.57	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	202	ARG	CA-C-N	-8.30	105.14	121.41
1	C	202	ARG	C-N-CA	-8.30	105.14	121.41
1	C	194	ALA	CA-C-N	7.29	127.15	119.05
1	C	194	ALA	C-N-CA	7.29	127.15	119.05
1	C	202	ARG	O-C-N	-6.89	115.00	122.85
1	D	191	CYS	N-CA-C	6.64	119.34	111.71
1	A	189	THR	CA-C-N	6.45	127.90	119.84
1	A	189	THR	C-N-CA	6.45	127.90	119.84
1	C	185	THR	CA-C-N	5.73	132.01	121.70
1	C	185	THR	C-N-CA	5.73	132.01	121.70
1	C	204	TYR	N-CA-C	-5.61	100.78	109.14
1	D	249	THR	N-CA-C	5.54	117.32	111.28
1	A	96	SER	N-CA-C	5.37	119.52	112.92
1	C	202	ARG	N-CA-C	-5.04	103.74	110.55
1	B	8	LEU	N-CA-C	5.04	118.04	109.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	21	GLU	CB-CA-C	-5.01	102.09	109.90
1	A	215	ILE	CB-CA-C	-5.00	105.32	112.22

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2178	0	2217	37	0
1	B	2175	0	2209	42	0
1	C	2198	0	2232	43	0
1	D	2225	0	2262	43	0
2	A	31	0	13	5	0
2	B	31	0	13	4	0
2	C	31	0	13	1	0
2	D	31	0	13	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	128	0	0	3	0
4	B	142	0	0	5	0
4	C	145	0	0	6	0
4	D	115	0	0	2	0
All	All	9434	0	8972	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:MET:HG3	4:A:328:HOH:O	1.19	1.29
1:C:193:MET:HE3	1:C:198:MET:HG2	1.14	1.12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:28:THR:HG23	1:D:53:CYS:SG	1.90	1.11
1:C:193:MET:CE	1:C:198:MET:HG2	1.82	1.09
1:C:193:MET:HE3	1:C:198:MET:CG	1.94	0.97
1:B:115:SER:HB2	1:B:258:LYS:HE2	1.49	0.93
1:D:135:GLU:HG2	4:D:651:HOH:O	1.73	0.87
1:A:187:VAL:HG23	1:A:188:GLY:H	1.41	0.85
1:B:193:MET:HE3	1:B:198:MET:HG2	1.59	0.84
1:B:198:MET:HE1	1:C:239:THR:HB	1.59	0.83
1:D:193:MET:HE2	1:D:198:MET:HG2	1.61	0.82
1:B:243:ASP:O	4:B:328:HOH:O	1.99	0.81
1:B:198:MET:HE1	1:C:239:THR:CG2	2.09	0.81
1:B:72:HIS:HB3	1:B:75:ILE:HD12	1.61	0.80
1:C:185:THR:HA	1:C:186:PHE:CD2	2.20	0.76
1:B:198:MET:HE1	1:C:239:THR:CB	2.16	0.74
1:A:193:MET:HE2	1:A:198:MET:HG3	1.69	0.74
1:B:28:THR:HG21	1:B:52:LYS:HD3	1.69	0.73
1:D:193:MET:CE	1:D:198:MET:HG2	2.17	0.73
1:B:21:GLU:HB2	4:B:548:HOH:O	1.89	0.73
1:B:114:LYS:O	4:B:374:HOH:O	2.06	0.73
1:A:193:MET:HE2	1:A:198:MET:CG	2.19	0.72
1:B:174:GLY:HA2	1:C:186:PHE:HB3	1.70	0.71
1:D:156:GLU:H	1:D:156:GLU:CD	1.96	0.70
1:A:187:VAL:HG23	1:A:188:GLY:N	2.07	0.69
1:B:31:VAL:HG21	2:B:1:ANP:H5'2	1.73	0.69
1:B:57:MET:O	1:B:61:LEU:HG	1.91	0.69
1:D:246:SER:H	1:D:249:THR:HG23	1.56	0.69
1:B:195:PRO:HA	1:B:198:MET:HE3	1.75	0.68
1:C:246:SER:H	1:C:249:THR:CG2	2.07	0.68
1:A:24:GLY:HA3	2:A:1:ANP:H4'	1.76	0.68
1:D:231:PRO:HD2	1:D:234:LYS:HD2	1.77	0.66
1:A:119:ASP:OD2	4:A:363:HOH:O	2.13	0.66
1:C:28:THR:HB	1:C:53:CYS:SG	2.37	0.65
1:A:72:HIS:HB3	1:A:75:ILE:HD12	1.79	0.64
1:B:193:MET:CE	1:B:198:MET:HG2	2.27	0.64
1:A:47:ARG:HD2	1:A:87:GLU:OE1	1.98	0.63
1:D:72:HIS:HB3	1:D:75:ILE:HD12	1.80	0.63
1:B:144:HIS:O	1:B:145:ARG:HB2	2.00	0.60
1:B:190:PRO:HB2	1:B:193:MET:HE2	1.83	0.60
1:A:187:VAL:CG2	1:A:188:GLY:H	2.11	0.60
1:C:246:SER:H	1:C:249:THR:HG23	1.66	0.59
1:A:21:GLU:HG3	1:A:33:ALA:HB3	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:THR:HG22	1:A:189:THR:O	2.02	0.58
1:C:106:HIS:CE1	1:C:110:LYS:HD2	2.38	0.58
1:C:135:GLU:OE2	4:C:2:HOH:O	2.17	0.58
1:D:187:VAL:HG12	1:D:188:GLY:N	2.19	0.58
1:A:236:LEU:HD13	1:D:190:PRO:HG3	1.86	0.58
1:A:193:MET:HE1	1:A:198:MET:HA	1.85	0.58
1:A:24:GLY:HA3	2:A:1:ANP:H5'1	1.86	0.57
1:D:8:LEU:O	1:D:39:LYS:NZ	2.36	0.57
1:B:24:GLY:HA3	2:B:1:ANP:H4'	1.87	0.57
1:B:118:LEU:HB3	1:B:122:THR:CG2	2.35	0.56
1:D:193:MET:HE3	1:D:198:MET:HA	1.87	0.56
1:D:251:VAL:HG11	1:D:257:LEU:CD2	2.35	0.56
1:A:119:ASP:CG	4:A:363:HOH:O	2.48	0.55
1:D:200:GLN:NE2	4:D:330:HOH:O	2.39	0.55
1:D:193:MET:CE	1:D:198:MET:CG	2.85	0.55
1:D:28:THR:CG2	1:D:53:CYS:SG	2.81	0.54
1:D:193:MET:HE2	1:D:198:MET:CG	2.37	0.54
1:D:246:SER:H	1:D:249:THR:CG2	2.21	0.54
1:D:239:THR:O	1:D:274:LYS:HE2	2.08	0.54
1:D:245:PRO:HA	1:D:249:THR:HG21	1.90	0.53
1:A:248:GLU:HG2	1:A:254:LYS:HE2	1.91	0.53
1:A:95:LEU:O	2:A:1:ANP:H2	2.08	0.52
1:B:195:PRO:HA	1:B:198:MET:CE	2.38	0.52
1:B:118:LEU:HB3	1:B:122:THR:HG21	1.91	0.52
1:B:230:TYR:CG	1:B:238:LEU:HD11	2.44	0.52
1:D:187:VAL:CG1	1:D:188:GLY:N	2.72	0.52
1:D:46:LYS:NZ	2:D:1:ANP:O1A	2.29	0.52
1:C:124:ALA:O	1:C:128:ARG:HB2	2.10	0.52
1:B:174:GLY:CA	1:C:186:PHE:HB3	2.39	0.52
1:B:193:MET:HE3	1:B:198:MET:HA	1.92	0.52
1:C:65:GLN:HG3	4:C:354:HOH:O	2.09	0.52
1:A:72:HIS:HB3	1:A:75:ILE:CD1	2.40	0.52
1:D:198:MET:HA	1:D:201:VAL:HG22	1.91	0.52
1:A:24:GLY:HA3	2:A:1:ANP:C4'	2.41	0.51
1:C:193:MET:HE2	1:C:198:MET:HG2	1.87	0.51
1:C:256:MET:HG2	1:C:257:LEU:HD13	1.93	0.51
1:D:248:GLU:HG2	1:D:254:LYS:HG2	1.93	0.51
1:A:203:GLY:HA2	1:D:200:GLN:NE2	2.26	0.50
1:A:237:MET:HE1	1:D:202:ARG:HE	1.75	0.50
1:B:118:LEU:HD12	1:B:220:LEU:HB3	1.91	0.50
1:B:119:ASP:O	1:B:122:THR:HG22	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:112:GLU:O	1:C:112:GLU:HG2	2.11	0.50
1:B:31:VAL:CG2	2:B:1:ANP:H5'2	2.40	0.49
1:D:193:MET:HE3	1:D:198:MET:CA	2.42	0.49
1:B:115:SER:HB2	1:B:258:LYS:CE	2.35	0.49
1:A:33:ALA:HB1	1:A:42:LYS:HE3	1.95	0.49
1:C:72:HIS:HB3	1:C:75:ILE:HD12	1.94	0.49
1:C:37:ALA:HB3	1:C:38:PRO:HD3	1.95	0.49
1:C:138:HIS:CD2	1:C:206:PHE:HB2	2.48	0.49
1:C:148:LYS:NZ	4:C:306:HOH:O	2.45	0.49
1:C:113:HIS:O	1:C:256:MET:HE3	2.13	0.49
1:A:24:GLY:HA3	2:A:1:ANP:C5'	2.43	0.48
1:A:193:MET:HE2	1:A:198:MET:HG2	1.94	0.48
1:D:251:VAL:HG11	1:D:257:LEU:HD21	1.94	0.48
1:A:69:GLN:O	1:B:71:HIS:HB2	2.14	0.47
1:C:65:GLN:CG	4:C:354:HOH:O	2.62	0.47
1:D:222:THR:HG22	1:D:257:LEU:HD11	1.96	0.47
1:B:95:LEU:O	2:B:1:ANP:H2	2.14	0.47
1:C:189:THR:HG23	1:C:189:THR:O	2.14	0.47
1:B:8:LEU:HB3	1:B:9:PRO:HD2	1.95	0.47
1:C:185:THR:HA	1:C:186:PHE:CG	2.49	0.47
1:D:138:HIS:CD2	1:D:206:PHE:HB2	2.50	0.46
1:B:236:LEU:HD23	1:C:198:MET:HB3	1.97	0.46
1:C:185:THR:HG22	1:C:186:PHE:O	2.14	0.46
1:B:119:ASP:OD1	1:B:122:THR:HG22	2.16	0.46
1:A:248:GLU:OE2	1:A:265:ARG:NH1	2.50	0.45
1:D:61:LEU:O	1:D:65:GLN:HG3	2.15	0.45
1:B:239:THR:HA	4:B:306:HOH:O	2.16	0.45
1:A:236:LEU:CD1	1:D:190:PRO:HG3	2.47	0.45
1:C:256:MET:HB3	1:C:257:LEU:HD22	1.99	0.44
1:A:28:THR:OG1	1:A:53:CYS:SG	2.75	0.44
1:B:161:GLN:OE1	4:B:368:HOH:O	2.21	0.44
1:B:190:PRO:CB	1:B:193:MET:HE2	2.48	0.44
1:C:144:HIS:O	1:C:145:ARG:HB2	2.18	0.44
1:B:266:LYS:HE2	1:B:270:LEU:HD11	1.98	0.44
1:A:266:LYS:HE2	1:A:270:LEU:HD13	1.99	0.43
1:A:226:PRO:HB3	1:A:249:THR:HB	2.00	0.43
1:C:239:THR:O	1:C:274:LYS:HE2	2.19	0.43
1:C:246:SER:N	1:C:249:THR:HG23	2.32	0.42
1:C:199:GLU:OE1	1:C:202:ARG:HD3	2.20	0.42
1:C:185:THR:CG2	1:C:186:PHE:O	2.67	0.42
1:D:115:SER:HA	1:D:256:MET:HA	1.99	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:SER:HA	1:A:89:TRP:O	2.19	0.42
1:A:200:GLN:HB3	1:D:200:GLN:HG2	2.02	0.42
1:A:75:ILE:O	1:A:76:VAL:C	2.63	0.42
1:C:27:ALA:O	1:C:28:THR:OG1	2.34	0.42
1:D:138:HIS:CG	1:D:206:PHE:HB2	2.54	0.42
1:B:198:MET:HE1	1:C:239:THR:HG21	1.94	0.42
1:D:244:PRO:HG3	1:D:274:LYS:HG2	2.02	0.41
1:C:277:GLU:HG2	4:C:674:HOH:O	2.20	0.41
1:C:257:LEU:HD22	1:C:257:LEU:N	2.35	0.41
1:C:193:MET:HE3	1:C:198:MET:CA	2.49	0.41
1:A:169:ALA:O	1:A:173:THR:HB	2.20	0.41
1:B:119:ASP:HA	1:B:259:LYS:HD3	2.03	0.41
1:B:191:CYS:HB3	1:C:225:ALA:CB	2.51	0.41
1:A:39:LYS:O	1:A:40:LYS:C	2.63	0.41
1:D:226:PRO:HB3	1:D:249:THR:OG1	2.20	0.41
1:C:119:ASP:OD1	1:C:122:THR:CG2	2.68	0.41
1:D:81:SER:HA	1:D:89:TRP:O	2.21	0.41
1:D:193:MET:HE3	1:D:198:MET:CG	2.50	0.41
1:D:244:PRO:HA	1:D:245:PRO:HD3	1.94	0.41
1:D:264:PHE:CZ	1:D:268:ILE:HD11	2.56	0.41
1:C:72:HIS:CG	1:C:73:PRO:HD2	2.56	0.40
1:D:39:LYS:HA	1:D:39:LYS:HD2	1.81	0.40
1:B:251:VAL:HG11	1:B:257:LEU:HD11	2.04	0.40
1:A:23:ILE:HD11	1:A:94:LEU:CD1	2.52	0.40
1:B:138:HIS:CD2	1:B:206:PHE:HB2	2.56	0.40
2:C:1:ANP:N3B	4:C:302:HOH:O	2.17	0.40
1:D:262:LYS:O	1:D:266:LYS:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/290 (95%)	264 (96%)	10 (4%)	1 (0%)	30	31
1	B	274/290 (94%)	265 (97%)	8 (3%)	1 (0%)	30	31
1	C	277/290 (96%)	264 (95%)	12 (4%)	1 (0%)	30	31
1	D	280/290 (97%)	267 (95%)	13 (5%)	0	100	100
All	All	1106/1160 (95%)	1060 (96%)	43 (4%)	3 (0%)	36	40

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	7	ALA
1	C	28	THR
1	A	252	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	236/247 (96%)	222 (94%)	14 (6%)	18	18
1	B	236/247 (96%)	224 (95%)	12 (5%)	21	23
1	C	238/247 (96%)	226 (95%)	12 (5%)	22	24
1	D	241/247 (98%)	227 (94%)	14 (6%)	18	19
All	All	951/988 (96%)	899 (94%)	52 (6%)	19	20

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	GLU
1	A	40	LYS
1	A	75	ILE
1	A	173	THR
1	A	189	THR
1	A	200	GLN
1	A	236	LEU
1	A	238	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	240	LEU
1	A	251	VAL
1	A	255	GLU
1	A	257	LEU
1	A	270	LEU
1	A	295	LYS
1	B	25	SER
1	B	54	GLN
1	B	59	GLU
1	B	101	LEU
1	B	115	SER
1	B	176	ASP
1	B	201	VAL
1	B	220	LEU
1	B	236	LEU
1	B	263	SER
1	B	266	LYS
1	B	295	LYS
1	C	19	LEU
1	C	95	LEU
1	C	96	SER
1	C	101	LEU
1	C	122	THR
1	C	156	GLU
1	C	186	PHE
1	C	202	ARG
1	C	220	LEU
1	C	247	LEU
1	C	254	LYS
1	C	257	LEU
1	D	8	LEU
1	D	25	SER
1	D	39	LYS
1	D	61	LEU
1	D	95	LEU
1	D	115	SER
1	D	156	GLU
1	D	161	GLN
1	D	202	ARG
1	D	220	LEU
1	D	238	LEU
1	D	247	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	256	MET
1	D	277	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	49	ASN
1	A	140	ASN
1	C	54	GLN
1	C	106	HIS
1	C	241	GLN
1	D	200	GLN
1	D	241	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ANP	B	1	-	33,33,33	2.35	9 (27%)	45,52,52	1.97	10 (22%)
2	ANP	D	1	-	33,33,33	2.08	6 (18%)	45,52,52	2.43	16 (35%)
2	ANP	A	1	-	33,33,33	2.28	10 (30%)	45,52,52	2.07	12 (26%)
2	ANP	C	1	-	33,33,33	2.22	6 (18%)	45,52,52	2.06	15 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	B	1	-	-	8/18/38/38	0/3/3/3
2	ANP	D	1	-	-	4/18/38/38	0/3/3/3
2	ANP	A	1	-	-	2/18/38/38	0/3/3/3
2	ANP	C	1	-	-	3/18/38/38	0/3/3/3

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	ANP	PG-N3B	5.58	1.77	1.63
2	A	1	ANP	PB-N3B	5.45	1.77	1.63
2	B	1	ANP	PB-N3B	5.37	1.77	1.63
2	A	1	ANP	PG-N3B	5.29	1.77	1.63
2	C	1	ANP	C5-C4	5.17	1.48	1.39
2	C	1	ANP	PB-N3B	5.10	1.76	1.63
2	B	1	ANP	C5-C4	5.10	1.48	1.39
2	D	1	ANP	PG-N3B	5.08	1.76	1.63
2	D	1	ANP	C5-C4	5.07	1.48	1.39
2	C	1	ANP	PG-O1G	5.06	1.53	1.46
2	D	1	ANP	PB-N3B	5.04	1.76	1.63
2	C	1	ANP	PG-N3B	5.02	1.76	1.63
2	A	1	ANP	C5-C4	4.99	1.48	1.39
2	C	1	ANP	PB-O1B	4.45	1.52	1.46
2	B	1	ANP	PG-O1G	4.40	1.52	1.46
2	A	1	ANP	PB-O1B	4.15	1.52	1.46
2	A	1	ANP	PG-O1G	3.97	1.52	1.46
2	B	1	ANP	PB-O1B	3.96	1.52	1.46
2	D	1	ANP	PG-O1G	3.86	1.52	1.46
2	D	1	ANP	PB-O1B	3.60	1.51	1.46
2	B	1	ANP	PB-O3A	3.28	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	ANP	PA-O3A	3.25	1.63	1.59
2	C	1	ANP	C5-C6	3.15	1.49	1.41
2	B	1	ANP	PA-O3A	3.11	1.62	1.59
2	D	1	ANP	C5-C6	3.09	1.49	1.41
2	A	1	ANP	PB-O3A	3.00	1.62	1.59
2	B	1	ANP	C5-C6	2.94	1.49	1.41
2	A	1	ANP	C5-C6	2.80	1.48	1.41
2	A	1	ANP	C8-N7	2.49	1.36	1.31
2	B	1	ANP	C5-N7	-2.34	1.34	1.39
2	A	1	ANP	C5-N7	-2.08	1.35	1.39

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	ANP	O1G-PG-N3B	-6.92	101.59	111.77
2	B	1	ANP	C5-C4-N3	-6.10	118.32	126.72
2	A	1	ANP	C5-C4-N3	-5.86	118.65	126.72
2	D	1	ANP	C5-C4-N3	-5.58	119.03	126.72
2	A	1	ANP	O1G-PG-N3B	-5.37	103.87	111.77
2	B	1	ANP	N3-C4-N9	5.16	135.95	127.17
2	C	1	ANP	O1G-PG-N3B	-4.83	104.66	111.77
2	D	1	ANP	N3-C4-N9	4.70	135.16	127.17
2	A	1	ANP	N3-C4-N9	4.59	134.97	127.17
2	C	1	ANP	C5-C4-N3	-4.57	120.42	126.72
2	D	1	ANP	O2B-PB-O1B	4.33	119.16	109.87
2	D	1	ANP	C4-C5-N7	-4.25	105.72	110.58
2	C	1	ANP	N3-C4-N9	4.18	134.28	127.17
2	C	1	ANP	C4-C5-N7	-4.09	105.90	110.58
2	C	1	ANP	C4-N9-C8	3.96	109.90	105.74
2	C	1	ANP	O2B-PB-O1B	3.95	118.35	109.87
2	B	1	ANP	O1G-PG-N3B	-3.85	106.11	111.77
2	A	1	ANP	N3-C2-N1	-3.83	122.78	128.58
2	D	1	ANP	C2-N3-C4	3.81	121.15	111.83
2	A	1	ANP	C2-N3-C4	3.73	120.94	111.83
2	D	1	ANP	C5-N7-C8	3.58	109.08	103.45
2	D	1	ANP	C4-N9-C8	3.54	109.45	105.74
2	A	1	ANP	C4-C5-N7	-3.52	106.56	110.58
2	B	1	ANP	C4-C5-N7	-3.51	106.57	110.58
2	B	1	ANP	C2-N3-C4	3.47	120.30	111.83
2	C	1	ANP	C5-N7-C8	3.40	108.80	103.45
2	D	1	ANP	O1B-PB-N3B	-3.37	106.81	111.77
2	D	1	ANP	N3-C2-N1	-3.31	123.58	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	ANP	O2B-PB-O1B	3.26	116.86	109.87
2	D	1	ANP	C6-C5-N7	3.16	138.18	132.09
2	D	1	ANP	O3A-PA-O1A	-3.02	101.62	110.70
2	C	1	ANP	N3-C2-N1	-2.94	124.13	128.58
2	A	1	ANP	O2B-PB-O1B	2.90	116.09	109.87
2	C	1	ANP	C2-N3-C4	2.89	118.90	111.83
2	C	1	ANP	C6-C5-N7	2.85	137.58	132.09
2	D	1	ANP	N9-C8-N7	-2.82	109.94	113.94
2	C	1	ANP	C2-N1-C6	2.78	123.30	118.73
2	A	1	ANP	C5-N7-C8	2.77	107.80	103.45
2	B	1	ANP	N3-C2-N1	-2.77	124.39	128.58
2	B	1	ANP	C5-N7-C8	2.77	107.80	103.45
2	A	1	ANP	C2-N1-C6	2.71	123.19	118.73
2	C	1	ANP	N9-C8-N7	-2.70	110.11	113.94
2	D	1	ANP	O2A-PA-O3A	2.62	114.36	107.27
2	D	1	ANP	O2G-PG-O3G	2.59	114.54	107.59
2	A	1	ANP	C4-N9-C8	2.48	108.34	105.74
2	B	1	ANP	C4-N9-C8	2.47	108.33	105.74
2	C	1	ANP	O2A-PA-O1A	2.26	122.96	112.44
2	C	1	ANP	O2A-PA-O3A	-2.19	101.35	107.27
2	B	1	ANP	O2G-PG-O3G	2.15	113.36	107.59
2	A	1	ANP	C6-C5-N7	2.14	136.22	132.09
2	A	1	ANP	N9-C8-N7	-2.12	110.93	113.94
2	C	1	ANP	C2'-C3'-C4'	2.09	106.64	102.61
2	D	1	ANP	O2A-PA-O1A	2.05	121.97	112.44

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	ANP	PA-O3A-PB-O2B
2	B	1	ANP	C5'-O5'-PA-O1A
2	B	1	ANP	C5'-O5'-PA-O3A
2	C	1	ANP	PB-N3B-PG-O1G
2	C	1	ANP	PA-O3A-PB-O2B
2	D	1	ANP	PB-N3B-PG-O1G
2	B	1	ANP	C3'-C4'-C5'-O5'
2	B	1	ANP	O4'-C4'-C5'-O5'
2	A	1	ANP	PB-O3A-PA-O1A
2	B	1	ANP	PG-N3B-PB-O3A
2	D	1	ANP	PG-N3B-PB-O3A
2	A	1	ANP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	1	ANP	C5'-O5'-PA-O2A
2	D	1	ANP	PB-O3A-PA-O2A
2	B	1	ANP	PB-O3A-PA-O5'
2	C	1	ANP	PA-O3A-PB-O1B
2	D	1	ANP	PB-O3A-PA-O1A

There are no ring outliers.


4 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	ANP	4	0
2	D	1	ANP	1	0
2	A	1	ANP	5	0
2	C	1	ANP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand ANP D 1







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/290 (96%)	-0.22	6 (2%) 62 63	13, 30, 65, 93	0
1	B	278/290 (95%)	-0.14	7 (2%) 58 59	16, 33, 62, 89	0
1	C	281/290 (96%)	-0.18	8 (2%) 55 55	17, 33, 57, 131	0
1	D	284/290 (97%)	0.12	18 (6%) 26 24	18, 41, 79, 134	0
All	All	1122/1160 (96%)	-0.10	39 (3%) 47 47	13, 34, 69, 134	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	27	ALA	6.8
1	C	176	ASP	5.9
1	C	175	GLY	5.3
1	C	186	PHE	4.2
1	C	187	VAL	4.2
1	A	187	VAL	3.7
1	A	27	ALA	3.4
1	D	249	THR	3.3
1	C	174	GLY	3.2
1	B	28	THR	3.0
1	D	7	ALA	3.0
1	C	27	ALA	3.0
1	B	21	GLU	3.0
1	A	28	THR	3.0
1	D	177	ILE	2.9
1	D	259	LYS	2.9
1	D	251	VAL	2.8
1	B	7	ALA	2.7
1	D	135	GLU	2.7
1	D	256	MET	2.7
1	D	257	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	252	GLN	2.7
1	D	187	VAL	2.7
1	C	7	ALA	2.6
1	D	258	LYS	2.6
1	A	251	VAL	2.6
1	C	185	THR	2.5
1	D	250	GLY	2.4
1	B	26	GLY	2.3
1	D	96	SER	2.3
1	D	255	GLU	2.3
1	A	253	ASP	2.3
1	B	115	SER	2.2
1	D	178	THR	2.1
1	D	180	ASN	2.1
1	D	186	PHE	2.1
1	B	29	ALA	2.1
1	D	122	THR	2.1
1	D	252	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ANP	A	1	31/31	0.71	0.15	56,62,86,87	0
2	ANP	B	1	31/31	0.75	0.13	52,62,95,96	0
3	MG	D	296	1/1	0.82	0.19	67,67,67,67	0
3	MG	B	296	1/1	0.85	0.12	52,52,52,52	0
2	ANP	C	1	31/31	0.87	0.10	29,34,74,76	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	C	296	1/1	0.89	0.19	52,52,52,52	0
2	ANP	D	1	31/31	0.89	0.09	32,36,75,75	0
3	MG	A	296	1/1	0.91	0.12	54,54,54,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ANP B 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP C 1:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.