



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:59 PM UTC

PDB ID : 2DBW / pdb_00002dbw
Title : Crystal Structure of Gamma-glutamyltranspeptidase from Escherichia coli
Acyl-Enzyme Intermediate
Authors : Okada, T.; Wada, K.; Fukuyama, K.
Deposited on : 2005-12-16
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	 4% 80% 17% ..
1	C	366	 4% 81% 14% ..
2	B	190	 % 81% 18% .
2	D	190	 % 76% 22% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9165 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Gamma-glutamyltranspeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	359	Total 2716	C 1717	N 456	O 532	Se 11	0	0	0
1	C	356	Total 2697	C 1704	N 453	O 529	Se 11	0	0	0

- Molecule 2 is a protein called Gamma-glutamyltranspeptidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
2	B	190	Total 1407	C 882	N 238	O 282	Se 5	0	0	0
2	D	190	Total 1407	C 882	N 238	O 282	Se 5	0	0	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is GAMMA-L-GLUTAMIC ACID (CCD ID: GGL) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			9	5	1	3		
4	D	1	Total	C	N	O	0	0
			9	5	1	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	294	Total	O	0	0
			294	294		
5	B	162	Total	O	0	0
			162	162		
5	C	296	Total	O	0	0
			296	296		
5	D	144	Total	O	0	0
			144	144		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gamma-glutamyltranspeptidase




- Molecule 1: Gamma-glutamyltranspeptidase



- Molecule 2: Gamma-glutamyltranspeptidase



● Molecule 2: Gamma-glutamyltranspeptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.80Å 126.70Å 128.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.42 – 1.80 46.42 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (46.42-1.80) 100.0 (46.42-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.75 (at 1.79Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.180 , 0.200 0.180 , 0.200	Depositor DCC
R_{free} test set	6010 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	18.9	Xtrriage
Anisotropy	0.619	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.004 for -h,l,k	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9165	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, GGL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2761	0.89	8/3721 (0.2%)
1	C	0.34	0/2740	0.87	6/3690 (0.2%)
2	B	0.35	0/1429	0.99	8/1937 (0.4%)
2	D	0.35	0/1429	1.00	7/1937 (0.4%)
All	All	0.34	0/8359	0.92	29/11285 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	93	LEU	N-CA-C	-9.77	102.16	114.56
1	A	93	LEU	N-CA-C	-8.89	102.84	114.31
1	C	91	GLY	N-CA-C	-8.22	102.48	111.93
1	A	91	GLY	N-CA-C	-7.79	102.97	111.93
2	D	410	LEU	N-CA-C	-7.17	103.69	113.30
2	B	410	LEU	N-CA-C	-6.82	104.16	113.30
1	A	272	ALA	N-CA-C	-6.71	100.55	110.48
1	A	92	ASN	N-CA-C	6.68	118.29	108.14
1	C	272	ALA	N-CA-C	-6.49	100.88	110.48
2	D	499	ILE	N-CA-C	6.34	116.51	110.74
2	B	527	LYS	N-CA-C	-6.20	102.35	110.53
2	D	465	SER	N-CA-C	6.18	119.69	109.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	340	TYR	N-CA-C	6.17	120.97	113.38
1	C	92	ASN	N-CA-C	5.91	117.13	108.14
2	B	466	PRO	N-CA-C	-5.80	102.10	111.03
2	B	465	SER	N-CA-C	5.71	118.93	109.79
2	B	555	SER	N-CA-C	5.67	118.32	109.52
2	D	466	PRO	N-CA-C	-5.62	102.38	111.03
1	A	290	MSE	N-CA-C	5.58	116.68	109.65
1	C	278	ILE	N-CA-C	-5.58	101.63	109.21
2	B	551	GLY	N-CA-C	5.51	122.50	112.58
1	A	340	TYR	N-CA-C	5.51	120.15	113.38
2	B	481	SER	N-CA-C	5.46	113.04	108.13
2	D	555	SER	N-CA-C	5.45	117.97	109.52
2	D	527	LYS	N-CA-C	-5.43	103.36	110.53
1	A	341	LEU	N-CA-C	5.29	117.86	109.24
2	D	551	GLY	N-CA-C	5.29	122.10	112.58
1	A	145	SER	N-CA-C	5.05	118.44	109.96
2	B	409	THR	N-CA-C	5.01	115.75	108.14

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	270	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2716	0	2680	67	0
1	C	2697	0	2661	55	0
2	B	1407	0	1391	23	0
2	D	1407	0	1391	40	0
3	A	6	0	8	0	0
3	B	6	0	8	0	0
3	C	6	0	8	0	0
3	D	6	0	8	0	0
4	B	9	0	7	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	9	0	7	2	0
5	A	294	0	0	4	0
5	B	162	0	0	4	0
5	C	296	0	0	3	0
5	D	144	0	0	4	0
All	All	9165	0	8169	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:323:MSE:HE1	2:D:533:THR:HG21	1.24	1.11
1:A:325:ILE:HD11	1:A:369:ILE:HG22	1.46	0.96
1:A:98:PHE:CD1	1:A:290:MSE:HE2	2.06	0.90
4:B:601:GGL:CD	5:B:1001:HOH:O	2.21	0.88
4:D:602:GGL:CD	5:D:1002:HOH:O	2.24	0.86
1:C:318:GLY:C	1:C:323:MSE:HE2	2.01	0.85
1:A:312:MSE:HA	1:A:312:MSE:HE2	1.63	0.81
1:C:323:MSE:HE1	2:D:533:THR:CG2	2.10	0.80
1:A:310:PHE:CB	1:A:312:MSE:HE3	2.11	0.80
2:D:504:ASN:ND2	2:D:507:GLU:H	1.84	0.76
1:A:352:GLN:H	1:A:352:GLN:HE21	1.33	0.75
1:A:310:PHE:HB3	1:A:312:MSE:HE3	1.68	0.73
1:C:120:LYS:NZ	1:C:120:LYS:HA	2.04	0.72
1:C:352:GLN:HE21	1:C:352:GLN:H	1.37	0.71
2:B:411:ASN:HB3	2:B:429:ASN:OD1	1.91	0.71
1:A:30:PRO:HB3	1:A:313:LYS:HD3	1.75	0.68
2:D:504:ASN:HD22	2:D:504:ASN:C	2.02	0.67
1:C:164:MSE:HE2	1:C:168:LYS:HB3	1.76	0.67
1:A:310:PHE:HB2	1:A:312:MSE:HE3	1.76	0.67
1:C:323:MSE:CE	2:D:533:THR:HG21	2.13	0.67
1:A:290:MSE:HE3	1:A:291:PRO:HD2	1.78	0.66
1:C:120:LYS:HA	1:C:120:LYS:HZ3	1.59	0.65
1:C:352:GLN:H	1:C:352:GLN:NE2	1.95	0.64
1:A:253:GLN:HB3	1:A:257:LYS:HZ2	1.63	0.64
2:D:411:ASN:HB3	2:D:429:ASN:OD1	1.97	0.64
2:D:521:ASP:O	2:D:543:LYS:HD2	1.97	0.64
2:D:393:HIS:HD2	2:D:407:THR:OG1	1.81	0.63
1:A:30:PRO:HB3	1:A:313:LYS:CD	2.29	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:ALA:O	1:C:60:GLN:HG3	2.00	0.61
1:C:142:HIS:HD2	1:C:255:MSE:HE2	1.65	0.60
1:A:32:VAL:HG13	5:B:1255:HOH:O	2.01	0.60
1:A:168:LYS:HB2	1:A:168:LYS:NZ	2.16	0.60
2:D:518:TRP:CD2	2:D:519:LEU:HD13	2.37	0.60
2:B:548:GLU:H	2:B:548:GLU:CD	2.09	0.59
1:A:312:MSE:HE2	1:A:315:TYR:HD1	1.69	0.58
1:C:32:VAL:CG1	2:D:502:GLY:HA2	2.34	0.58
1:C:210:TRP:CH2	1:C:215:PRO:HB3	2.39	0.57
1:A:265:GLU:HG3	5:A:1449:HOH:O	2.04	0.57
1:C:319:SER:C	1:C:323:MSE:HE3	2.29	0.57
1:A:142:HIS:HD2	1:A:255:MSE:HE2	1.69	0.57
1:C:255:MSE:HG3	1:C:262:ILE:HB	1.87	0.57
1:A:87:HIS:HE1	5:B:1272:HOH:O	1.87	0.56
1:A:47:LYS:N	1:A:47:LYS:HD2	2.20	0.56
1:C:32:VAL:HG13	2:D:502:GLY:HA2	1.87	0.56
1:A:253:GLN:HB3	1:A:257:LYS:NZ	2.21	0.56
2:B:393:HIS:HD2	2:B:407:THR:OG1	1.86	0.56
1:A:278:ILE:HG12	1:A:291:PRO:HB3	1.87	0.56
1:C:87:HIS:HE1	5:D:1208:HOH:O	1.89	0.55
2:B:452:ASN:HD21	2:B:461:LEU:H	1.55	0.55
2:D:504:ASN:HD21	2:D:507:GLU:H	1.55	0.55
2:B:391:THR:HA	2:B:409:THR:HB	1.89	0.54
1:A:156:LEU:C	1:A:156:LEU:HD23	2.32	0.54
1:A:30:PRO:HD3	1:A:313:LYS:HD3	1.90	0.54
1:A:313:LYS:NZ	1:A:313:LYS:HB3	2.23	0.54
1:A:325:ILE:CD1	1:A:369:ILE:HG22	2.30	0.54
2:B:489:THR:OG1	2:B:515:HIS:HD2	1.91	0.54
1:A:352:GLN:H	1:A:352:GLN:NE2	2.04	0.54
1:C:89:GLN:HB2	2:D:413:THR:HG23	1.90	0.53
1:C:318:GLY:C	1:C:323:MSE:CE	2.79	0.53
2:B:536:LEU:O	2:B:540:LYS:HG3	2.09	0.53
1:C:156:LEU:C	1:C:156:LEU:HD23	2.34	0.52
2:D:452:ASN:HD21	2:D:461:LEU:H	1.57	0.52
1:C:369:ILE:N	1:C:369:ILE:HD13	2.25	0.52
1:C:290:MSE:HE3	2:D:466:PRO:HG2	1.91	0.52
1:A:42:HIS:HD2	5:A:1177:HOH:O	1.94	0.51
2:D:538:GLU:HG2	5:D:1770:HOH:O	2.09	0.51
1:C:369:ILE:HD13	1:C:369:ILE:H	1.75	0.51
1:A:36:VAL:HG23	1:A:38:GLU:HG2	1.92	0.51
1:C:249:GLU:HA	1:C:264:LYS:HD3	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:MSE:HG3	1:A:262:ILE:HB	1.92	0.51
1:C:289:SER:HB3	1:C:297:GLY:HA2	1.92	0.51
1:A:87:HIS:HD2	5:A:1064:HOH:O	1.93	0.51
1:A:30:PRO:CB	1:A:313:LYS:HD3	2.42	0.50
1:A:289:SER:HB3	1:A:297:GLY:HA2	1.93	0.50
1:C:36:VAL:HG23	1:C:38:GLU:HG3	1.94	0.50
2:D:517:GLN:O	2:D:518:TRP:HB3	2.10	0.50
1:A:56:ALA:O	1:A:60:GLN:HG3	2.12	0.50
1:A:292:PRO:HA	1:A:294:SER:N	2.26	0.50
1:A:32:VAL:HG12	1:A:33:SER:N	2.26	0.49
1:C:99:MSE:HG3	2:D:406:VAL:HG22	1.94	0.49
2:D:504:ASN:ND2	2:D:504:ASN:C	2.69	0.49
1:A:210:TRP:CH2	1:A:215:PRO:HB3	2.48	0.48
1:C:319:SER:C	1:C:323:MSE:CE	2.87	0.48
2:B:413:THR:O	2:B:414:PHE:HB2	2.13	0.48
1:C:255:MSE:SE	1:C:260:GLY:HA3	2.63	0.48
1:C:292:PRO:HA	1:C:294:SER:N	2.29	0.48
2:D:504:ASN:HD22	2:D:506:ALA:N	2.12	0.48
1:C:42:HIS:HD2	5:C:1336:HOH:O	1.96	0.48
1:C:124:ASP:HB3	1:C:127:LEU:HD12	1.96	0.48
1:A:98:PHE:HB3	1:A:290:MSE:SE	2.63	0.47
1:A:202:HIS:HE1	5:B:1072:HOH:O	1.96	0.47
1:C:323:MSE:CE	2:D:533:THR:CG2	2.86	0.47
1:C:319:SER:N	1:C:323:MSE:HE2	2.29	0.47
1:A:32:VAL:HG11	2:B:476:TRP:HZ2	1.80	0.47
2:B:517:GLN:O	2:B:518:TRP:HB3	2.13	0.47
1:C:319:SER:O	1:C:323:MSE:HE3	2.15	0.47
1:C:87:HIS:HD2	5:C:1075:HOH:O	1.97	0.47
1:A:168:LYS:HB2	1:A:168:LYS:HZ2	1.79	0.47
1:C:103:SER:OG	1:C:105:ASN:OD1	2.32	0.47
1:C:64:ASP:O	1:C:68:GLU:HG3	2.15	0.46
1:A:34:TYR:CE2	2:B:559:GLY:HA2	2.51	0.46
1:A:89:GLN:HB3	2:B:413:THR:HG23	1.96	0.46
1:C:164:MSE:HE2	1:C:168:LYS:CB	2.45	0.46
1:A:321:ASP:O	1:A:325:ILE:HG12	2.16	0.46
2:D:548:GLU:HG2	5:D:1692:HOH:O	2.15	0.46
2:D:413:THR:O	2:D:414:PHE:HB2	2.16	0.46
1:C:98:PHE:HB3	1:C:290:MSE:SE	2.66	0.46
1:C:164:MSE:CE	1:C:168:LYS:HB3	2.46	0.45
2:D:573:VAL:O	2:D:574:ASP:HB2	2.16	0.45
1:A:255:MSE:SE	1:A:260:GLY:HA3	2.65	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:LYS:HB2	1:A:271:LYS:NZ	2.32	0.45
1:C:384:ALA:N	1:C:385:PRO:HD2	2.32	0.45
1:A:47:LYS:HD3	5:A:1577:HOH:O	2.17	0.45
1:C:290:MSE:HE3	2:D:466:PRO:CG	2.47	0.45
1:A:38:GLU:HB2	2:D:548:GLU:CB	2.47	0.45
2:D:391:THR:HG22	2:D:392:THR:N	2.31	0.45
2:D:504:ASN:HD22	2:D:506:ALA:H	1.63	0.45
1:C:171:GLN:HB3	1:C:172:PRO:HD3	1.99	0.45
1:A:32:VAL:CG1	1:A:33:SER:N	2.80	0.44
1:A:186:ALA:HB2	2:B:573:VAL:HG23	1.98	0.44
1:A:112:ASP:OD1	1:A:112:ASP:C	2.60	0.44
2:B:548:GLU:CB	1:C:38:GLU:HB2	2.48	0.44
2:D:391:THR:HA	2:D:409:THR:HB	1.99	0.44
2:D:484:GLY:HA2	4:D:602:GGL:HB3	1.99	0.44
1:C:369:ILE:H	1:C:369:ILE:CD1	2.31	0.44
1:C:334:TYR:CD2	2:D:517:GLN:HA	2.53	0.44
1:C:99:MSE:SE	1:C:101:ILE:HD11	2.68	0.44
1:A:30:PRO:CD	1:A:313:LYS:HD3	2.47	0.43
1:A:32:VAL:CG1	2:B:476:TRP:HZ2	2.31	0.43
2:D:504:ASN:ND2	2:D:506:ALA:H	2.16	0.43
1:A:42:HIS:HE1	2:D:571:ARG:O	2.01	0.43
1:A:242:PHE:HA	1:A:247:ILE:HB	2.00	0.43
1:A:232:GLU:O	1:A:236:GLU:HG3	2.19	0.43
2:D:393:HIS:CD2	2:D:480:GLY:HA3	2.54	0.43
1:A:36:VAL:CG2	1:A:38:GLU:HG2	2.48	0.43
1:A:41:PHE:HE1	2:D:510:ASN:HD22	1.67	0.42
1:A:64:ASP:O	1:A:68:GLU:HG3	2.19	0.42
1:A:189:ASP:OD1	1:C:45:ARG:NH1	2.51	0.42
1:C:114:ARG:CZ	2:D:462:SER:HB2	2.49	0.42
1:C:242:PHE:HA	1:C:247:ILE:HB	2.01	0.42
1:A:98:PHE:HD1	1:A:290:MSE:HE2	1.74	0.42
2:D:531:PRO:O	2:D:535:LYS:HG3	2.20	0.42
2:D:518:TRP:O	2:D:519:LEU:HD12	2.19	0.42
1:A:100:LEU:HD23	2:B:468:ILE:HG13	2.02	0.42
1:A:311:ASP:HB3	1:A:314:LYS:HE3	2.01	0.42
1:A:32:VAL:HG11	2:B:476:TRP:CZ2	2.55	0.41
2:B:474:LYS:HZ2	2:B:560:PRO:HA	1.85	0.41
1:C:264:LYS:HE2	5:C:1087:HOH:O	2.21	0.41
2:B:391:THR:HG22	2:B:392:THR:N	2.34	0.41
2:B:484:GLY:HA2	4:B:601:GGL:CB	2.50	0.41
1:A:278:ILE:HG12	1:A:291:PRO:CB	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:484:GLY:HA2	4:B:601:GGL:HB2	2.02	0.41
2:B:393:HIS:HE1	2:B:395:SER:OG	2.04	0.41
1:C:246:THR:O	1:C:250:GLN:HG3	2.21	0.41
1:A:33:SER:O	2:B:504:ASN:HA	2.21	0.41
1:C:313:LYS:NZ	1:C:313:LYS:CB	2.83	0.41
1:A:46:ALA:HB3	1:A:50:MSE:HE3	2.03	0.40
1:A:156:LEU:HD23	1:A:156:LEU:O	2.21	0.40
1:C:102:ARG:HD3	2:D:475:THR:OG1	2.21	0.40
2:D:536:LEU:O	2:D:540:LYS:HG3	2.21	0.40
1:A:383:LEU:O	1:A:387:GLU:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/366 (98%)	350 (98%)	7 (2%)	0	100	100
1	C	354/366 (97%)	347 (98%)	7 (2%)	0	100	100
2	B	188/190 (99%)	181 (96%)	6 (3%)	1 (0%)	24	14
2	D	188/190 (99%)	181 (96%)	6 (3%)	1 (0%)	24	14
All	All	1087/1112 (98%)	1059 (97%)	26 (2%)	2 (0%)	43	31

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	411	ASN
2	D	411	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/276 (102%)	277 (98%)	5 (2%)	51	43
1	C	280/276 (101%)	274 (98%)	6 (2%)	47	36
2	B	154/149 (103%)	150 (97%)	4 (3%)	40	28
2	D	154/149 (103%)	151 (98%)	3 (2%)	50	41
All	All	870/850 (102%)	852 (98%)	18 (2%)	47	36

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	168	LYS
1	A	256	GLN
1	A	271	LYS
1	A	313	LYS
1	A	352	GLN
2	B	408	TYR
2	B	430	GLN
2	B	519	LEU
2	B	555	SER
1	C	38	GLU
1	C	105	ASN
1	C	120	LYS
1	C	313	LYS
1	C	352	GLN
1	C	369	ILE
2	D	408	TYR
2	D	430	GLN
2	D	504	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	87	HIS
1	A	107	ASN
1	A	202	HIS
1	A	250	GLN
1	A	253	GLN
1	A	352	GLN
1	A	370	ASN
2	B	393	HIS
2	B	452	ASN
2	B	515	HIS
2	B	542	GLN
1	C	42	HIS
1	C	48	GLN
1	C	60	GLN
1	C	87	HIS
1	C	107	ASN
1	C	171	GLN
1	C	201	ASN
1	C	258	ASN
1	C	352	GLN
1	C	366	GLN
2	D	393	HIS
2	D	452	ASN
2	D	504	ASN
2	D	510	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	C	703	-	5,5,5	0.32	0	5,5,5	0.27	0
4	GGL	B	601	2	6,8,9	1.32	1 (16%)	6,9,11	0.71	0
3	GOL	B	701	-	5,5,5	0.31	0	5,5,5	0.28	0
3	GOL	A	704	-	5,5,5	0.32	0	5,5,5	0.26	0
3	GOL	D	702	-	5,5,5	0.34	0	5,5,5	0.27	0
4	GGL	D	602	2	6,8,9	1.24	1 (16%)	6,9,11	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	703	-	-	0/4/4/4	-
4	GGL	B	601	2	-	2/8/8/9	-
3	GOL	B	701	-	-	0/4/4/4	-
3	GOL	A	704	-	-	0/4/4/4	-
3	GOL	D	702	-	-	0/4/4/4	-
4	GGL	D	602	2	-	2/8/8/9	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	601	GGL	OE1-CD	2.44	1.33	1.20
4	D	602	GGL	OE1-CD	2.04	1.31	1.20

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	601	GGL	N-CA-CB-CG
4	D	602	GGL	OE1-CD-CG-CB
4	B	601	GGL	C-CA-CB-CG
4	D	602	GGL	OXT-C-CA-N

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	601	GGL	3	0
4	D	602	GGL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/366 (95%)	-0.02	13 (3%) 45 45	14, 20, 32, 47	0
1	C	345/366 (94%)	0.10	13 (3%) 44 44	12, 20, 35, 54	0
2	B	185/190 (97%)	-0.28	1 (0%) 87 88	13, 18, 27, 36	0
2	D	185/190 (97%)	-0.21	1 (0%) 87 88	13, 18, 29, 41	0
All	All	1063/1112 (95%)	-0.06	28 (2%) 57 57	12, 19, 33, 54	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	32	VAL	6.0
1	A	32	VAL	4.3
1	C	36	VAL	4.1
1	C	37	GLU	3.9
1	A	29	ALA	3.6
1	A	36	VAL	3.6
1	C	202	HIS	3.4
1	A	34	TYR	3.3
1	C	387	GLU	3.2
1	A	37	GLU	3.1
1	A	31	PRO	3.1
1	A	30	PRO	3.0
2	D	560	PRO	3.0
1	C	198	VAL	2.8
1	A	38	GLU	2.7
1	C	369	ILE	2.7
1	C	105	ASN	2.5
1	A	387	GLU	2.4
1	A	271	LYS	2.4
2	B	560	PRO	2.4
1	C	379	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	35	GLY	2.3
1	C	35	GLY	2.2
1	C	201	ASN	2.2
1	C	34	TYR	2.2
1	C	38	GLU	2.2
1	A	385	PRO	2.1
1	A	379	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	A	704	6/6	0.81	0.16	40,43,44,44	0
3	GOL	C	703	6/6	0.88	0.15	30,34,34,34	0
3	GOL	D	702	6/6	0.90	0.11	28,32,34,38	0
3	GOL	B	701	6/6	0.91	0.11	27,30,31,32	0
4	GGL	B	601	9/10	0.95	0.08	16,18,28,29	0
4	GGL	D	602	9/10	0.96	0.07	14,17,27,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.