



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:28 PM UTC

PDB ID : 2DCJ / pdb_00002dcj
Title : A two-domain structure of alkaliphilic XynJ from Bacillus sp. 41M-1
Authors : Ihsanawati; Tanaka, N.; Nakamura, S.; Kumasaka, T.
Deposited on : 2006-01-07
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	% 80% 10% • 8%
1	B	354	% 76% 14% •• 8%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6062 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called xylanase J.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	327	Total	C	N	O	S	0	2	0
			2546	1588	437	514	7			
1	B	324	Total	C	N	O	S	0	2	0
			2529	1579	434	509	7			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		
2	B	2	Total	Ca	0	0
			2	2		

- Molecule 3 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	6	2		
3	A	1	Total	C	O	0	0
			8	6	2		
3	B	1	Total	C	O	0	0
			8	6	2		
3	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	453	Total	O	0	0
			453	453		
5	B	426	Total	O	0	0
			426	426		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: xylanase J



• Molecule 1: xylanase J



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	122.93Å 122.93Å 331.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.39 – 2.24 49.39 – 2.24	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.39-2.24) 97.1 (49.39-2.24)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.99 (at 2.25Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.159 , 0.191 (Not available) , 0.179	Depositor DCC
R_{free} test set	3660 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	34.9	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6062	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, CA, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.51	9/2618 (0.3%)	1.12	0/3559
1	B	1.46	11/2600 (0.4%)	1.17	11/3535 (0.3%)
All	All	1.48	20/5218 (0.4%)	1.15	11/7094 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	89[A]	ASP	C-O	-16.56	1.16	1.23
1	A	89[B]	ASP	C-O	-16.56	1.16	1.23
1	B	286	ASP	CA-CB	10.22	1.72	1.53
1	B	175	MET	SD-CE	-9.40	1.56	1.79
1	B	286	ASP	CB-CG	-7.94	1.32	1.52
1	B	65	MET	SD-CE	-7.21	1.61	1.79
1	B	78	ASN	CA-C	6.11	1.60	1.52
1	A	94	PHE	CA-C	-5.77	1.45	1.52
1	B	274	ILE	CA-CB	-5.68	1.47	1.54
1	B	319	ALA	CA-C	-5.52	1.46	1.52
1	B	197	THR	CA-C	-5.41	1.46	1.52
1	A	327	ARG	CA-C	5.35	1.64	1.52
1	A	297	ILE	CA-C	5.29	1.59	1.52
1	B	213	GLU	CA-C	-5.29	1.46	1.52
1	A	78	ASN	CA-C	5.29	1.59	1.52
1	B	56	THR	C-O	-5.24	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	322	ASP	CA-C	5.19	1.57	1.53
1	B	291	VAL	C-O	-5.14	1.18	1.24
1	A	137	THR	C-O	-5.14	1.18	1.24
1	A	278	ASN	CA-C	-5.12	1.46	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	56	THR	N-CA-CB	-8.01	99.83	110.88
1	B	286	ASP	CA-CB-CG	-7.05	105.55	112.60
1	B	87	THR	N-CA-CB	-6.62	100.02	111.55
1	B	327	ARG	CA-C-O	-6.26	110.15	120.80
1	B	286	ASP	CB-CG-OD2	-6.16	104.23	118.40
1	B	286	ASP	CB-CG-OD1	6.04	132.28	118.40
1	B	148	THR	N-CA-CB	-5.99	100.44	110.39
1	B	286	ASP	CA-C-O	-5.50	115.57	121.45
1	B	7	ILE	CB-CA-C	-5.34	102.14	110.69
1	B	286	ASP	CB-CA-C	-5.30	99.06	111.09
1	B	269	ARG	NE-CZ-NH2	5.00	123.70	119.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	286	ASP	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2546	0	2366	37	0
1	B	2529	0	2353	45	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	16	0	28	3	0
3	B	16	0	28	5	0
4	A	42	0	56	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	30	0	40	1	0
5	A	453	0	0	7	1
5	B	426	0	0	10	1
All	All	6062	0	4871	86	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278:ASN:HB2	5:B:3406:HOH:O	1.35	1.23
1:A:128[B]:ARG:NH1	5:A:3337:HOH:O	1.91	1.02
1:B:12:GLY:O	3:B:2004:MPD:HM3	1.63	0.98
4:A:3011:GOL:H11	5:A:3446:HOH:O	1.66	0.93
1:A:18:TRP:CH2	5:B:3432:HOH:O	2.29	0.86
1:A:18:TRP:CZ3	5:B:3432:HOH:O	2.31	0.83
1:B:287:GLN:HE21	1:B:287:GLN:H	1.27	0.80
1:A:171:ASN:HD22	1:A:171:ASN:H	1.31	0.77
1:A:287:GLN:HE21	1:A:287:GLN:H	1.40	0.68
1:B:286:ASP:HB3	1:B:288:TYR:H	1.59	0.68
1:B:60:GLN:H	1:B:60:GLN:HE21	1.43	0.67
1:B:87:THR:CG2	1:B:173:GLY:H	2.09	0.65
1:A:269:ARG:HD3	5:A:3084:HOH:O	1.96	0.65
1:B:56:THR:HG22	1:B:57:GLN:HG3	1.79	0.64
1:B:87:THR:HG21	1:B:173:GLY:H	1.63	0.62
1:A:200:ILE:HD12	3:A:2003:MPD:H53	1.81	0.61
1:A:78:ASN:HD22	1:A:79:SER:N	1.98	0.61
1:B:200:ILE:HD12	3:B:2004:MPD:H53	1.82	0.61
1:B:116:VAL:CG1	1:B:161:HIS:HE1	2.14	0.61
1:A:131:GLN:HB3	1:A:132:PRO:HD2	1.82	0.61
1:A:128[B]:ARG:HH21	1:A:142:GLN:NE2	1.99	0.60
1:A:273:ARG:HD3	5:A:3341:HOH:O	2.01	0.60
1:B:96:ILE:CG2	1:B:161:HIS:CD2	2.86	0.58
1:B:116:VAL:HG11	1:B:161:HIS:CE1	2.38	0.57
1:B:287:GLN:H	1:B:287:GLN:NE2	2.00	0.57
1:A:263:ASN:ND2	1:A:318:ASP:H	2.02	0.57
3:A:2003:MPD:O4	3:A:2003:MPD:O2	2.23	0.57
1:A:287:GLN:H	1:A:287:GLN:NE2	2.03	0.56
1:B:96:ILE:HG21	1:B:161:HIS:CD2	2.40	0.56
1:B:116:VAL:HG11	1:B:161:HIS:HE1	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:THR:HG22	1:B:90:PRO:O	2.07	0.55
1:B:12:GLY:O	3:B:2004:MPD:CM	2.46	0.55
1:B:325:GLU:OE2	1:B:327:ARG:NH1	2.38	0.54
1:A:242:ASN:HB3	1:A:309:ILE:HG13	1.88	0.54
1:A:263:ASN:HD21	1:A:317:TRP:HA	1.72	0.54
1:A:80:TYR:OH	4:A:3011:GOL:H32	2.05	0.54
1:B:115:ASN:ND2	1:B:120:THR:OG1	2.41	0.53
1:B:96:ILE:CG2	1:B:161:HIS:HD2	2.22	0.53
1:B:54:ASP:OD2	1:B:56:THR:HB	2.08	0.53
1:A:93:GLU:O	1:A:142:GLN:HA	2.08	0.52
1:A:93:GLU:OE1	1:A:128[B]:ARG:NH2	2.42	0.52
1:A:78:ASN:HD22	1:A:78:ASN:C	2.17	0.52
1:A:171:ASN:H	1:A:171:ASN:ND2	2.06	0.51
1:A:278:ASN:ND2	5:A:3409:HOH:O	2.43	0.50
1:A:51:LYS:NZ	5:A:3239:HOH:O	2.43	0.50
1:A:252:ALA:C	1:A:299:HIS:CE1	2.90	0.49
1:A:287:GLN:HE21	1:A:287:GLN:N	2.08	0.49
1:A:18:TRP:HZ3	5:B:3432:HOH:O	1.85	0.49
1:A:128[B]:ARG:NH2	5:A:3370:HOH:O	2.46	0.48
1:A:263:ASN:HD22	1:A:263:ASN:H	1.62	0.47
1:A:18:TRP:HH2	5:B:3432:HOH:O	1.82	0.47
1:B:258:LEU:HD21	1:B:321:LEU:HD22	1.96	0.47
1:B:10:HIS:CD2	1:B:29:LEU:CB	2.97	0.47
1:A:30:ASN:O	1:A:49:LYS:NZ	2.46	0.47
1:A:223:TYR:O	1:A:224:THR:C	2.55	0.47
1:B:134:ILE:HG22	3:B:2002:MPD:H13	1.97	0.46
1:A:115:ASN:ND2	1:A:120:THR:OG1	2.49	0.46
1:B:249:PHE:CD1	1:B:299:HIS:CE1	3.04	0.46
1:A:12:GLY:O	3:A:2003:MPD:H13	2.15	0.46
1:B:100:TRP:CD1	1:B:150:LYS:HE2	2.51	0.46
1:B:287:GLN:HE21	1:B:287:GLN:N	2.04	0.45
1:B:277:GLN:HG2	5:B:3345:HOH:O	2.16	0.45
1:B:96:ILE:HG21	1:B:161:HIS:HD2	1.80	0.45
1:B:128[B]:ARG:HE	1:B:131:GLN:HG3	1.82	0.45
1:B:56:THR:CG2	1:B:57:GLN:HG3	2.47	0.44
1:B:93:GLU:O	1:B:142:GLN:HA	2.17	0.44
1:B:130:ASN:OD1	5:B:3396:HOH:O	2.21	0.44
1:A:286:ASP:HB2	1:A:287:GLN:NE2	2.32	0.44
1:B:87:THR:HG23	1:B:173:GLY:H	1.82	0.44
1:B:56:THR:CG2	5:B:3249:HOH:O	2.66	0.43
1:A:128[B]:ARG:NH2	1:A:142:GLN:NE2	2.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ILE:HG23	1:B:161:HIS:CD2	2.52	0.43
1:B:223:TYR:O	1:B:224:THR:C	2.59	0.43
1:B:89[B]:ASP:CG	5:B:3365:HOH:O	2.61	0.43
1:B:60:GLN:H	1:B:60:GLN:NE2	2.13	0.42
1:B:10:HIS:CD2	1:B:29:LEU:HB3	2.54	0.42
1:B:87:THR:CG2	1:B:90:PRO:O	2.68	0.42
1:B:93:GLU:OE2	1:B:128[B]:ARG:NH1	2.53	0.41
1:B:126:THR:OG1	1:B:142:GLN:HB2	2.20	0.41
3:B:2004:MPD:O4	3:B:2004:MPD:H12	2.20	0.41
4:B:3012:GOL:H31	5:B:3113:HOH:O	2.20	0.41
1:B:10:HIS:CD2	1:B:29:LEU:HB2	2.56	0.41
1:A:115:ASN:ND2	1:A:120:THR:HG23	2.36	0.41
1:A:252:ALA:O	1:A:299:HIS:CE1	2.73	0.41
1:A:207:GLU:H	1:A:207:GLU:HG3	1.79	0.40
1:B:120:THR:O	1:B:148:THR:HB	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:3371:HOH:O	5:B:3395:HOH:O[6_655]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/354 (92%)	314 (96%)	13 (4%)	0	100	100
1	B	322/354 (91%)	311 (97%)	11 (3%)	0	100	100
All	All	649/708 (92%)	625 (96%)	24 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/293 (93%)	260 (96%)	12 (4%)	25	27
1	B	271/293 (92%)	260 (96%)	11 (4%)	27	30
All	All	543/586 (93%)	520 (96%)	23 (4%)	26	29

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	LEU
1	A	40	SER
1	A	78	ASN
1	A	91	LEU
1	A	171	ASN
1	A	207	GLU
1	A	208	GLN
1	A	225	SER
1	A	243	VAL
1	A	263	ASN
1	A	287	GLN
1	A	299	HIS
1	B	40	SER
1	B	56	THR
1	B	60	GLN
1	B	87	THR
1	B	148	THR
1	B	158	VAL
1	B	204	SER
1	B	208	GLN
1	B	225	SER
1	B	234	VAL
1	B	287	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	ASN
1	A	78	ASN
1	A	115	ASN
1	A	171	ASN
1	A	186	GLN
1	A	232	ASN
1	A	247	HIS
1	A	263	ASN
1	A	277	GLN
1	A	287	GLN
1	B	10	HIS
1	B	60	GLN
1	B	115	ASN
1	B	161	HIS
1	B	186	GLN
1	B	196	ASN
1	B	232	ASN
1	B	246	ASN
1	B	253	ASN
1	B	287	GLN
1	B	298	ASN
1	B	303	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 4 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	3005	-	5,5,5	0.75	0	5,5,5	1.31	1 (20%)
4	GOL	A	3007	-	5,5,5	0.39	0	5,5,5	0.24	0
4	GOL	A	3011	-	5,5,5	0.27	0	5,5,5	0.39	0
4	GOL	B	3010	-	5,5,5	0.61	0	5,5,5	0.42	0
3	MPD	A	2001	-	7,7,7	0.71	0	9,10,10	0.55	0
4	GOL	A	3004	-	5,5,5	0.44	0	5,5,5	1.65	1 (20%)
4	GOL	B	3003	-	5,5,5	0.39	0	5,5,5	0.42	0
4	GOL	B	3008	-	5,5,5	0.49	0	5,5,5	0.73	0
4	GOL	B	3001	-	5,5,5	0.52	0	5,5,5	0.81	0
3	MPD	B	2002	-	7,7,7	0.45	0	9,10,10	0.58	0
3	MPD	B	2004	-	7,7,7	0.51	0	9,10,10	1.22	1 (11%)
4	GOL	A	3006	-	5,5,5	0.63	0	5,5,5	0.89	0
4	GOL	A	3009	-	5,5,5	0.58	0	5,5,5	0.53	0
4	GOL	B	3012	-	5,5,5	0.65	0	5,5,5	0.94	0
3	MPD	A	2003	-	7,7,7	0.57	0	9,10,10	1.44	2 (22%)
4	GOL	A	3002	-	5,5,5	0.43	0	5,5,5	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	3005	-	-	3/4/4/4	-
4	GOL	A	3007	-	-	0/4/4/4	-
4	GOL	A	3011	-	-	1/4/4/4	-
4	GOL	B	3010	-	-	0/4/4/4	-
3	MPD	A	2001	-	-	0/5/5/5	-
4	GOL	A	3004	-	-	2/4/4/4	-
4	GOL	B	3003	-	-	1/4/4/4	-
4	GOL	B	3008	-	-	1/4/4/4	-
4	GOL	B	3001	-	-	2/4/4/4	-
3	MPD	B	2002	-	-	0/5/5/5	-
3	MPD	B	2004	-	-	0/5/5/5	-
4	GOL	A	3006	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	3009	-	-	0/4/4/4	-
4	GOL	B	3012	-	-	3/4/4/4	-
3	MPD	A	2003	-	-	3/5/5/5	-
4	GOL	A	3002	-	-	2/4/4/4	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2003	MPD	O4-C4-C3	-2.90	99.81	111.35
4	A	3004	GOL	O2-C2-C1	2.88	121.10	109.18
3	A	2003	MPD	CM-C2-C1	2.33	115.85	110.63
4	A	3005	GOL	O3-C3-C2	2.33	120.87	110.38
3	B	2004	MPD	O4-C4-C3	-2.21	102.55	111.35

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	3005	GOL	C1-C2-C3-O3
4	B	3001	GOL	C1-C2-C3-O3
4	B	3012	GOL	C1-C2-C3-O3
4	A	3004	GOL	O1-C1-C2-C3
4	A	3011	GOL	O1-C1-C2-C3
4	A	3005	GOL	O2-C2-C3-O3
4	B	3001	GOL	O2-C2-C3-O3
4	B	3012	GOL	O2-C2-C3-O3
4	A	3004	GOL	O1-C1-C2-O2
4	A	3005	GOL	O1-C1-C2-O2
4	A	3002	GOL	O1-C1-C2-O2
4	B	3003	GOL	O2-C2-C3-O3
4	B	3008	GOL	O2-C2-C3-O3
3	A	2003	MPD	C1-C2-C3-C4
3	A	2003	MPD	CM-C2-C3-C4
4	A	3002	GOL	O1-C1-C2-C3
3	A	2003	MPD	O2-C2-C3-C4
4	B	3012	GOL	O1-C1-C2-O2

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	3011	GOL	2	0
3	B	2002	MPD	1	0
3	B	2004	MPD	4	0
4	B	3012	GOL	1	0
3	A	2003	MPD	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	327/354 (92%)	-0.30	5 (1%) 72 73	23, 32, 43, 80	2 (0%)
1	B	324/354 (91%)	-0.26	4 (1%) 76 78	24, 33, 45, 74	2 (0%)
All	All	651/708 (91%)	-0.28	9 (1%) 73 75	23, 32, 45, 80	4 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	206	GLY	5.1
1	A	205	GLY	3.9
1	B	204	SER	3.2
1	B	208	GLN	3.1
1	A	208	GLN	2.6
1	B	161	HIS	2.4
1	A	207	GLU	2.1
1	A	203	GLN	2.1
1	B	209	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	3006	6/6	0.82	0.24	60,69,71,71	0
4	GOL	A	3007	6/6	0.82	0.23	82,85,85,87	0
4	GOL	A	3002	6/6	0.85	0.20	62,65,66,68	0
4	GOL	B	3012	6/6	0.85	0.20	75,78,79,79	0
4	GOL	B	3003	6/6	0.86	0.18	66,74,75,76	0
4	GOL	A	3005	6/6	0.86	0.19	58,68,69,70	0
4	GOL	A	3004	6/6	0.89	0.19	48,56,61,62	0
4	GOL	B	3008	6/6	0.90	0.17	76,77,78,78	0
4	GOL	B	3001	6/6	0.90	0.16	54,59,60,62	0
4	GOL	A	3011	6/6	0.92	0.12	58,60,64,70	0
3	MPD	A	2003	8/8	0.94	0.16	59,61,67,68	0
3	MPD	B	2004	8/8	0.94	0.16	63,65,70,72	0
3	MPD	B	2002	8/8	0.95	0.12	31,43,44,46	0
4	GOL	B	3010	6/6	0.95	0.08	28,31,32,35	0
2	CA	A	1003	1/1	0.95	0.20	55,55,55,55	0
3	MPD	A	2001	8/8	0.96	0.10	30,34,37,40	0
2	CA	B	1002	1/1	0.96	0.15	57,57,57,57	0
2	CA	B	1004	1/1	0.96	0.18	53,53,53,53	0
4	GOL	A	3009	6/6	0.97	0.07	28,29,30,30	0
2	CA	A	1001	1/1	0.98	0.20	50,50,50,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.