



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 07:52 PM UTC

PDB ID : 5DE9 / pdb_00005de9
Title : The role of Ile87 of CYP158A2 in oxidative coupling reaction
Authors : Zhao, B.
Deposited on : 2015-08-25
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	410	10% 85% 11% ...
1	B	410	12% 83% 14% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7278 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Biflaviolin synthase CYP158A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	402	Total	C	N	O	S	0	0	0
			3112	1956	571	574	11			
1	B	402	Total	C	N	O	S	0	0	0
			3112	1956	571	574	11			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	87	ARG	ILE	conflict	UNP Q9FCA6
A	405	HIS	-	expression tag	UNP Q9FCA6
A	406	HIS	-	expression tag	UNP Q9FCA6
A	407	HIS	-	expression tag	UNP Q9FCA6
A	408	HIS	-	expression tag	UNP Q9FCA6
A	409	HIS	-	expression tag	UNP Q9FCA6
A	410	HIS	-	expression tag	UNP Q9FCA6
B	87	ARG	ILE	conflict	UNP Q9FCA6
B	405	HIS	-	expression tag	UNP Q9FCA6
B	406	HIS	-	expression tag	UNP Q9FCA6
B	407	HIS	-	expression tag	UNP Q9FCA6
B	408	HIS	-	expression tag	UNP Q9FCA6
B	409	HIS	-	expression tag	UNP Q9FCA6
B	410	HIS	-	expression tag	UNP Q9FCA6

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is SPERMINE (CCD ID: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	N	0	0
			14	10	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	459	Total 459	O 459	0	0
4	B	495	Total 495	O 495	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.61Å 79.31Å 87.66Å 90.00° 94.08° 90.00°	Depositor
Resolution (Å)	29.37 – 1.76 29.37 – 1.76	Depositor EDS
% Data completeness (in resolution range)	98.1 (29.37-1.76) 93.5 (29.37-1.76)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 1.76Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.193 , 0.240 (Not available) , 0.222	Depositor DCC
R_{free} test set	1999 reflections (2.47%)	wwPDB-VP
Wilson B-factor (Å ²)	11.2	Xtriage
Anisotropy	0.365	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7278	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SPM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	1/3185 (0.0%)	0.97	8/4339 (0.2%)
1	B	0.56	0/3185	1.01	17/4339 (0.4%)
All	All	0.56	1/6370 (0.0%)	0.99	25/8678 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	169	HIS	CE1-NE2	5.12	1.37	1.32

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	339	SER	CA-C-N	-16.85	102.30	120.66
1	B	339	SER	C-N-CA	-16.85	102.30	120.66
1	B	87	ARG	N-CA-C	12.73	119.67	108.22
1	A	339	SER	CA-C-N	-11.71	105.75	120.51
1	A	339	SER	C-N-CA	-11.71	105.75	120.51
1	A	98	PRO	CA-C-N	-8.99	110.48	119.56
1	A	98	PRO	C-N-CA	-8.99	110.48	119.56
1	A	98	PRO	N-CA-C	8.71	121.32	110.70
1	B	184	GLY	N-CA-C	8.17	124.91	112.81
1	B	90	ARG	N-CA-C	-8.12	100.14	111.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	10	VAL	CA-C-N	7.25	124.88	119.66
1	B	10	VAL	C-N-CA	7.25	124.88	119.66
1	B	88	PRO	CA-C-N	6.72	133.79	121.70
1	B	88	PRO	C-N-CA	6.72	133.79	121.70
1	A	183	HIS	N-CA-C	-6.24	103.61	110.91
1	B	91	GLY	N-CA-C	-6.09	102.16	110.20
1	A	292	GLY	N-CA-C	5.95	115.62	110.21
1	B	292	GLY	N-CA-C	5.92	115.60	110.21
1	B	88	PRO	CA-C-O	-5.90	114.58	121.95
1	B	339	SER	N-CA-C	5.78	122.59	109.81
1	A	86	PHE	N-CA-C	5.67	117.74	108.55
1	B	339	SER	C-N-CD	5.29	146.67	125.00
1	B	178	ILE	N-CA-C	5.28	115.90	109.30
1	B	242	GLY	N-CA-C	5.12	120.36	114.16
1	B	339	SER	N-CA-CB	-5.08	101.32	110.37

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	338	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3112	0	3097	42	0
1	B	3112	0	3097	53	0
2	A	43	0	30	1	0
2	B	43	0	30	2	0
3	B	14	0	26	2	0
4	A	459	0	0	12	5
4	B	495	0	0	19	8
All	All	7278	0	6280	96	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:502:SPM:N1	4:B:603:HOH:O	1.97	0.96
1:B:364:GLU:OE2	4:B:601:HOH:O	1.88	0.92
1:B:123:ARG:HD2	4:B:609:HOH:O	1.71	0.89
1:B:175:THR:HG21	4:B:614:HOH:O	1.73	0.89
1:B:406:HIS:O	4:B:602:HOH:O	1.97	0.83
1:B:339:SER:HB3	1:B:340:PRO:CD	2.10	0.80
1:A:98:PRO:HG3	4:A:971:HOH:O	1.81	0.80
1:A:278:ILE:HD11	1:A:367:VAL:HG21	1.63	0.79
1:B:75:MET:HE2	1:B:88:PRO:HG3	1.63	0.78
1:B:276:ARG:NH2	4:B:610:HOH:O	2.17	0.78
1:A:5:THR:HG23	1:A:6:ILE:H	1.48	0.77
1:B:186:GLU:CD	1:B:187:VAL:H	1.92	0.76
1:B:201:ASP:OD1	4:B:604:HOH:O	2.04	0.76
1:B:171:MET:HE1	1:B:195:MET:HE2	1.68	0.74
1:B:115:ARG:NH2	4:B:612:HOH:O	2.20	0.73
1:B:37:GLY:O	4:B:605:HOH:O	2.06	0.72
1:A:75:MET:HE1	1:A:90:ARG:HB3	1.71	0.71
1:B:5:THR:HG23	1:B:6:ILE:H	1.57	0.70
1:B:123:ARG:NH2	4:B:609:HOH:O	2.13	0.69
1:A:185:ALA:O	1:A:189:GLU:HG2	1.92	0.68
1:A:75:MET:HE3	1:A:87:ARG:HD2	1.75	0.67
1:A:364:GLU:OE2	4:A:601:HOH:O	2.11	0.67
1:B:186:GLU:OE1	1:B:189:GLU:HB2	1.99	0.62
1:A:183:HIS:HB2	1:A:187:VAL:HG22	1.82	0.62
1:B:186:GLU:CD	1:B:187:VAL:N	2.59	0.60
1:B:186:GLU:OE2	1:B:190:ARG:HG3	2.02	0.60
1:B:186:GLU:CG	1:B:187:VAL:H	2.13	0.60
1:A:88:PRO:HD3	4:A:932:HOH:O	2.00	0.59
1:A:123:ARG:NH2	4:A:603:HOH:O	2.36	0.58
1:A:339:SER:HB3	1:A:340:PRO:CD	2.34	0.57
1:B:318:TYR:CZ	1:B:347:GLY:HA2	2.40	0.56
1:A:169:HIS:HD2	4:A:718:HOH:O	1.90	0.55
1:B:171:MET:O	1:B:175:THR:HG23	2.07	0.54
1:B:339:SER:HB3	1:B:340:PRO:HD3	1.90	0.54
1:B:106:ARG:NH1	4:B:613:HOH:O	2.21	0.53
1:A:318:TYR:CZ	1:A:347:GLY:HA2	2.43	0.53
1:A:105:ARG:CZ	1:A:354:PRO:HG3	2.39	0.53
1:A:171:MET:O	1:A:175:THR:HG23	2.09	0.52
1:A:181:SER:OG	1:A:182:SER:N	2.42	0.52
1:B:178:ILE:HD12	1:B:195:MET:HE3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:HIS:CE1	2:B:501:HEM:HBB2	2.44	0.52
1:B:194:GLU:OE2	4:B:611:HOH:O	2.19	0.51
1:A:180:SER:HB3	4:A:641:HOH:O	2.11	0.51
1:A:158:CYS:HB3	1:A:168:ARG:HD3	1.92	0.51
1:B:5:THR:HG23	1:B:6:ILE:N	2.24	0.51
1:A:178:ILE:HG22	1:A:179:LEU:HG	1.93	0.51
1:A:103:ARG:NH1	1:A:226:GLU:O	2.44	0.50
1:A:178:ILE:O	1:A:180:SER:N	2.44	0.50
1:A:179:LEU:HD11	4:A:944:HOH:O	2.12	0.50
1:A:16:TRP:CZ2	1:A:290:ALA:HA	2.47	0.49
1:B:105:ARG:CZ	1:B:354:PRO:HG3	2.42	0.49
1:A:5:THR:HG23	1:A:6:ILE:N	2.24	0.49
1:A:100:ASP:CG	1:A:103:ARG:HH21	2.21	0.49
1:B:60:VAL:HG21	1:B:321:ALA:HB2	1.94	0.48
1:B:88:PRO:HA	1:B:89:ALA:CB	2.44	0.48
1:A:114:ALA:O	1:A:118:GLU:HG2	2.14	0.47
1:A:78:GLN:HE22	1:A:87:ARG:NH1	2.11	0.47
1:B:125:ARG:HD2	4:B:959:HOH:O	2.14	0.47
1:B:171:MET:HE3	1:B:171:MET:HA	1.97	0.47
1:A:183:HIS:HB2	1:A:187:VAL:CG2	2.45	0.47
1:A:339:SER:HB2	4:A:736:HOH:O	2.15	0.46
1:B:209:SER:HA	4:B:799:HOH:O	2.14	0.46
1:A:389:LYS:HD2	4:A:623:HOH:O	2.16	0.46
1:B:106:ARG:NE	4:B:630:HOH:O	2.49	0.45
1:B:333:ARG:NH1	4:B:608:HOH:O	2.10	0.45
1:B:171:MET:HE3	1:B:171:MET:CA	2.47	0.45
1:A:97:ASP:C	1:A:99:PRO:HD2	2.41	0.44
1:B:88:PRO:HB3	1:B:89:ALA:HB3	1.99	0.44
1:B:180:SER:OG	1:B:181:SER:N	2.49	0.44
1:B:152:PHE:HB3	1:B:153:PRO:HD3	1.99	0.44
1:A:64:THR:HG23	1:A:316:VAL:HG11	2.00	0.43
1:A:192:LYS:HB2	1:A:192:LYS:HE3	1.89	0.43
1:A:261:PRO:O	1:A:265:GLU:HG3	2.18	0.43
1:B:114:ALA:O	1:B:118:GLU:HG2	2.19	0.43
1:A:179:LEU:CD1	4:A:944:HOH:O	2.67	0.43
1:B:16:TRP:CZ2	1:B:290:ALA:HA	2.54	0.42
1:B:186:GLU:CG	1:B:187:VAL:N	2.82	0.42
1:A:272:GLU:H	1:A:272:GLU:CD	2.26	0.42
1:B:106:ARG:NH2	4:B:636:HOH:O	2.52	0.42
1:B:87:ARG:HB2	1:B:88:PRO:CD	2.49	0.42
1:A:330:ASP:HB2	4:A:668:HOH:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:MET:CE	1:B:195:MET:HE2	2.44	0.42
1:B:273:ILE:HG13	1:B:276:ARG:NH2	2.35	0.42
1:A:354:PRO:HD2	2:A:501:HEM:C1D	2.56	0.41
1:B:336:PHE:N	4:B:638:HOH:O	2.53	0.41
1:A:14:ARG:NH1	4:A:611:HOH:O	2.44	0.41
1:A:99:PRO:HB3	1:B:99:PRO:HD3	2.03	0.41
1:A:88:PRO:HB2	1:A:89:ALA:H	1.63	0.41
1:B:100:ASP:CG	1:B:103:ARG:HH21	2.28	0.41
1:B:178:ILE:HD11	1:B:192:LYS:HA	2.02	0.41
1:B:106:ARG:CZ	4:B:636:HOH:O	2.69	0.41
1:B:354:PRO:HD2	2:B:501:HEM:C1D	2.56	0.41
3:B:502:SPM:H112	3:B:502:SPM:H81	1.93	0.41
1:A:339:SER:HB3	1:A:340:PRO:HD3	2.02	0.41
1:B:66:ASP:HA	1:B:67:PRO:HD3	1.94	0.40
1:B:309:ARG:NH2	1:B:312:ASP:OD1	2.55	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:957:HOH:O	4:B:851:HOH:O[2_444]	1.84	0.36
4:B:691:HOH:O	4:B:709:HOH:O[1_455]	1.92	0.28
4:A:1030:HOH:O	4:B:1085:HOH:O[2_444]	1.94	0.26
4:A:1006:HOH:O	4:B:973:HOH:O[2_544]	2.06	0.14
4:B:1012:HOH:O	4:B:1045:HOH:O[1_455]	2.08	0.12
4:A:768:HOH:O	4:B:692:HOH:O[2_545]	2.11	0.09
4:B:609:HOH:O	4:B:709:HOH:O[1_455]	2.12	0.08
4:A:959:HOH:O	4:B:868:HOH:O[2_544]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	400/410 (98%)	380 (95%)	15 (4%)	5 (1%)	9	2
1	B	400/410 (98%)	384 (96%)	12 (3%)	4 (1%)	12	3
All	All	800/820 (98%)	764 (96%)	27 (3%)	9 (1%)	11	2

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	88	PRO
1	A	179	LEU
1	A	339	SER
1	B	89	ALA
1	B	339	SER
1	A	185	ALA
1	B	92	ALA
1	B	338	ARG
1	A	98	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/340 (98%)	331 (100%)	1 (0%)	86	83
1	B	332/340 (98%)	329 (99%)	3 (1%)	70	60
All	All	664/680 (98%)	660 (99%)	4 (1%)	78	71

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	169	HIS
1	B	192	LYS
1	B	206	ARG
1	B	238	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN
1	A	169	HIS
1	A	176	GLN
1	A	249	ASN
1	B	46	ASN
1	B	240	GLN
1	B	249	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	B	501	1	50,50,50	1.63	10 (20%)	67,82,82	0.93	4 (5%)
3	SPM	B	502	-	13,13,13	0.37	0	12,12,12	0.79	0
2	HEM	A	501	4,1	50,50,50	1.69	9 (18%)	67,82,82	0.91	3 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	501	1	-	8/14/54/54	-
3	SPM	B	502	-	-	4/11/11/11	-
2	HEM	A	501	4,1	-	6/14/54/54	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	HEM	CBB-CAB	5.12	1.55	1.30
2	B	501	HEM	CBC-CAC	4.99	1.54	1.30
2	A	501	HEM	CBC-CAC	4.98	1.54	1.30
2	B	501	HEM	CBB-CAB	4.64	1.52	1.30
2	A	501	HEM	CAB-C3B	3.06	1.55	1.47
2	B	501	HEM	CAC-C3C	2.94	1.55	1.47
2	A	501	HEM	CAC-C3C	2.83	1.54	1.47
2	A	501	HEM	FE-NA	2.79	2.04	1.95
2	A	501	HEM	FE-NB	2.76	2.03	1.94
2	B	501	HEM	FE-NA	2.67	2.04	1.95
2	A	501	HEM	CMC-C2C	2.64	1.56	1.50
2	B	501	HEM	CMC-C2C	2.64	1.56	1.50
2	B	501	HEM	FE-NB	2.62	2.03	1.94
2	A	501	HEM	CMB-C2B	2.40	1.55	1.50
2	A	501	HEM	O2A-CGA	-2.31	1.23	1.30
2	B	501	HEM	O2A-CGA	-2.23	1.23	1.30
2	B	501	HEM	CAB-C3B	2.14	1.53	1.47
2	B	501	HEM	CMB-C2B	2.08	1.55	1.50
2	B	501	HEM	O1A-CGA	2.06	1.28	1.22

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	CBB-CAB-C3B	-2.93	112.87	127.53
2	B	501	HEM	O1A-CGA-CBA	-2.56	114.99	123.09
2	A	501	HEM	CBC-CAC-C3C	-2.51	114.97	127.53
2	B	501	HEM	CBC-CAC-C3C	-2.49	115.07	127.53
2	A	501	HEM	O1A-CGA-CBA	-2.29	115.84	123.09
2	A	501	HEM	CBA-CAA-C2A	2.09	118.31	112.53
2	B	501	HEM	CBA-CAA-C2A	2.05	118.19	112.53

There are no chirality outliers.

All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	HEM	C2C-C3C-CAC-CBC
2	A	501	HEM	C4C-C3C-CAC-CBC
2	B	501	HEM	C2B-C3B-CAB-CBB
2	B	501	HEM	C2C-C3C-CAC-CBC
3	B	502	SPM	C8-C9-N10-C11
3	B	502	SPM	C7-C8-C9-N10
2	B	501	HEM	C4B-C3B-CAB-CBB
2	B	501	HEM	C4C-C3C-CAC-CBC
3	B	502	SPM	C12-C11-N10-C9
3	B	502	SPM	C3-C4-N5-C6
2	A	501	HEM	CAA-CBA-CGA-O1A
2	A	501	HEM	CAA-CBA-CGA-O2A
2	B	501	HEM	CAA-CBA-CGA-O2A
2	B	501	HEM	CAA-CBA-CGA-O1A
2	B	501	HEM	CAD-CBD-CGD-O1D
2	B	501	HEM	CAD-CBD-CGD-O2D
2	A	501	HEM	CAD-CBD-CGD-O2D
2	A	501	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	HEM	2	0
3	B	502	SPM	2	0
2	A	501	HEM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	402/410 (98%)	0.55	42 (10%)	11 13	6, 15, 50, 92	0
1	B	402/410 (98%)	0.54	51 (12%)	8 8	6, 14, 49, 97	0
All	All	804/820 (98%)	0.55	93 (11%)	9 10	6, 15, 51, 97	0

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	179	LEU	9.8
1	B	339	SER	7.8
1	A	88	PRO	7.6
1	A	99	PRO	7.5
1	B	185	ALA	7.5
1	B	184	GLY	7.4
1	A	339	SER	7.3
1	A	184	GLY	7.2
1	B	91	GLY	6.9
1	B	179	LEU	6.9
1	A	89	ALA	6.5
1	B	89	ALA	5.8
1	B	183	HIS	5.8
1	B	86	PHE	5.7
1	A	183	HIS	5.6
1	A	185	ALA	5.6
1	A	5	THR	5.4
1	B	90	ARG	5.3
1	B	88	PRO	5.2
1	A	182	SER	5.2
1	A	180	SER	5.2
1	B	182	SER	5.1
1	A	181	SER	5.0
1	A	86	PHE	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	91	GLY	4.7
1	A	6	ILE	4.6
1	A	187	VAL	4.5
1	B	180	SER	4.5
1	B	5	THR	4.3
1	A	90	ARG	4.2
1	A	87	ARG	4.2
1	B	85	HIS	4.2
1	A	190	ARG	4.1
1	B	164	PRO	4.0
1	B	186	GLU	4.0
1	A	85	HIS	4.0
1	A	84	PRO	4.0
1	B	6	ILE	4.0
1	B	99	PRO	3.9
1	A	98	PRO	3.9
1	B	340	PRO	3.8
1	B	181	SER	3.7
1	A	100	ASP	3.4
1	A	75	MET	3.4
1	B	208	ASP	3.3
1	A	169	HIS	3.3
1	B	172	HIS	3.3
1	B	405	HIS	3.3
1	B	92	ALA	3.2
1	B	205	LEU	3.1
1	B	87	ARG	3.1
1	B	207	SER	3.1
1	B	75	MET	3.0
1	B	190	ARG	3.0
1	A	205	LEU	3.0
1	B	169	HIS	2.9
1	B	187	VAL	2.9
1	B	98	PRO	2.9
1	A	186	GLU	2.8
1	A	340	PRO	2.8
1	A	125	ARG	2.8
1	B	173	THR	2.8
1	B	243	GLY	2.8
1	A	7	SER	2.8
1	A	307	ARG	2.7
1	A	173	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	175	THR	2.6
1	B	166	THR	2.6
1	B	95	PHE	2.5
1	B	175	THR	2.5
1	B	201	ASP	2.5
1	A	188	SER	2.5
1	A	208	ASP	2.4
1	B	100	ASP	2.4
1	A	172	HIS	2.4
1	B	115	ARG	2.3
1	B	7	SER	2.3
1	B	188	SER	2.3
1	A	276	ARG	2.3
1	B	84	PRO	2.3
1	B	209	SER	2.3
1	B	204	GLY	2.3
1	A	166	THR	2.2
1	A	137	ARG	2.2
1	B	225	ASP	2.2
1	B	125	ARG	2.1
1	B	189	GLU	2.1
1	B	276	ARG	2.1
1	B	176	GLN	2.1
1	B	119	ARG	2.1
1	A	189	GLU	2.0
1	A	207	SER	2.0
1	A	230	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SPM	B	502	14/14	0.82	0.33	38,46,75,77	0
2	HEM	B	501	43/43	0.96	0.08	1,6,12,40	0
2	HEM	A	501	43/43	0.97	0.08	1,7,13,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM B 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.