



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 10:30 AM UTC

PDB ID : 1DFV / pdb_00001dfv
Title : CRYSTAL STRUCTURE OF HUMAN NEUTROPHIL GELATINASE ASSOCIATED LIPOCALIN MONOMER
Authors : Goetz, D.H.; Willie, S.T.; Armen, R.S.; Bratt, T.; Borregaard, N.; Strong, R.K.
Deposited on : 1999-11-22
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.




Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	177	
1	B	177	
2	C	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	B	178	X	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HUMAN NEUTROPHIL GELATINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	173	1396	905	230	256	5	0	0	0
1	B	174	1425	923	237	260	5	0	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	2	28	16	2	10	0	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	52	Total	O	0	0
			52	52		
5	B	81	Total	O	0	0
			81	81		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: HUMAN NEUTROPHIL GELATINASE



- Molecule 1: HUMAN NEUTROPHIL GELATINASE



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	115.02Å 115.02Å 117.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60	Depositor
% Data completeness (in resolution range)	88.2 (20.00-2.60)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.5	Depositor
R, R_{free}	0.281 , 0.293	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3011	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1433	1.07	9/1944 (0.5%)
1	B	0.46	0/1462	1.14	12/1978 (0.6%)
All	All	0.46	0/2895	1.10	21/3922 (0.5%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	65	ASN	OD1-CG-ND2	-10.96	111.64	122.60
1	B	97	ILE	N-CA-C	10.26	130.67	109.34
1	A	99	SER	N-CA-C	-9.41	100.75	112.88
1	B	5	SER	N-CA-C	-8.91	102.95	112.93
1	B	65	ASN	CB-CG-ND2	8.77	129.56	116.40
1	B	8	ILE	N-CA-C	-8.70	100.43	108.95
1	B	47	ASP	CA-C-N	6.46	126.43	119.78
1	B	47	ASP	C-N-CA	6.46	126.43	119.78
1	A	65	ASN	CB-CG-ND2	-6.29	106.97	116.40
1	B	146	SER	N-CA-C	-6.01	104.85	111.82
1	A	151	ASN	N-CA-C	-5.93	104.81	111.28
1	B	99	SER	N-CA-C	-5.76	106.11	113.02
1	B	140	ARG	N-CA-C	-5.75	105.77	112.89
1	A	59	LYS	N-CA-C	-5.52	101.58	110.14
1	A	97	ILE	N-CA-C	-5.28	98.37	109.34
1	B	52	TYR	N-CA-C	-5.17	102.54	110.14
1	A	65	ASN	OD1-CG-ND2	5.09	127.69	122.60
1	A	140	ARG	N-CA-C	-5.01	106.00	111.82
1	A	8	ILE	CA-C-N	5.01	125.24	119.83
1	A	8	ILE	C-N-CA	5.01	125.24	119.83
1	B	65	ASN	N-CA-C	-5.01	98.44	107.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1396	0	1368	66	0
1	B	1425	0	1422	68	0
2	C	28	0	25	0	0
3	A	10	0	0	2	0
3	B	5	0	0	0	0
4	B	14	0	13	7	0
5	A	52	0	0	9	0
5	B	81	0	0	14	0
All	All	3011	0	2828	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:LEU:HD23	1:A:79:TRP:CZ3	1.50	1.45
1:A:114:ASN:HD21	1:A:117:GLN:HB2	1.03	1.15
1:B:103:LEU:HB3	5:B:252:HOH:O	1.53	1.08
1:A:70:LEU:CD2	1:A:79:TRP:CZ3	2.38	1.06
1:A:45:ASP:HB2	5:A:202:HOH:O	1.62	0.99
1:A:114:ASN:ND2	1:A:117:GLN:HB2	1.78	0.97
1:A:100:TYR:HB2	5:A:206:HOH:O	1.68	0.92
1:B:135:ILE:HD11	1:B:159:LEU:HD12	1.54	0.89
1:B:114:ASN:HD21	1:B:117:GLN:HB2	1.38	0.87
1:A:114:ASN:HD21	1:A:117:GLN:CB	1.89	0.85
1:B:100:TYR:HB2	5:B:252:HOH:O	1.77	0.84
1:A:70:LEU:HD23	1:A:79:TRP:HZ3	0.94	0.81
1:A:68:SER:HB2	1:A:79:TRP:CE2	2.18	0.78
1:B:34:VAL:HG21	1:B:144:LEU:HD12	1.66	0.78
1:B:103:LEU:HD21	1:B:106:TYR:HB2	1.65	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:ILE:O	1:B:97:ILE:HG12	1.85	0.75
1:A:18:LEU:HD22	1:A:88:GLN:NE2	2.02	0.75
1:A:20:GLN:HB3	1:A:21:ASN:OD1	1.86	0.74
1:A:70:LEU:HD23	1:A:79:TRP:CH2	2.23	0.72
1:A:96:ASN:C	1:A:97:ILE:O	2.32	0.71
1:B:174:GLN:N	1:B:174:GLN:OE1	2.24	0.70
1:A:74:LYS:O	1:A:75:LYS:HG3	1.93	0.69
1:B:70:LEU:HD23	1:B:72:ARG:HB2	1.73	0.69
1:B:128:GLN:O	1:B:129:ASN:HB2	1.93	0.68
1:A:41:ILE:C	1:A:42:LEU:HD12	2.18	0.68
1:B:28:GLN:OE1	1:B:58:LEU:HB2	1.96	0.66
1:B:149:LYS:HE2	5:B:254:HOH:O	1.94	0.66
1:B:107:LEU:HD21	1:B:124:LYS:HE2	1.79	0.65
1:B:70:LEU:CD2	1:B:72:ARG:HB2	2.26	0.65
1:A:96:ASN:O	1:A:97:ILE:C	2.40	0.65
1:A:68:SER:CB	1:A:79:TRP:CZ2	2.80	0.64
1:B:92:PHE:HB2	1:B:108:VAL:HB	1.78	0.64
1:A:70:LEU:CD2	1:A:79:TRP:HZ3	1.88	0.63
1:A:97:ILE:O	1:A:98:LYS:CB	2.45	0.63
4:B:178:NAG:O7	4:B:178:NAG:H3	1.99	0.62
1:A:106:TYR:HE2	3:A:181:SO4:O4	1.83	0.61
1:B:67:THR:HG22	5:B:225:HOH:O	2.00	0.61
1:A:34:VAL:HG21	1:A:144:LEU:HD12	1.80	0.61
1:A:102:GLY:O	1:A:127:SER:HA	2.02	0.60
1:A:73:LYS:O	1:A:74:LYS:HB2	2.01	0.59
1:B:97:ILE:O	1:B:97:ILE:CG1	2.51	0.58
1:B:123:PHE:HB2	1:B:134:LYS:HG2	1.86	0.58
1:A:134:LYS:C	1:A:135:ILE:HG13	2.28	0.57
1:A:150:GLU:HB3	5:A:215:HOH:O	2.03	0.57
1:A:135:ILE:HD11	1:A:159:LEU:HD12	1.87	0.57
1:A:128:GLN:O	1:A:129:ASN:HB2	2.04	0.57
1:A:68:SER:HB2	1:A:79:TRP:CZ2	2.39	0.56
1:A:96:ASN:O	1:A:97:ILE:O	2.23	0.56
1:B:149:LYS:HD2	5:B:240:HOH:O	2.06	0.56
4:B:178:NAG:H81	5:B:205:HOH:O	2.06	0.56
1:B:167:VAL:HG23	1:B:168:PHE:N	2.21	0.55
1:B:128:GLN:O	1:B:129:ASN:CB	2.54	0.55
1:B:174:GLN:H	1:B:174:GLN:CD	2.14	0.55
1:A:69:VAL:HG13	1:A:78:TYR:CE1	2.43	0.54
1:B:135:ILE:CD1	1:B:159:LEU:HD12	2.33	0.54
1:B:4:THR:N	1:B:6:ASP:OD2	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:GLU:OE1	1:A:109:ARG:NH1	2.40	0.53
1:B:31:TRP:CE3	1:B:138:TYR:HB3	2.43	0.53
1:A:31:TRP:CE3	1:A:138:TYR:HB3	2.43	0.53
1:A:10:ALA:HA	1:A:133:PHE:CD1	2.44	0.52
1:B:49:GLN:O	1:B:169:PRO:HA	2.09	0.52
1:A:67:THR:CG2	5:A:184:HOH:O	2.57	0.52
1:A:68:SER:HB3	1:A:79:TRP:CH2	2.45	0.52
1:B:59:LYS:HG2	4:B:178:NAG:O7	2.10	0.52
1:B:98:LYS:HA	5:B:251:HOH:O	2.08	0.52
1:B:167:VAL:CG2	1:B:168:PHE:N	2.74	0.51
1:A:74:LYS:O	1:A:75:LYS:CG	2.59	0.51
1:A:80:ILE:HG22	1:A:81:ARG:N	2.25	0.51
4:B:178:NAG:O7	4:B:178:NAG:C3	2.59	0.51
1:A:20:GLN:C	1:A:21:ASN:OD1	2.55	0.50
1:A:105:SER:HB2	1:A:126:VAL:HB	1.94	0.50
1:A:34:VAL:HG22	1:A:137:LEU:HD13	1.94	0.49
1:B:72:ARG:HH11	1:B:72:ARG:CG	2.25	0.49
1:B:25:ASN:O	1:B:28:GLN:HB2	2.13	0.49
1:B:114:ASN:ND2	1:B:117:GLN:HB2	2.17	0.49
1:B:134:LYS:C	1:B:135:ILE:HG13	2.37	0.49
1:A:42:LEU:HD12	1:A:42:LEU:N	2.28	0.48
1:B:72:ARG:HH11	1:B:72:ARG:HG2	1.78	0.48
1:B:144:LEU:CD2	5:B:253:HOH:O	2.61	0.48
1:B:59:LYS:HA	4:B:178:NAG:H81	1.96	0.48
1:B:60:GLU:HB3	5:B:261:HOH:O	2.13	0.48
1:A:68:SER:HB3	1:A:79:TRP:CZ2	2.49	0.47
1:B:69:VAL:HG22	1:B:78:TYR:CD2	2.49	0.47
1:B:72:ARG:HG2	1:B:72:ARG:NH1	2.29	0.47
1:B:10:ALA:HA	1:B:133:PHE:CD1	2.50	0.47
1:B:22:PHE:CE2	1:B:110:VAL:HG11	2.50	0.47
1:B:94:LEU:HB2	1:B:106:TYR:CD1	2.50	0.47
1:B:31:TRP:CZ3	1:B:140:ARG:HD2	2.50	0.46
1:B:4:THR:C	1:B:6:ASP:H	2.21	0.46
1:A:60:GLU:C	1:A:62:LYS:H	2.24	0.46
1:B:69:VAL:HG12	1:B:175:CYS:HB3	1.98	0.46
1:B:22:PHE:HE2	1:B:110:VAL:HG11	1.80	0.46
1:A:92:PHE:HB2	1:A:108:VAL:HB	1.97	0.46
1:B:52:TYR:HB2	1:B:69:VAL:O	2.15	0.46
1:A:118:HIS:CD2	1:A:148:LEU:HD11	2.50	0.46
1:A:5:SER:CB	1:A:130:ARG:NH1	2.79	0.45
1:A:52:TYR:HB2	1:A:69:VAL:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:VAL:HG22	3:A:183:SO4:O3	2.16	0.45
1:A:67:THR:HG22	5:A:184:HOH:O	2.15	0.45
1:A:116:ASN:OD1	1:A:117:GLN:N	2.49	0.45
1:A:28:GLN:OE1	1:A:58:LEU:HB2	2.17	0.45
4:B:178:NAG:C8	5:B:205:HOH:O	2.64	0.45
1:B:145:THR:HG21	5:B:250:HOH:O	2.17	0.44
1:A:114:ASN:CG	1:A:117:GLN:HB2	2.39	0.44
1:B:67:THR:CG2	5:B:225:HOH:O	2.64	0.44
1:A:74:LYS:HE3	1:A:74:LYS:HB3	1.77	0.44
1:A:57:GLU:HG2	5:A:221:HOH:O	2.18	0.43
1:B:19:GLN:OE1	1:B:112:SER:HA	2.18	0.43
1:B:144:LEU:HD21	5:B:253:HOH:O	2.18	0.43
1:B:5:SER:O	1:B:130:ARG:NH1	2.41	0.43
1:A:157:LYS:CE	1:A:163:GLU:HG2	2.49	0.43
1:B:107:LEU:C	1:B:107:LEU:HD12	2.43	0.43
1:A:68:SER:HB2	1:A:79:TRP:CD2	2.53	0.43
1:A:88:GLN:HE21	1:A:91:GLU:HG3	1.83	0.43
1:B:127:SER:C	1:B:129:ASN:H	2.26	0.42
1:B:42:LEU:HD13	1:B:165:HIS:CE1	2.55	0.42
1:B:119:ALA:HB3	1:B:138:TYR:HB2	2.01	0.42
1:A:25:ASN:O	1:A:28:GLN:HB2	2.20	0.42
1:A:167:VAL:HG23	1:A:168:PHE:N	2.33	0.42
1:B:18:LEU:HD11	1:B:90:GLY:HA3	2.02	0.42
1:A:66:VAL:HG21	1:A:83:PHE:CD1	2.54	0.42
1:B:61:ASP:OD1	1:B:63:SER:HB2	2.20	0.42
1:B:107:LEU:HG	1:B:124:LYS:HB3	2.02	0.42
1:B:68:SER:HB2	1:B:79:TRP:CE2	2.55	0.41
1:A:128:GLN:O	1:A:129:ASN:CB	2.69	0.41
1:A:130:ARG:HA	1:B:78:TYR:CZ	2.56	0.41
1:B:66:VAL:HB	1:B:81:ARG:HB3	2.01	0.41
1:A:5:SER:OG	1:A:130:ARG:NH2	2.53	0.41
1:B:149:LYS:CE	5:B:254:HOH:O	2.63	0.41
1:B:174:GLN:N	1:B:174:GLN:CD	2.76	0.41
1:B:72:ARG:HA	1:B:72:ARG:HD3	1.85	0.40
1:A:149:LYS:HB2	5:A:224:HOH:O	2.21	0.40
1:B:73:LYS:O	1:B:74:LYS:HB2	2.22	0.40
1:B:59:LYS:HA	4:B:178:NAG:C8	2.52	0.40
1:B:69:VAL:CG1	1:B:175:CYS:HB3	2.51	0.40
1:A:45:ASP:N	5:A:202:HOH:O	2.53	0.40
1:A:89:PRO:HB3	5:A:233:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	171/177 (97%)	152 (89%)	16 (9%)	3 (2%)	6	14
1	B	172/177 (97%)	163 (95%)	5 (3%)	4 (2%)	5	9
All	All	343/354 (97%)	315 (92%)	21 (6%)	7 (2%)	6	12

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	97	ILE
1	A	13	LEU
1	A	97	ILE
1	B	129	ASN
1	A	175	CYS
1	B	115	TYR
1	B	175	CYS

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	1.86	1 (7%)	17,19,21	2.13	3 (17%)
2	NAG	C	2	2	14,14,15	0.64	0	17,19,21	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1	NAG	C1-C2	6.42	1.61	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	NAG	C1-C2-N2	7.26	121.87	110.43
2	C	1	NAG	O5-C1-C2	-3.27	106.22	111.29
2	C	1	NAG	O5-C5-C6	-2.09	103.60	107.66

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	181	-	4,4,4	0.33	0	6,6,6	0.10	0
4	NAG	B	178	1	14,14,15	2.89	2 (14%)	17,19,21	2.74	5 (29%)
3	SO4	B	182	-	4,4,4	0.33	0	6,6,6	0.10	0
3	SO4	A	183	-	4,4,4	0.36	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	178	1	1/1/5/7	1/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	178	NAG	C1-C2	10.16	1.66	1.52
4	B	178	NAG	C3-C2	3.09	1.59	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	178	NAG	C1-C2-N2	7.17	121.74	110.43
4	B	178	NAG	O5-C1-C2	-5.38	102.97	111.29
4	B	178	NAG	C2-N2-C7	-5.09	116.08	122.90
4	B	178	NAG	C1-O5-C5	2.87	116.03	112.19
4	B	178	NAG	O5-C5-C6	-2.75	102.31	107.66

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	178	NAG	C1

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	178	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	181	SO4	1	0
4	B	178	NAG	7	0
3	A	183	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.