



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 12:07 AM UTC

PDB ID : 3DFP / pdb_00003dfp
Title : Phosphate ions in D33N mutant fructose-1,6-bisphosphate aldolase from rabbit muscle
Authors : St-Jean, M.; Sygusch, J.
Deposited on : 2008-06-12
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	2% 82% 14% ..
1	B	363	% 83% 12% ..
1	C	363	% 81% 15% ..
1	D	363	4% 80% 20%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Fructose-bisphosphate aldolase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	350	Total	C	N	O	S	0	1	0
			2682	1686	478	507	11			
1	B	350	Total	C	N	O	S	0	1	0
			2682	1686	478	507	11			
1	C	352	Total	C	N	O	S	0	1	0
			2695	1693	481	510	11			
1	D	362	Total	C	N	O	S	0	1	0
			2754	1730	491	522	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33	ASN	ASP	engineered mutation	UNP P00883
B	33	ASN	ASP	engineered mutation	UNP P00883
C	33	ASN	ASP	engineered mutation	UNP P00883
D	33	ASN	ASP	engineered mutation	UNP P00883

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	513	Total	O	0	3
			513	513		
3	B	505	Total	O	0	3
			505	505		
3	C	545	Total	O	0	3
			545	545		
3	D	541	Total	O	0	3
			541	541		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fructose-bisphosphate aldolase A




• Molecule 1: Fructose-bisphosphate aldolase A



• Molecule 1: Fructose-bisphosphate aldolase A



• Molecule 1: Fructose-bisphosphate aldolase A





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.04Å 104.60Å 85.84Å 90.00° 98.89° 90.00°	Depositor
Resolution (Å)	50.00 – 2.05 50.00 – 2.05	Depositor EDS
% Data completeness (in resolution range)	85.0 (50.00-2.05) 91.9 (50.00-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 1.90Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.156 , 0.214 0.169 , 0.222	Depositor DCC
R_{free} test set	11093 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	14.0	Xtriage
Anisotropy	0.418	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 77.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12937	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2734	0.87	8/3702 (0.2%)
1	B	0.39	0/2734	0.85	5/3702 (0.1%)
1	C	0.37	0/2747	0.84	6/3719 (0.2%)
1	D	0.37	0/2807	0.85	8/3803 (0.2%)
All	All	0.38	0/11022	0.85	27/14926 (0.2%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	260	VAL	N-CA-C	8.55	115.34	107.56
1	C	260	VAL	N-CA-C	8.38	115.19	107.56
1	D	260	VAL	N-CA-C	7.92	115.39	107.55
1	A	232	MET	N-CA-C	-7.07	101.41	110.53
1	B	232	MET	N-CA-C	-7.02	101.47	110.53
1	B	260	VAL	N-CA-C	6.46	113.94	107.55
1	C	232	MET	N-CA-C	-6.26	102.26	110.53
1	B	73	ILE	N-CA-C	5.91	116.12	107.37
1	A	123	THR	N-CA-C	-5.87	100.84	109.18
1	D	141	GLY	N-CA-C	5.84	122.81	114.64
1	A	289	CYS	CA-C-N	5.62	125.73	119.32
1	A	289	CYS	C-N-CA	5.62	125.73	119.32
1	D	289	CYS	CA-C-N	5.57	125.24	119.56
1	D	289	CYS	C-N-CA	5.57	125.24	119.56
1	A	141	GLY	N-CA-C	5.40	122.20	114.64
1	C	141	GLY	N-CA-C	5.40	122.77	115.00
1	D	232	MET	N-CA-C	-5.39	103.41	110.53
1	C	223	LEU	N-CA-C	5.30	117.75	111.33
1	A	73	ILE	N-CA-C	5.28	115.37	107.51
1	B	141	GLY	N-CA-C	5.27	122.59	115.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	223	LEU	N-CA-C	5.24	116.99	111.28
1	C	148	ARG	N-CA-C	5.18	117.40	109.07
1	A	150	VAL	N-CA-C	5.17	115.35	108.11
1	C	189	GLU	N-CA-C	5.07	117.01	109.25
1	D	148	ARG	N-CA-C	5.04	117.18	109.07
1	D	347	GLN	N-CA-C	5.04	117.74	108.58
1	B	299	PHE	N-CA-C	5.03	117.80	109.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2682	0	2708	34	0
1	B	2682	0	2708	30	0
1	C	2695	0	2719	31	0
1	D	2754	0	2781	45	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
3	A	513	0	0	3	0
3	B	505	0	0	6	0
3	C	545	0	0	4	0
3	D	541	0	0	6	0
All	All	12937	0	10916	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:GLU:HG2	1:D:42:ARG:HH12	1.46	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:107:LYS:HG3	1:D:146[B]:LYS:HD2	1.66	0.77
1:A:60:GLN:NE2	1:A:88:ASP:H	1.87	0.72
1:D:284:ASN:ND2	1:D:342:TYR:H	1.90	0.70
1:C:125:GLN:HE22	1:D:129:GLY:H	1.40	0.69
1:A:60:GLN:HE22	1:A:88:ASP:H	1.40	0.69
1:B:8:THR:H	1:B:11:GLN:HE21	1.41	0.68
1:B:70:ASN:HB2	1:B:71:PRO:HD3	1.75	0.68
1:C:8:THR:H	1:C:11:GLN:HE21	1.42	0.68
1:D:301:TYR:HB3	1:D:304:ALA:HB3	1.78	0.65
1:D:36:THR:HG23	1:D:50:ASN:HD21	1.62	0.65
1:A:301:TYR:HB3	1:A:304:ALA:HB3	1.80	0.63
1:C:267:VAL:HB	1:C:297:LEU:HD23	1.81	0.63
1:B:41:LYS:HA	1:B:44:GLN:HG2	1.80	0.63
1:C:49:GLU:HG2	1:C:51:THR:HG23	1.80	0.63
1:B:293:LYS:HG2	1:B:297:LEU:HD11	1.82	0.61
1:D:284:ASN:HD21	1:D:342:TYR:H	1.47	0.61
1:B:200:ARG:HG3	1:B:200:ARG:HH11	1.67	0.60
1:D:325:GLU:O	1:D:329:LYS:HG3	2.01	0.60
1:C:228:LEU:HG	1:C:230:PRO:HD3	1.83	0.60
1:D:70:ASN:HB2	1:D:71:PRO:HD3	1.84	0.60
1:A:293:LYS:HG2	1:A:297:LEU:HD11	1.83	0.59
1:C:133:ARG:HD3	3:C:3512:HOH:O	2.03	0.59
1:C:318:GLU:H	1:C:318:GLU:CD	2.12	0.58
1:B:41:LYS:HA	1:B:44:GLN:HE21	1.69	0.58
1:B:291:LEU:O	1:B:293:LYS:HD3	2.05	0.56
1:A:146[A]:LYS:NZ	1:A:229:LYS:NZ	2.54	0.55
1:B:34:GLU:HG2	1:B:42:ARG:HH12	1.71	0.54
1:B:197:ASP:HB2	1:B:243:TYR:OH	2.08	0.54
1:A:146[A]:LYS:HZ1	1:A:229:LYS:HZ3	1.57	0.53
1:C:146[B]:LYS:C	1:C:146[B]:LYS:HD3	2.34	0.53
1:D:228:LEU:HG	1:D:230:PRO:HD3	1.91	0.53
1:A:110:LYS:HE3	3:B:3532:HOH:O	2.07	0.52
1:B:50:ASN:HD21	1:B:55:ARG:HD3	1.74	0.52
1:D:42:ARG:HH11	1:D:42:ARG:HG3	1.74	0.52
1:C:229:LYS:NZ	3:C:3478[B]:HOH:O	2.42	0.52
1:B:152:LYS:HE2	3:B:3298:HOH:O	2.07	0.52
1:D:92:PRO:HB3	3:D:3565:HOH:O	2.10	0.52
1:A:139:LYS:HB2	1:A:139:LYS:NZ	2.25	0.51
1:D:36:THR:CG2	1:D:50:ASN:HD21	2.22	0.51
1:C:93:PHE:N	1:C:94:PRO:HD2	2.25	0.51
1:C:125:GLN:NE2	1:D:129:GLY:H	2.07	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:LEU:C	1:A:61:LEU:HD23	2.36	0.51
1:C:152:LYS:HE2	3:C:3919:HOH:O	2.11	0.51
1:C:200:ARG:HG3	1:C:200:ARG:HH11	1.74	0.51
1:B:28:GLY:HA3	1:B:299:PHE:CZ	2.46	0.51
1:C:337:ALA:C	1:C:339:GLN:H	2.18	0.51
1:A:40:ALA:HA	1:A:50:ASN:HD22	1.75	0.51
1:A:146[B]:LYS:HD2	3:A:3003[B]:HOH:O	2.11	0.50
1:B:50:ASN:ND2	1:B:55:ARG:HH11	2.09	0.50
1:D:94:PRO:O	1:D:98:LYS:HG3	2.12	0.50
1:C:301:TYR:HB3	1:C:304:ALA:HB3	1.93	0.50
1:A:17:ASP:O	1:A:21:ARG:HG3	2.11	0.49
1:D:34:GLU:HG2	1:D:42:ARG:NH1	2.22	0.49
1:A:245:HIS:HD2	1:A:282:ASN:OD1	1.96	0.49
1:C:276:GLU:CD	1:C:307:ALA:HB3	2.37	0.49
1:A:28:GLY:HA3	1:A:299:PHE:CZ	2.48	0.49
1:B:146[B]:LYS:HG2	3:B:3439:HOH:O	2.13	0.49
1:D:66:ASP:OD1	1:D:68:ARG:HB2	2.12	0.49
1:A:317:LYS:HG3	3:A:3308:HOH:O	2.12	0.49
1:B:41:LYS:HA	1:B:44:GLN:NE2	2.26	0.49
1:C:268:THR:HB	1:C:300:SER:HB2	1.95	0.48
1:A:146[A]:LYS:NZ	1:A:229:LYS:HZ3	2.10	0.48
1:B:324:GLN:O	1:B:328:VAL:HG23	2.13	0.48
1:B:228:LEU:HG	1:B:230:PRO:HD3	1.94	0.48
1:C:199:LYS:HG3	3:C:3581:HOH:O	2.12	0.48
1:D:28:GLY:HA3	1:D:299:PHE:CZ	2.48	0.48
1:D:59:ARG:O	1:D:63:LEU:HG	2.14	0.47
1:D:291:LEU:O	1:D:293:LYS:HE2	2.14	0.47
1:A:228:LEU:HG	1:A:230:PRO:HD3	1.95	0.47
1:A:234:THR:HB	1:A:235:PRO:HD2	1.95	0.47
1:D:36:THR:HA	1:D:39:ILE:HG22	1.96	0.47
1:D:134:CYS:HB3	1:D:182:ILE:HD12	1.95	0.47
1:C:114:PRO:HA	1:C:122:THR:HG22	1.97	0.47
1:D:234:THR:HB	1:D:235:PRO:HD2	1.97	0.47
1:A:268:THR:HB	1:A:300:SER:HB2	1.97	0.47
1:C:28:GLY:HA3	1:C:299:PHE:CZ	2.50	0.47
1:B:229:LYS:NZ	3:B:3176[B]:HOH:O	2.43	0.47
1:D:61:LEU:C	1:D:61:LEU:HD23	2.39	0.47
1:C:36:THR:O	1:C:39:ILE:HG22	2.15	0.46
1:D:229:LYS:NZ	3:D:3203[B]:HOH:O	2.47	0.46
1:D:21:ARG:HD2	3:D:3386:HOH:O	2.15	0.46
1:A:291:LEU:O	1:A:293:LYS:HD3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:197:ASP:HB2	1:D:243:TYR:OH	2.17	0.45
1:C:66:ASP:OD1	1:C:68:ARG:HB2	2.17	0.45
1:D:185:ILE:HG12	1:D:227:LEU:HB2	1.97	0.45
1:D:298:THR:OG1	1:D:299:PHE:N	2.43	0.45
1:D:351:ALA:HA	1:D:354:GLU:OE2	2.17	0.45
1:A:276:GLU:CD	1:A:307:ALA:HB3	2.43	0.44
1:C:234:THR:HB	1:C:235:PRO:HD2	1.99	0.44
1:D:337:ALA:C	1:D:339:GLN:H	2.25	0.44
1:D:324:GLN:O	1:D:328:VAL:HG23	2.16	0.44
1:A:139:LYS:HB2	1:A:139:LYS:HZ2	1.82	0.44
1:C:276:GLU:OE2	1:C:307:ALA:HB3	2.16	0.44
1:A:83:LEU:HD23	1:A:94:PRO:HG3	2.00	0.44
1:B:234:THR:HB	1:B:235:PRO:HD2	1.99	0.44
1:A:41:LYS:O	1:A:44:GLN:HB3	2.18	0.44
1:B:244:SER:OG	1:B:247:GLU:HG3	2.18	0.44
1:C:61:LEU:C	1:C:61:LEU:HD23	2.43	0.44
1:D:276:GLU:CD	1:D:307:ALA:HB3	2.43	0.43
1:A:40:ALA:HA	1:A:50:ASN:ND2	2.34	0.43
1:B:28:GLY:HA3	1:B:299:PHE:CE1	2.53	0.43
1:C:233:VAL:CG2	1:C:252:THR:HA	2.48	0.43
1:A:1:PRO:HG3	3:D:3459:HOH:O	2.18	0.43
1:A:83:LEU:HD22	1:A:83:LEU:O	2.19	0.43
1:D:268:THR:HB	1:D:300:SER:HB2	2.00	0.43
1:A:324:GLN:O	1:A:328:VAL:HG23	2.19	0.42
1:C:197:ASP:HB2	1:C:243:TYR:OH	2.18	0.42
1:C:59:ARG:O	1:C:63:LEU:HG	2.19	0.42
1:D:17:ASP:O	1:D:21:ARG:HG3	2.19	0.42
1:A:3:SER:HB2	1:D:203:TYR:CD1	2.54	0.42
1:B:316:LYS:HD3	3:B:3496:HOH:O	2.19	0.42
1:D:350:ALA:O	1:D:354:GLU:HG3	2.20	0.42
1:A:207:LYS:HD2	3:D:3241:HOH:O	2.19	0.42
1:D:146[B]:LYS:HD3	1:D:146[B]:LYS:C	2.45	0.42
1:B:262:PRO:CG	1:C:294:PRO:HG3	2.49	0.42
1:C:250:MET:HG2	1:C:363:TYR:CE2	2.55	0.41
1:B:108:VAL:O	1:B:133:ARG:NH2	2.50	0.41
1:B:301:TYR:HB3	1:B:304:ALA:HB3	2.01	0.41
1:A:214:LYS:HG2	1:D:214:LYS:HG2	2.01	0.41
1:D:222:TYR:CZ	1:D:224:GLU:HB2	2.55	0.41
1:C:245:HIS:HD2	1:C:282:ASN:OD1	2.03	0.41
1:A:337:ALA:C	1:A:339:GLN:H	2.28	0.41
1:D:200:ARG:HG3	1:D:200:ARG:HH11	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:360:ASN:HB2	3:B:3418:HOH:O	2.21	0.41
1:D:277:GLU:OE2	1:D:344:PRO:HB3	2.20	0.41
1:A:294:PRO:HG3	1:D:262:PRO:CG	2.50	0.41
1:B:316:LYS:HB2	1:B:319:ASN:ND2	2.36	0.41
1:B:61:LEU:HD23	1:B:61:LEU:C	2.46	0.40
1:B:222:TYR:CZ	1:B:224:GLU:HB2	2.56	0.40
1:B:41:LYS:HA	1:B:44:GLN:CG	2.49	0.40
1:D:146[A]:LYS:HG3	3:D:3448:HOH:O	2.21	0.40
1:A:359:SER:HB3	3:A:3464:HOH:O	2.21	0.40
1:D:284:ASN:HD22	1:D:337:ALA:HA	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/363 (96%)	333 (96%)	12 (4%)	2 (1%)	21	13
1	B	347/363 (96%)	335 (96%)	10 (3%)	2 (1%)	21	13
1	C	349/363 (96%)	337 (97%)	10 (3%)	2 (1%)	21	13
1	D	361/363 (99%)	343 (95%)	14 (4%)	4 (1%)	11	5
All	All	1404/1452 (97%)	1348 (96%)	46 (3%)	10 (1%)	18	10

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	346	GLY
1	A	5	PRO
1	C	5	PRO
1	B	5	PRO
1	B	188	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	5	PRO
1	A	188	PRO
1	D	188	PRO
1	D	347	GLN
1	C	188	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/291 (98%)	279 (98%)	6 (2%)	47	46
1	B	285/291 (98%)	282 (99%)	3 (1%)	65	68
1	C	286/291 (98%)	283 (99%)	3 (1%)	68	72
1	D	291/291 (100%)	289 (99%)	2 (1%)	76	80
All	All	1147/1164 (98%)	1133 (99%)	14 (1%)	63	65

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	PRO
1	A	83	LEU
1	A	139	LYS
1	A	230	PRO
1	A	295	TRP
1	A	318	GLU
1	B	5	PRO
1	B	230	PRO
1	B	295	TRP
1	C	5	PRO
1	C	230	PRO
1	C	295	TRP
1	D	164	MET
1	D	295	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	HIS
1	A	60	GLN
1	A	119	ASN
1	A	241	GLN
1	A	245	HIS
1	A	319	ASN
1	B	11	GLN
1	B	44	GLN
1	B	50	ASN
1	B	95	GLN
1	B	119	ASN
1	B	136	GLN
1	B	202	GLN
1	B	220	HIS
1	C	11	GLN
1	C	54	ASN
1	C	85	GLN
1	C	125	GLN
1	C	136	GLN
1	C	241	GLN
1	C	245	HIS
1	C	306	GLN
1	C	339	GLN
1	C	360	ASN
1	C	361	HIS
1	D	4	HIS
1	D	50	ASN
1	D	54	ASN
1	D	85	GLN
1	D	241	GLN
1	D	284	ASN
1	D	324	GLN
1	D	360	ASN
1	D	361	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	D	3004	-	4,4,4	1.73	1 (25%)	6,6,6	0.47	0
2	PO4	A	3001	-	4,4,4	1.74	0	6,6,6	0.46	0
2	PO4	B	3002	-	4,4,4	1.73	0	6,6,6	0.47	0
2	PO4	C	3003	-	4,4,4	1.69	0	6,6,6	0.47	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	3004	PO4	P-O2	-2.03	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	350/363 (96%)	-0.33	6 (1%) 69 70	7, 15, 35, 52	3 (0%)
1	B	350/363 (96%)	-0.28	5 (1%) 73 75	5, 14, 37, 64	3 (0%)
1	C	352/363 (96%)	-0.28	4 (1%) 78 80	6, 15, 39, 59	3 (0%)
1	D	362/363 (99%)	-0.09	15 (4%) 41 41	7, 17, 51, 95	3 (0%)
All	All	1414/1452 (97%)	-0.24	30 (2%) 63 65	5, 15, 41, 95	12 (0%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	362	ALA	7.3
1	B	359	SER	6.3
1	C	359	SER	6.0
1	A	345	SER	5.8
1	D	361	HIS	5.7
1	A	359	SER	5.4
1	C	347	GLN	5.0
1	B	345	SER	4.9
1	D	348	ALA	3.9
1	B	1	PRO	3.9
1	D	346	GLY	3.6
1	A	1	PRO	3.5
1	D	349	GLY	3.5
1	D	360	ASN	3.4
1	D	350	ALA	3.3
1	D	1	PRO	3.2
1	D	351	ALA	3.1
1	D	347	GLN	3.1
1	D	359	SER	3.0
1	B	344	PRO	2.9
1	D	353	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	352	ALA	2.8
1	C	360	ASN	2.7
1	A	2	HIS	2.4
1	A	360	ASN	2.3
1	D	42	ARG	2.3
1	C	1	PRO	2.1
1	D	345	SER	2.1
1	B	360	ASN	2.0
1	A	344	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PO4	C	3003	5/5	0.82	0.15	38,48,57,59	0
2	PO4	B	3002	5/5	0.87	0.13	50,50,64,69	0
2	PO4	A	3001	5/5	0.88	0.14	38,47,50,61	0
2	PO4	D	3004	5/5	0.91	0.10	35,36,50,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.