



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 30, 2026 – 12:57 PM UTC

PDB ID : 8DF5 / pdb_00008df5
Title : SARS-CoV-2 Beta RBD in complex with human ACE2 and S304 Fab and S309 Fab
Authors : McCallum, M.; Seattle Structural Genomics Center for Infectious Disease (SS-GCID); Snell, G.; Veessler, D.
Deposited on : 2022-06-21
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	 91% 6%
1	C	230	 93% 7%
2	B	214	 92% 8%
2	D	214	 93% 7%
3	E	805	 60% 12% 27% 3%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	805	
4	H	223	
4	M	223	
5	L	215	
5	N	215	
6	R	263	
6	S	263	
7	G	2	
7	I	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	CL	C	302	-	-	X	-
9	CL	E	1115	-	-	X	-

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 26905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S309 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	224	Total	C	N	O	S	0	0	0
			1661	1050	278	326	7			
1	C	230	Total	C	N	O	S	0	0	0
			1714	1079	289	338	8			

- Molecule 2 is a protein called S309 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	214	Total	C	N	O	S	0	0	0
			1617	1006	276	331	4			
2	D	214	Total	C	N	O	S	0	0	0
			1608	1001	273	329	5			

- Molecule 3 is a protein called Angiotensin-converting enzyme 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	587	Total	C	N	O	S	0	0	0
			4580	2918	768	865	29			
3	F	592	Total	C	N	O	S	0	0	0
			4741	3036	786	892	27			

- Molecule 4 is a protein called S304 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	217	Total	C	N	O	S	0	0	0
			1603	1014	263	319	7			
4	M	218	Total	C	N	O	S	0	0	0
			1621	1025	266	324	6			

- Molecule 5 is a protein called S304 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	L	215	1622	1016	269	331	6	0	0	0
5	N	215	1615	1011	267	332	5	0	0	0

- Molecule 6 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	R	200	1576	1011	263	294	8	0	0	0
6	S	198	1548	994	255	291	8	0	0	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	296	MET	-	expression tag	UNP P0DTC2
R	297	GLY	-	expression tag	UNP P0DTC2
R	298	ILE	-	expression tag	UNP P0DTC2
R	299	LEU	-	expression tag	UNP P0DTC2
R	300	PRO	-	expression tag	UNP P0DTC2
R	301	SER	-	expression tag	UNP P0DTC2
R	302	PRO	-	expression tag	UNP P0DTC2
R	303	GLY	-	expression tag	UNP P0DTC2
R	304	MET	-	expression tag	UNP P0DTC2
R	305	PRO	-	expression tag	UNP P0DTC2
R	306	ALA	-	expression tag	UNP P0DTC2
R	307	LEU	-	expression tag	UNP P0DTC2
R	308	LEU	-	expression tag	UNP P0DTC2
R	309	SER	-	expression tag	UNP P0DTC2
R	310	LEU	-	expression tag	UNP P0DTC2
R	311	VAL	-	expression tag	UNP P0DTC2
R	312	SER	-	expression tag	UNP P0DTC2
R	313	LEU	-	expression tag	UNP P0DTC2
R	314	LEU	-	expression tag	UNP P0DTC2
R	315	SER	-	expression tag	UNP P0DTC2
R	316	VAL	-	expression tag	UNP P0DTC2
R	317	LEU	-	expression tag	UNP P0DTC2
R	318	LEU	-	expression tag	UNP P0DTC2
R	319	MET	-	expression tag	UNP P0DTC2
R	320	GLY	-	expression tag	UNP P0DTC2
R	321	CYS	-	expression tag	UNP P0DTC2
R	322	VAL	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	323	ALA	-	expression tag	UNP P0DTC2
R	324	GLU	-	expression tag	UNP P0DTC2
R	325	THR	-	expression tag	UNP P0DTC2
R	326	GLY	-	expression tag	UNP P0DTC2
R	327	THR	-	expression tag	UNP P0DTC2
R	417	ASN	LYS	conflict	UNP P0DTC2
R	484	LYS	GLU	conflict	UNP P0DTC2
R	501	TYR	ASN	conflict	UNP P0DTC2
R	530	SER	-	expression tag	UNP P0DTC2
R	531	THR	-	expression tag	UNP P0DTC2
R	532	HIS	-	expression tag	UNP P0DTC2
R	533	HIS	-	expression tag	UNP P0DTC2
R	534	HIS	-	expression tag	UNP P0DTC2
R	535	HIS	-	expression tag	UNP P0DTC2
R	536	HIS	-	expression tag	UNP P0DTC2
R	537	HIS	-	expression tag	UNP P0DTC2
R	538	HIS	-	expression tag	UNP P0DTC2
R	539	HIS	-	expression tag	UNP P0DTC2
R	540	GLY	-	expression tag	UNP P0DTC2
R	541	GLY	-	expression tag	UNP P0DTC2
R	542	SER	-	expression tag	UNP P0DTC2
R	543	SER	-	expression tag	UNP P0DTC2
R	544	GLY	-	expression tag	UNP P0DTC2
R	545	LEU	-	expression tag	UNP P0DTC2
R	546	ASN	-	expression tag	UNP P0DTC2
R	547	ASP	-	expression tag	UNP P0DTC2
R	548	ILE	-	expression tag	UNP P0DTC2
R	549	PHE	-	expression tag	UNP P0DTC2
R	550	GLU	-	expression tag	UNP P0DTC2
R	551	ALA	-	expression tag	UNP P0DTC2
R	552	GLN	-	expression tag	UNP P0DTC2
R	553	LYS	-	expression tag	UNP P0DTC2
R	554	ILE	-	expression tag	UNP P0DTC2
R	555	GLU	-	expression tag	UNP P0DTC2
R	556	TRP	-	expression tag	UNP P0DTC2
R	557	HIS	-	expression tag	UNP P0DTC2
R	558	GLU	-	expression tag	UNP P0DTC2
S	296	MET	-	expression tag	UNP P0DTC2
S	297	GLY	-	expression tag	UNP P0DTC2
S	298	ILE	-	expression tag	UNP P0DTC2
S	299	LEU	-	expression tag	UNP P0DTC2
S	300	PRO	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	301	SER	-	expression tag	UNP P0DTC2
S	302	PRO	-	expression tag	UNP P0DTC2
S	303	GLY	-	expression tag	UNP P0DTC2
S	304	MET	-	expression tag	UNP P0DTC2
S	305	PRO	-	expression tag	UNP P0DTC2
S	306	ALA	-	expression tag	UNP P0DTC2
S	307	LEU	-	expression tag	UNP P0DTC2
S	308	LEU	-	expression tag	UNP P0DTC2
S	309	SER	-	expression tag	UNP P0DTC2
S	310	LEU	-	expression tag	UNP P0DTC2
S	311	VAL	-	expression tag	UNP P0DTC2
S	312	SER	-	expression tag	UNP P0DTC2
S	313	LEU	-	expression tag	UNP P0DTC2
S	314	LEU	-	expression tag	UNP P0DTC2
S	315	SER	-	expression tag	UNP P0DTC2
S	316	VAL	-	expression tag	UNP P0DTC2
S	317	LEU	-	expression tag	UNP P0DTC2
S	318	LEU	-	expression tag	UNP P0DTC2
S	319	MET	-	expression tag	UNP P0DTC2
S	320	GLY	-	expression tag	UNP P0DTC2
S	321	CYS	-	expression tag	UNP P0DTC2
S	322	VAL	-	expression tag	UNP P0DTC2
S	323	ALA	-	expression tag	UNP P0DTC2
S	324	GLU	-	expression tag	UNP P0DTC2
S	325	THR	-	expression tag	UNP P0DTC2
S	326	GLY	-	expression tag	UNP P0DTC2
S	327	THR	-	expression tag	UNP P0DTC2
S	417	ASN	LYS	conflict	UNP P0DTC2
S	484	LYS	GLU	conflict	UNP P0DTC2
S	501	TYR	ASN	conflict	UNP P0DTC2
S	530	SER	-	expression tag	UNP P0DTC2
S	531	THR	-	expression tag	UNP P0DTC2
S	532	HIS	-	expression tag	UNP P0DTC2
S	533	HIS	-	expression tag	UNP P0DTC2
S	534	HIS	-	expression tag	UNP P0DTC2
S	535	HIS	-	expression tag	UNP P0DTC2
S	536	HIS	-	expression tag	UNP P0DTC2
S	537	HIS	-	expression tag	UNP P0DTC2
S	538	HIS	-	expression tag	UNP P0DTC2
S	539	HIS	-	expression tag	UNP P0DTC2
S	540	GLY	-	expression tag	UNP P0DTC2
S	541	GLY	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
S	542	SER	-	expression tag	UNP P0DTC2
S	543	SER	-	expression tag	UNP P0DTC2
S	544	GLY	-	expression tag	UNP P0DTC2
S	545	LEU	-	expression tag	UNP P0DTC2
S	546	ASN	-	expression tag	UNP P0DTC2
S	547	ASP	-	expression tag	UNP P0DTC2
S	548	ILE	-	expression tag	UNP P0DTC2
S	549	PHE	-	expression tag	UNP P0DTC2
S	550	GLU	-	expression tag	UNP P0DTC2
S	551	ALA	-	expression tag	UNP P0DTC2
S	552	GLN	-	expression tag	UNP P0DTC2
S	553	LYS	-	expression tag	UNP P0DTC2
S	554	ILE	-	expression tag	UNP P0DTC2
S	555	GLU	-	expression tag	UNP P0DTC2
S	556	TRP	-	expression tag	UNP P0DTC2
S	557	HIS	-	expression tag	UNP P0DTC2
S	558	GLU	-	expression tag	UNP P0DTC2

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	G	2	28	16	2	10	0	0	0
7	I	2	28	16	2	10	0	0	0

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	D	1	Total C O 4 2 2	0	0
8	D	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	E	1	Total C O 4 2 2	0	0
8	F	1	Total C O 4 2 2	0	0
8	F	1	Total C O 4 2 2	0	0
8	F	1	Total C O 4 2 2	0	0
8	F	1	Total C O 4 2 2	0	0
8	L	1	Total C O 4 2 2	0	0
8	L	1	Total C O 4 2 2	0	0
8	L	1	Total C O 4 2 2	0	0
8	M	1	Total C O 4 2 2	0	0
8	M	1	Total C O 4 2 2	0	0
8	N	1	Total C O 4 2 2	0	0
8	N	1	Total C O 4 2 2	0	0
8	R	1	Total C O 4 2 2	0	0
8	R	1	Total C O 4 2 2	0	0
8	R	1	Total C O 4 2 2	0	0
8	S	1	Total C O 4 2 2	0	0

- Molecule 9 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	3	Total Cl 3 3	0	0
9	C	2	Total Cl 2 2	0	0
9	D	2	Total Cl 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	E	5	Total	Cl	0	0
			5	5		
9	F	5	Total	Cl	0	0
			5	5		
9	H	1	Total	Cl	0	0
			1	1		
9	L	2	Total	Cl	0	0
			2	2		
9	R	1	Total	Cl	0	0
			1	1		
9	S	1	Total	Cl	0	0
			1	1		

- Molecule 10 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	E	1	Total	Zn	0	0
			1	1		
10	F	1	Total	Zn	0	0
			1	1		

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	E	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	E	1	Total	C	N	O	0	0
			14	8	1	5		
11	E	1	Total	C	N	O	0	0
			14	8	1	5		
11	E	1	Total	C	N	O	0	0
			14	8	1	5		
11	E	1	Total	C	N	O	0	0
			14	8	1	5		
11	E	1	Total	C	N	O	0	0
			14	8	1	5		
11	F	1	Total	C	N	O	0	0
			14	8	1	5		
11	F	1	Total	C	N	O	0	0
			14	8	1	5		
11	F	1	Total	C	N	O	0	0
			14	8	1	5		
11	F	1	Total	C	N	O	0	0
			14	8	1	5		
11	F	1	Total	C	N	O	0	0
			14	8	1	5		
11	R	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	79	Total	O	0	0
			79	79		
12	B	68	Total	O	0	0
			68	68		
12	C	56	Total	O	0	0
			56	56		
12	D	87	Total	O	0	0
			87	87		
12	E	59	Total	O	0	0
			59	59		
12	F	103	Total	O	0	0
			103	103		
12	H	66	Total	O	0	0
			66	66		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	L	118	Total 118	O 118	0	0
12	M	69	Total 69	O 69	0	0
12	N	98	Total 98	O 98	0	0
12	R	104	Total 104	O 104	0	0
12	S	110	Total 110	O 110	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: S309 Fab Heavy Chain

Chain A: 



- Molecule 1: S309 Fab Heavy Chain

Chain C: 



- Molecule 2: S309 Fab Light Chain

Chain B: 




- Molecule 2: S309 Fab Light Chain



Chain D: 




- Molecule 3: Angiotensin-converting enzyme 2

Chain E: 






• Molecule 5: S304 Fab Light Chain




• Molecule 5: S304 Fab Light Chain



• Molecule 6: Spike protein S1



• Molecule 6: Spike protein S1



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	78.53Å 126.77Å 145.66Å 91.78° 103.66° 96.02°	Depositor
Resolution (Å)	46.27 – 2.70 46.27 – 2.70	Depositor EDS
% Data completeness (in resolution range)	92.2 (46.27-2.70) 92.2 (46.27-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.177 , 0.217 0.177 , 0.217	Depositor DCC
R_{free} test set	9187 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å ²)	56.4	Xtrriage
Anisotropy	0.061	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	26905	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, CL, NAG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/1703	0.48	0/2327
1	C	0.31	0/1757	0.51	0/2398
2	B	0.32	0/1650	0.52	0/2244
2	D	0.33	0/1641	0.54	0/2233
3	E	0.33	0/4709	0.49	0/6422
3	F	0.28	0/4876	0.46	0/6641
4	H	0.30	0/1644	0.52	0/2247
4	M	0.30	0/1662	0.49	0/2268
5	L	0.33	0/1658	0.54	0/2257
5	N	0.33	0/1651	0.53	0/2252
6	R	0.32	0/1621	0.51	0/2208
6	S	0.33	0/1593	0.50	0/2174
All	All	0.31	0/26165	0.50	0/35671

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1661	0	1580	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1714	0	1645	9	0
2	B	1617	0	1558	12	0
2	D	1608	0	1545	9	0
3	E	4580	0	4119	64	0
3	F	4741	0	4415	39	0
4	H	1603	0	1510	16	0
4	M	1621	0	1539	15	0
5	L	1622	0	1551	9	0
5	N	1615	0	1529	10	0
6	R	1576	0	1479	9	0
6	S	1548	0	1437	12	0
7	G	28	0	25	0	0
7	I	28	0	25	1	0
8	A	8	0	12	0	0
8	B	24	0	36	2	0
8	C	4	0	6	0	0
8	D	8	0	12	0	0
8	E	16	0	24	0	0
8	F	16	0	24	0	0
8	L	12	0	18	2	0
8	M	8	0	12	2	0
8	N	8	0	12	0	0
8	R	12	0	18	0	0
8	S	4	0	6	0	0
9	A	3	0	0	0	0
9	C	2	0	0	2	0
9	D	2	0	0	0	0
9	E	5	0	0	3	0
9	F	5	0	0	1	0
9	H	1	0	0	0	0
9	L	2	0	0	0	0
9	R	1	0	0	0	0
9	S	1	0	0	1	0
10	E	1	0	0	0	0
10	F	1	0	0	0	0
11	E	84	0	78	0	0
11	F	84	0	78	2	0
11	R	14	0	13	0	0
12	A	79	0	0	1	0
12	B	68	0	0	0	1
12	C	56	0	0	3	0
12	D	87	0	0	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	E	59	0	0	1	0
12	F	103	0	0	2	0
12	H	66	0	0	2	0
12	L	118	0	0	5	0
12	M	69	0	0	0	0
12	N	98	0	0	0	0
12	R	104	0	0	2	0
12	S	110	0	0	2	0
All	All	26905	0	24306	209	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 209 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:231:GLU:HA	3:E:234:LYS:HE3	1.49	0.91
8:M:302:EDO:H22	5:N:55:GLN:HE22	1.34	0.89
3:E:113:SER:O	3:E:117:ASN:ND2	2.17	0.78
9:S:602:CL:CL	12:S:798:HOH:O	2.39	0.77
3:F:284:PRO:HD3	3:F:440:LEU:HD22	1.67	0.77

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:B:448:HOH:O	12:D:478:HOH:O[1_546]	2.05	0.15

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/230 (96%)	218 (99%)	2 (1%)	0	100	100
1	C	228/230 (99%)	225 (99%)	3 (1%)	0	100	100
2	B	212/214 (99%)	208 (98%)	4 (2%)	0	100	100
2	D	212/214 (99%)	207 (98%)	5 (2%)	0	100	100
3	E	583/805 (72%)	572 (98%)	10 (2%)	1 (0%)	43	68
3	F	588/805 (73%)	576 (98%)	12 (2%)	0	100	100
4	H	213/223 (96%)	211 (99%)	2 (1%)	0	100	100
4	M	214/223 (96%)	212 (99%)	2 (1%)	0	100	100
5	L	213/215 (99%)	207 (97%)	6 (3%)	0	100	100
5	N	213/215 (99%)	208 (98%)	5 (2%)	0	100	100
6	R	198/263 (75%)	191 (96%)	7 (4%)	0	100	100
6	S	196/263 (74%)	191 (97%)	5 (3%)	0	100	100
All	All	3290/3900 (84%)	3226 (98%)	63 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	253	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/192 (93%)	178 (100%)	0	100	100
1	C	187/192 (97%)	186 (100%)	1 (0%)	81	92
2	B	181/185 (98%)	180 (99%)	1 (1%)	78	91
2	D	180/185 (97%)	179 (99%)	1 (1%)	78	91
3	E	454/711 (64%)	445 (98%)	9 (2%)	48	76
3	F	495/711 (70%)	487 (98%)	8 (2%)	55	80
4	H	173/185 (94%)	170 (98%)	3 (2%)	53	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	M	177/185 (96%)	174 (98%)	3 (2%)	53	79
5	L	182/188 (97%)	181 (100%)	1 (0%)	81	92
5	N	180/188 (96%)	178 (99%)	2 (1%)	65	85
6	R	169/226 (75%)	169 (100%)	0	100	100
6	S	165/226 (73%)	164 (99%)	1 (1%)	78	91
All	All	2721/3374 (81%)	2691 (99%)	30 (1%)	65	85

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	F	401	HIS
5	N	56	SER
3	F	573	VAL
6	S	359	SER
4	M	56	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such sidechains are listed below:

Mol	Chain	Res	Type
5	N	211	ASN
6	R	360	ASN
6	S	394	ASN
3	F	221	GLN
3	E	599	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	G	1	7,6	14,14,15	0.48	0	17,19,21	0.64	0
7	NAG	G	2	7	14,14,15	1.11	2 (14%)	17,19,21	1.05	1 (5%)
7	NAG	I	1	7,6	14,14,15	0.38	0	17,19,21	0.60	0
7	NAG	I	2	7	14,14,15	0.34	0	17,19,21	1.32	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	G	1	7,6	-	0/6/23/26	0/1/1/1
7	NAG	G	2	7	-	0/6/23/26	0/1/1/1
7	NAG	I	1	7,6	-	0/6/23/26	0/1/1/1
7	NAG	I	2	7	-	1/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	2	NAG	O5-C1	-3.43	1.37	1.43
7	G	2	NAG	C1-C2	-2.10	1.49	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	I	2	NAG	C1-O5-C5	4.69	118.48	112.19
7	G	2	NAG	C1-O5-C5	3.39	116.73	112.19

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	I	2	NAG	C1-C2-N2-C7


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	I	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 67 ligands modelled in this entry, 24 are monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	EDO	B	303	-	3,3,3	0.45	0	2,2,2	0.36	0
11	NAG	E	1102	3	14,14,15	0.14	0	17,19,21	0.51	0
11	NAG	F	1202	3	14,14,15	0.21	0	17,19,21	0.72	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EDO	F	1209	-	3,3,3	1.61	0	2,2,2	1.12	0
11	NAG	E	1105	3	14,14,15	0.74	1 (7%)	17,19,21	0.86	1 (5%)
8	EDO	M	302	-	3,3,3	1.41	0	2,2,2	0.79	0
8	EDO	N	301	-	3,3,3	0.50	0	2,2,2	0.16	0
11	NAG	R	601	6	14,14,15	0.49	0	17,19,21	0.40	0
8	EDO	S	601	-	3,3,3	0.44	0	2,2,2	0.48	0
11	NAG	E	1107	3	14,14,15	0.53	0	17,19,21	0.62	1 (5%)
8	EDO	L	302	-	3,3,3	1.76	0	2,2,2	0.79	0
11	NAG	F	1205	3	14,14,15	0.39	0	17,19,21	0.72	1 (5%)
8	EDO	N	302	-	3,3,3	0.66	0	2,2,2	0.40	0
8	EDO	F	1210	-	3,3,3	1.72	1 (33%)	2,2,2	1.88	1 (50%)
8	EDO	D	301	-	3,3,3	0.43	0	2,2,2	0.31	0
8	EDO	M	301	-	3,3,3	0.46	0	2,2,2	0.54	0
8	EDO	E	1111	-	3,3,3	1.65	1 (33%)	2,2,2	1.52	0
8	EDO	A	302	-	3,3,3	0.44	0	2,2,2	0.25	0
11	NAG	E	1104	3	14,14,15	0.32	0	17,19,21	0.69	1 (5%)
8	EDO	R	604	-	3,3,3	0.41	0	2,2,2	0.46	0
11	NAG	F	1203	3	14,14,15	0.30	0	17,19,21	0.54	0
8	EDO	E	1110	-	3,3,3	1.49	0	2,2,2	1.31	0
11	NAG	F	1207	3	14,14,15	0.49	0	17,19,21	0.61	1 (5%)
11	NAG	E	1103	3	14,14,15	0.33	0	17,19,21	0.70	0
11	NAG	F	1206	3	14,14,15	0.53	0	17,19,21	0.45	0
8	EDO	B	304	-	3,3,3	0.43	0	2,2,2	0.35	0
8	EDO	B	302	-	3,3,3	0.53	0	2,2,2	0.19	0
8	EDO	D	302	-	3,3,3	0.50	0	2,2,2	0.20	0
8	EDO	R	602	-	3,3,3	0.47	0	2,2,2	0.32	0
8	EDO	B	306	-	3,3,3	0.96	0	2,2,2	2.21	1 (50%)
8	EDO	L	303	-	3,3,3	1.76	1 (33%)	2,2,2	0.34	0
8	EDO	L	301	-	3,3,3	0.52	0	2,2,2	0.07	0
8	EDO	F	1208	-	3,3,3	0.54	0	2,2,2	0.44	0
11	NAG	F	1204	3	14,14,15	0.37	0	17,19,21	0.50	0
8	EDO	A	301	-	3,3,3	0.49	0	2,2,2	0.24	0
8	EDO	R	603	-	3,3,3	0.42	0	2,2,2	0.44	0
8	EDO	E	1109	-	3,3,3	1.77	1 (33%)	2,2,2	1.17	0
8	EDO	F	1211	-	3,3,3	1.29	0	2,2,2	2.14	1 (50%)
8	EDO	B	305	-	3,3,3	0.46	0	2,2,2	0.33	0
8	EDO	B	301	-	3,3,3	0.39	0	2,2,2	0.45	0
8	EDO	C	301	-	3,3,3	0.53	0	2,2,2	0.20	0
11	NAG	E	1106	3	14,14,15	0.46	0	17,19,21	0.41	0
8	EDO	E	1108	-	3,3,3	0.39	0	2,2,2	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	B	303	-	-	0/1/1/1	-
11	NAG	E	1102	3	-	0/6/23/26	0/1/1/1
11	NAG	F	1202	3	-	0/6/23/26	0/1/1/1
8	EDO	F	1209	-	-	1/1/1/1	-
11	NAG	E	1105	3	-	0/6/23/26	0/1/1/1
8	EDO	M	302	-	-	0/1/1/1	-
8	EDO	N	301	-	-	0/1/1/1	-
11	NAG	R	601	6	-	0/6/23/26	0/1/1/1
8	EDO	S	601	-	-	0/1/1/1	-
11	NAG	E	1107	3	-	0/6/23/26	0/1/1/1
8	EDO	L	302	-	-	0/1/1/1	-
11	NAG	F	1205	3	-	1/6/23/26	0/1/1/1
8	EDO	N	302	-	-	0/1/1/1	-
8	EDO	F	1210	-	-	0/1/1/1	-
8	EDO	D	301	-	-	0/1/1/1	-
8	EDO	M	301	-	-	0/1/1/1	-
8	EDO	E	1111	-	-	1/1/1/1	-
8	EDO	A	302	-	-	0/1/1/1	-
11	NAG	E	1104	3	-	0/6/23/26	0/1/1/1
8	EDO	R	604	-	-	1/1/1/1	-
11	NAG	F	1203	3	-	0/6/23/26	0/1/1/1
8	EDO	E	1110	-	-	0/1/1/1	-
11	NAG	F	1207	3	-	0/6/23/26	0/1/1/1
11	NAG	E	1103	3	-	0/6/23/26	0/1/1/1
11	NAG	F	1206	3	-	0/6/23/26	0/1/1/1
8	EDO	B	304	-	-	0/1/1/1	-
8	EDO	B	302	-	-	0/1/1/1	-
8	EDO	D	302	-	-	1/1/1/1	-
8	EDO	R	602	-	-	0/1/1/1	-
8	EDO	B	306	-	-	1/1/1/1	-
8	EDO	L	303	-	-	1/1/1/1	-
8	EDO	L	301	-	-	0/1/1/1	-
8	EDO	F	1208	-	-	0/1/1/1	-
11	NAG	F	1204	3	-	3/6/23/26	0/1/1/1
8	EDO	A	301	-	-	0/1/1/1	-
8	EDO	R	603	-	-	0/1/1/1	-
8	EDO	E	1109	-	-	0/1/1/1	-
8	EDO	F	1211	-	-	0/1/1/1	-
8	EDO	B	305	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	B	301	-	-	0/1/1/1	-
8	EDO	C	301	-	-	0/1/1/1	-
11	NAG	E	1106	3	-	1/6/23/26	0/1/1/1
8	EDO	E	1108	-	-	0/1/1/1	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	E	1109	EDO	O1-C1	2.20	1.53	1.42
8	L	303	EDO	O1-C1	2.14	1.53	1.42
8	F	1210	EDO	O1-C1	2.12	1.52	1.42
11	E	1105	NAG	C1-C2	2.04	1.55	1.52
8	E	1111	EDO	O1-C1	2.03	1.52	1.42

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	E	1105	NAG	C1-O5-C5	2.87	116.03	112.19
8	B	306	EDO	O1-C1-C2	-2.64	92.25	112.39
11	F	1205	NAG	C1-O5-C5	2.46	115.48	112.19
8	F	1211	EDO	O1-C1-C2	-2.35	94.47	112.39
11	F	1202	NAG	C1-O5-C5	2.31	115.29	112.19

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	L	303	EDO	O1-C1-C2-O2
11	F	1205	NAG	O5-C5-C6-O6
11	F	1204	NAG	C4-C5-C6-O6
11	F	1204	NAG	O5-C5-C6-O6
11	E	1106	NAG	C4-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	M	302	EDO	2	0
8	L	302	EDO	2	0
11	F	1206	NAG	1	0
8	B	306	EDO	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	F	1204	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	224/230 (97%)	-0.26	1 (0%) 88 87	43, 65, 83, 105	0
1	C	230/230 (100%)	-0.29	3 (1%) 75 73	44, 59, 81, 114	0
2	B	214/214 (100%)	-0.41	1 (0%) 87 86	43, 55, 77, 97	0
2	D	214/214 (100%)	-0.41	1 (0%) 87 86	43, 53, 70, 107	0
3	E	587/805 (72%)	0.28	27 (4%) 37 34	50, 85, 126, 150	0
3	F	592/805 (73%)	-0.04	9 (1%) 72 70	50, 74, 98, 136	0
4	H	217/223 (97%)	-0.36	3 (1%) 73 72	42, 57, 78, 133	0
4	M	218/223 (97%)	-0.35	3 (1%) 73 72	41, 58, 78, 107	0
5	L	215/215 (100%)	-0.51	1 (0%) 87 86	39, 48, 70, 99	0
5	N	215/215 (100%)	-0.40	1 (0%) 87 86	40, 51, 82, 105	0
6	R	200/263 (76%)	-0.43	2 (1%) 79 78	40, 50, 75, 104	0
6	S	198/263 (75%)	-0.41	1 (0%) 87 86	41, 50, 76, 95	0
All	All	3324/3900 (85%)	-0.20	53 (1%) 70 68	39, 61, 103, 150	0

The worst 5 of 53 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	254	SER	5.3
3	E	603	PHE	5.3
3	F	135	PRO	5.2
5	N	215	CYS	4.9
3	F	614	ALA	4.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	G	1	14/15	-	-	53,56,63,71	0
7	NAG	G	2	14/15	-	-	72,80,90,100	0
7	NAG	I	1	14/15	-	-	53,59,67,71	0
7	NAG	I	2	14/15	-	-	65,85,92,97	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	NAG	E	1107	14/15	0.50	0.16	111,123,127,129	0
11	NAG	F	1207	14/15	0.55	0.16	100,115,120,121	0
11	NAG	F	1206	14/15	0.65	0.20	91,98,102,103	0
11	NAG	E	1106	14/15	0.68	0.14	101,110,114,114	0
8	EDO	L	302	4/4	0.68	0.26	63,69,71,72	0
11	NAG	E	1105	14/15	0.70	0.20	91,104,108,109	0
11	NAG	F	1205	14/15	0.70	0.17	93,100,103,110	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	NAG	F	1204	14/15	0.74	0.16	91,99,102,105	0
11	NAG	E	1104	14/15	0.76	0.14	77,89,94,95	0
9	CL	F	1216	1/1	0.78	0.16	94,94,94,94	0
11	NAG	E	1102	14/15	0.80	0.13	70,81,85,86	0
8	EDO	L	303	4/4	0.82	0.19	59,64,69,75	0
11	NAG	E	1103	14/15	0.83	0.12	66,71,76,83	0
8	EDO	B	305	4/4	0.83	0.15	56,62,63,66	0
8	EDO	N	302	4/4	0.83	0.20	57,63,63,64	0
11	NAG	R	601	14/15	0.83	0.15	91,99,103,104	0
8	EDO	E	1108	4/4	0.84	0.16	79,81,81,87	0
11	NAG	F	1203	14/15	0.85	0.12	68,70,75,78	0
8	EDO	F	1208	4/4	0.87	0.13	69,71,73,76	0
9	CL	R	605	1/1	0.87	0.16	88,88,88,88	0
8	EDO	F	1210	4/4	0.87	0.17	88,90,92,101	0
8	EDO	F	1211	4/4	0.87	0.22	69,70,85,86	0
8	EDO	C	301	4/4	0.87	0.15	53,61,62,62	0
8	EDO	B	302	4/4	0.87	0.15	58,65,70,73	0
8	EDO	E	1110	4/4	0.87	0.18	82,87,100,104	0
8	EDO	M	302	4/4	0.88	0.16	54,58,76,80	0
9	CL	C	303	1/1	0.88	0.26	77,77,77,77	0
8	EDO	A	301	4/4	0.89	0.15	62,64,66,67	0
8	EDO	D	302	4/4	0.89	0.16	58,60,62,63	0
8	EDO	S	601	4/4	0.90	0.15	60,61,62,70	0
9	CL	A	304	1/1	0.91	0.09	90,90,90,90	0
8	EDO	F	1209	4/4	0.91	0.13	74,79,85,91	0
8	EDO	B	301	4/4	0.92	0.10	55,58,58,59	0
8	EDO	E	1111	4/4	0.92	0.17	96,97,101,107	0
8	EDO	B	304	4/4	0.92	0.13	58,58,64,67	0
9	CL	F	1214	1/1	0.93	0.09	80,80,80,80	0
8	EDO	B	303	4/4	0.93	0.12	53,62,64,66	0
8	EDO	N	301	4/4	0.93	0.15	46,47,48,49	0
8	EDO	E	1109	4/4	0.93	0.17	70,76,80,80	0
9	CL	E	1113	1/1	0.93	0.09	88,88,88,88	0
9	CL	H	301	1/1	0.94	0.14	85,85,85,85	0
11	NAG	F	1202	14/15	0.94	0.08	63,68,75,80	0
9	CL	E	1112	1/1	0.94	0.09	96,96,96,96	0
8	EDO	M	301	4/4	0.94	0.13	50,53,55,57	0
9	CL	E	1114	1/1	0.94	0.13	80,80,80,80	0
9	CL	E	1116	1/1	0.94	0.07	88,88,88,88	0
8	EDO	A	302	4/4	0.94	0.13	59,60,62,65	0
8	EDO	R	602	4/4	0.94	0.15	55,56,57,59	0
8	EDO	B	306	4/4	0.95	0.13	68,70,75,92	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
9	CL	F	1215	1/1	0.95	0.10	92,92,92,92	0
9	CL	D	303	1/1	0.95	0.10	64,64,64,64	0
9	CL	S	602	1/1	0.96	0.07	66,66,66,66	0
8	EDO	R	604	4/4	0.96	0.09	47,49,52,59	0
8	EDO	L	301	4/4	0.96	0.10	43,45,46,47	0
9	CL	A	303	1/1	0.96	0.10	86,86,86,86	0
8	EDO	D	301	4/4	0.96	0.13	52,53,56,58	0
9	CL	L	305	1/1	0.96	0.11	82,82,82,82	0
8	EDO	R	603	4/4	0.96	0.09	49,49,53,53	0
9	CL	E	1115	1/1	0.97	0.08	82,82,82,82	0
9	CL	D	304	1/1	0.97	0.12	66,66,66,66	0
9	CL	F	1213	1/1	0.97	0.07	67,67,67,67	0
9	CL	L	304	1/1	0.97	0.07	79,79,79,79	0
9	CL	C	302	1/1	0.97	0.09	76,76,76,76	0
9	CL	A	305	1/1	0.98	0.19	65,65,65,65	0
10	ZN	E	1101	1/1	0.99	0.03	88,88,88,88	0
10	ZN	F	1201	1/1	0.99	0.04	86,86,86,86	0
9	CL	F	1212	1/1	0.99	0.07	78,78,78,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.