



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 07:42 PM UTC

PDB ID : 2DGJ / pdb_00002dgj
Title : Crystal structure of EbhA (756-1003 domain) from Staphylococcus aureus
Authors : Tanaka, Y.; Yao, M.; Kuroda, M.; Watanabe, N.; Ohta, T.; Tanaka, I.
Deposited on : 2006-03-14
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	2% 64% 29% • •
1	B	257	10% 56% 31% 7% 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3929 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hypothetical protein ebhA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	246	Total	C	N	O	Se	0	0	0
			1831	1095	350	384	2			
1	B	242	Total	C	N	O	Se	0	0	0
			1798	1074	344	379	1			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	-	expression tag	UNP Q931R6
A	250	LEU	-	expression tag	UNP Q931R6
A	251	GLU	-	expression tag	UNP Q931R6
A	252	HIS	-	expression tag	UNP Q931R6
A	253	HIS	-	expression tag	UNP Q931R6
A	254	HIS	-	expression tag	UNP Q931R6
A	255	HIS	-	expression tag	UNP Q931R6
A	256	HIS	-	expression tag	UNP Q931R6
A	257	HIS	-	expression tag	UNP Q931R6
B	1	MSE	-	expression tag	UNP Q931R6
B	250	LEU	-	expression tag	UNP Q931R6
B	251	GLU	-	expression tag	UNP Q931R6
B	252	HIS	-	expression tag	UNP Q931R6
B	253	HIS	-	expression tag	UNP Q931R6
B	254	HIS	-	expression tag	UNP Q931R6
B	255	HIS	-	expression tag	UNP Q931R6
B	256	HIS	-	expression tag	UNP Q931R6
B	257	HIS	-	expression tag	UNP Q931R6

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is ACETIC ACID (CCD ID: ACY) (formula: $C_2H_4O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	139	Total	O	0	0
			139	139		
5	B	141	Total	O	0	0
			141	141		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: hypothetical protein ebhA



- Molecule 1: hypothetical protein ebhA



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	45.27Å 161.85Å 133.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.80 – 2.35 19.80 – 2.35	Depositor EDS
% Data completeness (in resolution range)	96.4 (19.80-2.35) 96.3 (19.80-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.79 (at 2.34Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.241 , 0.287 0.245 , 0.245	Depositor DCC
R_{free} test set	2059 reflections (10.19%)	wwPDB-VP
Wilson B-factor (Å ²)	16.1	Xtriage
Anisotropy	1.188	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	3929	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/1836	0.86	4/2477 (0.2%)
1	B	0.36	0/1803	0.94	7/2435 (0.3%)
All	All	0.35	0/3639	0.90	11/4912 (0.2%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	226	ASP	N-CA-C	-10.64	99.70	112.89
1	B	217	LEU	CA-C-N	9.16	131.29	119.84
1	B	217	LEU	C-N-CA	9.16	131.29	119.84
1	A	54	LYS	N-CA-C	-9.01	91.61	110.80
1	B	247	LYS	N-CA-C	-7.62	102.84	113.20
1	B	228	LEU	N-CA-C	-6.94	103.49	112.23
1	A	55	ALA	N-CA-C	-6.50	104.82	112.89
1	A	221	THR	N-CA-C	-5.96	102.84	110.53
1	B	219	ASN	N-CA-C	5.83	120.79	111.81
1	B	245	LYS	N-CA-C	5.71	117.96	111.11
1	A	238	VAL	N-CA-C	5.25	115.69	110.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1831	0	1818	49	0
1	B	1798	0	1787	131	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	4	0	3	0	0
4	B	6	0	7	1	0
5	A	139	0	0	3	1
5	B	141	0	0	2	0
All	All	3929	0	3615	171	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:ILE:HG23	1:B:225:LYS:HD2	1.34	1.04
1:B:220:LEU:HD12	1:B:224:GLN:HG2	1.42	1.02
1:B:98:GLN:HE22	1:B:129:MSE:HE3	1.28	0.95
1:B:211:THR:HG23	1:B:229:LYS:HE3	1.57	0.86
1:B:220:LEU:HG	1:B:225:LYS:HZ3	1.38	0.86
1:A:53:ASP:OD2	1:B:200:ALA:HB1	1.77	0.84
1:B:214:ILE:HG23	1:B:225:LYS:CD	2.08	0.84
1:B:98:GLN:NE2	1:B:129:MSE:HE3	1.93	0.84
1:B:87:ASN:HD21	1:B:123:ASN:HD21	1.29	0.81
1:B:6:LEU:HD11	1:B:40:ALA:HB1	1.64	0.79
1:B:219:ASN:O	1:B:220:LEU:HD22	1.84	0.77
1:B:220:LEU:HD12	1:B:224:GLN:CG	2.14	0.76
1:B:222:GLN:O	1:B:226:ASP:HB2	1.86	0.76
1:A:201:GLU:OE2	1:B:46:LYS:HD3	1.86	0.74
1:B:217:LEU:HD11	1:B:225:LYS:NZ	2.03	0.74
1:B:133:GLN:NE2	1:B:170:LEU:HD13	2.03	0.73
1:B:244:VAL:HA	1:B:247:LYS:HD2	1.72	0.72
5:A:2004:HOH:O	1:B:31:THR:HG21	1.90	0.71
1:B:232:VAL:HG22	1:B:244:VAL:HG21	1.71	0.71
1:B:246:ASP:C	1:B:248:GLY:H	1.97	0.70
1:B:54:LYS:NZ	1:B:54:LYS:HB3	2.07	0.70
1:A:6:LEU:HD23	1:A:44:LEU:HD13	1.74	0.69
1:A:195:ALA:O	1:B:46:LYS:HE3	1.93	0.68
1:A:223:LEU:HD12	1:A:224:GLN:N	2.08	0.68
1:B:98:GLN:HE22	1:B:129:MSE:CE	2.04	0.68
1:B:87:ASN:HD21	1:B:123:ASN:ND2	1.92	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:ILE:HD13	1:A:228:LEU:HB3	1.76	0.67
1:A:213:THR:O	1:A:217:LEU:HD13	1.93	0.67
1:B:179:SER:O	1:B:183:VAL:HG23	1.93	0.67
1:B:129:MSE:HE2	1:B:183:VAL:CG2	2.26	0.66
1:B:214:ILE:HG21	1:B:229:LYS:HG3	1.75	0.66
1:A:20:GLN:HG3	1:A:110:THR:O	1.96	0.66
1:B:217:LEU:HD21	1:B:225:LYS:HZ2	1.61	0.66
1:B:220:LEU:CG	1:B:225:LYS:HZ3	2.09	0.65
1:B:221:THR:OG1	1:B:224:GLN:HB3	1.98	0.64
1:B:99:ARG:O	1:B:103:GLU:HG3	1.98	0.64
1:B:7:GLN:HG2	1:B:44:LEU:HD21	1.79	0.63
1:B:155:LYS:HD2	1:B:198:ASN:OD1	1.97	0.63
1:B:217:LEU:HD11	1:B:225:LYS:HZ2	1.61	0.63
1:B:217:LEU:HD21	1:B:225:LYS:HD3	1.82	0.62
1:B:217:LEU:HD11	1:B:220:LEU:HD23	1.82	0.62
1:B:241:VAL:O	1:B:244:VAL:HG22	2.01	0.61
1:A:96:ASN:O	1:A:100:THR:HG23	2.01	0.61
1:A:237:ASN:ND2	1:A:239:VAL:HG22	2.16	0.60
1:B:214:ILE:HA	1:B:217:LEU:HD23	1.84	0.60
1:B:214:ILE:CG2	1:B:225:LYS:HD2	2.22	0.60
1:B:87:ASN:ND2	1:B:123:ASN:HD21	2.00	0.59
1:B:129:MSE:HE2	1:B:183:VAL:HG21	1.85	0.59
1:B:214:ILE:HG21	1:B:229:LYS:CG	2.33	0.58
1:B:220:LEU:HB2	1:B:225:LYS:HZ1	1.68	0.58
1:A:163:VAL:O	1:A:167:GLU:HG3	2.04	0.58
1:A:215:ASN:HD21	1:A:229:LYS:NZ	2.01	0.58
1:A:6:LEU:HD22	1:A:57:VAL:HG13	1.84	0.57
1:B:246:ASP:C	1:B:248:GLY:N	2.63	0.57
1:A:194:LYS:HA	1:A:197:LEU:HD22	1.88	0.56
1:B:157:ASN:O	1:B:160:THR:HG22	2.05	0.56
1:B:220:LEU:HB2	1:B:225:LYS:NZ	2.20	0.56
1:B:133:GLN:HE21	1:B:170:LEU:HD13	1.70	0.56
1:B:220:LEU:CG	1:B:225:LYS:NZ	2.69	0.56
1:A:95:THR:OG1	1:A:98:GLN:HG3	2.06	0.56
1:B:119:LYS:HB3	1:B:119:LYS:NZ	2.20	0.56
1:B:220:LEU:CD1	1:B:224:GLN:HG2	2.25	0.56
1:B:76:LYS:HA	1:B:76:LYS:HE2	1.86	0.55
1:B:217:LEU:CD1	1:B:225:LYS:NZ	2.70	0.55
1:B:43:ILE:O	1:B:46:LYS:HG3	2.06	0.55
1:B:43:ILE:O	1:B:47:GLN:NE2	2.39	0.55
1:B:180:LYS:HD2	1:B:180:LYS:C	2.33	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:GLU:CD	1:A:37:VAL:HG11	2.33	0.54
1:B:72:ASN:O	1:B:76:LYS:HG2	2.08	0.54
1:B:17:LYS:HA	1:B:22:TYR:CD2	2.43	0.54
1:A:195:ALA:HB1	1:B:43:ILE:HG13	1.90	0.53
1:B:224:GLN:O	1:B:224:GLN:HG3	2.08	0.53
1:A:221:THR:OG1	1:A:224:GLN:HG3	2.09	0.53
1:A:247:LYS:O	1:A:251:GLU:HG3	2.09	0.52
1:B:145:ASN:O	1:B:149:LEU:HD22	2.09	0.52
1:B:217:LEU:CD1	1:B:220:LEU:HD23	2.39	0.52
1:B:228:LEU:O	1:B:232:VAL:HG23	2.10	0.52
1:B:129:MSE:HE2	1:B:183:VAL:HG22	1.90	0.52
1:B:214:ILE:HG23	1:B:225:LYS:CG	2.39	0.52
1:B:59:ARG:HH11	1:B:59:ARG:HG3	1.74	0.52
1:B:180:LYS:HE3	1:B:184:ASP:OD2	2.10	0.52
1:B:95:THR:OG1	1:B:98:GLN:HG3	2.10	0.51
1:B:217:LEU:CG	1:B:225:LYS:NZ	2.73	0.51
1:A:192:ARG:HE	1:B:38:ALA:HB1	1.76	0.51
1:B:157:ASN:HA	1:B:160:THR:HG22	1.92	0.50
1:B:217:LEU:CD1	1:B:225:LYS:HZ2	2.23	0.50
1:B:217:LEU:CG	1:B:225:LYS:HZ2	2.23	0.50
1:B:6:LEU:O	1:B:10:ILE:HG13	2.11	0.50
1:A:81:LYS:O	1:A:85:ARG:HG3	2.12	0.50
1:A:12:ASP:OD2	1:A:68:LYS:NZ	2.43	0.50
1:A:215:ASN:HD21	1:A:229:LYS:HZ1	1.59	0.50
1:B:13:GLU:O	1:B:16:THR:HB	2.12	0.49
1:B:200:ALA:HB3	5:B:2048:HOH:O	2.12	0.49
1:A:146:GLN:NE2	1:A:150:ASP:HB2	2.27	0.49
1:B:217:LEU:CD2	1:B:225:LYS:HZ2	2.23	0.49
1:B:230:HIS:CE1	1:B:234:GLN:NE2	2.81	0.48
1:B:244:VAL:O	1:B:247:LYS:HB2	2.12	0.48
1:A:239:VAL:HG13	5:A:2017:HOH:O	2.11	0.48
1:B:225:LYS:HB2	1:B:225:LYS:HE2	1.70	0.48
1:B:88:LEU:HA	1:B:91:LEU:CD2	2.43	0.48
1:B:68:LYS:HA	1:B:71:LEU:HD22	1.96	0.48
1:A:53:ASP:N	1:B:204:ARG:HH22	2.12	0.48
1:A:179:SER:O	1:A:183:VAL:HG23	2.15	0.47
1:B:180:LYS:HD2	1:B:180:LYS:O	2.14	0.47
1:B:203:LEU:HG	1:B:207:LYS:HE2	1.96	0.47
1:B:6:LEU:HD23	1:B:61:LEU:HB2	1.97	0.47
1:B:152:ASP:OD2	1:B:155:LYS:HE2	2.15	0.47
1:B:232:VAL:HG22	1:B:244:VAL:CG2	2.41	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:LEU:HD13	1:B:248:GLY:O	2.15	0.47
1:A:27:GLN:OE1	1:B:124:THR:HA	2.14	0.47
5:A:2062:HOH:O	1:B:192:ARG:HG2	2.15	0.46
1:A:26:GLU:OE1	1:A:29:LYS:HE2	2.15	0.46
1:A:225:LYS:O	1:A:229:LYS:HG3	2.16	0.46
1:B:232:VAL:CG2	1:B:244:VAL:HG21	2.43	0.46
1:B:14:ASN:C	1:B:16:THR:H	2.23	0.46
1:B:119:LYS:HB3	1:B:119:LYS:HZ3	1.81	0.46
1:B:7:GLN:NE2	1:B:11:ASP:OD2	2.50	0.45
1:B:54:LYS:HB3	1:B:54:LYS:HZ3	1.81	0.45
1:A:150:ASP:OD2	1:A:237:ASN:HB2	2.17	0.45
1:B:239:VAL:HG13	5:B:2108:HOH:O	2.16	0.45
1:B:210:ALA:O	1:B:214:ILE:HG12	2.17	0.45
1:A:29:LYS:HD2	1:A:72:ASN:OD1	2.17	0.45
1:A:201:GLU:HG3	1:B:53:ASP:HB2	1.99	0.45
1:B:220:LEU:CB	1:B:225:LYS:NZ	2.79	0.45
1:B:148:TYR:CE2	1:B:156:ARG:HG2	2.51	0.44
1:B:200:ALA:O	1:B:204:ARG:HG3	2.17	0.44
1:B:81:LYS:HE3	1:B:106:ILE:O	2.16	0.44
1:A:67:THR:O	1:A:71:LEU:HD13	2.17	0.44
1:A:93:HIS:CE1	1:A:130:ASN:HD22	2.35	0.44
1:B:221:THR:C	1:B:223:LEU:N	2.74	0.44
1:A:133:GLN:HA	1:A:170:LEU:HD21	2.00	0.44
1:B:216:GLY:O	1:B:218:PRO:HD3	2.18	0.44
1:B:159:TYR:O	1:B:163:VAL:HG23	2.17	0.43
1:B:14:ASN:HD22	1:B:14:ASN:HA	1.54	0.43
1:A:227:ASN:O	1:A:231:GLN:HG3	2.18	0.43
1:B:6:LEU:HD12	1:B:44:LEU:HD13	2.01	0.43
1:B:217:LEU:HG	1:B:225:LYS:NZ	2.33	0.43
1:B:217:LEU:HA	1:B:218:PRO:HD3	1.64	0.43
1:A:155:LYS:HE3	1:A:196:ALA:O	2.19	0.43
1:B:148:TYR:CD1	1:B:148:TYR:C	2.96	0.43
1:A:182:ASP:HA	1:A:185:ASN:HD22	1.84	0.43
1:B:98:GLN:O	1:B:102:LEU:HD22	2.18	0.43
1:A:140:ASP:O	1:A:144:ARG:HG3	2.19	0.42
1:B:6:LEU:CD1	1:B:10:ILE:HD11	2.49	0.42
1:B:6:LEU:CD2	1:B:61:LEU:HA	2.49	0.42
1:B:81:LYS:HD3	4:B:1001:GOL:H2	2.00	0.42
1:A:98:GLN:O	1:A:102:LEU:HD22	2.18	0.42
1:B:214:ILE:HG23	1:B:225:LYS:HG2	2.01	0.42
1:B:219:ASN:C	1:B:220:LEU:HD22	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:LEU:N	1:B:223:LEU:HD23	2.35	0.42
1:A:148:TYR:HA	1:A:197:LEU:HG	2.02	0.42
1:B:98:GLN:CD	1:B:129:MSE:HE3	2.45	0.42
1:B:211:THR:O	1:B:214:ILE:HB	2.20	0.42
1:B:221:THR:O	1:B:222:GLN:C	2.63	0.42
1:A:101:ALA:O	1:A:105:GLN:HG3	2.20	0.42
1:B:54:LYS:HB3	1:B:54:LYS:HZ2	1.81	0.41
1:B:59:ARG:HG3	1:B:59:ARG:NH1	2.36	0.41
1:B:220:LEU:HB3	1:B:221:THR:H	1.75	0.41
1:A:62:GLN:HE21	1:A:62:GLN:HB3	1.71	0.41
1:A:151:ALA:O	1:A:156:ARG:NH1	2.53	0.41
1:B:6:LEU:CD1	1:B:40:ALA:HB1	2.43	0.41
1:A:53:ASP:N	1:B:204:ARG:NH2	2.68	0.41
1:A:112:VAL:HG12	1:A:116:ASN:HD21	1.86	0.41
1:A:223:LEU:HD12	1:A:223:LEU:C	2.45	0.41
1:B:13:GLU:HA	1:B:33:TYR:OH	2.21	0.41
1:B:137:ASN:HD22	1:B:137:ASN:HA	1.64	0.41
1:B:210:ALA:HB1	1:B:245:LYS:HD3	2.03	0.41
1:B:58:ASP:O	1:B:61:LEU:HB3	2.21	0.40
1:B:14:ASN:C	1:B:16:THR:N	2.78	0.40
1:A:124:THR:CG2	1:A:180:LYS:HE3	2.51	0.40
1:B:21:LYS:NZ	1:B:71:LEU:O	2.53	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2075:HOH:O	5:A:2075:HOH:O[3_654]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/257 (94%)	236 (98%)	6 (2%)	0	100	100
1	B	238/257 (93%)	232 (98%)	5 (2%)	1 (0%)	30	34
All	All	480/514 (93%)	468 (98%)	11 (2%)	1 (0%)	43	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	215	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/196 (96%)	175 (93%)	14 (7%)	13	14
1	B	186/196 (95%)	165 (89%)	21 (11%)	5	5
All	All	375/392 (96%)	340 (91%)	35 (9%)	8	8

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	ARG
1	A	54	LYS
1	A	71	LEU
1	A	91	LEU
1	A	102	LEU
1	A	143	LEU
1	A	149	LEU
1	A	170	LEU
1	A	197	LEU
1	A	204	ARG
1	A	220	LEU
1	A	228	LEU
1	A	249	ASN
1	A	250	LEU
1	B	5	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	6	LEU
1	B	7	GLN
1	B	8	HIS
1	B	14	ASN
1	B	47	GLN
1	B	54	LYS
1	B	71	LEU
1	B	91	LEU
1	B	102	LEU
1	B	119	LYS
1	B	143	LEU
1	B	149	LEU
1	B	161	GLN
1	B	180	LYS
1	B	197	LEU
1	B	201	GLU
1	B	217	LEU
1	B	223	LEU
1	B	225	LYS
1	B	227	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	62	GLN
1	A	63	GLN
1	A	86	GLN
1	A	87	ASN
1	A	116	ASN
1	A	123	ASN
1	A	130	ASN
1	A	133	GLN
1	A	161	GLN
1	A	185	ASN
1	A	215	ASN
1	A	242	ASN
1	B	7	GLN
1	B	14	ASN
1	B	18	GLN
1	B	47	GLN
1	B	62	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	86	GLN
1	B	87	ASN
1	B	93	HIS
1	B	108	GLN
1	B	116	ASN
1	B	133	GLN
1	B	137	ASN
1	B	173	GLN
1	B	177	ASN
1	B	185	ASN
1	B	227	ASN
1	B	234	GLN
1	B	249	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	2001	-	4,4,4	0.32	0	6,6,6	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	2002	-	4,4,4	0.34	0	6,6,6	0.19	0
3	ACY	A	1501	-	3,3,3	0.56	0	3,3,3	0.84	0
4	GOL	B	1001	-	5,5,5	2.18	1 (20%)	5,5,5	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	1001	-	-	2/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1001	GOL	O1-C1	-4.80	1.22	1.42

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1001	GOL	O1-C1-C2-C3
4	B	1001	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1001	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	244/257 (94%)	0.21	5 (2%) 65 70	11, 18, 29, 41	0
1	B	241/257 (93%)	0.69	26 (10%) 11 12	14, 21, 46, 54	0
All	All	485/514 (94%)	0.45	31 (6%) 25 28	11, 20, 41, 54	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	225	LYS	7.1
1	B	223	LEU	5.2
1	B	224	GLN	3.9
1	A	53	ASP	3.8
1	B	5	GLN	3.7
1	B	218	PRO	3.6
1	B	246	ASP	3.5
1	B	221	THR	3.3
1	B	249	ASN	3.2
1	B	54	LYS	3.2
1	B	222	GLN	3.2
1	B	219	ASN	3.0
1	B	217	LEU	2.9
1	B	214	ILE	2.8
1	B	53	ASP	2.7
1	B	14	ASN	2.6
1	B	220	LEU	2.6
1	A	54	LYS	2.6
1	B	227	ASN	2.5
1	B	57	VAL	2.5
1	B	226	ASP	2.5
1	A	222	GLN	2.4
1	B	248	GLY	2.3
1	B	34	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	59	ARG	2.1
1	A	2	ALA	2.1
1	B	4	GLY	2.1
1	B	210	ALA	2.0
1	A	45	ASN	2.0
1	B	228	LEU	2.0
1	B	245	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	B	1001	6/6	0.69	0.18	38,38,38,38	0
3	ACY	A	1501	4/4	0.71	0.17	37,37,37,37	0
2	SO4	A	2002	5/5	0.82	0.19	61,61,61,61	0
2	SO4	B	2001	5/5	0.96	0.09	25,25,25,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.