



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:22 AM UTC

PDB ID : 7DH6 / pdb_00007dh6
Title : Crystal structure of PLRG1
Authors : Wang, X.; Xu, C.
Deposited on : 2020-11-13
Resolution : 2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	375	12% 59% 17% 25%
1	B	375	4% 66% 12% 22%
1	C	375	% 63% 15% 22%
1	D	375	5% 61% 17% 22%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pleiotropic regulator 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	4	0
			2180	1395	384	394	7			
1	B	294	Total	C	N	O	S	0	4	0
			2290	1453	410	419	8			
1	C	292	Total	C	N	O	S	0	1	0
			2265	1441	403	414	7			
1	D	291	Total	C	N	O	S	0	2	0
			2238	1426	399	406	7			

- Molecule 2 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ni	0	0
			1	1		
2	C	1	Total	Ni	0	0
			1	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Ca	0	0
			1	1		
4	C	1	Total	Ca	0	0
			1	1		
4	D	1	Total	Ca	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	26	Total	O	0	0
			26	26		
5	B	31	Total	O	0	0
			31	31		
5	C	37	Total	O	0	0
			37	37		
5	D	39	Total	O	0	0
			39	39		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pleiotropic regulator 1




• Molecule 1: Pleiotropic regulator 1



• Molecule 1: Pleiotropic regulator 1



- Molecule 1: Pleiotropic regulator 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.00Å 82.12Å 99.39Å 90.00° 99.44° 90.00°	Depositor
Resolution (Å)	38.16 – 2.58 38.16 – 2.58	Depositor EDS
% Data completeness (in resolution range)	98.7 (38.16-2.58) 98.8 (38.16-2.58)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.58Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.226 , 0.276 0.227 , 0.275	Depositor DCC
R_{free} test set	1705 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtriage
Anisotropy	0.142	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9116	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.05 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0008e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, SO4, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2244	0.46	1/3068 (0.0%)
1	B	0.23	0/2346	0.45	1/3200 (0.0%)
1	C	0.19	0/2324	0.41	0/3173
1	D	0.21	0/2298	0.41	1/3139 (0.0%)
All	All	0.25	0/9212	0.43	3/12580 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	258	SER	N-CA-C	8.45	115.59	108.07
1	A	260	TYR	N-CA-C	5.52	119.06	110.17
1	D	358	ASP	N-CA-C	-5.13	100.38	108.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2180	0	2056	49	0
1	B	2290	0	2192	32	0
1	C	2265	0	2172	44	0
1	D	2238	0	2136	47	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
2	C	1	0	0	0	0
3	A	5	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	26	0	0	3	0
5	B	31	0	0	3	0
5	C	37	0	0	3	0
5	D	39	0	0	3	0
All	All	9116	0	8556	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:358:ASP:HB3	5:D:701:HOH:O	1.70	0.91
1:B:342:GLU:HB3	1:B:365:ARG:HH22	1.47	0.78
1:D:366:VAL:HG21	1:D:402:ASP:HA	1.66	0.77
1:D:342:GLU:HB3	1:D:365:ARG:HH12	1.51	0.76
1:B:269:GLN:HG3	5:B:708:HOH:O	1.90	0.71
1:A:242:LEU:HD11	1:A:275:LEU:HD23	1.71	0.71
1:C:257:ARG:NH1	1:C:298:PRO:O	2.25	0.68
1:A:483:ASP:O	1:A:484:LYS:HG3	1.94	0.68
1:A:339:GLN:NE2	1:A:341:ALA:O	2.27	0.68
1:C:199:VAL:HG22	1:C:487:LYS:HG2	1.76	0.67
1:D:201:SER:HB3	1:D:485:THR:HG22	1.75	0.67
1:C:253:ILE:CG2	1:C:294:LEU:HD13	2.24	0.67
1:A:462:GLU:N	5:A:702:HOH:O	2.30	0.65
1:A:373:LYS:HB2	1:A:392:PRO:HD2	1.79	0.64
1:A:199:VAL:HG22	1:A:487:LYS:HG2	1.80	0.63
1:C:415:ILE:HB	1:C:432:ASP:HB2	1.80	0.63
1:A:274:ASP:O	1:A:278:ASN:N	2.31	0.62
1:B:396:LYS:NZ	1:B:408:ASN:OD1	2.33	0.61
1:A:414:ALA:N	5:A:701:HOH:O	2.33	0.61
1:B:415:ILE:HB	1:B:432:ASP:HB2	1.82	0.60
1:B:314:ILE:HD12	1:B:324:HIS:HB2	1.84	0.60
1:A:242:LEU:HD13	1:A:273:TRP:CE3	2.38	0.59
1:D:386:THR:HG22	1:D:399:LYS:HA	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:SER:HB3	1:A:308[B]:ARG:HG2	1.86	0.58
1:C:365:ARG:NH1	5:C:702:HOH:O	2.22	0.58
1:D:240:LEU:HD12	1:D:241:SER:H	1.68	0.58
1:D:225:ASP:OD1	1:D:227[B]:THR:HG22	2.03	0.57
1:A:261:LEU:HB3	1:A:275:LEU:HD11	1.86	0.57
1:D:189:GLN:HG2	1:D:190:TRP:H	1.70	0.57
1:D:240:LEU:HD12	1:D:241:SER:N	2.20	0.56
1:A:242:LEU:HD11	1:A:275:LEU:CD2	2.36	0.56
1:B:258:SER:CB	1:B:259:PRO:CD	2.84	0.56
1:A:257:ARG:NH2	1:A:299:THR:HG22	2.21	0.56
1:B:336:VAL:O	1:B:337:ARG:NH1	2.39	0.56
1:A:227[B]:THR:HG21	1:A:229:LYS:HZ3	1.70	0.56
1:D:343:PRO:HD3	1:D:401:PRO:HB3	1.87	0.56
1:D:434:GLY:HA2	1:D:465:ILE:HG13	1.88	0.55
1:A:257:ARG:HH21	1:A:299:THR:HG22	1.70	0.55
1:D:373:LYS:HD2	1:D:392:PRO:HB2	1.88	0.55
1:C:423:SER:OG	1:C:474:GLU:OE1	2.22	0.55
1:D:253:ILE:HB	1:D:294:LEU:HD11	1.88	0.55
1:D:391:SER:OG	1:D:393:ASP:OD1	2.22	0.55
1:B:476:ARG:HG2	1:B:490:ARG:HD3	1.89	0.55
1:A:313:ARG:HG3	1:A:324:HIS:O	2.07	0.54
1:A:230:ILE:CD1	1:A:275:LEU:HD22	2.36	0.54
1:B:345:ILE:HD11	1:B:359:LEU:HD13	1.88	0.54
1:B:350:HIS:HA	1:B:374:SER:HB3	1.90	0.54
1:A:256:THR:HG23	1:A:257:ARG:HG3	1.88	0.54
1:D:295:ASP:OD2	1:D:338:CYS:N	2.41	0.53
1:A:289:SER:CB	1:A:308[B]:ARG:HG2	2.38	0.53
1:B:297:HIS:HB3	1:B:300:ILE:O	2.09	0.53
1:A:227[B]:THR:HG21	1:A:229:LYS:NZ	2.24	0.53
1:A:230:ILE:HD11	1:A:275:LEU:HD22	1.90	0.52
1:A:391:SER:HG	1:A:394:ASN:H	1.52	0.52
1:B:391:SER:OG	1:B:393:ASP:OD1	2.23	0.52
1:D:283:HIS:NE2	5:D:703:HOH:O	2.24	0.52
1:A:436:MET:HB3	1:A:450:VAL:CG1	2.40	0.52
1:B:342:GLU:HB3	1:B:365:ARG:NH2	2.22	0.52
1:C:396:LYS:NZ	1:C:408:ASN:OD1	2.42	0.51
1:C:253:ILE:HG21	1:C:294:LEU:HD13	1.92	0.51
1:B:343:PRO:HG3	1:B:356:LEU:HB3	1.92	0.51
1:A:350:HIS:HA	1:A:374:SER:HB3	1.91	0.51
1:D:196:LEU:HD12	1:D:488:VAL:O	2.12	0.51
1:D:223:SER:HB3	1:D:225:ASP:OD1	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:SER:HB3	1:A:258:SER:HB2	1.92	0.50
1:A:313:ARG:HD2	1:A:315:TRP:CZ2	2.46	0.50
1:C:310:SER:O	5:C:701:HOH:O	2.20	0.50
1:A:243:THR:O	1:A:273:TRP:HH2	1.95	0.50
1:A:287:HIS:HB2	5:A:705:HOH:O	2.11	0.50
1:D:345:ILE:HD11	1:D:359:LEU:HD13	1.94	0.50
1:B:466:PHE:CE2	1:B:482:ALA:HB2	2.47	0.50
1:D:312:ALA:HB3	1:D:326:LEU:HB2	1.93	0.49
1:D:373:LYS:HB2	1:D:392:PRO:HD2	1.94	0.49
1:C:399:LYS:HG3	1:C:406:ILE:HD11	1.95	0.49
1:A:483:ASP:OD1	1:A:485:THR:OG1	2.30	0.48
1:C:481:GLU:OE2	1:C:487:LYS:HD2	2.13	0.48
1:C:481:GLU:OE1	1:C:487:LYS:NZ	2.45	0.48
1:C:345:ILE:HB	1:C:357:TRP:HB2	1.94	0.48
1:A:346:ILE:HD13	1:A:380:LEU:HD21	1.95	0.48
1:B:459:LEU:HD23	1:B:460:ASP:H	1.78	0.48
1:C:314:ILE:HB	1:C:323:VAL:HG22	1.95	0.48
1:A:313:ARG:HD2	1:A:315:TRP:CH2	2.49	0.48
1:C:406:ILE:HG12	1:D:204:LEU:HD11	1.95	0.48
1:D:326:LEU:HG	1:D:357:TRP:CE3	2.48	0.48
1:C:345:ILE:HD11	1:C:359:LEU:HD12	1.95	0.48
1:C:326:LEU:HB3	1:C:357:TRP:CZ3	2.48	0.48
1:C:387:PHE:CE1	1:C:398:TRP:HB2	2.49	0.48
1:D:387:PHE:CE1	1:D:398:TRP:HB2	2.49	0.47
1:A:258:SER:HB3	1:A:259:PRO:CD	2.42	0.47
1:C:253:ILE:HB	1:C:294:LEU:CD1	2.45	0.47
1:D:381:HIS:HD2	1:D:441:TRP:CE2	2.32	0.47
1:B:216:ASN:OD1	1:B:471:ASP:HB2	2.14	0.47
1:D:477:LEU:HB3	1:D:489:TYR:HB2	1.96	0.47
1:B:459:LEU:HD23	1:B:460:ASP:N	2.30	0.47
1:C:262:PHE:HZ	1:C:317:VAL:HG11	1.80	0.46
1:D:294:LEU:O	1:D:294:LEU:HD12	2.15	0.46
1:A:289:SER:HB3	1:A:308[B]:ARG:NH2	2.30	0.46
1:D:227[B]:THR:HG21	1:D:229:LYS:NZ	2.31	0.46
1:D:396:LYS:NZ	5:D:704:HOH:O	2.25	0.46
1:B:190:TRP:N	5:B:704:HOH:O	2.49	0.46
1:A:189:GLN:HG2	1:A:190:TRP:H	1.81	0.46
1:A:468[A]:CYS:SG	1:A:479:THR:HG22	2.56	0.46
1:B:342:GLU:CB	1:B:365:ARG:HH22	2.25	0.46
1:C:274:ASP:O	1:C:278:ASN:N	2.46	0.45
1:B:212:VAL:HG21	1:B:471:ASP:HA	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:253:ILE:HG22	1:B:262:PHE:HB2	1.99	0.45
1:C:223:SER:HB3	1:C:225:ASP:OD1	2.16	0.45
1:A:299:THR:HG21	1:D:310:SER:HB2	1.99	0.45
1:B:466:PHE:HE2	1:B:482:ALA:HB2	1.81	0.45
1:C:253:ILE:CG2	1:C:294:LEU:CD1	2.94	0.45
1:C:434:GLY:N	1:C:464:GLY:HA2	2.32	0.44
1:D:420:THR:O	1:D:427:LEU:HD12	2.17	0.44
1:A:345:ILE:HB	1:A:357:TRP:HB2	2.00	0.44
1:C:423:SER:HG	1:C:474:GLU:CD	2.24	0.44
1:C:436:MET:HE3	1:C:465:ILE:HD13	2.00	0.44
1:D:294:LEU:HD12	1:D:294:LEU:C	2.43	0.44
1:C:253:ILE:HB	1:C:294:LEU:HD11	1.99	0.44
1:A:343:PRO:CG	1:A:356:LEU:HB3	2.48	0.44
1:D:227[B]:THR:HG21	1:D:229:LYS:HZ3	1.83	0.44
1:D:253:ILE:O	1:D:261:LEU:HD12	2.18	0.44
1:D:229:LYS:HG3	1:D:238:LEU:HD11	2.00	0.44
1:B:424:ASP:OD2	1:C:373:LYS:NZ	2.50	0.43
1:B:459:LEU:HD22	1:B:461:SER:H	1.83	0.43
1:C:228:ILE:HB	1:C:242:LEU:HB2	2.00	0.43
1:C:368:LEU:HD13	1:C:398:TRP:CE3	2.53	0.43
1:C:294:LEU:C	1:C:294:LEU:HD12	2.43	0.43
1:A:339:GLN:HB3	1:A:344:GLN:HA	2.00	0.43
1:C:294:LEU:HD12	1:C:294:LEU:O	2.19	0.43
1:B:436:MET:CE	1:B:479:THR:HG21	2.49	0.43
1:C:412:HIS:ND1	1:C:429:SER:OG	2.49	0.43
1:C:436:MET:HE1	1:C:479:THR:HG21	2.01	0.43
1:D:203:HIS:CE1	1:D:229:LYS:HD3	2.54	0.43
1:C:326:LEU:HD22	1:C:357:TRP:CE3	2.54	0.43
1:A:253:ILE:O	1:A:261:LEU:HD12	2.19	0.43
1:B:370:ASN:HB2	1:B:398:TRP:HH2	1.84	0.43
1:C:292:TYR:CZ	1:C:308:ARG:HB2	2.54	0.42
1:D:343:PRO:HG3	1:D:356:LEU:HD13	2.01	0.42
1:C:393:ASP:OD1	1:C:394:ASN:N	2.52	0.42
1:D:346:ILE:HD13	1:D:380:LEU:HD21	2.01	0.42
1:A:333:VAL:HA	1:A:349:SER:HA	2.02	0.42
1:C:247:SER:OG	1:C:248:THR:N	2.53	0.42
1:B:322:SER:N	5:B:705:HOH:O	2.52	0.42
1:A:339:GLN:HB3	1:A:339:GLN:HE21	1.71	0.42
1:D:257:ARG:H	1:D:257:ARG:HG2	1.68	0.42
1:D:392:PRO:HG3	1:D:415:ILE:HD13	2.02	0.42
1:D:479:THR:OG1	1:D:487:LYS:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:LEU:CB	1:A:275:LEU:HD11	2.50	0.42
1:D:371:HIS:CE1	1:D:396:LYS:HG3	2.55	0.42
1:A:397:GLN:HB3	1:A:406:ILE:HB	2.02	0.42
1:C:252:VAL:HA	1:C:262:PHE:O	2.20	0.42
1:A:332:ALA:HB3	1:A:350:HIS:ND1	2.35	0.41
1:D:253:ILE:HB	1:D:294:LEU:CD1	2.50	0.41
1:D:312:ALA:O	1:D:326:LEU:N	2.49	0.41
1:C:247:SER:HB3	1:C:267:ASP:HB3	2.02	0.41
1:A:223:SER:OG	1:A:224:ALA:N	2.53	0.41
1:C:295:ASP:OD2	1:C:338:CYS:N	2.53	0.41
1:A:484:LYS:O	1:A:484:LYS:HD2	2.20	0.41
1:B:393:ASP:OD1	1:B:393:ASP:N	2.51	0.41
1:C:307:SER:OG	1:C:308:ARG:N	2.52	0.41
1:A:471:ASP:OD2	1:A:473:SER:OG	2.25	0.41
1:B:344:GLN:NE2	1:B:359:LEU:HB3	2.35	0.41
1:B:354:ILE:HB	1:B:368:LEU:HD12	2.02	0.41
1:C:253:ILE:HG22	1:C:294:LEU:HD13	2.01	0.40
1:B:317:VAL:O	1:B:318:ARG:HB2	2.19	0.40
1:D:394:ASN:OD1	1:D:408:ASN:HB3	2.21	0.40
1:C:191:HIS:HB3	5:C:722:HOH:O	2.21	0.40
1:D:253:ILE:HG22	1:D:262:PHE:HB2	2.04	0.40
1:A:224:ALA:HA	1:A:248:THR:HG23	2.03	0.40
1:D:314:ILE:HD12	1:D:324:HIS:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/375 (74%)	267 (96%)	12 (4%)	0	100	100
1	B	291/375 (78%)	282 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	287/375 (76%)	278 (97%)	9 (3%)	0	100	100
1	D	287/375 (76%)	277 (96%)	10 (4%)	0	100	100
All	All	1144/1500 (76%)	1104 (96%)	40 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/322 (69%)	223 (100%)	0	100	100
1	B	240/322 (74%)	240 (100%)	0	100	100
1	C	239/322 (74%)	238 (100%)	1 (0%)	84	92
1	D	231/322 (72%)	231 (100%)	0	100	100
All	All	933/1288 (72%)	932 (100%)	1 (0%)	88	96

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	410	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	339	GLN
1	A	384	HIS
1	B	472	GLN
1	D	331	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 5 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	602	-	4,4,4	0.23	0	6,6,6	0.12	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/375 (75%)	1.04	46 (16%) 4 3	17, 57, 89, 108	4 (1%)
1	B	294/375 (78%)	0.62	15 (5%) 33 29	20, 46, 66, 82	4 (1%)
1	C	292/375 (77%)	0.33	5 (1%) 69 65	15, 37, 52, 66	1 (0%)
1	D	291/375 (77%)	0.73	18 (6%) 26 22	19, 44, 75, 110	2 (0%)
All	All	1160/1500 (77%)	0.68	84 (7%) 21 18	15, 45, 78, 110	11 (0%)

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	275	LEU	4.1
1	A	416	ILE	4.0
1	A	289	SER	3.7
1	A	206	TRP	3.3
1	A	205	GLY	3.3
1	D	196	LEU	3.3
1	C	258	SER	3.2
1	B	301	ASP	3.2
1	A	332	ALA	3.2
1	A	338	CYS	3.2
1	A	375	VAL	3.1
1	A	333	VAL	3.1
1	D	300	ILE	3.1
1	A	317	VAL	3.1
1	A	450	VAL	2.9
1	B	198	ARG	2.9
1	D	362	GLY	2.8
1	A	256	THR	2.8
1	D	462	GLU	2.8
1	D	305	THR	2.8
1	D	338	CYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	202	GLY	2.8
1	A	434	GLY	2.7
1	A	378	VAL	2.7
1	D	436	MET	2.7
1	D	461	SER	2.7
1	A	364	THR	2.7
1	C	277	TYR	2.6
1	A	290	ALA	2.6
1	A	369	THR	2.6
1	B	190	TRP	2.6
1	A	366	VAL	2.6
1	A	340	ALA	2.6
1	C	393	ASP	2.5
1	A	386	THR	2.5
1	B	450	VAL	2.5
1	A	406	ILE	2.4
1	A	277	TYR	2.4
1	D	385	TYR	2.4
1	A	391	SER	2.4
1	B	491[A]	GLU	2.4
1	A	267	ASP	2.4
1	A	427	LEU	2.4
1	C	317	VAL	2.4
1	B	214	PRO	2.3
1	A	328	GLY	2.3
1	D	294	LEU	2.3
1	A	308[A]	ARG	2.3
1	A	405	PHE	2.3
1	A	400	PHE	2.3
1	B	259	PRO	2.3
1	B	282	ARG	2.3
1	A	368	LEU	2.3
1	A	444	GLY	2.2
1	B	275	LEU	2.2
1	B	317	VAL	2.2
1	C	462	GLU	2.2
1	A	387	PHE	2.2
1	A	390	GLY	2.2
1	D	380	LEU	2.2
1	A	301	ASP	2.2
1	A	276	GLU	2.2
1	A	356	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	277	TYR	2.2
1	A	324	HIS	2.1
1	A	370	ASN	2.1
1	B	453	ALA	2.1
1	A	292	TYR	2.1
1	D	316	ASP	2.1
1	A	314	ILE	2.1
1	A	383	ARG	2.1
1	B	254	VAL	2.1
1	D	299	THR	2.1
1	A	336	VAL	2.1
1	D	254	VAL	2.1
1	A	305	THR	2.1
1	A	415	ILE	2.1
1	D	492	ASP	2.1
1	B	228	ILE	2.0
1	D	367	THR	2.0
1	B	197	TYR	2.0
1	D	360	VAL	2.0
1	A	326	LEU	2.0
1	A	435	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	B	601	1/1	0.82	0.12	58,58,58,58	0
3	SO4	A	602	5/5	0.90	0.10	74,76,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	D	601	1/1	0.94	0.08	50,50,50,50	0
4	CA	C	602	1/1	0.97	0.11	51,51,51,51	0
2	NI	C	601	1/1	0.98	0.03	36,36,36,36	0
2	NI	A	601	1/1	0.99	0.02	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.