



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:27 AM UTC

PDB ID : 3DIF / pdb_00003dif
Title : Crystal structure of FabOX117
Authors : Nettleship, J.E.; Ren, J.; Owens, R.J.; Oxford Protein Production Facility (OPPF)
Deposited on : 2008-06-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	214	29% 83% 15% .
1	C	214	30% 80% 19% .
2	B	229	28% 76% 12% . 8%
2	D	229	26% 81% 10% . 7%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6854 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FabOX117 Light Chain Fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	0	0
			1657	1038	276	337	6			
1	C	214	Total	C	N	O	S	0	0	0
			1663	1041	277	338	7			

- Molecule 2 is a protein called FabOX117 Heavy Chain Fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	211	Total	C	N	O	S	0	0	0
			1604	1030	259	309	6			
2	D	213	Total	C	N	O	S	0	0	0
			1619	1038	264	311	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	224	HIS	-	expression tag	PDB 3DIF
B	225	HIS	-	expression tag	PDB 3DIF
B	226	HIS	-	expression tag	PDB 3DIF
B	227	HIS	-	expression tag	PDB 3DIF
B	228	HIS	-	expression tag	PDB 3DIF
B	229	HIS	-	expression tag	PDB 3DIF
D	224	HIS	-	expression tag	PDB 3DIF
D	225	HIS	-	expression tag	PDB 3DIF
D	226	HIS	-	expression tag	PDB 3DIF
D	227	HIS	-	expression tag	PDB 3DIF
D	228	HIS	-	expression tag	PDB 3DIF
D	229	HIS	-	expression tag	PDB 3DIF


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	39	Total 39	O 39	0	0
3	B	83	Total 83	O 83	0	0
3	C	74	Total 74	O 74	0	0
3	D	115	Total 115	O 115	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: FabOX117 Light Chain Fragment




• Molecule 1: FabOX117 Light Chain Fragment





• Molecule 2: FabOX117 Heavy Chain Fragment





● Molecule 2: FabOX117 Heavy Chain Fragment



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	41.21Å 70.60Å 87.85Å 101.50° 102.94° 98.32°	Depositor
Resolution (Å)	30.00 – 2.40 30.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.7 (30.00-2.40) 97.6 (30.00-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.36Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.219 , 0.286 0.285 , 0.330	Depositor DCC
R_{free} test set	1797 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	34.7	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 38.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6854	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/1697	0.67	0/2307
1	C	0.47	0/1703	0.66	0/2315
2	B	0.51	0/1652	0.69	0/2259
2	D	0.48	0/1667	0.71	2/2278 (0.1%)
All	All	0.48	0/6719	0.69	2/9159 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	205	HIS	CA-C-N	5.21	125.26	119.32
2	D	205	HIS	C-N-CA	5.21	125.26	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1657	0	1583	22	0
1	C	1663	0	1588	19	0
2	B	1604	0	1569	27	0
2	D	1619	0	1583	18	0
3	A	39	0	0	0	0
3	B	83	0	0	3	0
3	C	74	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	115	0	0	2	0
All	All	6854	0	6323	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:111:GLN:HE21	2:D:111:GLN:H	1.19	0.86
2:B:87:THR:HG22	2:B:89:GLU:H	1.39	0.86
2:B:6:GLN:H	2:B:111:GLN:HE22	1.19	0.84
2:D:6:GLN:H	2:D:111:GLN:HE22	1.25	0.84
2:B:111:GLN:HE21	2:B:111:GLN:H	1.34	0.74
1:A:54:ARG:HG3	1:A:58:VAL:HG22	1.68	0.73
2:D:39:GLN:HG2	3:D:328:HOH:O	1.90	0.69
1:A:3:VAL:HG13	1:A:26:SER:HB3	1.74	0.68
2:B:40:ARG:HH11	2:B:40:ARG:HG3	1.60	0.67
2:B:203:VAL:HB	2:B:212:VAL:HG23	1.76	0.66
1:A:17:ASP:O	1:A:78:VAL:HG23	1.96	0.66
3:B:277:HOH:O	2:D:102:ASP:HB3	1.97	0.66
2:D:102:ASP:OD1	3:D:238:HOH:O	2.12	0.65
1:A:83:LEU:HD11	1:A:166:GLN:HB3	1.78	0.65
1:C:11:MET:HE3	1:C:12:SER:H	1.61	0.64
1:A:27:GLN:OE1	2:D:30:THR:HG21	1.97	0.63
1:C:161:ASN:HB3	1:C:175:MET:HE2	1.81	0.63
1:C:54:ARG:HH12	1:C:63:THR:HG22	1.63	0.63
1:C:13:THR:HG21	1:C:19:VAL:HG22	1.80	0.62
2:D:76:SER:OG	2:D:78:THR:HG22	2.00	0.60
1:A:37:GLN:HB2	1:A:47:LEU:HD11	1.84	0.60
2:B:76:SER:O	2:B:78:THR:HG22	2.03	0.59
2:B:40:ARG:HB2	2:B:43:GLN:HB2	1.85	0.58
1:A:150:ILE:HD11	1:A:189:HIS:CG	2.39	0.58
1:C:3:VAL:HG13	1:C:26:SER:HB3	1.85	0.57
2:D:12:VAL:O	2:D:117:VAL:HA	2.05	0.57
1:C:150:ILE:HD11	1:C:179:LEU:HD21	1.85	0.56
1:C:196:ALA:HB3	1:C:205:ILE:HG23	1.87	0.56
1:A:54:ARG:CG	1:A:58:VAL:HG22	2.34	0.55
1:C:145:ASN:HB2	1:C:197:THR:HB	1.89	0.55
1:C:196:ALA:HB3	1:C:205:ILE:CG2	2.38	0.54
1:A:6:GLN:HE21	1:A:21:ILE:HG21	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:87:THR:O	2:B:117:VAL:HG11	2.08	0.54
2:B:76:SER:OG	2:B:78:THR:HG23	2.08	0.53
1:A:18:ARG:HG3	1:A:76:SER:HA	1.91	0.53
2:D:111:GLN:HE21	2:D:111:GLN:N	1.97	0.53
1:A:4:ILE:HD11	1:A:90:GLN:HB3	1.92	0.52
2:B:38:LYS:HB2	2:B:48:ILE:HD11	1.91	0.51
2:B:12:VAL:O	2:B:117:VAL:HA	2.12	0.50
2:B:6:GLN:H	2:B:111:GLN:NE2	1.99	0.50
1:C:159:VAL:HG22	1:C:179:LEU:HD13	1.93	0.49
2:B:103:ARG:HD3	2:B:105:TRP:CH2	2.47	0.49
1:C:54:ARG:NH1	1:C:63:THR:HG22	2.26	0.49
2:B:40:ARG:HH11	2:B:40:ARG:CG	2.25	0.49
2:B:11:LEU:HB2	2:B:153:PRO:HG3	1.94	0.49
2:B:161:ASN:HD21	2:B:199:VAL:HA	1.78	0.49
1:C:115:VAL:HG23	1:C:205:ILE:HD13	1.95	0.48
2:B:39:GLN:HG2	3:B:285:HOH:O	2.14	0.48
2:B:161:ASN:ND2	2:B:200:THR:H	2.11	0.48
1:A:1:ASP:N	2:D:53:PRO:O	2.46	0.48
1:A:55:TYR:O	1:A:58:VAL:HG13	2.13	0.48
2:D:40:ARG:HB2	2:D:43:GLN:HB2	1.94	0.48
1:C:164:THR:HG22	1:C:174:SER:H	1.79	0.47
2:D:111:GLN:H	2:D:111:GLN:NE2	2.00	0.47
1:A:35:TRP:CE2	1:A:73:PHE:HB2	2.49	0.47
2:B:103:ARG:HD3	2:B:105:TRP:CZ3	2.49	0.47
2:D:11:LEU:HB2	2:D:153:PRO:HG3	1.96	0.47
1:A:1:ASP:HB2	2:D:52:PHE:CE2	2.50	0.46
1:C:35:TRP:CE2	1:C:73:PHE:HB2	2.51	0.46
2:B:157:THR:CG2	2:B:204:ALA:HB3	2.46	0.45
1:A:135:PHE:C	1:A:136:LEU:HD12	2.41	0.45
1:A:54:ARG:HG3	1:A:58:VAL:CG2	2.43	0.45
1:A:136:LEU:HD12	1:A:136:LEU:N	2.32	0.44
1:A:183:LYS:O	1:A:187:GLU:HG2	2.17	0.44
2:D:62:GLU:HA	2:D:65:LYS:HD3	2.01	0.43
2:D:160:TRP:CZ3	2:D:201:CYS:HB3	2.53	0.43
2:B:29:PHE:CE2	2:B:53:PRO:HB3	2.53	0.43
2:B:103:ARG:HB2	3:B:296:HOH:O	2.19	0.43
1:C:13:THR:HG21	1:C:19:VAL:CG2	2.46	0.43
2:D:183:LEU:C	2:D:183:LEU:HD12	2.44	0.43
1:C:11:MET:CE	1:C:12:SER:H	2.29	0.43
2:B:91:SER:OG	2:B:117:VAL:HG13	2.19	0.42
1:C:183:LYS:O	1:C:187:GLU:HG2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:174:ALA:HB2	2:B:183:LEU:HD23	2.02	0.41
1:A:108:ARG:HH21	1:A:111:ALA:HB2	1.85	0.41
2:B:58:THR:HG23	2:B:60:TYR:CE2	2.55	0.41
1:A:91:HIS:HA	1:A:96:TRP:CD1	2.56	0.41
1:C:135:PHE:C	1:C:136:LEU:HD12	2.46	0.41
1:C:18:ARG:CZ	1:C:74:THR:HG21	2.52	0.40
2:B:36:TRP:CD1	2:B:70:LEU:HD22	2.57	0.40
1:A:150:ILE:HD11	1:A:189:HIS:HB3	2.04	0.40
2:B:67:LYS:HE2	2:B:84:SER:O	2.22	0.40
2:D:120:ALA:HB3	2:D:152:PHE:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/214 (99%)	205 (97%)	6 (3%)	0	100	100
1	C	212/214 (99%)	205 (97%)	7 (3%)	0	100	100
2	B	207/229 (90%)	202 (98%)	4 (2%)	1 (0%)	24	37
2	D	209/229 (91%)	205 (98%)	3 (1%)	1 (0%)	24	37
All	All	839/886 (95%)	817 (97%)	20 (2%)	2 (0%)	43	58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	102	ASP
2	B	102	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/190 (100%)	181 (96%)	8 (4%)	26	45
1	C	190/190 (100%)	172 (90%)	18 (10%)	8	13
2	B	180/194 (93%)	170 (94%)	10 (6%)	19	33
2	D	181/194 (93%)	172 (95%)	9 (5%)	22	38
All	All	740/768 (96%)	695 (94%)	45 (6%)	17	30

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	VAL
1	A	24	LYS
1	A	58	VAL
1	A	79	GLN
1	A	125	LEU
1	A	150	ILE
1	A	164	THR
1	A	207	LYS
2	B	12	VAL
2	B	13	LYS
2	B	40	ARG
2	B	58	THR
2	B	67	LYS
2	B	78	THR
2	B	87	THR
2	B	102	ASP
2	B	111	GLN
2	B	117	VAL
1	C	3	VAL
1	C	19	VAL
1	C	24	LYS
1	C	58	VAL
1	C	69	THR
1	C	81	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	83	LEU
1	C	94	THR
1	C	103	LYS
1	C	125	LEU
1	C	143	ASP
1	C	164	THR
1	C	181	LEU
1	C	182	THR
1	C	184	ASP
1	C	198	HIS
1	C	199	LYS
1	C	207	LYS
2	D	39	GLN
2	D	67	LYS
2	D	82	GLN
2	D	102	ASP
2	D	103	ARG
2	D	111	GLN
2	D	117	VAL
2	D	126	SER
2	D	149	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	A	145	ASN
2	B	43	GLN
2	B	82	GLN
2	B	111	GLN
2	B	161	ASN
2	B	170	HIS
1	C	37	GLN
1	C	137	ASN
1	C	161	ASN
1	C	198	HIS
1	C	210	ASN
2	D	5	GLN
2	D	82	GLN
2	D	111	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/214 (99%)	1.59	63 (29%) 1 1	40, 53, 64, 70	0
1	C	214/214 (100%)	1.66	64 (29%) 1 1	36, 54, 65, 82	0
2	B	211/229 (92%)	1.67	64 (30%) 1 1	42, 54, 67, 82	0
2	D	213/229 (93%)	1.66	59 (27%) 1 1	41, 54, 69, 80	0
All	All	851/886 (96%)	1.64	250 (29%) 1 1	36, 54, 67, 82	0

All (250) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	194	TRP	5.6
2	D	193	THR	5.2
2	D	104	ALA	4.7
2	D	194	TRP	4.5
1	C	206	VAL	4.4
2	B	132	PRO	4.3
2	B	105	TRP	3.9
2	B	156	VAL	3.9
2	D	132	PRO	3.8
1	A	134	CYS	3.7
2	B	20	ILE	3.7
2	D	105	TRP	3.7
2	D	197	GLU	3.6
1	C	148	TRP	3.6
2	B	170	HIS	3.6
2	D	189	VAL	3.6
2	B	101	TYR	3.6
1	A	94	THR	3.5
2	D	146	CYS	3.5
2	D	187	VAL	3.5
1	C	184	ASP	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	133	VAL	3.4
2	B	142	VAL	3.4
2	B	186	SER	3.4
1	C	163	TRP	3.4
2	D	145	GLY	3.4
1	C	153	SER	3.4
2	B	157	THR	3.3
1	C	132	VAL	3.3
2	D	184	SER	3.3
2	B	75	SER	3.3
2	B	212	VAL	3.3
2	D	186	SER	3.2
2	D	220	ASP	3.2
2	B	217	VAL	3.2
1	C	193	THR	3.2
2	D	131	ALA	3.2
1	C	10	PHE	3.2
1	C	115	VAL	3.2
2	D	214	LYS	3.2
1	C	208	SER	3.2
1	C	66	GLY	3.1
2	B	189	VAL	3.1
2	D	219	ARG	3.1
2	D	190	PRO	3.1
1	C	117	ILE	3.1
1	C	194	CYS	3.1
1	C	209	PHE	3.1
2	D	102	ASP	3.1
2	B	198	THR	3.0
1	C	191	SER	3.0
1	A	132	VAL	3.0
2	D	217	VAL	3.0
1	C	196	ALA	3.0
2	D	97	ALA	3.0
2	D	101	TYR	3.0
1	C	214	CYS	3.0
1	A	191	SER	3.0
1	A	150	ILE	3.0
1	C	192	TYR	3.0
2	D	141	MET	2.9
1	A	208	SER	2.9
1	C	200	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	216	ILE	2.9
2	D	130	LEU	2.9
2	B	102	ASP	2.9
1	C	4	ILE	2.9
2	D	78	THR	2.9
2	D	84	SER	2.8
2	B	215	LYS	2.8
2	B	146	CYS	2.8
1	A	83	LEU	2.8
1	A	188	ARG	2.8
1	C	2	ILE	2.8
1	C	197	THR	2.8
1	A	192	TYR	2.8
2	B	185	SER	2.8
1	C	119	PRO	2.8
2	D	142	VAL	2.8
2	B	87	THR	2.8
1	A	213	GLU	2.8
1	C	198	HIS	2.8
1	A	96	TRP	2.7
1	C	201	SER	2.7
2	B	85	SER	2.7
1	C	155	ARG	2.7
1	A	116	SER	2.7
1	A	203	SER	2.7
2	B	144	LEU	2.7
1	A	112	ALA	2.7
1	C	195	GLU	2.7
1	A	91	HIS	2.7
1	A	189	HIS	2.7
1	C	118	PHE	2.6
1	C	147	LYS	2.6
2	B	218	PRO	2.6
2	B	140	SER	2.6
1	C	189	HIS	2.6
1	A	209	PHE	2.6
2	B	53	PRO	2.6
1	C	188	ARG	2.6
1	C	212	ASN	2.6
1	C	127	SER	2.6
2	D	85	SER	2.6
1	A	78	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	104	ALA	2.5
2	D	188	THR	2.5
2	B	40	ARG	2.5
1	A	17	ASP	2.5
1	C	185	GLU	2.5
2	D	23	LYS	2.5
1	A	186	TYR	2.5
1	C	213	GLU	2.5
1	A	148	TRP	2.5
1	A	133	VAL	2.5
2	B	207	ALA	2.5
2	B	159	THR	2.5
2	B	141	MET	2.5
1	C	160	LEU	2.5
1	C	96	TRP	2.5
2	D	170	HIS	2.5
1	C	112	ALA	2.5
2	B	28	SER	2.5
1	A	135	PHE	2.4
1	A	163	TRP	2.4
1	A	206	VAL	2.4
1	C	3	VAL	2.4
1	C	157	ASN	2.4
2	B	158	VAL	2.4
2	D	147	LEU	2.4
2	D	103	ARG	2.4
1	C	210	ASN	2.4
2	D	212	VAL	2.4
2	B	99	GLY	2.4
2	D	20	ILE	2.4
2	B	47	TRP	2.4
1	A	153	SER	2.4
1	A	155	ARG	2.4
1	A	194	CYS	2.4
1	C	134	CYS	2.4
1	A	36	PHE	2.4
2	B	27	TYR	2.4
1	A	147	LYS	2.4
1	C	121	SER	2.3
2	B	26	GLY	2.3
1	A	205	ILE	2.3
2	B	51	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	127	VAL	2.3
1	C	202	THR	2.3
1	A	93	SER	2.3
1	A	129	GLY	2.3
2	B	54	GLY	2.3
1	C	21	ILE	2.3
2	B	165	LEU	2.3
1	A	139	PHE	2.3
1	A	146	VAL	2.3
2	D	195	PRO	2.3
2	D	98	ARG	2.3
1	A	168	SER	2.3
2	B	36	TRP	2.3
2	B	192	SER	2.3
1	A	87	TYR	2.3
2	B	37	VAL	2.3
2	D	66	GLY	2.3
2	B	130	LEU	2.3
2	B	13	LYS	2.3
1	C	135	PHE	2.3
1	A	210	ASN	2.2
1	A	46	LEU	2.2
2	D	148	VAL	2.2
2	D	143	THR	2.2
1	C	179	LEU	2.2
1	A	162	SER	2.2
1	C	123	GLU	2.2
2	B	197	GLU	2.2
2	B	95	PHE	2.2
2	D	169	VAL	2.2
1	A	212	ASN	2.2
1	C	190	ASN	2.2
1	A	142	LYS	2.2
1	A	126	THR	2.2
1	C	181	LEU	2.2
1	A	43	SER	2.2
1	C	116	SER	2.2
2	D	140	SER	2.2
2	D	164	SER	2.2
1	C	151	ASP	2.2
1	A	185	GLU	2.2
2	D	106	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	156	VAL	2.2
1	A	190	ASN	2.2
1	A	152	GLY	2.2
2	D	96	CYS	2.2
2	B	126	SER	2.2
1	A	18	ARG	2.2
1	A	204	PRO	2.2
1	C	207	LYS	2.2
2	D	63	LYS	2.2
1	A	63	THR	2.1
1	A	172	THR	2.1
1	A	144	ILE	2.1
2	D	22	CYS	2.1
2	D	1	GLU	2.1
1	C	1	ASP	2.1
1	C	110	ASP	2.1
2	B	31	SER	2.1
1	C	150	ILE	2.1
1	A	77	SER	2.1
2	B	190	PRO	2.1
2	B	172	PHE	2.1
2	D	12	VAL	2.1
1	A	51	ALA	2.1
1	A	109	ALA	2.1
1	C	111	ALA	2.1
2	B	97	ALA	2.1
1	A	193	THR	2.1
1	A	197	THR	2.1
2	B	15	GLY	2.1
1	C	186	TYR	2.1
2	D	128	TYR	2.1
1	C	137	ASN	2.1
2	D	165	LEU	2.1
1	A	97	THR	2.1
1	A	164	THR	2.1
2	B	30	THR	2.1
2	B	78	THR	2.1
2	B	200	THR	2.1
2	B	88	SER	2.1
1	A	120	PRO	2.1
2	B	106	PHE	2.0
2	B	119	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	45	LEU	2.0
2	B	94	TYR	2.0
1	C	175	MET	2.0
2	B	184	SER	2.0
2	D	43	GLN	2.0
1	C	71	PHE	2.0
1	C	73	PHE	2.0
2	B	203	VAL	2.0
2	D	158	VAL	2.0
1	C	136	LEU	2.0
2	B	24	ALA	2.0
1	A	149	LYS	2.0
2	D	49	GLY	2.0
2	D	65	LYS	2.0
2	B	50	TRP	2.0
2	B	109	TRP	2.0
1	A	143	ASP	2.0
1	A	184	ASP	2.0
2	D	77	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.