



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 06:33 AM UTC

PDB ID : 5DIB / pdb_00005dib
Title : 2.25 Angstrom resolution crystal structure of betaine aldehyde dehydrogenase (betB) Y450L point mutant from Staphylococcus aureus in complex with NAD⁺ and BME-modified Cys289
Authors : Halavaty, A.S.; Minasov, G.; Chen, C.; Joo, J.C.; Yakunin, A.F.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2015-08-31
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	517	2% 86% 10% .
1	B	517	3% 84% 11% .
1	C	517	2% 86% 10% .
1	D	517	2% 85% 10% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	CME	D	289	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16596 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Betaine aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	498	Total	C	N	O	S	0	3	0
			3883	2446	660	761	16			
1	B	496	Total	C	N	O	S	0	3	0
			3868	2437	656	760	15			
1	C	498	Total	C	N	O	S	0	2	0
			3874	2441	657	760	16			
1	D	496	Total	C	N	O	S	0	4	0
			3880	2444	659	762	15			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP Q9L4P8
A	-19	GLY	-	expression tag	UNP Q9L4P8
A	-18	SER	-	expression tag	UNP Q9L4P8
A	-17	SER	-	expression tag	UNP Q9L4P8
A	-16	HIS	-	expression tag	UNP Q9L4P8
A	-15	HIS	-	expression tag	UNP Q9L4P8
A	-14	HIS	-	expression tag	UNP Q9L4P8
A	-13	HIS	-	expression tag	UNP Q9L4P8
A	-12	HIS	-	expression tag	UNP Q9L4P8
A	-11	HIS	-	expression tag	UNP Q9L4P8
A	-10	SER	-	expression tag	UNP Q9L4P8
A	-9	SER	-	expression tag	UNP Q9L4P8
A	-8	GLY	-	expression tag	UNP Q9L4P8
A	-7	ARG	-	expression tag	UNP Q9L4P8
A	-6	GLU	-	expression tag	UNP Q9L4P8
A	-5	ASN	-	expression tag	UNP Q9L4P8
A	-4	LEU	-	expression tag	UNP Q9L4P8
A	-3	TYR	-	expression tag	UNP Q9L4P8
A	-2	PHE	-	expression tag	UNP Q9L4P8
A	-1	GLN	-	expression tag	UNP Q9L4P8
A	0	GLY	-	expression tag	UNP Q9L4P8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	450	LEU	TYR	engineered mutation	UNP Q9L4P8
B	-20	MET	-	initiating methionine	UNP Q9L4P8
B	-19	GLY	-	expression tag	UNP Q9L4P8
B	-18	SER	-	expression tag	UNP Q9L4P8
B	-17	SER	-	expression tag	UNP Q9L4P8
B	-16	HIS	-	expression tag	UNP Q9L4P8
B	-15	HIS	-	expression tag	UNP Q9L4P8
B	-14	HIS	-	expression tag	UNP Q9L4P8
B	-13	HIS	-	expression tag	UNP Q9L4P8
B	-12	HIS	-	expression tag	UNP Q9L4P8
B	-11	HIS	-	expression tag	UNP Q9L4P8
B	-10	SER	-	expression tag	UNP Q9L4P8
B	-9	SER	-	expression tag	UNP Q9L4P8
B	-8	GLY	-	expression tag	UNP Q9L4P8
B	-7	ARG	-	expression tag	UNP Q9L4P8
B	-6	GLU	-	expression tag	UNP Q9L4P8
B	-5	ASN	-	expression tag	UNP Q9L4P8
B	-4	LEU	-	expression tag	UNP Q9L4P8
B	-3	TYR	-	expression tag	UNP Q9L4P8
B	-2	PHE	-	expression tag	UNP Q9L4P8
B	-1	GLN	-	expression tag	UNP Q9L4P8
B	0	GLY	-	expression tag	UNP Q9L4P8
B	450	LEU	TYR	engineered mutation	UNP Q9L4P8
C	-20	MET	-	initiating methionine	UNP Q9L4P8
C	-19	GLY	-	expression tag	UNP Q9L4P8
C	-18	SER	-	expression tag	UNP Q9L4P8
C	-17	SER	-	expression tag	UNP Q9L4P8
C	-16	HIS	-	expression tag	UNP Q9L4P8
C	-15	HIS	-	expression tag	UNP Q9L4P8
C	-14	HIS	-	expression tag	UNP Q9L4P8
C	-13	HIS	-	expression tag	UNP Q9L4P8
C	-12	HIS	-	expression tag	UNP Q9L4P8
C	-11	HIS	-	expression tag	UNP Q9L4P8
C	-10	SER	-	expression tag	UNP Q9L4P8
C	-9	SER	-	expression tag	UNP Q9L4P8
C	-8	GLY	-	expression tag	UNP Q9L4P8
C	-7	ARG	-	expression tag	UNP Q9L4P8
C	-6	GLU	-	expression tag	UNP Q9L4P8
C	-5	ASN	-	expression tag	UNP Q9L4P8
C	-4	LEU	-	expression tag	UNP Q9L4P8
C	-3	TYR	-	expression tag	UNP Q9L4P8
C	-2	PHE	-	expression tag	UNP Q9L4P8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLN	-	expression tag	UNP Q9L4P8
C	0	GLY	-	expression tag	UNP Q9L4P8
C	450	LEU	TYR	engineered mutation	UNP Q9L4P8
D	-20	MET	-	initiating methionine	UNP Q9L4P8
D	-19	GLY	-	expression tag	UNP Q9L4P8
D	-18	SER	-	expression tag	UNP Q9L4P8
D	-17	SER	-	expression tag	UNP Q9L4P8
D	-16	HIS	-	expression tag	UNP Q9L4P8
D	-15	HIS	-	expression tag	UNP Q9L4P8
D	-14	HIS	-	expression tag	UNP Q9L4P8
D	-13	HIS	-	expression tag	UNP Q9L4P8
D	-12	HIS	-	expression tag	UNP Q9L4P8
D	-11	HIS	-	expression tag	UNP Q9L4P8
D	-10	SER	-	expression tag	UNP Q9L4P8
D	-9	SER	-	expression tag	UNP Q9L4P8
D	-8	GLY	-	expression tag	UNP Q9L4P8
D	-7	ARG	-	expression tag	UNP Q9L4P8
D	-6	GLU	-	expression tag	UNP Q9L4P8
D	-5	ASN	-	expression tag	UNP Q9L4P8
D	-4	LEU	-	expression tag	UNP Q9L4P8
D	-3	TYR	-	expression tag	UNP Q9L4P8
D	-2	PHE	-	expression tag	UNP Q9L4P8
D	-1	GLN	-	expression tag	UNP Q9L4P8
D	0	GLY	-	expression tag	UNP Q9L4P8
D	450	LEU	TYR	engineered mutation	UNP Q9L4P8

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Na	0	0
			2	2		
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: C₈H₁₈N₂O₄S).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 5 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	222	Total	O	0	2
			224	224		
5	B	225	Total	O	0	4
			229	229		
5	C	210	Total	O	0	3
			213	213		
5	D	210	Total	O	0	6
			216	216		

- Molecule 1: Betaine aldehyde dehydrogenase





● Molecule 1: Betaine aldehyde dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	224.87Å 102.63Å 118.24Å 90.00° 104.83° 90.00°	Depositor
Resolution (Å)	29.72 – 2.25 29.72 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.5 (29.72-2.25) 99.5 (29.72-2.25)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 2.24Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.216 , 0.255 0.217 , 0.255	Depositor DCC
R_{free} test set	6154 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtrriage
Anisotropy	0.697	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	16596	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0966e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, NAD, CME, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.82	1/3941 (0.0%)	1.08	19/5323 (0.4%)
1	B	0.79	1/3926 (0.0%)	1.09	18/5305 (0.3%)
1	C	0.81	0/3932	1.10	15/5312 (0.3%)
1	D	0.80	0/3938	1.10	19/5320 (0.4%)
All	All	0.81	2/15737 (0.0%)	1.09	71/21260 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	118	TYR	C-O	5.03	1.29	1.24
1	B	254	LEU	CA-C	-5.00	1.46	1.52

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	332	ILE	N-CA-C	10.56	121.38	110.72
1	C	332	ILE	N-CA-C	10.49	121.31	110.72
1	D	332	ILE	N-CA-C	10.26	121.08	110.72
1	A	332	ILE	N-CA-C	9.93	120.75	110.72
1	D	363	ARG	N-CA-C	-7.93	95.36	108.76
1	D	458	GLY	N-CA-C	7.41	124.15	111.19
1	A	458	GLY	N-CA-C	7.37	124.09	111.19
1	A	269	ASP	N-CA-C	-7.28	98.67	109.15
1	C	458	GLY	N-CA-C	7.17	123.73	111.19
1	B	458	GLY	N-CA-C	6.88	123.22	111.19
1	C	269	ASP	N-CA-C	-6.87	99.25	109.15
1	D	282	TYR	N-CA-C	6.82	122.44	113.30
1	B	282	TYR	N-CA-C	6.79	122.54	113.72
1	A	282	TYR	N-CA-C	6.64	122.36	113.72
1	C	282	TYR	N-CA-C	6.58	122.12	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	270	PHE	N-CA-C	6.56	118.09	111.07
1	B	269	ASP	N-CA-C	-6.46	98.66	108.67
1	D	269	ASP	N-CA-C	-6.46	98.67	108.67
1	C	256	LEU	N-CA-C	6.42	120.93	111.87
1	A	270	PHE	N-CA-C	6.39	117.91	111.07
1	B	256	LEU	N-CA-C	6.38	120.87	111.87
1	B	457	GLY	CA-C-N	-6.23	117.88	122.18
1	B	457	GLY	C-N-CA	-6.23	117.88	122.18
1	B	187	LEU	N-CA-C	6.16	118.54	111.02
1	D	270	PHE	N-CA-C	6.16	117.66	111.07
1	A	187	LEU	N-CA-C	6.12	118.48	111.02
1	C	3	LEU	N-CA-C	6.04	118.83	111.82
1	C	10	ARG	N-CA-C	5.98	118.57	109.95
1	D	256	LEU	N-CA-C	5.96	120.27	111.87
1	A	256	LEU	N-CA-C	5.93	120.23	111.87
1	C	375	THR	N-CA-C	5.89	119.08	109.24
1	A	43	GLY	N-CA-C	5.85	118.76	112.33
1	D	187	LEU	N-CA-C	5.80	118.10	111.02
1	D	475	GLU	N-CA-C	-5.67	105.24	111.82
1	C	176	SER	N-CA-C	-5.67	100.94	109.95
1	A	185	THR	CB-CA-C	-5.66	104.13	111.15
1	B	126	ASP	N-CA-C	5.63	117.14	107.28
1	C	187	LEU	N-CA-C	5.63	117.89	111.02
1	C	457	GLY	CA-C-N	-5.61	118.31	122.18
1	C	457	GLY	C-N-CA	-5.61	118.31	122.18
1	B	475	GLU	N-CA-C	-5.58	105.73	112.54
1	D	176	SER	N-CA-C	-5.58	101.08	109.95
1	B	10	ARG	N-CA-C	5.55	117.94	109.95
1	B	125	LYS	N-CA-C	5.50	119.98	113.16
1	C	416	TYR	N-CA-C	5.50	118.88	110.36
1	D	457	GLY	CA-C-N	-5.49	118.39	122.18
1	D	457	GLY	C-N-CA	-5.49	118.39	122.18
1	D	10	ARG	N-CA-C	5.47	117.83	109.95
1	A	10	ARG	N-CA-C	5.46	117.81	109.95
1	B	270	PHE	N-CA-C	5.46	116.92	110.97
1	B	133	SER	N-CA-C	5.43	116.73	109.83
1	B	29	ILE	N-CA-C	5.43	117.14	108.89
1	A	176	SER	N-CA-C	-5.41	101.34	109.95
1	A	133	SER	N-CA-C	5.38	116.66	109.83
1	C	299	ASN	N-CA-C	5.36	117.82	111.33
1	D	235	ILE	N-CA-C	5.36	116.09	110.62
1	D	375	THR	N-CA-C	5.35	117.95	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	416	TYR	N-CA-C	5.34	118.64	110.36
1	D	185	THR	CB-CA-C	-5.32	104.56	111.15
1	D	299	ASN	N-CA-C	5.30	117.74	111.33
1	A	299	ASN	N-CA-C	5.25	117.68	111.33
1	A	475	GLU	N-CA-C	-5.21	105.78	111.82
1	B	235	ILE	N-CA-C	5.16	115.88	110.62
1	B	416	TYR	N-CA-C	5.16	118.35	110.36
1	A	457	GLY	CA-C-N	-5.08	118.67	122.18
1	A	457	GLY	C-N-CA	-5.08	118.67	122.18
1	D	301	ILE	CB-CA-C	-5.08	105.46	111.65
1	A	125	LYS	N-CA-C	5.03	119.51	113.17
1	B	299	ASN	N-CA-C	5.03	117.41	111.33
1	A	375	THR	N-CA-C	5.03	117.44	109.50
1	D	459	TYR	N-CA-C	-5.00	104.07	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3883	0	3842	30	0
1	B	3868	0	3822	38	0
1	C	3874	0	3833	32	0
1	D	3880	0	3833	38	0
2	A	44	0	26	0	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	2	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	30	0	36	0	0
5	A	224	0	0	4	0
5	B	229	0	0	8	0
5	C	213	0	0	10	0
5	D	216	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	16596	0	15470	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:73:GLY:HA2	5:C:764:HOH:O	1.39	1.21
1:D:339:LYS:HD2	5:D:603:HOH:O	1.80	0.81
1:B:102:LEU:HB2	5:B:751:HOH:O	1.82	0.78
1:A:30:ASN:HB3	5:A:636:HOH:O	1.88	0.73
1:D:289:CME:H	1:D:289:CME:HE3	1.54	0.71
1:B:102:LEU:HD13	5:B:751:HOH:O	1.91	0.70
1:D:158:TYR:CE1	1:D:289:CME:OH	2.48	0.66
1:A:162:GLN:HG3	5:A:676:HOH:O	1.96	0.65
1:C:449:PRO:HB2	1:D:483:LEU:HD23	1.76	0.65
1:B:95:THR:HG21	5:B:751:HOH:O	1.98	0.64
1:C:325:ASP:HB2	5:C:690:HOH:O	1.97	0.63
1:A:19:GLU:HG2	5:A:745:HOH:O	2.02	0.60
1:B:2:GLU:O	1:B:5:LYS:HG2	2.02	0.59
1:D:158:TYR:CD1	1:D:289:CME:OH	2.46	0.59
1:B:37:ILE:HA	5:B:630:HOH:O	2.02	0.59
1:C:45:LYS:HD2	5:C:809:HOH:O	2.01	0.59
1:B:141:LYS:NZ	1:D:139:GLU:OE1	2.37	0.56
1:C:323:ASP:HB3	5:C:690:HOH:O	2.05	0.56
1:D:339:LYS:CD	5:D:603:HOH:O	2.47	0.56
1:A:496:LYS:C	1:B:315:LYS:HE2	2.32	0.55
1:D:258:GLY:HA2	1:D:416:TYR:CD1	2.42	0.55
1:C:22:ASN:HB3	5:C:791:HOH:O	2.07	0.54
1:D:289:CME:HE3	1:D:289:CME:N	2.22	0.53
1:B:258:GLY:HA2	1:B:416:TYR:CD1	2.44	0.53
1:A:455:PRO:HD2	1:B:142:ILE:CD1	2.39	0.53
1:C:217:GLY:HA3	2:C:501:NAD:C2A	2.39	0.53
1:B:409:GLN:HG2	5:B:810:HOH:O	2.08	0.53
1:D:252:ILE:HD12	1:D:252:ILE:O	2.09	0.53
1:D:447:PHE:C	1:D:449:PRO:HD3	2.34	0.53
1:C:103:GLU:HB2	1:D:493:TRP:HH2	1.74	0.52
1:A:162:GLN:CG	5:A:676:HOH:O	2.56	0.52
1:A:157:ASN:ND2	1:A:289:CME:OH	2.40	0.52
1:C:252:ILE:HD12	1:C:252:ILE:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:ASN:ND2	1:B:289:CME:OH	2.41	0.52
1:B:333:SER:HA	1:B:370:LEU:HD13	1.92	0.52
1:A:258:GLY:HA2	1:A:416:TYR:CD1	2.45	0.52
1:B:438:LYS:HD2	5:B:645:HOH:O	2.08	0.52
1:A:455:PRO:HD2	1:B:142:ILE:HD11	1.91	0.52
1:A:333:SER:HA	1:A:370:LEU:HD13	1.92	0.51
1:C:258:GLY:HA2	1:C:416:TYR:CD1	2.45	0.51
1:A:417:GLY:HA2	1:A:439:LEU:HD23	1.92	0.51
1:B:417:GLY:HA2	1:B:439:LEU:HD23	1.92	0.51
1:D:333:SER:HA	1:D:370:LEU:HD13	1.93	0.51
1:A:447:PHE:C	1:A:449:PRO:HD3	2.35	0.51
1:B:447:PHE:C	1:B:449:PRO:HD3	2.35	0.51
1:D:200:GLY:HA2	5:D:749:HOH:O	2.10	0.51
1:C:333:SER:HA	1:C:370:LEU:HD13	1.93	0.50
1:C:417:GLY:HA2	1:C:439:LEU:HD23	1.94	0.50
1:B:139:GLU:OE1	1:D:141:LYS:NZ	2.34	0.50
1:C:449:PRO:HB2	1:D:483:LEU:CD2	2.42	0.50
2:D:501:NAD:O5D	2:D:501:NAD:H6N	2.12	0.50
1:D:417:GLY:HA2	1:D:439:LEU:HD23	1.92	0.50
1:B:162:GLN:CD	5:B:622:HOH:O	2.54	0.50
1:B:252:ILE:HD12	1:B:252:ILE:O	2.12	0.49
1:D:289:CME:H	1:D:289:CME:CE	2.22	0.49
1:A:77[B]:ARG:HD2	1:A:77[B]:ARG:C	2.37	0.49
1:B:63:GLU:OE1	1:B:202:PRO:HB3	2.14	0.48
1:B:5:LYS:HG3	1:B:6:HIS:CE1	2.47	0.48
1:A:63:GLU:OE1	1:A:202:PRO:HB3	2.14	0.48
1:C:240:HIS:CE1	5:C:628:HOH:O	2.66	0.48
1:A:496:LYS:O	1:B:315:LYS:HE2	2.13	0.48
1:C:450:LEU:C	1:C:450:LEU:HD12	2.39	0.48
1:C:483:LEU:HD23	1:D:449:PRO:HB2	1.95	0.47
1:A:252:ILE:HD12	1:A:252:ILE:O	2.13	0.47
1:A:450:LEU:HD12	1:A:450:LEU:C	2.39	0.47
1:C:447:PHE:C	1:C:449:PRO:HD3	2.40	0.47
1:B:367:LYS:HE3	1:B:367:LYS:HB2	1.76	0.46
1:A:335:GLU:H	1:A:335:GLU:CD	2.20	0.46
1:D:157:ASN:ND2	1:D:289:CME:HZ2	2.31	0.46
1:C:63:GLU:OE1	1:C:202:PRO:HB3	2.16	0.46
1:C:158:TYR:CD1	1:C:289:CME:HZ2	2.50	0.46
1:D:60:GLU:HB3	5:D:730:HOH:O	2.15	0.46
1:B:102:LEU:CB	5:B:751:HOH:O	2.55	0.45
1:B:217:GLY:HA3	2:B:501:NAD:C2A	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:297:VAL:O	1:C:400:GLY:HA2	2.17	0.45
1:C:344:MET:HA	1:C:344:MET:HE2	1.98	0.45
1:A:455:PRO:CD	1:B:142:ILE:HD13	2.47	0.45
1:C:120:ALA:HA	5:C:764:HOH:O	2.17	0.44
1:D:297:VAL:O	1:D:400:GLY:HA2	2.16	0.44
1:A:297:VAL:O	1:A:400:GLY:HA2	2.17	0.44
1:D:216:VAL:O	1:D:219:VAL:HG12	2.18	0.44
1:A:344:MET:HE2	1:A:344:MET:HA	2.00	0.44
1:A:455:PRO:CD	1:B:142:ILE:CD1	2.95	0.44
1:B:30:ASN:OD1	1:B:30:ASN:C	2.59	0.44
1:D:450:LEU:C	1:D:450:LEU:HD12	2.43	0.44
1:B:450:LEU:C	1:B:450:LEU:HD12	2.43	0.43
1:B:344:MET:HA	1:B:344:MET:HE2	1.99	0.43
1:B:154:THR:OG1	1:B:181:PRO:HA	2.18	0.43
1:D:150:VAL:HG11	1:D:476:TYR:HE1	1.83	0.43
1:A:154:THR:OG1	1:A:181:PRO:HA	2.19	0.43
1:A:150:VAL:HG12	1:A:228:LEU:HB3	2.00	0.43
1:B:112:ILE:HD13	1:B:160:LEU:HG	2.01	0.43
1:B:297:VAL:O	1:B:400:GLY:HA2	2.19	0.42
1:D:258:GLY:HA2	1:D:416:TYR:CG	2.53	0.42
1:D:344:MET:HA	1:D:344:MET:HE2	2.00	0.42
1:C:150:VAL:HG11	1:C:476:TYR:HE1	1.84	0.42
1:A:77[B]:ARG:HG2	1:A:117:MET:SD	2.60	0.42
1:D:157:ASN:HD21	1:D:289:CME:HZ2	1.85	0.42
1:D:260:ASN:HB2	1:D:291:ALA:O	2.20	0.42
1:A:461:GLN:HG2	1:B:248:ASN:O	2.20	0.42
1:C:474:GLU:HG2	5:C:790:HOH:O	2.19	0.42
1:D:63:GLU:OE2	1:D:202:PRO:HB3	2.19	0.42
1:D:88:GLU:HG2	5:D:620:HOH:O	2.20	0.42
1:B:483:LEU:C	1:B:483:LEU:HD13	2.44	0.42
1:D:367:LYS:HB2	1:D:367:LYS:HE3	1.76	0.42
1:C:111:ASP:O	1:C:115:VAL:HG23	2.21	0.41
1:A:129:GLU:HA	1:C:129:GLU:HA	2.01	0.41
1:A:141:LYS:NZ	1:C:139:GLU:OE1	2.47	0.41
1:A:315:LYS:HE3	1:B:496:LYS:O	2.20	0.41
1:D:331:VAL:HG22	1:D:370:LEU:O	2.20	0.41
1:C:112:ILE:HD13	1:C:160:LEU:HG	2.03	0.41
1:A:260:ASN:HB2	1:A:291:ALA:O	2.21	0.41
1:C:399:GLU:HG3	5:C:647:HOH:O	2.19	0.41
1:D:289:CME:HE3	1:D:289:CME:HB2	1.55	0.41
1:C:29:ILE:HG22	1:C:30:ASN:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:260:ASN:HB2	1:B:291:ALA:O	2.21	0.40
1:C:317:LYS:NZ	5:C:603:HOH:O	2.28	0.40
1:D:111:ASP:O	1:D:115:VAL:HG23	2.20	0.40
1:C:331:VAL:HG22	1:C:370:LEU:O	2.21	0.40
1:D:447:PHE:C	1:D:449:PRO:CD	2.95	0.40
1:D:289:CME:HB2	2:D:501:NAD:O7N	2.22	0.40
1:B:77:ARG:O	1:B:77:ARG:HG2	2.19	0.40
1:D:448:HIS:N	1:D:449:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	497/517 (96%)	481 (97%)	15 (3%)	1 (0%)	43	50
1	B	495/517 (96%)	480 (97%)	14 (3%)	1 (0%)	43	50
1	C	495/517 (96%)	480 (97%)	14 (3%)	1 (0%)	43	50
1	D	496/517 (96%)	480 (97%)	15 (3%)	1 (0%)	43	50
All	All	1983/2068 (96%)	1921 (97%)	58 (3%)	4 (0%)	43	50

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	448	HIS
1	B	448	HIS
1	C	448	HIS
1	D	448	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/428 (97%)	414 (100%)	0	100	100
1	B	413/428 (96%)	413 (100%)	0	100	100
1	C	413/428 (96%)	413 (100%)	0	100	100
1	D	414/428 (97%)	414 (100%)	0	100	100
All	All	1654/1712 (97%)	1654 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	251	ASN
1	B	6	HIS
1	B	113	HIS
1	B	251	ASN
1	B	279	ASN
1	C	9	GLN
1	C	66	GLN
1	C	162	GLN
1	C	279	ASN
1	D	9	GLN
1	D	251	ASN
1	D	279	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CME	D	289	1	8,9,10	0.84	0	6,9,11	1.70	1 (16%)
1	CME	B	289	1	8,9,10	0.92	0	6,9,11	1.96	2 (33%)
1	CME	C	289	1	8,9,10	0.66	0	6,9,11	1.22	0
1	CME	A	289	1	8,9,10	0.91	0	6,9,11	1.87	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	D	289	1	-	2/5/8/10	-
1	CME	B	289	1	-	2/5/8/10	-
1	CME	C	289	1	-	3/5/8/10	-
1	CME	A	289	1	-	2/5/8/10	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	289	CME	CB-SG-SD	3.53	113.00	103.86
1	A	289	CME	CB-SG-SD	3.44	112.76	103.86
1	D	289	CME	CE-SD-SG	-3.34	88.79	103.46
1	B	289	CME	CZ-CE-SD	-2.66	104.49	113.39
1	A	289	CME	CZ-CE-SD	-2.50	105.04	113.39

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	D	289	CME	SD-CE-CZ-OH
1	D	289	CME	CE-SD-SG-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	C	289	CME	SD-CE-CZ-OH
1	C	289	CME	CZ-CE-SD-SG
1	C	289	CME	CA-CB-SG-SD
1	A	289	CME	SD-CE-CZ-OH
1	B	289	CME	SD-CE-CZ-OH
1	A	289	CME	CZ-CE-SD-SG
1	B	289	CME	CZ-CE-SD-SG

There are no ring outliers.

4 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	289	CME	9	0
1	B	289	CME	1	0
1	C	289	CME	1	0
1	A	289	CME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EPE	A	504	-	15,15,15	1.84	1 (6%)	19,20,20	1.21	1 (5%)
4	EPE	A	503	-	15,15,15	2.05	1 (6%)	19,20,20	1.12	1 (5%)
2	NAD	A	501	-	46,48,48	1.16	3 (6%)	64,73,73	1.70	11 (17%)
2	NAD	C	501	-	46,48,48	1.19	3 (6%)	64,73,73	1.73	11 (17%)
2	NAD	B	501	-	46,48,48	1.26	5 (10%)	64,73,73	1.69	11 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	D	501	-	46,48,48	1.33	6 (13%)	64,73,73	1.83	15 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EPE	A	504	-	-	4/9/19/19	0/1/1/1
4	EPE	A	503	-	-	4/9/19/19	0/1/1/1
2	NAD	A	501	-	-	6/30/62/62	0/5/5/5
2	NAD	C	501	-	-	8/30/62/62	0/5/5/5
2	NAD	B	501	-	-	9/30/62/62	0/5/5/5
2	NAD	D	501	-	-	3/30/62/62	0/5/5/5

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	503	EPE	C10-S	-7.51	1.67	1.77
4	A	504	EPE	C10-S	-6.80	1.68	1.77
2	D	501	NAD	O7N-C7N	5.77	1.34	1.24
2	A	501	NAD	O7N-C7N	5.31	1.34	1.24
2	C	501	NAD	O7N-C7N	5.24	1.33	1.24
2	B	501	NAD	O7N-C7N	5.12	1.33	1.24
2	B	501	NAD	PN-O3	2.97	1.62	1.59
2	B	501	NAD	PA-O3	2.89	1.62	1.59
2	D	501	NAD	O4D-C1D	2.79	1.44	1.40
2	C	501	NAD	PA-O3	2.65	1.62	1.59
2	D	501	NAD	C8A-N7A	2.64	1.36	1.31
2	B	501	NAD	C8A-N7A	2.42	1.36	1.31
2	A	501	NAD	C8A-N7A	2.39	1.36	1.31
2	B	501	NAD	O4D-C1D	2.33	1.43	1.40
2	C	501	NAD	C8A-N7A	2.22	1.36	1.31
2	D	501	NAD	PA-O3	2.21	1.61	1.59
2	A	501	NAD	O4D-C1D	2.09	1.43	1.40
2	D	501	NAD	C3N-C7N	2.07	1.53	1.50
2	D	501	NAD	C2N-C3N	2.02	1.42	1.39

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	NAD	C5A-C4A-N3A	-5.74	118.81	126.72
2	A	501	NAD	C5A-C4A-N3A	-5.59	119.02	126.72
2	C	501	NAD	C5A-C4A-N3A	-5.29	119.43	126.72
2	A	501	NAD	N3A-C2A-N1A	-4.86	121.23	128.58
2	D	501	NAD	C5A-C4A-N3A	-4.82	120.07	126.72
2	B	501	NAD	N3A-C2A-N1A	-4.78	121.35	128.58
2	C	501	NAD	N9A-C8A-N7A	-4.66	107.32	113.94
2	C	501	NAD	N3A-C2A-N1A	-4.62	121.60	128.58
2	D	501	NAD	O7N-C7N-N7N	-4.38	116.28	122.62
2	D	501	NAD	N3A-C2A-N1A	-4.34	122.02	128.58
4	A	504	EPE	O3S-S-C10	4.15	114.13	106.00
2	B	501	NAD	C4A-C5A-N7A	-3.97	106.04	110.58
2	C	501	NAD	C4A-C5A-N7A	-3.97	106.05	110.58
2	A	501	NAD	C4A-C5A-N7A	-3.93	106.09	110.58
2	B	501	NAD	C2A-N3A-C4A	3.81	121.14	111.83
2	A	501	NAD	C2A-N3A-C4A	3.78	121.07	111.83
2	A	501	NAD	N9A-C8A-N7A	-3.77	108.59	113.94
2	C	501	NAD	C5A-N7A-C8A	3.71	109.28	103.45
2	D	501	NAD	C4D-O4D-C1D	3.71	113.32	109.92
2	B	501	NAD	N9A-C8A-N7A	-3.66	108.75	113.94
2	D	501	NAD	N9A-C8A-N7A	-3.64	108.77	113.94
2	C	501	NAD	C2A-N3A-C4A	3.63	120.69	111.83
2	D	501	NAD	C6N-N1N-C2N	-3.34	119.03	121.88
2	C	501	NAD	O7N-C7N-N7N	-3.29	117.86	122.62
2	B	501	NAD	C5A-N7A-C8A	3.26	108.58	103.45
2	A	501	NAD	C5A-N7A-C8A	3.18	108.44	103.45
2	D	501	NAD	C2A-N3A-C4A	3.14	119.50	111.83
2	C	501	NAD	C4A-N9A-C8A	3.11	109.00	105.74
2	B	501	NAD	N3A-C4A-N9A	3.10	132.44	127.17
2	A	501	NAD	N3A-C4A-N9A	3.05	132.35	127.17
2	D	501	NAD	C3N-C7N-N7N	3.01	121.44	117.74
2	D	501	NAD	C4A-C5A-N7A	-2.99	107.17	110.58
2	C	501	NAD	N3A-C4A-N9A	2.97	132.21	127.17
2	C	501	NAD	C3N-C7N-N7N	2.92	121.34	117.74
2	D	501	NAD	C5A-N7A-C8A	2.86	107.94	103.45
2	D	501	NAD	N3A-C4A-N9A	2.81	131.95	127.17
2	B	501	NAD	C5A-C4A-N9A	2.69	108.75	105.81
2	A	501	NAD	C5A-C4A-N9A	2.58	108.62	105.81
2	B	501	NAD	O7N-C7N-N7N	-2.50	119.01	122.62
4	A	503	EPE	O3S-S-C10	2.48	110.85	106.00
2	A	501	NAD	C4A-N9A-C8A	2.39	108.25	105.74
2	C	501	NAD	C5A-C4A-N9A	2.33	108.35	105.81
2	D	501	NAD	C4A-N9A-C8A	2.29	108.14	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NAD	O7N-C7N-N7N	-2.26	119.36	122.62
2	D	501	NAD	O2A-PA-O3	2.18	113.16	107.27
2	D	501	NAD	O7N-C7N-C3N	2.16	122.25	119.60
2	A	501	NAD	O2A-PA-O3	-2.07	101.68	107.27
2	D	501	NAD	C5B-C4B-C3B	-2.07	107.78	115.21
2	B	501	NAD	C4A-N9A-C8A	2.05	107.89	105.74
2	B	501	NAD	C4D-O4D-C1D	2.01	111.77	109.92

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	C5B-O5B-PA-O1A
2	A	501	NAD	C5B-O5B-PA-O2A
2	A	501	NAD	C5B-O5B-PA-O3
2	A	501	NAD	C5D-O5D-PN-O1N
2	B	501	NAD	C5D-O5D-PN-O3
2	B	501	NAD	C5D-O5D-PN-O1N
2	B	501	NAD	C5D-O5D-PN-O2N
2	C	501	NAD	C5D-O5D-PN-O3
2	C	501	NAD	C5D-O5D-PN-O1N
2	D	501	NAD	O4D-C4D-C5D-O5D
4	A	503	EPE	S-C10-C9-N1
4	A	504	EPE	C9-C10-S-O1S
4	A	504	EPE	C9-C10-S-O3S
4	A	503	EPE	N4-C7-C8-O8
2	B	501	NAD	O4B-C4B-C5B-O5B
2	B	501	NAD	C3B-C4B-C5B-O5B
2	D	501	NAD	C3D-C4D-C5D-O5D
4	A	504	EPE	N4-C7-C8-O8
4	A	503	EPE	C10-C9-N1-C6
4	A	504	EPE	C9-C10-S-O2S
2	C	501	NAD	C2B-C1B-N9A-C8A
2	B	501	NAD	PA-O3-PN-O1N
2	A	501	NAD	C5D-O5D-PN-O3
2	B	501	NAD	C5B-O5B-PA-O1A
2	C	501	NAD	C5D-O5D-PN-O2N
4	A	503	EPE	C10-C9-N1-C2
2	A	501	NAD	C4B-C5B-O5B-PA
2	B	501	NAD	O4D-C4D-C5D-O5D
2	B	501	NAD	PA-O3-PN-O2N
2	C	501	NAD	PN-O3-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	501	NAD	PA-O3-PN-O1N
2	C	501	NAD	O4B-C1B-N9A-C8A
2	D	501	NAD	C2B-C1B-N9A-C8A
2	C	501	NAD	PN-O3-PA-O2A


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	NAD	1	0
2	B	501	NAD	1	0
2	D	501	NAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	497/517 (96%)	0.17	9 (1%) 67 68	10, 26, 48, 82	3 (0%)
1	B	495/517 (95%)	0.24	17 (3%) 48 48	10, 27, 49, 79	3 (0%)
1	C	497/517 (96%)	0.20	10 (2%) 65 65	15, 27, 47, 108	2 (0%)
1	D	495/517 (95%)	0.18	10 (2%) 65 65	11, 27, 46, 87	4 (0%)
All	All	1984/2068 (95%)	0.20	46 (2%) 61 61	10, 27, 48, 108	12 (0%)

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	3	LEU	5.6
1	C	3	LEU	5.5
1	D	-20	MET	5.5
1	D	3	LEU	5.3
1	A	-20	MET	5.0
1	C	-19	GLY	4.9
1	A	0	GLY	4.8
1	B	362	ASP	4.1
1	B	4	LEU	3.9
1	C	-20	MET	3.7
1	A	1	MET	3.6
1	C	339	LYS	3.6
1	C	1	MET	3.5
1	C	103	GLU	3.5
1	A	3	LEU	3.4
1	C	4	LEU	3.4
1	A	5	LYS	3.4
1	B	496	LYS	3.2
1	D	367	LYS	3.2
1	B	6	HIS	3.1
1	B	-20	MET	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	367	LYS	3.0
1	C	215	GLU	3.0
1	B	364	ASP	2.7
1	C	5	LYS	2.6
1	C	2	GLU	2.5
1	D	4	LEU	2.5
1	D	362	ASP	2.5
1	B	325	ASP	2.4
1	A	4	LEU	2.4
1	B	365	ASP	2.4
1	B	106	TYR	2.3
1	A	6	HIS	2.2
1	B	348	LYS	2.2
1	D	329	GLY	2.2
1	B	346	VAL	2.2
1	D	2	GLU	2.1
1	D	496	LYS	2.1
1	B	363	ARG	2.1
1	B	345	ASP	2.1
1	B	2	GLU	2.1
1	A	77[A]	ARG	2.1
1	D	31	PRO	2.1
1	B	368	ASP	2.0
1	D	5	LYS	2.0
1	A	367	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CME	C	289	10/11	0.86	0.15	30,36,57,64	0
1	CME	D	289	10/11	0.87	0.15	27,36,60,63	0
1	CME	A	289	10/11	0.88	0.16	24,36,73,77	0
1	CME	B	289	10/11	0.88	0.15	28,39,64,65	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EPE	A	504	15/15	0.83	0.15	41,49,67,75	0
4	EPE	A	503	15/15	0.86	0.14	42,48,80,80	0
2	NAD	C	501	44/44	0.88	0.13	33,54,78,83	0
2	NAD	D	501	44/44	0.89	0.13	32,54,92,116	0
2	NAD	B	501	44/44	0.89	0.13	31,59,91,107	0
2	NAD	A	501	44/44	0.89	0.13	33,54,88,100	0
3	NA	A	502	1/1	0.94	0.09	45,45,45,45	0
3	NA	A	505	1/1	0.96	0.03	29,29,29,29	0
3	NA	B	502	1/1	0.96	0.07	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAD C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAD D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.