



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 02:27 PM UTC

PDB ID : 8DIT / pdb_00008dit
EMDB ID : EMD-27442
Title : Cryo-EM structure of a HOPS core complex containing Vps33, Vps16, and Vps18
Authors : Port, S.A.; Farrell, P.D.; Jeffrey, P.D.; DiMaio, F.; Hughson, F.M.
Deposited on : 2022-06-29
Resolution : 5.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 5.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	844 (4.60 - 5.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	696	
2	B	834	
3	C	968	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 17303 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vacuolar protein sorting-associated protein 33.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	620	Total	C	N	O	S	0	0
			4869	3076	861	921	11		

- Molecule 2 is a protein called Vacuolar protein sorting-associated protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	834	Total	C	N	O	S	0	0
			6632	4197	1158	1253	24		


- Molecule 3 is a protein called Vacuolar protein sorting-associated protein 18.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	736	Total	C	N	O	S	0	0
			5802	3692	998	1096	16		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vacuolar protein sorting-associated protein 33





- Molecule 2: Vacuolar protein sorting-associated protein 16





• Molecule 3: Vacuolar protein sorting-associated protein 18



ILE	GLU
ALA	CYS
ALA	GLN
LEU	VAL
ASP	GLN
LYS	ILE
ARG	SER
TYR	LYS
ALA	GLY
ILE	LEU
VAL	VAL
GLU	ASN
PRO	GLY
GLY	GLU
GLU	LYS
LYS	ARG
CYS	GLU
TYR	ALA
ALA	MET
CYS	ILE
GLY	ALA
LEU	GLU
PRO	LEU
LEU	ASP
LEU	ALA
SER	LEU
ARG	ILE
GLN	ALA
PHE	SER
PHE	ALA
VAL	ALA
PHE	CYS
PRO	ASP
CYS	TYR
GLN	ALA
GLN	ILE
HIS	ARG
ALA	ARG
PHE	ILE
HIS	ASN
SER	GLU
ASP	PRO
CYS	PHE
LEU	ILE
ALA	LYS
ARG	ASP
ARG	ASP
VAL	ASP
LEU	ASP
GLU	LYS
GLN	ASP
ALA	GLU
PRO	TRP
PRO	ALA
ALA	LEU
LYS	
ALA	
ARG	
ARG	
ILE	
LYS	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	154917	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	2000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.070	Depositor
Minimum map value	-0.748	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.066	Depositor
Recommended contour level	0.33	Depositor
Map size (Å)	513.36, 513.36, 513.36	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.426, 1.426, 1.426	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/4945	0.85	31/6672 (0.5%)
2	B	0.61	0/6772	0.88	49/9171 (0.5%)
3	C	0.59	0/5927	0.96	69/8056 (0.9%)
All	All	0.60	0/17644	0.90	149/23899 (0.6%)

There are no bond length outliers.

All (149) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	654	GLY	CA-C-N	9.29	129.03	119.56
3	C	654	GLY	C-N-CA	9.29	129.03	119.56
2	B	169	SER	CA-C-N	9.11	126.22	119.66
2	B	169	SER	C-N-CA	9.11	126.22	119.66
2	B	529	GLU	CA-C-N	8.25	127.91	119.82
2	B	529	GLU	C-N-CA	8.25	127.91	119.82
1	A	574	GLY	CA-C-N	8.14	128.09	120.03
1	A	574	GLY	C-N-CA	8.14	128.09	120.03
2	B	88	GLY	CA-C-N	8.05	128.05	119.76
2	B	88	GLY	C-N-CA	8.05	128.05	119.76
3	C	184	GLY	CA-C-N	7.88	127.81	119.85
3	C	184	GLY	C-N-CA	7.88	127.81	119.85
2	B	42	ALA	CA-C-N	7.84	128.02	119.87
2	B	42	ALA	C-N-CA	7.84	128.02	119.87
1	A	485	GLY	CA-C-N	7.79	127.97	119.87
1	A	485	GLY	C-N-CA	7.79	127.97	119.87
3	C	69	LYS	CA-C-N	7.70	127.34	119.56
3	C	69	LYS	C-N-CA	7.70	127.34	119.56
2	B	429	LEU	CA-C-N	7.63	127.69	119.90
2	B	429	LEU	C-N-CA	7.63	127.69	119.90
2	B	285	GLY	CA-C-N	7.61	127.24	119.56
2	B	285	GLY	C-N-CA	7.61	127.24	119.56
1	A	265	ASN	O-C-N	7.47	129.71	121.87
3	C	369	ASN	CA-C-N	7.42	127.13	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	369	ASN	C-N-CA	7.42	127.13	119.56
2	B	217	GLY	CA-C-N	7.40	127.45	119.90
2	B	217	GLY	C-N-CA	7.40	127.45	119.90
3	C	120	ARG	CA-C-N	7.34	127.26	119.85
3	C	120	ARG	C-N-CA	7.34	127.26	119.85
3	C	528	ASN	CA-C-N	7.34	126.97	119.56
3	C	528	ASN	C-N-CA	7.34	126.97	119.56
3	C	264	GLN	CA-C-N	7.32	127.30	119.76
3	C	264	GLN	C-N-CA	7.32	127.30	119.76
2	B	170	PRO	CA-C-N	7.25	127.17	119.85
2	B	170	PRO	C-N-CA	7.25	127.17	119.85
3	C	637	ASN	CA-C-N	7.22	126.93	119.56
3	C	637	ASN	C-N-CA	7.22	126.93	119.56
3	C	81	LYS	CA-C-N	7.19	127.15	120.03
3	C	81	LYS	C-N-CA	7.19	127.15	120.03
1	A	41	GLY	CA-C-N	7.17	127.50	119.32
1	A	41	GLY	C-N-CA	7.17	127.50	119.32
3	C	607	ASP	CA-C-N	7.13	127.74	119.47
3	C	607	ASP	C-N-CA	7.13	127.74	119.47
3	C	712	ASP	CA-C-N	7.13	126.65	119.24
3	C	712	ASP	C-N-CA	7.13	126.65	119.24
3	C	690	HIS	CA-C-N	7.08	128.31	120.45
3	C	690	HIS	C-N-CA	7.08	128.31	120.45
1	A	225	SER	CA-C-N	7.08	127.00	119.85
1	A	225	SER	C-N-CA	7.08	127.00	119.85
2	B	67	ARG	CA-C-N	7.08	127.05	119.76
2	B	67	ARG	C-N-CA	7.08	127.05	119.76
3	C	31	LEU	CA-C-N	7.08	127.00	119.85
3	C	31	LEU	C-N-CA	7.08	127.00	119.85
1	A	552	GLY	CA-C-N	7.07	126.77	119.56
1	A	552	GLY	C-N-CA	7.07	126.77	119.56
3	C	181	LEU	CA-C-N	7.05	127.20	119.87
3	C	181	LEU	C-N-CA	7.05	127.20	119.87
2	B	163	ARG	CA-C-N	7.03	126.79	119.76
2	B	163	ARG	C-N-CA	7.03	126.79	119.76
2	B	353	SER	CA-C-N	7.02	126.72	119.56
2	B	353	SER	C-N-CA	7.02	126.72	119.56
3	C	25	LEU	CA-C-N	7.02	127.17	119.87
3	C	25	LEU	C-N-CA	7.02	127.17	119.87
3	C	296	GLY	CA-C-N	7.00	126.92	119.85
3	C	296	GLY	C-N-CA	7.00	126.92	119.85
2	B	762	ASN	CA-C-N	6.97	126.67	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	762	ASN	C-N-CA	6.97	126.67	119.56
1	A	510	ASP	CA-C-N	6.97	126.89	119.85
1	A	510	ASP	C-N-CA	6.97	126.89	119.85
3	C	118	GLN	CA-C-N	6.95	126.87	119.85
3	C	118	GLN	C-N-CA	6.95	126.87	119.85
1	A	398	ASP	CA-C-N	6.92	126.61	119.56
1	A	398	ASP	C-N-CA	6.92	126.61	119.56
3	C	458	LYS	CA-C-N	6.92	126.95	119.90
3	C	458	LYS	C-N-CA	6.92	126.95	119.90
2	B	323	VAL	CA-C-N	6.84	126.83	119.78
2	B	323	VAL	C-N-CA	6.84	126.83	119.78
3	C	139	LEU	CA-C-N	6.80	126.56	119.76
3	C	139	LEU	C-N-CA	6.80	126.56	119.76
3	C	78	LEU	CA-C-N	6.78	126.77	119.78
3	C	78	LEU	C-N-CA	6.78	126.77	119.78
3	C	488	LYS	CB-CA-C	-6.75	108.80	116.63
2	B	182	PRO	CA-C-N	6.73	127.28	119.47
2	B	182	PRO	C-N-CA	6.73	127.28	119.47
2	B	777	GLU	CA-C-N	6.67	126.62	119.28
2	B	777	GLU	C-N-CA	6.67	126.62	119.28
3	C	274	VAL	CA-C-N	6.60	126.51	119.85
3	C	274	VAL	C-N-CA	6.60	126.51	119.85
1	A	186	PHE	CA-C-N	6.57	126.20	119.56
1	A	186	PHE	C-N-CA	6.57	126.20	119.56
1	A	522	ALA	CA-C-N	6.57	126.53	119.76
1	A	522	ALA	C-N-CA	6.57	126.53	119.76
3	C	472	GLN	CA-C-N	6.55	127.07	119.47
3	C	472	GLN	C-N-CA	6.55	127.07	119.47
3	C	239	GLN	CA-C-N	6.53	126.71	120.31
3	C	239	GLN	C-N-CA	6.53	126.71	120.31
3	C	94	ASP	CA-C-N	6.52	126.21	119.56
3	C	94	ASP	C-N-CA	6.52	126.21	119.56
2	B	584	ARG	CA-C-N	6.50	127.01	119.47
2	B	584	ARG	C-N-CA	6.50	127.01	119.47
3	C	425	THR	CA-C-N	6.48	126.71	119.32
3	C	425	THR	C-N-CA	6.48	126.71	119.32
1	A	471	SER	CA-C-N	6.45	126.57	119.87
1	A	471	SER	C-N-CA	6.45	126.57	119.87
1	A	244	THR	CA-C-N	6.43	126.12	119.82
1	A	244	THR	C-N-CA	6.43	126.12	119.82
3	C	266	SER	CA-C-N	6.38	127.81	119.84
3	C	266	SER	C-N-CA	6.38	127.81	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	194	LEU	CA-C-N	6.35	127.78	119.84
3	C	194	LEU	C-N-CA	6.35	127.78	119.84
2	B	466	LEU	CA-C-N	6.33	126.36	119.90
2	B	466	LEU	C-N-CA	6.33	126.36	119.90
1	A	165	ASP	CA-C-N	6.31	127.45	120.45
1	A	165	ASP	C-N-CA	6.31	127.45	120.45
2	B	715	VAL	CA-C-N	6.29	126.25	119.78
2	B	715	VAL	C-N-CA	6.29	126.25	119.78
2	B	337	SER	CA-C-N	6.28	125.97	119.56
2	B	337	SER	C-N-CA	6.28	125.97	119.56
3	C	634	SER	CB-CA-C	-6.18	109.43	116.54
2	B	440	SER	CA-C-N	6.13	126.31	119.32
2	B	440	SER	C-N-CA	6.13	126.31	119.32
3	C	692	SER	CB-CA-C	-6.11	109.54	116.63
2	B	364	ARG	CA-C-N	6.11	125.79	119.56
2	B	364	ARG	C-N-CA	6.11	125.79	119.56
3	C	398	VAL	CA-C-N	6.09	126.00	119.85
3	C	398	VAL	C-N-CA	6.09	126.00	119.85
1	A	167	THR	CA-C-N	6.00	125.67	119.56
1	A	167	THR	C-N-CA	6.00	125.67	119.56
3	C	136	SER	CA-C-N	5.91	127.01	120.45
3	C	136	SER	C-N-CA	5.91	127.01	120.45
3	C	642	ILE	CA-C-N	5.91	126.02	119.87
3	C	642	ILE	C-N-CA	5.91	126.02	119.87
1	A	112	VAL	CA-C-N	5.75	126.14	119.47
1	A	112	VAL	C-N-CA	5.75	126.14	119.47
2	B	751	GLU	CA-C-N	5.73	125.41	119.56
2	B	751	GLU	C-N-CA	5.73	125.41	119.56
3	C	390	THR	CA-C-N	5.52	125.87	119.47
3	C	390	THR	C-N-CA	5.52	125.87	119.47
2	B	181	ILE	CA-C-N	5.50	126.04	120.38
2	B	181	ILE	C-N-CA	5.50	126.04	120.38
3	C	708	GLU	CA-C-N	5.44	125.78	119.47
3	C	708	GLU	C-N-CA	5.44	125.78	119.47
3	C	268	ARG	N-CA-C	-5.43	108.43	114.62
1	A	414	THR	CA-C-N	5.33	125.34	119.90
1	A	414	THR	C-N-CA	5.33	125.34	119.90
2	B	248	GLN	N-CA-C	-5.14	107.67	114.04
2	B	770	ILE	CA-C-N	5.06	125.14	119.87
2	B	770	ILE	C-N-CA	5.06	125.14	119.87
3	C	488	LYS	N-CA-C	5.06	116.64	108.08

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4869	0	4952	26	0
2	B	6632	0	6568	21	0
3	C	5802	0	5787	11	0
All	All	17303	0	17307	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:ASP:HA	1:A:298:ARG:NH1	1.62	1.13
1:A:268:ASP:HA	1:A:298:ARG:HH12	0.93	1.02
1:A:268:ASP:CA	1:A:298:ARG:HH12	1.77	0.98
1:A:358:GLN:HE22	3:C:501:TRP:HE1	1.43	0.64
1:A:268:ASP:O	1:A:269:VAL:HG13	1.99	0.63
1:A:266:GLN:O	1:A:267:THR:HB	2.02	0.59
1:A:237:ASP:OD1	1:A:238:ARG:N	2.37	0.58
2:B:770:ILE:N	2:B:771:PRO:HD2	2.19	0.58
1:A:267:THR:O	1:A:298:ARG:NH1	2.37	0.57
1:A:416:LEU:N	1:A:417:PRO:HD2	2.18	0.57
3:C:708:GLU:N	3:C:709:PRO:CD	2.68	0.57
1:A:244:THR:N	1:A:245:PRO:CD	2.68	0.56
1:A:112:VAL:HB	1:A:113:PRO:HD2	1.90	0.53
1:A:249:GLN:NE2	1:A:251:THR:OG1	2.42	0.52
3:C:518:ILE:O	3:C:519:THR:C	2.53	0.51
1:A:264:ASN:C	1:A:266:GLN:H	2.19	0.51
2:B:422:VAL:O	2:B:429:LEU:N	2.43	0.51
2:B:751:GLU:N	2:B:752:PRO:HD2	2.26	0.51
2:B:536:VAL:N	2:B:537:PRO:HD2	2.27	0.50
1:A:262:ILE:HA	1:A:267:THR:OG1	2.12	0.50
3:C:589:TRP:CG	3:C:614:TYR:HH	2.29	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:LEU:N	1:A:355:PRO:CD	2.75	0.49
1:A:167:THR:N	1:A:168:PRO:HD2	2.27	0.49
2:B:239:LYS:NZ	2:B:255:ASP:OD1	2.41	0.49
1:A:358:GLN:NE2	3:C:501:TRP:HE1	2.11	0.49
3:C:589:TRP:HE1	3:C:594:ARG:C	2.21	0.49
2:B:364:ARG:N	2:B:365:PRO:CD	2.76	0.48
2:B:770:ILE:N	2:B:771:PRO:CD	2.76	0.48
3:C:205:VAL:CG1	3:C:212:PHE:HB2	2.44	0.47
2:B:751:GLU:HB2	2:B:752:PRO:CD	2.45	0.47
2:B:303:ILE:HB	2:B:310:ARG:HB2	1.96	0.47
1:A:552:GLY:N	1:A:553:PRO:CD	2.78	0.46
3:C:239:GLN:N	3:C:240:PRO:CD	2.78	0.46
1:A:81:GLY:H	1:A:112:VAL:HG13	1.80	0.45
3:C:642:ILE:N	3:C:643:PRO:CD	2.80	0.45
1:A:241:ASP:OD1	1:A:241:ASP:C	2.58	0.44
3:C:642:ILE:N	3:C:643:PRO:HD2	2.32	0.44
2:B:751:GLU:HB2	2:B:752:PRO:HD3	2.00	0.43
2:B:674:GLN:NE2	2:B:688:LEU:O	2.52	0.42
1:A:112:VAL:HB	1:A:113:PRO:CD	2.50	0.41
1:A:521:TYR:O	1:A:522:ALA:C	2.62	0.41
2:B:364:ARG:HB3	2:B:365:PRO:HD3	2.02	0.41
1:A:141:PHE:H	1:A:151:LEU:HD23	1.85	0.41
2:B:325:ASP:N	2:B:325:ASP:OD1	2.51	0.41
2:B:51:TYR:CD1	2:B:51:TYR:C	2.99	0.41
1:A:268:ASP:CA	1:A:298:ARG:NH1	2.54	0.41
2:B:276:ALA:O	2:B:277:TRP:C	2.64	0.41
1:A:264:ASN:C	1:A:266:GLN:N	2.78	0.41
2:B:34:LEU:HA	2:B:37:TYR:CE2	2.56	0.41
2:B:81:ARG:NH1	2:B:115:ASP:O	2.53	0.41
1:A:487:ASP:OD1	1:A:487:ASP:N	2.53	0.40
2:B:37:TYR:CD1	2:B:37:TYR:C	2.98	0.40
2:B:633:GLN:HB3	2:B:634:PRO:HD2	2.03	0.40
2:B:379:GLY:O	2:B:433:TYR:N	2.54	0.40
3:C:712:ASP:OD2	3:C:712:ASP:C	2.64	0.40
2:B:29:ASP:N	2:B:29:ASP:OD1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	616/696 (88%)	608 (99%)	8 (1%)	0	100	100
2	B	832/834 (100%)	820 (99%)	12 (1%)	0	100	100
3	C	734/968 (76%)	710 (97%)	24 (3%)	0	100	100
All	All	2182/2498 (87%)	2138 (98%)	44 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	529/585 (90%)	525 (99%)	4 (1%)	73	78
2	B	717/717 (100%)	714 (100%)	3 (0%)	84	83
3	C	623/818 (76%)	622 (100%)	1 (0%)	87	86
All	All	1869/2120 (88%)	1861 (100%)	8 (0%)	81	83

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	190	ILE
1	A	268	ASP
1	A	269	VAL
1	A	385	LYS
2	B	91	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	782	ILE
2	B	810	LEU
3	C	487	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	133	ASN
1	A	263	GLN
1	A	361	GLN
2	B	301	HIS
2	B	615	GLN
2	B	756	GLN
3	C	535	GLN
3	C	690	HIS
3	C	723	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-27442. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180



Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 182




Y Index: 190




Z Index: 168


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.33. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 210 nm^3 ; this corresponds to an approximate mass of 189 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.196 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.196 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.10	-	-
Author-provided FSC curve	8.62	16.37	9.02
Unmasked-calculated*	8.53	16.10	8.86

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 8.62 differs from the reported value 5.1 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.53 differs from the reported value 5.1 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-27442 and PDB model 8DIT. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.33).

9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 61% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.33) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6100	0.1050
A	0.7350	0.1460
B	0.7690	0.1130
C	0.3250	0.0610

