



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:18 PM UTC

PDB ID : 7DKB / pdb_00007dkb
Title : Stenotrophomonas maltophilia DPP7 in complex with Val-Tyr
Authors : Sakamoto, Y.; Nakamura, A.; Suzuki, Y.; Honma, N.; Roppongi, S.; Kushibiki, C.; Yonezawa, N.; Takahashi, M.; Shida, Y.; Gouda, H.; Nonaka, T.; Ogasawara, W.; Tanaka, N.
Deposited on : 2020-11-23
Resolution : 2.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	13299 (2.04-2.00)
Clashscore	190562	1022 (2.02-2.02)
Ramachandran outliers	187476	1014 (2.02-2.02)
Sidechain outliers	187428	1014 (2.02-2.02)
RSRZ outliers	180081	13314 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	720	
1	B	720	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11159 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl-peptidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	697	Total	C	N	O	S	0	0	0
			5329	3375	927	1008	19			
1	B	697	Total	C	N	O	S	0	0	0
			5329	3375	927	1008	19			

- Molecule 2 is VALINE (CCD ID: VAL) (formula: $C_5H_{11}NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			7	5	1	1		
2	B	1	Total	C	N	O	0	0
			7	5	1	1		

- Molecule 3 is TYROSINE (CCD ID: TYR) (formula: $C_9H_{11}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			13	9	1	3		
3	B	1	Total	C	N	O	0	0
			13	9	1	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	274	Total	O	0	0
			274	274		
4	B	187	Total	O	0	0
			187	187		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Dipeptidyl-peptidase



• Molecule 1: Dipeptidyl-peptidase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.49Å 73.33Å 151.82Å 90.00° 95.16° 90.00°	Depositor
Resolution (Å)	40.00 – 2.03 40.00 – 2.03	Depositor EDS
% Data completeness (in resolution range)	97.6 (40.00-2.03) 97.6 (40.00-2.03)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.03Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.201 , 0.245 0.205 , 0.247	Depositor DCC
R_{free} test set	4523 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.443	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 30.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11159	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.02	1/5442 (0.0%)	1.42	9/7375 (0.1%)
1	B	1.02	0/5442	1.45	10/7375 (0.1%)
All	All	1.02	1/10884 (0.0%)	1.43	19/14750 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	666	LEU	C-O	-5.75	1.17	1.24

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	ASP	CA-C-N	-6.80	114.05	122.75
1	B	103	ASP	C-N-CA	-6.80	114.05	122.75
1	A	242	ASP	CA-CB-CG	5.66	118.26	112.60
1	A	103	ASP	CA-C-N	-5.61	110.42	121.41
1	A	103	ASP	C-N-CA	-5.61	110.42	121.41
1	B	365	ALA	CA-C-N	5.58	128.52	120.38
1	B	365	ALA	C-N-CA	5.58	128.52	120.38
1	B	671	PHE	CB-CA-C	5.50	116.25	109.16
1	A	651	THR	CA-CB-OG1	-5.41	101.49	109.60
1	A	647	ASN	N-CA-C	-5.37	105.41	112.72
1	B	354	ALA	CA-C-N	5.33	127.42	120.28
1	B	354	ALA	C-N-CA	5.33	127.42	120.28
1	B	103	ASP	N-CA-C	-5.33	103.46	110.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	103	ASP	O-C-N	-5.32	116.46	122.68
1	B	573	ASP	CB-CA-C	5.25	118.15	109.70
1	A	596	THR	N-CA-C	-5.22	103.09	110.29
1	A	470	ARG	CB-CA-C	-5.03	104.26	111.91
1	A	647	ASN	CB-CA-C	5.03	117.41	111.22
1	B	594	LYS	CB-CA-C	5.01	118.81	110.74

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	104	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5329	0	5271	56	0
1	B	5329	0	5271	71	0
2	A	7	0	8	1	0
2	B	7	0	8	1	0
3	A	13	0	9	2	0
3	B	13	0	9	2	0
4	A	274	0	0	6	0
4	B	187	0	0	3	0
All	All	11159	0	10576	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:GLN:NE2	4:A:901:HOH:O	2.02	0.91
1:B:315:VAL:CG1	1:B:450:MET:HE2	2.06	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:ASP:O	1:B:149:ARG:HG3	1.89	0.72
1:A:655:SER:OG	3:A:802:TYR:C	2.35	0.70
1:B:305:ILE:HA	1:B:450:MET:HE1	1.75	0.68
1:B:696:SER:HA	1:B:699:MET:HE3	1.74	0.68
1:B:315:VAL:HG13	1:B:450:MET:HE2	1.75	0.67
1:B:59:MET:CE	1:B:580:ILE:HD11	2.26	0.66
1:B:100:LEU:O	1:B:103:ASP:O	2.12	0.66
1:B:59:MET:HE1	1:B:580:ILE:HD11	1.79	0.65
1:A:433:THR:HG22	4:A:978:HOH:O	1.98	0.64
1:B:76:GLN:HE22	1:B:247:GLN:HE21	1.44	0.64
1:A:416:ARG:NH1	1:A:509:PHE:O	2.30	0.64
1:B:655:SER:OG	3:B:802:TYR:C	2.41	0.62
1:B:54:LEU:HD12	1:B:128:ILE:HD12	1.80	0.62
1:A:219:HIS:HB3	1:A:604:VAL:HG22	1.84	0.59
1:A:129:THR:HG23	4:A:922:HOH:O	2.01	0.59
1:A:655:SER:HG	3:A:802:TYR:C	2.10	0.58
1:A:597:PRO:O	1:A:644:PHE:HA	2.05	0.56
1:B:361:LYS:HA	1:B:361:LYS:HE2	1.87	0.56
1:B:197:VAL:HG11	1:B:712:LEU:HD21	1.88	0.56
1:B:54:LEU:CD1	1:B:128:ILE:HD12	2.36	0.55
1:A:357:LEU:O	1:A:361:LYS:HG2	2.07	0.55
1:B:578:LEU:O	1:B:579:ARG:HD3	2.07	0.55
1:A:78:LEU:HD21	1:A:712:LEU:HD21	1.88	0.55
1:A:267:VAL:HG13	1:A:657:SER:HB3	1.88	0.55
1:A:78:LEU:HD21	1:A:712:LEU:CD2	2.37	0.55
1:B:216:TRP:CG	1:B:217:PRO:HA	2.42	0.54
1:B:177:PHE:HB2	1:B:182:THR:HB	1.89	0.54
1:B:655:SER:HG	3:B:802:TYR:C	2.15	0.54
1:B:172:CYS:HA	1:B:186:PHE:O	2.08	0.53
1:B:305:ILE:HG23	1:B:450:MET:HE3	1.91	0.53
1:B:512:ASP:OD1	1:B:515:ALA:N	2.31	0.53
1:A:628:ARG:NH2	4:A:904:HOH:O	2.34	0.52
1:B:126:ASP:OD2	1:B:187:ARG:NH1	2.39	0.52
1:A:433:THR:CG2	4:A:978:HOH:O	2.55	0.51
1:A:177:PHE:HB2	1:A:182:THR:HB	1.93	0.51
1:B:410:TYR:CE2	1:B:528:VAL:HA	2.46	0.51
1:B:84:HIS:CE1	2:B:801:VAL:HB	2.46	0.51
1:B:315:VAL:HG11	1:B:450:MET:HE2	1.91	0.51
1:A:601:LEU:HB3	1:A:624:VAL:HG22	1.93	0.50
1:B:250:HIS:HA	4:B:1059:HOH:O	2.11	0.50
1:B:252:LEU:HD13	1:B:660:LEU:HD21	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:ALA:HA	1:B:226:TYR:OH	2.12	0.49
1:B:35:ILE:HD12	1:B:39:LEU:HD11	1.95	0.49
1:B:47:SER:HB2	1:B:49:GLU:OE2	2.12	0.49
1:A:410:TYR:CE2	1:A:528:VAL:HA	2.48	0.48
1:B:147:LEU:HD21	1:B:151:ARG:NH2	2.28	0.48
1:A:677:SER:HB2	1:A:689:THR:HG23	1.95	0.48
1:A:377:LEU:O	1:A:380:HIS:HB2	2.14	0.47
1:B:399:ASN:HB3	4:B:1075:HOH:O	2.14	0.47
1:A:350:GLN:HE21	1:A:350:GLN:HA	1.80	0.47
1:B:369:PRO:O	1:B:372:ALA:HB3	2.14	0.47
1:A:86:ALA:HA	1:A:226:TYR:OH	2.15	0.47
1:A:368:LYS:N	1:A:369:PRO:CD	2.77	0.47
1:B:531:MET:O	1:B:535:LEU:HG	2.15	0.47
1:A:45:LYS:NZ	4:A:924:HOH:O	2.48	0.46
1:B:32:LEU:CD1	1:B:52:ALA:HA	2.46	0.46
1:B:64:ALA:HB3	1:B:123:PHE:HB2	1.98	0.46
1:B:368:LYS:N	1:B:369:PRO:CD	2.79	0.46
1:A:374:HIS:CE1	1:A:378:LEU:HD11	2.51	0.45
1:A:646:SER:OG	1:A:691:MET:HE2	2.16	0.45
1:B:259:LEU:HD22	1:B:667:VAL:HB	1.97	0.45
1:A:32:LEU:N	1:A:33:PRO:CD	2.80	0.45
1:B:526:TYR:CZ	1:B:530:VAL:HG11	2.52	0.45
1:A:149:ARG:NH1	1:A:550:THR:OG1	2.50	0.44
1:A:465:LEU:HB2	1:A:470:ARG:HG2	2.00	0.44
1:B:45:LYS:HG2	1:B:662:ALA:HB1	1.99	0.44
1:B:302:LEU:HD21	1:B:326:MET:HB2	1.99	0.44
1:A:217:PRO:CG	1:B:593:VAL:CG2	2.95	0.44
1:A:524:ILE:O	1:A:528:VAL:HG23	2.18	0.44
1:B:519:SER:HG	1:B:521:ASP:H	1.65	0.44
1:A:215:MET:HE3	1:A:675:TRP:HB2	1.99	0.44
1:B:29:PRO:HB3	1:B:54:LEU:HD21	1.99	0.44
1:B:416:ARG:NH1	1:B:509:PHE:O	2.38	0.44
1:B:646:SER:OG	1:B:691:MET:HE2	2.18	0.44
1:A:466:PRO:CG	1:A:469:GLN:NE2	2.81	0.44
1:B:173:ARG:HD3	1:B:175:TYR:CZ	2.53	0.44
1:B:677:SER:O	1:B:680:SER:HB2	2.18	0.43
1:A:59:MET:CE	1:A:580:ILE:HD11	2.48	0.43
1:B:283:PHE:CD2	1:B:283:PHE:C	2.96	0.43
1:B:669:LEU:HG	1:B:699:MET:HE1	2.00	0.43
1:A:111:LYS:HA	1:A:111:LYS:HD2	1.78	0.43
1:A:59:MET:HE1	1:A:580:ILE:HD11	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:29:PRO:CB	1:A:54:LEU:HD11	2.49	0.42
1:B:597:PRO:O	1:B:644:PHE:HA	2.19	0.42
1:A:84:HIS:CE1	2:A:801:VAL:HB	2.54	0.42
1:A:301:VAL:HB	1:A:326:MET:HE1	2.02	0.42
1:A:703:MET:O	1:A:708:PRO:HA	2.19	0.42
1:B:409:LEU:HD13	1:B:508:TRP:HB2	2.01	0.42
1:B:716:LEU:O	1:B:717:ASN:HB2	2.20	0.42
1:A:526:TYR:CZ	1:A:530:VAL:HG11	2.54	0.42
1:B:601:LEU:HB3	1:B:624:VAL:HG22	2.01	0.42
1:B:305:ILE:HA	1:B:450:MET:CE	2.45	0.42
1:B:463:VAL:HG12	1:B:479:LEU:HD13	2.01	0.42
1:A:216:TRP:CG	1:A:217:PRO:HA	2.55	0.42
1:B:424:GLU:OE1	1:B:542:LYS:NZ	2.36	0.42
1:A:85:CYS:SG	1:A:655:SER:HB3	2.60	0.41
1:A:289:PHE:C	1:A:292:PRO:HD2	2.45	0.41
1:A:70:ALA:HB1	1:A:79:VAL:CG1	2.50	0.41
1:A:409:LEU:HD21	1:A:439:LEU:HD11	2.02	0.41
1:A:423:ARG:HB2	1:A:428:GLN:HG2	2.01	0.41
1:A:216:TRP:HA	1:A:217:PRO:C	2.45	0.41
1:B:190:GLU:O	1:B:236:PRO:HB3	2.20	0.41
1:A:549:LEU:HD12	1:A:549:LEU:HA	1.90	0.41
1:A:57:ASP:HA	1:A:58:PRO:HA	1.92	0.41
1:B:216:TRP:CD2	1:B:217:PRO:HA	2.55	0.41
1:A:374:HIS:HD2	1:A:555:TYR:CZ	2.38	0.41
1:B:321:ALA:HB3	4:B:996:HOH:O	2.20	0.41
1:A:191:ILE:HG21	1:A:228:ALA:HB1	2.02	0.41
1:B:382:ASP:HA	1:B:385:LYS:HE2	2.03	0.41
1:B:588:TYR:CZ	1:B:595:TYR:CD2	3.09	0.41
1:B:53:ASN:ND2	1:B:56:GLY:HA3	2.35	0.41
1:B:261:ALA:O	1:B:262:ASP:HB2	2.21	0.40
1:B:463:VAL:CG1	1:B:479:LEU:HD13	2.51	0.40
1:B:149:ARG:NH2	1:B:550:THR:CG2	2.84	0.40
1:A:396:GLN:HB3	1:A:458:TRP:CE2	2.56	0.40
1:A:466:PRO:HG3	1:A:469:GLN:NE2	2.36	0.40
1:A:660:LEU:HA	1:A:665:LYS:O	2.21	0.40
1:B:291:TYR:N	1:B:292:PRO:HD2	2.36	0.40
1:B:415:GLU:O	1:B:423:ARG:HG2	2.20	0.40
1:A:587:GLY:HA3	1:A:595:TYR:O	2.21	0.40
1:B:89:ALA:HB1	1:B:116:ALA:HA	2.03	0.40
1:B:703:MET:O	1:B:708:PRO:HA	2.21	0.40
1:A:552:ARG:N	1:A:553:PRO:HD2	2.37	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:587:GLY:HA3	1:B:595:TYR:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	695/720 (96%)	668 (96%)	25 (4%)	2 (0%)	36	31
1	B	695/720 (96%)	665 (96%)	30 (4%)	0	100	100
All	All	1390/1440 (96%)	1333 (96%)	55 (4%)	2 (0%)	48	45

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	383	THR
1	A	364	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	540/557 (97%)	516 (96%)	24 (4%)	25	18
1	B	540/557 (97%)	523 (97%)	17 (3%)	35	31
All	All	1080/1114 (97%)	1039 (96%)	41 (4%)	29	23

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	ARG
1	A	206	LYS
1	A	215	MET
1	A	249	LYS
1	A	285	GLU
1	A	334	LEU
1	A	350	GLN
1	A	376	GLN
1	A	379	LYS
1	A	383	THR
1	A	385	LYS
1	A	399	ASN
1	A	492	ASN
1	A	501	SER
1	A	507	LYS
1	A	536	LYS
1	A	540	GLN
1	A	565	SER
1	A	590	LYS
1	A	593	VAL
1	A	594	LYS
1	A	618	LYS
1	A	625	LYS
1	A	712	LEU
1	B	49	GLU
1	B	50	GLN
1	B	55	THR
1	B	111	LYS
1	B	144	ASN
1	B	233	ASP
1	B	242	ASP
1	B	267	VAL
1	B	307	ASP
1	B	399	ASN
1	B	469	GLN
1	B	477	LYS
1	B	501	SER
1	B	507	LYS
1	B	549	LEU
1	B	590	LYS
1	B	635	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	76	GLN
1	A	97	GLN
1	A	332	ASN
1	A	336	GLN
1	A	350	GLN
1	A	374	HIS
1	A	399	ASN
1	A	469	GLN
1	A	540	GLN
1	A	557	GLN
1	B	53	ASN
1	B	76	GLN
1	B	257	GLN
1	B	336	GLN
1	B	469	GLN
1	B	700	GLN
1	B	717	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	VAL	A	801	3	4,6,7	0.77	0	6,7,9	0.95	1 (16%)
2	VAL	B	801	3	4,6,7	0.68	0	6,7,9	1.04	1 (16%)
3	TYR	A	802	2	12,13,13	0.69	0	13,17,17	0.81	1 (7%)
3	TYR	B	802	2	12,13,13	0.66	1 (8%)	13,17,17	0.69	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VAL	A	801	3	-	0/5/6/8	-
2	VAL	B	801	3	-	0/5/6/8	-
3	TYR	A	802	2	-	4/8/8/8	0/1/1/1
3	TYR	B	802	2	-	5/8/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	802	TYR	OXT-C	-2.12	1.23	1.30

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	TYR	OXT-C-O	-2.36	118.73	124.08
3	B	802	TYR	OXT-C-O	-2.14	119.23	124.08
2	B	801	VAL	O-C-CA	-2.10	119.37	124.77
2	A	801	VAL	O-C-CA	-2.02	119.58	124.77

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	802	TYR	OXT-C-CA-CB
3	B	802	TYR	N-CA-CB-CG
3	A	802	TYR	O-C-CA-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	802	TYR	CA-CB-CG-CD2
3	B	802	TYR	CA-CB-CG-CD1
3	B	802	TYR	OXT-C-CA-CB
3	A	802	TYR	CA-CB-CG-CD2
3	A	802	TYR	CA-CB-CG-CD1
3	B	802	TYR	O-C-CA-CB

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	VAL	1	0
2	B	801	VAL	1	0
3	A	802	TYR	2	0
3	B	802	TYR	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	697/720 (96%)	0.14	20 (2%) 53 53	11, 26, 48, 98	0
1	B	697/720 (96%)	0.46	30 (4%) 40 39	15, 32, 53, 70	0
All	All	1394/1440 (96%)	0.30	50 (3%) 46 45	11, 29, 52, 98	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	381	LEU	5.7
1	A	366	ALA	4.7
1	A	384	SER	3.9
1	B	381	LEU	3.7
1	B	719	ALA	3.6
1	A	365	ALA	3.4
1	A	104	GLY	3.2
1	A	383	THR	3.1
1	A	334	LEU	3.1
1	B	366	ALA	3.0
1	B	365	ALA	2.9
1	A	385	LYS	2.8
1	B	371	LEU	2.8
1	B	164	CYS	2.8
1	B	380	HIS	2.7
1	A	378	LEU	2.7
1	B	168	ALA	2.6
1	B	169	GLY	2.6
1	A	379	LYS	2.6
1	A	352	GLU	2.6
1	A	164	CYS	2.5
1	B	375	ALA	2.5
1	A	380	HIS	2.5
1	B	372	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	520	ASN	2.5
1	A	371	LEU	2.4
1	B	419	PRO	2.4
1	B	141	GLY	2.4
1	B	626	ALA	2.4
1	B	378	LEU	2.3
1	A	719	ALA	2.3
1	B	471	ASP	2.3
1	B	368	LYS	2.3
1	B	57	ASP	2.3
1	B	484	ALA	2.3
1	B	166	ALA	2.2
1	A	550	THR	2.2
1	A	364	GLY	2.2
1	B	360	LEU	2.2
1	B	384	SER	2.2
1	B	242	ASP	2.2
1	B	50	GLN	2.2
1	B	68	CYS	2.2
1	B	361	LYS	2.2
1	B	140	ALA	2.1
1	A	144	ASN	2.0
1	B	382	ASP	2.0
1	A	145	ASP	2.0
1	B	55	THR	2.0
1	B	364	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	TYR	B	802	13/13	0.91	0.09	23,26,29,33	0
3	TYR	A	802	13/13	0.93	0.07	20,21,27,31	0
2	VAL	A	801	7/8	0.95	0.07	17,18,18,20	0
2	VAL	B	801	7/8	0.96	0.06	18,20,21,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.