



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 01:32 AM UTC

PDB ID : 3DL6 / pdb_00003dl6
Title : Crystal Structure of the A287F/S290G Active Site Mutant of TS-DHFR from *Cryptosporidium hominis*
Authors : Martucci, W.E.; Vargo, M.A.; Anderson, K.S.
Deposited on : 2008-06-26
Resolution : 3.25 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1605 (3.30-3.22)
Clashscore	190562	1660 (3.30-3.22)
Ramachandran outliers	187476	1630 (3.30-3.22)
Sidechain outliers	187428	1629 (3.30-3.22)
RSRZ outliers	180081	1605 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	43% 45% 8% ..
1	B	521	41% 44% 10% ..
1	C	521	44% 42% 10% ..
1	D	521	41% 46% 8% ..
1	E	521	37% 51% 9% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	UMP	A	603	-	-	X	-
2	UMP	B	607	-	-	X	-
2	UMP	E	619	-	-	X	-
3	CB3	B	608	-	-	X	-
3	CB3	C	612	-	-	X	-
3	CB3	D	616	-	-	X	-
3	CB3	E	620	-	-	X	-
4	DHF	A	605	-	-	X	-
4	DHF	B	609	X	-	X	-
4	DHF	C	613	-	-	X	-
4	DHF	D	617	-	-	X	-
4	DHF	E	621	-	-	X	-
5	NDP	C	614	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 21446 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dihydrofolate reductase, DHFR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	505	Total	C	N	O	S	0	0	0
			4111	2629	690	770	22			
1	B	508	Total	C	N	O	S	0	0	0
			4126	2638	693	773	22			
1	C	508	Total	C	N	O	S	0	0	0
			4133	2644	694	773	22			
1	D	508	Total	C	N	O	S	0	0	0
			4137	2646	694	775	22			
1	E	507	Total	C	N	O	S	0	0	0
			4121	2635	692	772	22			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	287	PHE	ALA	engineered mutation	UNP Q5CGA3
A	290	GLY	SER	engineered mutation	UNP Q5CGA3
B	287	PHE	ALA	engineered mutation	UNP Q5CGA3
B	290	GLY	SER	engineered mutation	UNP Q5CGA3
C	287	PHE	ALA	engineered mutation	UNP Q5CGA3
C	290	GLY	SER	engineered mutation	UNP Q5CGA3
D	287	PHE	ALA	engineered mutation	UNP Q5CGA3
D	290	GLY	SER	engineered mutation	UNP Q5CGA3
E	287	PHE	ALA	engineered mutation	UNP Q5CGA3
E	290	GLY	SER	engineered mutation	UNP Q5CGA3

- Molecule 2 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (CCD ID: UMP) (formula: C₉H₁₃N₂O₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	C	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	D	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	E	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 3 is 10-PROPARGYL-5,8-DIDEAZAFOLIC ACID (CCD ID: CB3) (formula: $C_{24}H_{23}N_5O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			35	24	5	6		
3	B	1	Total	C	N	O	0	0
			35	24	5	6		
3	C	1	Total	C	N	O	0	0
			35	24	5	6		
3	D	1	Total	C	N	O	0	0
			35	24	5	6		
3	E	1	Total	C	N	O	0	0
			35	24	5	6		

- Molecule 4 is DIHYDROFOLIC ACID (CCD ID: DHF) (formula: $C_{19}H_{21}N_7O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 32	C 19	N 7	O 6	0	0
4	B	1	Total 32	C 19	N 7	O 6	0	0
4	C	1	Total 32	C 19	N 7	O 6	0	0
4	D	1	Total 32	C 19	N 7	O 6	0	0
4	E	1	Total 32	C 19	N 7	O 6	0	0


- Molecule 5 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $\text{C}_{21}\text{H}_{30}\text{N}_7\text{O}_{17}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
5	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
5	C	1	Total 48	C 21	N 7	O 17	P 3	0	0
5	D	1	Total 48	C 21	N 7	O 17	P 3	0	0
5	E	1	Total 48	C 21	N 7	O 17	P 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	35	Total 35	O 35	0	0
6	B	48	Total 48	O 48	0	0
6	C	22	Total 22	O 22	0	0
6	D	23	Total 23	O 23	0	0
6	E	15	Total 15	O 15	0	0




• Molecule 1: Dihydrofolate reductase, DHFR


Chain C: 44% 42% 10% ..



• Molecule 1: Dihydrofolate reductase, DHFR


Chain D: 41% 46% 8% ..





● Molecule 1: Dihydrofolate reductase, DHFR

Chain E: 37% 51% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	214.91Å 116.92Å 220.95Å 90.00° 95.94° 90.00°	Depositor
Resolution (Å)	3.45 – 3.25 3.45 – 3.26	Depositor EDS
% Data completeness (in resolution range)	98.2 (3.45-3.25) 14.0 (3.45-3.26)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 3.25Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.225 , 0.276 0.213 , 0.260	Depositor DCC
R_{free} test set	4159 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.359	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	4.37 , 221.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.77	EDS
Total number of atoms	21446	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, DHF, UMP, CB3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/4207	1.03	24/5686 (0.4%)
1	B	0.51	0/4222	0.98	21/5707 (0.4%)
1	C	0.50	1/4229 (0.0%)	1.02	30/5715 (0.5%)
1	D	0.46	1/4233 (0.0%)	0.97	13/5720 (0.2%)
1	E	0.43	0/4217	0.99	20/5700 (0.4%)
All	All	0.48	2/21108 (0.0%)	1.00	108/28528 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	9
1	C	0	3
1	D	0	5
1	E	0	2
All	All	0	26

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	379	PRO	N-CD	5.45	1.55	1.47
1	C	226	THR	CA-CB	5.25	1.56	1.52

The worst 5 of 108 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	404	VAL	N-CA-C	9.83	120.65	110.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	404	VAL	N-CA-C	9.70	119.73	110.42
1	A	324	TYR	N-CA-C	-9.64	102.02	113.88
1	B	237	GLU	N-CA-C	-9.36	101.62	113.23
1	B	84	ALA	N-CA-C	8.38	120.11	110.97

There are no chirality outliers.

5 of 26 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	LEU	Peptide
1	A	113	CYS	Peptide
1	A	81	GLN	Peptide
1	A	83	GLU	Peptide
1	A	98	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4111	0	4031	324	0
1	B	4126	0	4036	347	0
1	C	4133	0	4057	351	0
1	D	4137	0	4061	367	0
1	E	4121	0	4035	345	0
2	A	20	0	11	7	0
2	B	20	0	11	10	0
2	C	20	0	10	5	0
2	D	20	0	11	4	0
2	E	20	0	11	10	0
3	A	35	0	21	5	0
3	B	35	0	21	14	0
3	C	35	0	21	15	0
3	D	35	0	21	14	0
3	E	35	0	21	13	0
4	A	32	0	19	9	0
4	B	32	0	19	18	0
4	C	32	0	19	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	32	0	19	33	0
4	E	32	0	19	20	0
5	A	48	0	26	18	0
5	B	48	0	26	13	0
5	C	48	0	26	22	0
5	D	48	0	26	14	0
5	E	48	0	26	18	0
6	A	35	0	0	2	0
6	B	48	0	0	1	0
6	C	22	0	0	1	0
6	D	23	0	0	5	0
6	E	15	0	0	1	0
All	All	21446	0	20604	1716	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 41.

The worst 5 of 1716 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:TYR:CE2	1:B:391:PRO:HD2	1.31	1.63
1:C:349:TYR:CE2	1:D:391:PRO:HD2	1.57	1.39
1:B:81:GLN:OE1	1:B:92:ARG:NH1	1.59	1.34
1:B:67:LEU:HD22	4:B:609:DHF:O2	1.24	1.31
1:D:67:LEU:CD2	4:D:617:DHF:O2	1.81	1.26

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	501/521 (96%)	431 (86%)	51 (10%)	19 (4%)	2	15
1	B	504/521 (97%)	435 (86%)	53 (10%)	16 (3%)	3	18
1	C	504/521 (97%)	445 (88%)	46 (9%)	13 (3%)	4	21
1	D	504/521 (97%)	427 (85%)	56 (11%)	21 (4%)	2	13
1	E	503/521 (96%)	419 (83%)	67 (13%)	17 (3%)	3	17
All	All	2516/2605 (97%)	2157 (86%)	273 (11%)	86 (3%)	3	17

5 of 86 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	4	LYS
1	A	84	ALA
1	A	103	ASN
1	A	105	ASP
1	A	206	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	454/470 (97%)	418 (92%)	36 (8%)	11	35
1	B	454/470 (97%)	394 (87%)	60 (13%)	4	17
1	C	456/470 (97%)	402 (88%)	54 (12%)	5	21
1	D	457/470 (97%)	404 (88%)	53 (12%)	5	21
1	E	454/470 (97%)	412 (91%)	42 (9%)	8	29
All	All	2275/2350 (97%)	2030 (89%)	245 (11%)	6	23

5 of 245 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	140	ASP
1	E	220	LYS
1	C	432	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	196	ILE
1	E	383	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 120 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	126	ASN
1	E	268	GLN
1	C	468	ASN
1	E	250	ASN
1	E	468	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	UMP	A	603	-	21,21,21	2.36	3 (14%)	30,31,31	2.27	8 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DHF	E	621	-	32,34,34	1.13	3 (9%)	38,47,47	1.14	3 (7%)
2	UMP	E	619	-	21,21,21	2.38	3 (14%)	30,31,31	2.42	9 (30%)
2	UMP	C	611	-	21,21,21	2.37	3 (14%)	30,31,31	2.99	11 (36%)
5	NDP	B	610	-	51,52,52	1.32	5 (9%)	71,80,80	1.59	10 (14%)
4	DHF	D	617	-	32,34,34	1.13	3 (9%)	38,47,47	1.14	3 (7%)
2	UMP	D	615	-	21,21,21	2.37	3 (14%)	30,31,31	2.16	9 (30%)
4	DHF	B	609	-	32,34,34	1.13	3 (9%)	38,47,47	1.14	3 (7%)
4	DHF	C	613	-	32,34,34	1.12	3 (9%)	38,47,47	1.14	3 (7%)
5	NDP	E	622	-	51,52,52	1.32	5 (9%)	71,80,80	1.59	10 (14%)
3	CB3	D	616	-	37,37,37	1.35	4 (10%)	50,51,51	1.23	5 (10%)
5	NDP	D	618	-	51,52,52	1.32	5 (9%)	71,80,80	1.59	10 (14%)
3	CB3	C	612	-	37,37,37	1.35	4 (10%)	50,51,51	1.22	5 (10%)
5	NDP	A	606	-	51,52,52	1.31	5 (9%)	71,80,80	1.59	10 (14%)
3	CB3	A	604	-	37,37,37	1.97	6 (16%)	50,51,51	1.41	4 (8%)
5	NDP	C	614	-	51,52,52	1.31	5 (9%)	71,80,80	1.59	10 (14%)
2	UMP	B	607	-	21,21,21	2.36	3 (14%)	30,31,31	2.20	8 (26%)
4	DHF	A	605	-	32,34,34	1.13	3 (9%)	38,47,47	1.14	3 (7%)
3	CB3	E	620	-	37,37,37	1.35	4 (10%)	50,51,51	1.22	5 (10%)
3	CB3	B	608	-	37,37,37	1.35	4 (10%)	50,51,51	1.22	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UMP	A	603	-	-	4/10/22/22	0/2/2/2
4	DHF	E	621	-	-	6/20/31/31	0/3/3/3
2	UMP	E	619	-	-	3/10/22/22	0/2/2/2
2	UMP	C	611	-	-	2/10/22/22	0/2/2/2
5	NDP	B	610	-	-	12/34/77/77	0/5/5/5
4	DHF	D	617	-	-	13/20/31/31	0/3/3/3
2	UMP	D	615	-	-	6/10/22/22	0/2/2/2
4	DHF	B	609	-	1/1/5/8	8/20/31/31	0/3/3/3
4	DHF	C	613	-	-	7/20/31/31	0/3/3/3
5	NDP	E	622	-	-	7/34/77/77	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CB3	D	616	-	-	4/27/28/28	0/3/3/3
5	NDP	D	618	-	-	4/34/77/77	0/5/5/5
3	CB3	C	612	-	-	2/27/28/28	0/3/3/3
5	NDP	A	606	-	-	11/34/77/77	0/5/5/5
3	CB3	A	604	-	-	6/27/28/28	0/3/3/3
5	NDP	C	614	-	-	10/34/77/77	0/5/5/5
2	UMP	B	607	-	-	2/10/22/22	0/2/2/2
4	DHF	A	605	-	-	8/20/31/31	0/3/3/3
3	CB3	E	620	-	-	4/27/28/28	0/3/3/3
3	CB3	B	608	-	-	2/27/28/28	0/3/3/3

The worst 5 of 77 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	619	UMP	C6-C5	8.10	1.53	1.35
2	D	615	UMP	C6-C5	8.01	1.53	1.35
2	C	611	UMP	C6-C5	8.00	1.53	1.35
2	A	603	UMP	C6-C5	7.99	1.53	1.35
2	B	607	UMP	C6-C5	7.95	1.53	1.35

The worst 5 of 134 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	611	UMP	O4'-C4'-C5'	9.22	138.85	109.33
2	C	611	UMP	C6-C5-C4	-6.01	111.86	119.53
3	A	604	CB3	CP2-CP1-N10	-5.88	108.02	113.45
2	B	607	UMP	C6-C5-C4	-5.82	112.09	119.53
2	E	619	UMP	N3-C2-N1	5.66	122.26	114.89

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	609	DHF	CA

5 of 121 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	615	UMP	C5'-O5'-P-OP1
2	D	615	UMP	C5'-O5'-P-OP2

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	D	615	UMP	C5'-O5'-P-OP3
2	E	619	UMP	C5'-O5'-P-OP1
2	E	619	UMP	C5'-O5'-P-OP2


There are no ring outliers.


20 monomers are involved in 276 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	603	UMP	7	0
4	E	621	DHF	20	0
2	E	619	UMP	10	0
2	C	611	UMP	5	0
5	B	610	NDP	13	0
4	D	617	DHF	33	0
2	D	615	UMP	4	0
4	B	609	DHF	18	0
4	C	613	DHF	24	0
5	E	622	NDP	18	0
3	D	616	CB3	14	0
5	D	618	NDP	14	0
3	C	612	CB3	15	0
5	A	606	NDP	18	0
3	A	604	CB3	5	0
5	C	614	NDP	22	0
2	B	607	UMP	10	0
4	A	605	DHF	9	0
3	E	620	CB3	13	0
3	B	608	CB3	14	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










Ligand DHF D 617





Ligand UMP D 615




































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	505/521 (96%)	-1.63	0 100 100	22, 52, 94, 157	0
1	B	508/521 (97%)	-1.60	0 100 100	20, 47, 94, 157	0
1	C	508/521 (97%)	-1.63	0 100 100	27, 57, 110, 189	0
1	D	508/521 (97%)	-1.64	0 100 100	25, 60, 110, 172	0
1	E	507/521 (97%)	-1.68	0 100 100	36, 75, 125, 181	0
All	All	2536/2605 (97%)	-1.64	0 100 100	20, 58, 111, 189	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	UMP	E	619	20/20	0.72	0.04	63,63,81,84	0
5	NDP	E	622	48/48	0.72	0.04	56,63,90,94	0
3	CB3	E	620	35/35	0.79	0.03	55,66,89,98	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DHF	B	609	32/32	0.80	0.05	33,63,63,63	0
2	UMP	D	615	20/20	0.80	0.04	57,63,65,84	0
5	NDP	C	614	48/48	0.84	0.04	52,63,92,99	0
4	DHF	C	613	32/32	0.84	0.04	42,63,63,72	0
3	CB3	D	616	35/35	0.87	0.04	53,63,65,76	0
5	NDP	D	618	48/48	0.87	0.03	49,63,73,88	0
5	NDP	B	610	48/48	0.87	0.04	28,63,63,65	0
4	DHF	E	621	32/32	0.88	0.03	41,63,63,81	0
5	NDP	A	606	48/48	0.88	0.04	28,63,63,63	0
4	DHF	D	617	32/32	0.88	0.04	40,63,63,63	0
3	CB3	B	608	35/35	0.90	0.04	44,50,63,63	0
2	UMP	A	603	20/20	0.90	0.03	40,63,66,72	0
2	UMP	C	611	20/20	0.91	0.03	45,63,63,66	0
4	DHF	A	605	32/32	0.92	0.04	33,63,63,64	0
2	UMP	B	607	20/20	0.92	0.04	25,63,63,63	0
3	CB3	A	604	35/35	0.93	0.03	60,63,76,80	0
3	CB3	C	612	35/35	0.93	0.03	45,58,63,63	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UMP E 619:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP E 622:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CB3 E 620:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around DHF B 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UMP D 615:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP C 614:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DHF C 613:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CB3 D 616:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP D 618:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NDP B 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DHF E 621:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DHF D 617:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CB3 B 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UMP A 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMP C 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DHF A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMP B 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CB3 A 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CB3 C 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.