



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 08:59 AM UTC

PDB ID : 9DL7 / pdb_00009dl7
Title : Structure of proline utilization A complexed with 1-(4-fluorophenyl)thiourea
Authors : Tanner, J.J.; Meeks, K.R.
Deposited on : 2024-09-10
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1235	4% 92% 5%
1	B	1235	7% 92% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	SO4	A	2016	-	-	X	-

2 Entry composition ⓘ

There are 8 unique types of molecules in this entry. The entry contains 19511 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bifunctional protein PutA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1199	Total	C	N	O	S	0	12	0
			8839	5575	1577	1654	33			
1	B	1202	Total	C	N	O	S	0	5	0
			8782	5527	1573	1650	32			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP F7X6I3
A	0	MET	-	expression tag	UNP F7X6I3
B	-1	SER	-	expression tag	UNP F7X6I3
B	0	MET	-	expression tag	UNP F7X6I3

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		
3	A	1	Total	C	O	0	0
			7	4	3		
3	A	1	Total	C	O	0	0
			7	4	3		
3	A	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		
4	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is 1-(4-fluorophenyl)thiourea (CCD ID: 8P4) (formula: $C_7H_7FN_2S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	F	N	S	0	1
			22	14	2	4	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	F	N	S	0	1
			22	14	2	4	2		

- Molecule 6 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	B	1	Total	C	O	0	0
			3	1	2		
6	B	1	Total	C	O	0	0
			3	1	2		
6	B	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			3	1	2		
6	B	1	Total	C	O	0	0
			3	1	2		

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	769	Total	O	0	0
			769	769		
8	B	729	Total	O	0	0
			729	729		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Bifunctional protein PutA



• Molecule 1: Bifunctional protein PutA





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.14Å 101.87Å 126.56Å 90.00° 106.38° 90.00°	Depositor
Resolution (Å)	46.97 – 1.72 46.97 – 1.72	Depositor EDS
% Data completeness (in resolution range)	97.8 (46.97-1.72) 99.3 (46.97-1.72)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.16 (at 1.72Å)	Xtriage
Refinement program	PHENIX 1.21rc1_5156	Depositor
R, R_{free}	0.208 , 0.240 0.201 , 0.232	Depositor DCC
R_{free} test set	5313 reflections (2.04%)	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19511	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, FAD, SO4, 8P4, FMT, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/9030	0.44	0/12306
1	B	0.26	0/8955	0.45	0/12210
All	All	0.26	0/17985	0.44	0/24516

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8839	0	8794	41	0
1	B	8782	0	8661	36	0
2	A	53	0	31	2	0
2	B	53	0	31	3	0
3	A	28	0	40	1	0
3	B	28	0	40	0	0
4	A	10	0	14	1	0
4	B	10	0	14	0	0
5	A	22	0	0	1	0
5	B	22	0	0	1	0
6	A	21	0	7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	15	0	5	1	0
7	A	80	0	0	3	0
7	B	50	0	0	1	0
8	A	769	0	0	9	1
8	B	729	0	0	7	1
All	All	19511	0	17637	81	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:ARG:NH2	8:A:2102:HOH:O	2.15	0.78
1:A:539:GLU:OE1	8:A:2101:HOH:O	2.03	0.76
1:A:286:LEU:HD21	1:A:322:VAL:HG11	1.71	0.73
1:B:539:GLU:OE1	8:B:2101:HOH:O	2.07	0.71
1:B:339:VAL:HG21	1:B:350:LEU:HD21	1.78	0.65
1:B:225:GLU:HB3	1:B:265:LYS:HD2	1.79	0.63
1:A:961:ASP:OD2	1:B:1055:LYS:NZ	2.31	0.63
1:A:473:TYR:HB2	2:A:2001:FAD:HM72	1.82	0.61
1:A:590:ARG:HH21	1:A:733:GLU:HG2	1.65	0.61
1:A:845:SER:OG	7:A:2016:SO4:O2	2.17	0.60
1:B:286:LEU:HD21	1:B:322:VAL:HG11	1.83	0.59
1:A:162:ARG:NH1	8:A:2114:HOH:O	2.37	0.57
1:B:332:TRP:HZ3	1:B:335:MET:HE2	1.70	0.56
1:A:829:VAL:HG13	1:A:864[B]:LEU:HD23	1.89	0.55
1:B:182:ARG:NH1	8:B:2121:HOH:O	2.39	0.54
1:A:912:ILE:HD11	1:A:926:PRO:HD2	1.89	0.54
1:A:663:LYS:NZ	1:A:671:GLU:OE1	2.33	0.53
1:B:650:MET:O	1:B:654:LEU:HG	2.08	0.53
1:A:843:ARG:HD3	7:A:2016:SO4:O2	2.09	0.52
1:A:192:GLY:O	1:A:207:ARG:NH1	2.42	0.52
1:B:1212:GLU:OE1	8:B:2102:HOH:O	2.19	0.51
1:A:298[A]:ASN:OD1	8:A:2103:HOH:O	2.19	0.51
1:B:1174:ARG:NH1	8:B:2120:HOH:O	2.39	0.51
1:A:952:ARG:HA	7:A:2030:SO4:O4	2.12	0.50
1:A:796:ASP:OD1	1:A:1174[B]:ARG:NH2	2.38	0.50
1:A:298[B]:ASN:ND2	8:A:2106:HOH:O	2.26	0.50
5:B:2005[A]:8P4:F1	8:B:2582:HOH:O	2.07	0.50
1:A:873:ILE:HG13	1:A:883:VAL:HB	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:GLU:O	8:B:2103:HOH:O	2.20	0.49
1:A:43:GLU:HB3	1:A:528:GLY:O	2.13	0.48
1:A:650:MET:O	1:A:654:LEU:HG	2.13	0.48
1:B:297:LYS:HG3	1:B:332:TRP:HB2	1.95	0.48
1:A:610:GLU:HG2	1:A:614:ARG:NH1	2.28	0.48
1:A:339:VAL:HG21	1:A:350:LEU:HD21	1.95	0.48
1:A:1143:GLN:O	1:A:1147:LEU:HG	2.14	0.48
1:B:615:ARG:HH22	6:B:2011:FMT:H	1.79	0.47
1:B:43:GLU:HB3	1:B:528:GLY:O	2.14	0.47
1:A:222:MET:HG2	8:A:2265:HOH:O	2.14	0.47
1:B:873:ILE:HG13	1:B:883:VAL:HB	1.95	0.47
1:B:1106:PRO:HG3	1:B:1112:LEU:HD13	1.97	0.47
1:B:1060:LYS:HB3	1:B:1060:LYS:HE3	1.67	0.47
1:B:64:ALA:HA	1:B:433:HIS:CD2	2.50	0.46
1:B:1056:TRP:CD1	1:B:1142:PRO:HD3	2.50	0.46
1:A:590:ARG:NH2	1:A:733:GLU:HG2	2.31	0.46
1:B:396:ILE:HD11	1:B:520:VAL:HB	1.97	0.46
1:B:843:ARG:HD3	7:B:2014:SO4:O3	2.16	0.46
1:A:1079:GLY:HA2	4:A:2003:PGE:H4	1.98	0.46
1:B:858:ASP:CG	1:B:950:ARG:HH22	2.24	0.46
1:A:448:CYS:HB2	1:A:453:GLY:HA3	1.98	0.45
1:A:784:THR:HG22	1:A:811:THR:HB	1.98	0.45
1:A:367:ARG:HA	1:A:419:GLN:HB2	1.99	0.45
5:A:2005[A]:8P4:S1	8:A:2183:HOH:O	2.61	0.45
1:A:473:TYR:CB	2:A:2001:FAD:HM72	2.45	0.44
1:B:708:PHE:HB2	1:B:712:ILE:HD12	1.99	0.44
1:A:157:SER:HA	1:A:1223:ALA:HB3	1.99	0.44
1:B:824:LEU:HB2	1:B:977:ARG:HH21	1.82	0.44
1:A:890:GLU:CD	1:A:890:GLU:H	2.26	0.43
1:B:332:TRP:CZ3	1:B:335:MET:HE2	2.51	0.43
1:A:892:LYS:O	1:A:896:GLU:HG3	2.18	0.43
1:A:26:ARG:HH22	1:A:322:VAL:HG23	1.82	0.43
1:A:953:ARG:HD3	8:A:2303:HOH:O	2.18	0.43
1:B:628:ALA:CB	1:B:696:PRO:HG2	2.48	0.43
1:B:473:TYR:HB2	2:B:2001:FAD:HM72	2.01	0.43
1:B:159:VAL:HG13	1:B:164:LEU:HD12	2.00	0.42
1:B:898:HIS:CD2	1:B:941:VAL:HG21	2.54	0.42
1:B:780:PHE:O	1:B:809:ALA:HA	2.18	0.42
1:A:121:ILE:HA	1:A:125:ILE:HB	2.01	0.42
1:A:608:THR:HG21	1:A:759:LEU:HD12	2.01	0.42
1:B:717:ILE:HG12	1:B:727:VAL:HG11	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:2012:PEG:H11	8:A:2739:HOH:O	2.19	0.42
1:A:953:ARG:O	1:A:953:ARG:HD2	2.20	0.42
1:B:1060:LYS:NZ	8:B:2149:HOH:O	2.50	0.42
1:A:186:MET:HE2	1:A:186:MET:HB2	1.98	0.42
1:A:858:ASP:CG	1:A:950:ARG:HH22	2.28	0.41
1:B:984:HIS:C	1:B:984:HIS:CD2	2.98	0.41
2:B:2001:FAD:H1'1	2:B:2001:FAD:H9	1.80	0.41
1:B:272:ARG:HB3	1:B:277:GLN:HG3	2.01	0.40
1:B:581:ALA:HB2	1:B:754:SER:HA	2.03	0.40
1:A:695:GLY:HA2	1:A:696:PRO:HD3	1.96	0.40
1:B:695:GLY:HA2	1:B:696:PRO:HD3	1.91	0.40
2:B:2001:FAD:H1'1	2:B:2001:FAD:H4'	1.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:2104:HOH:O	8:B:2715:HOH:O[2_556]	2.14	0.06

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1203/1235 (97%)	1179 (98%)	23 (2%)	1 (0%)	48	34
1	B	1202/1235 (97%)	1181 (98%)	21 (2%)	0	100	100
All	All	2405/2470 (97%)	2360 (98%)	44 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	969	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	875/951 (92%)	868 (99%)	7 (1%)	73	61
1	B	859/951 (90%)	851 (99%)	8 (1%)	70	57
All	All	1734/1902 (91%)	1719 (99%)	15 (1%)	70	57

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	140	LEU
1	A	202	ARG
1	A	321	GLU
1	A	342	TYR
1	A	503	ILE
1	A	730	LYS
1	A	912	ILE
1	B	84	VAL
1	B	159	VAL
1	B	342	TYR
1	B	490	LEU
1	B	730	LYS
1	B	810	GLU
1	B	1104	LEU
1	B	1187	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	304	ASN
1	A	340	GLN
1	A	872	HIS
1	B	28	GLN
1	B	340	GLN
1	B	667	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1115	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

54 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	SO4	B	2021	-	4,4,4	0.68	0	6,6,6	0.20	0
7	SO4	A	2027	-	4,4,4	0.70	0	6,6,6	0.10	0
6	FMT	A	2013	-	2,2,2	0.59	0	1,1,1	0.25	0
7	SO4	A	2016	-	4,4,4	0.57	0	6,6,6	0.22	0
5	8P4	B	2005[A]	-	11,11,11	3.61	3 (27%)	13,14,14	2.55	5 (38%)
6	FMT	B	2012	-	2,2,2	0.63	0	1,1,1	0.18	0
6	FMT	A	2010	-	2,2,2	0.59	0	1,1,1	0.19	0
7	SO4	B	2017	-	4,4,4	0.56	0	6,6,6	0.24	0
3	PEG	A	2004	-	6,6,6	0.23	0	5,5,5	0.32	0
6	FMT	A	2008	-	2,2,2	0.58	0	1,1,1	0.23	0
7	SO4	A	2024	-	4,4,4	0.62	0	6,6,6	0.23	0
7	SO4	B	2015	-	4,4,4	0.71	0	6,6,6	0.08	0
4	PGE	A	2003	-	9,9,9	0.32	0	8,8,8	0.63	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	FMT	A	2009	-	2,2,2	0.63	0	1,1,1	0.10	0
7	SO4	B	2014	-	4,4,4	0.66	0	6,6,6	0.21	0
3	PEG	A	2012	-	6,6,6	0.22	0	5,5,5	0.47	0
5	8P4	B	2005[B]	-	11,11,11	3.60	4 (36%)	13,14,14	2.70	7 (53%)
7	SO4	A	2022	-	4,4,4	0.61	0	6,6,6	0.45	0
7	SO4	A	2029	-	4,4,4	0.63	0	6,6,6	0.18	0
7	SO4	A	2020	-	4,4,4	0.70	0	6,6,6	0.05	0
3	PEG	A	2007	-	6,6,6	0.25	0	5,5,5	0.27	0
6	FMT	A	2014	-	2,2,2	0.63	0	1,1,1	0.19	0
7	SO4	B	2018	-	4,4,4	0.71	0	6,6,6	0.18	0
7	SO4	A	2018	-	4,4,4	0.66	0	6,6,6	0.10	0
6	FMT	B	2006	-	2,2,2	0.61	0	1,1,1	0.08	0
7	SO4	B	2013	-	4,4,4	0.68	0	6,6,6	0.36	0
7	SO4	B	2019	-	4,4,4	0.68	0	6,6,6	0.11	0
4	PGE	B	2002	-	9,9,9	0.31	0	8,8,8	0.37	0
7	SO4	A	2019	-	4,4,4	0.64	0	6,6,6	0.14	0
3	PEG	B	2004	-	6,6,6	0.26	0	5,5,5	0.29	0
2	FAD	B	2001	-	58,58,58	2.16	14 (24%)	85,89,89	1.82	21 (24%)
7	SO4	A	2021	-	4,4,4	0.64	0	6,6,6	0.17	0
7	SO4	B	2016	-	4,4,4	0.69	0	6,6,6	0.18	0
3	PEG	B	2009	-	6,6,6	0.30	0	5,5,5	0.27	0
5	8P4	A	2005[A]	-	11,11,11	3.52	4 (36%)	13,14,14	2.84	5 (38%)
6	FMT	B	2010	-	2,2,2	0.60	0	1,1,1	0.20	0
6	FMT	B	2008	-	2,2,2	0.57	0	1,1,1	0.18	0
3	PEG	B	2007	-	6,6,6	0.25	0	5,5,5	0.26	0
7	SO4	A	2026	-	4,4,4	0.63	0	6,6,6	0.21	0
7	SO4	B	2020	-	4,4,4	0.62	0	6,6,6	0.25	0
2	FAD	A	2001	-	58,58,58	2.25	15 (25%)	85,89,89	1.83	24 (28%)
6	FMT	B	2011	-	2,2,2	0.62	0	1,1,1	0.17	0
3	PEG	A	2002	-	6,6,6	0.22	0	5,5,5	0.21	0
3	PEG	B	2003	-	6,6,6	0.24	0	5,5,5	0.34	0
7	SO4	A	2025	-	4,4,4	0.70	0	6,6,6	0.26	0
5	8P4	A	2005[B]	-	11,11,11	3.70	4 (36%)	13,14,14	2.49	6 (46%)
7	SO4	A	2028	-	4,4,4	0.68	0	6,6,6	0.13	0
7	SO4	A	2017	-	4,4,4	0.69	0	6,6,6	0.26	0
7	SO4	A	2030	-	4,4,4	0.64	0	6,6,6	0.21	0
7	SO4	B	2022	-	4,4,4	0.67	0	6,6,6	0.18	0
7	SO4	A	2015	-	4,4,4	0.50	0	6,6,6	0.30	0
6	FMT	A	2011	-	2,2,2	0.64	0	1,1,1	0.19	0
7	SO4	A	2023	-	4,4,4	0.61	0	6,6,6	0.10	0
6	FMT	A	2006	-	2,2,2	0.62	0	1,1,1	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PGE	B	2002	-	-	1/7/7/7	-
3	PEG	A	2002	-	-	0/4/4/4	-
3	PEG	B	2004	-	-	1/4/4/4	-
3	PEG	B	2003	-	-	3/4/4/4	-
2	FAD	B	2001	-	-	4/34/50/50	0/6/6/6
3	PEG	A	2012	-	-	1/4/4/4	-
5	8P4	A	2005[B]	-	-	0/4/4/4	0/1/1/1
5	8P4	B	2005[B]	-	-	0/4/4/4	0/1/1/1
3	PEG	B	2009	-	-	2/4/4/4	-
5	8P4	A	2005[A]	-	-	0/4/4/4	0/1/1/1
5	8P4	B	2005[A]	-	-	0/4/4/4	0/1/1/1
3	PEG	B	2007	-	-	1/4/4/4	-
3	PEG	A	2004	-	-	2/4/4/4	-
3	PEG	A	2007	-	-	3/4/4/4	-
2	FAD	A	2001	-	-	7/34/50/50	0/6/6/6
4	PGE	A	2003	-	-	2/7/7/7	-

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FAD	PA-O3P	-8.61	1.50	1.59
5	B	2005[A]	8P4	C7-N2	7.69	1.46	1.32
2	B	2001	FAD	PA-O3P	-7.56	1.51	1.59
5	B	2005[B]	8P4	C7-N2	7.47	1.46	1.32
5	A	2005[B]	8P4	C7-N2	7.30	1.45	1.32
5	A	2005[B]	8P4	C7-N1	7.28	1.47	1.34
2	A	2001	FAD	O4-C4	7.25	1.37	1.23
5	A	2005[A]	8P4	C7-N2	7.21	1.45	1.32
2	B	2001	FAD	O4-C4	6.94	1.36	1.23
5	A	2005[A]	8P4	C7-N1	6.77	1.46	1.34
5	B	2005[B]	8P4	C7-N1	6.63	1.46	1.34
5	B	2005[A]	8P4	C7-S1	-6.37	1.60	1.69
5	B	2005[A]	8P4	C7-N1	6.18	1.45	1.34
5	B	2005[B]	8P4	C7-S1	-6.05	1.60	1.69
5	A	2005[B]	8P4	C7-S1	-5.93	1.60	1.69
5	A	2005[A]	8P4	C7-S1	-5.58	1.61	1.69
2	B	2001	FAD	O2-C2	5.39	1.35	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FAD	O2-C2	5.02	1.34	1.24
2	B	2001	FAD	C4X-N5	4.41	1.40	1.30
2	A	2001	FAD	C6A-N6A	4.32	1.45	1.34
2	A	2001	FAD	C4X-N5	4.17	1.39	1.30
2	B	2001	FAD	C6A-N6A	3.84	1.44	1.34
2	A	2001	FAD	P-O3P	3.41	1.63	1.59
2	B	2001	FAD	C2-N1	3.17	1.43	1.36
2	B	2001	FAD	C10-N1	3.15	1.39	1.33
2	A	2001	FAD	C2-N1	3.04	1.43	1.36
2	A	2001	FAD	PA-O5B	-2.83	1.48	1.59
2	A	2001	FAD	O2'-C2'	-2.80	1.37	1.43
5	A	2005[B]	8P4	C6-N1	2.79	1.47	1.41
2	B	2001	FAD	P-O3P	2.57	1.62	1.59
2	B	2001	FAD	O2'-C2'	-2.55	1.38	1.43
2	B	2001	FAD	PA-O5B	-2.51	1.49	1.59
2	A	2001	FAD	PA-O2A	-2.37	1.44	1.55
2	A	2001	FAD	O4'-C4'	-2.36	1.38	1.43
2	B	2001	FAD	O4'-C4'	-2.28	1.38	1.43
2	B	2001	FAD	PA-O2A	-2.23	1.45	1.55
5	A	2005[A]	8P4	C6-N1	2.21	1.46	1.41
2	B	2001	FAD	P-O1P	2.11	1.58	1.50
5	B	2005[B]	8P4	C6-N1	2.09	1.45	1.41
2	A	2001	FAD	O4B-C4B	-2.08	1.40	1.45
2	A	2001	FAD	C10-N1	2.07	1.37	1.33
2	A	2001	FAD	P-O1P	2.06	1.58	1.50
2	A	2001	FAD	O3'-C3'	-2.03	1.37	1.43
2	B	2001	FAD	C4A-N9A	2.02	1.41	1.37

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	FAD	N3A-C2A-N1A	-6.21	119.18	128.58
2	B	2001	FAD	N3A-C2A-N1A	-6.05	119.43	128.58
5	A	2005[A]	8P4	C1-C6-N1	-5.17	103.04	120.41
5	B	2005[B]	8P4	C1-C6-N1	-5.10	103.28	120.41
5	A	2005[A]	8P4	C5-C6-N1	5.04	137.33	120.41
5	B	2005[A]	8P4	C1-C6-N1	-5.03	103.53	120.41
5	A	2005[B]	8P4	S1-C7-N2	-4.99	116.47	123.14
5	B	2005[B]	8P4	C5-C6-N1	4.94	137.01	120.41
5	B	2005[A]	8P4	C5-C6-N1	4.61	135.88	120.41
2	B	2001	FAD	C5A-C4A-N3A	-4.60	120.38	126.72
2	B	2001	FAD	O2P-P-O3P	-4.49	95.14	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	FAD	O2P-P-O3P	-4.42	95.33	107.27
5	B	2005[B]	8P4	F1-C3-C4	4.15	125.20	118.55
2	B	2001	FAD	C5A-N7A-C8A	4.13	109.94	103.45
5	A	2005[A]	8P4	F1-C3-C4	4.11	125.13	118.55
5	A	2005[A]	8P4	S1-C7-N2	-3.82	118.03	123.14
5	B	2005[A]	8P4	F1-C3-C4	3.78	124.61	118.55
5	A	2005[B]	8P4	F1-C3-C4	3.70	124.47	118.55
2	A	2001	FAD	C5A-C4A-N3A	-3.68	121.65	126.72
2	B	2001	FAD	C2A-N3A-C4A	3.64	120.72	111.83
2	A	2001	FAD	C5A-N7A-C8A	3.53	109.00	103.45
2	B	2001	FAD	C4A-C5A-N7A	-3.52	106.56	110.58
2	A	2001	FAD	C4-C4X-N5	3.49	123.03	118.21
2	A	2001	FAD	C4-N3-C2	-3.39	119.62	125.64
2	A	2001	FAD	C2A-N3A-C4A	3.34	119.99	111.83
2	B	2001	FAD	N9A-C8A-N7A	-3.33	109.21	113.94
2	A	2001	FAD	N9A-C8A-N7A	-3.31	109.24	113.94
2	B	2001	FAD	N3A-C4A-N9A	3.29	132.76	127.17
2	B	2001	FAD	C4X-C4-N3	3.09	121.13	113.25
2	B	2001	FAD	C4-N3-C2	-3.07	120.19	125.64
2	A	2001	FAD	N3A-C4A-N9A	3.07	132.39	127.17
5	A	2005[B]	8P4	C5-C6-N1	3.06	130.70	120.41
5	A	2005[B]	8P4	S1-C7-N1	3.06	127.43	120.81
2	B	2001	FAD	O3P-P-O1P	3.03	119.83	110.70
2	A	2001	FAD	C4X-C4-N3	2.95	120.76	113.25
2	A	2001	FAD	O2A-PA-O3P	-2.94	99.34	107.27
2	B	2001	FAD	O4-C4-C4X	-2.88	118.93	126.53
5	A	2005[B]	8P4	C1-C6-N1	-2.84	110.88	120.41
2	A	2001	FAD	O3P-P-O1P	2.81	119.14	110.70
2	B	2001	FAD	C5X-C9A-N10	2.76	120.47	117.97
2	A	2001	FAD	C4X-C10-N10	2.67	120.30	116.48
2	A	2001	FAD	C4A-C5A-N7A	-2.67	107.53	110.58
2	B	2001	FAD	O2A-PA-O3P	-2.60	100.23	107.27
2	A	2001	FAD	C2A-N1A-C6A	2.54	122.91	118.73
2	B	2001	FAD	C4-C4X-N5	2.54	121.71	118.21
5	A	2005[A]	8P4	C2-C3-C4	-2.52	119.49	122.80
5	B	2005[B]	8P4	C2-C3-C4	-2.45	119.59	122.80
5	B	2005[B]	8P4	S1-C7-N2	-2.42	119.90	123.14
2	A	2001	FAD	C4A-N9A-C8A	2.42	108.28	105.74
2	A	2001	FAD	C10-C4X-N5	-2.39	119.93	124.81
5	A	2005[B]	8P4	C2-C3-C4	-2.37	119.69	122.80
5	B	2005[A]	8P4	F1-C3-C2	-2.36	114.77	118.55
2	B	2001	FAD	O5'-P-O1P	2.35	118.23	108.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	FAD	C2A-N1A-C6A	2.30	122.51	118.73
2	A	2001	FAD	O5'-P-O1P	2.29	118.03	108.94
2	B	2001	FAD	O2A-PA-O5B	-2.26	97.34	107.57
2	A	2001	FAD	O2-C2-N1	-2.23	118.10	121.80
5	B	2005[B]	8P4	C1-C2-C3	2.20	120.64	118.38
2	A	2001	FAD	O4-C4-C4X	-2.18	120.78	126.53
2	A	2001	FAD	O2A-PA-O5B	-2.15	97.80	107.57
2	A	2001	FAD	C2'-C1'-N10	2.12	120.20	110.20
2	B	2001	FAD	O2P-P-O5'	-2.09	98.09	107.57
2	A	2001	FAD	O5B-PA-O1A	2.09	117.22	108.94
5	B	2005[B]	8P4	F1-C3-C2	-2.09	115.21	118.55
2	A	2001	FAD	O2P-P-O5'	-2.07	98.16	107.57
2	B	2001	FAD	O5B-PA-O1A	2.07	117.14	108.94
2	B	2001	FAD	C6A-C5A-N7A	2.07	136.08	132.09
5	B	2005[A]	8P4	N2-C7-N1	2.06	121.42	117.64

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2001	FAD	P-O3P-PA-O5B
2	A	2001	FAD	N10-C1'-C2'-O2'
2	A	2001	FAD	N10-C1'-C2'-C3'
2	A	2001	FAD	C5'-O5'-P-O2P
2	B	2001	FAD	N10-C1'-C2'-O2'
2	B	2001	FAD	N10-C1'-C2'-C3'
3	B	2003	PEG	O1-C1-C2-O2
3	A	2012	PEG	O1-C1-C2-O2
3	A	2007	PEG	O2-C3-C4-O4
3	A	2007	PEG	O1-C1-C2-O2
2	A	2001	FAD	C3B-C4B-C5B-O5B
2	B	2001	FAD	P-O3P-PA-O5B
3	A	2007	PEG	C1-C2-O2-C3
2	B	2001	FAD	C3B-C4B-C5B-O5B
4	B	2002	PGE	C1-C2-O2-C3
3	B	2004	PEG	O1-C1-C2-O2
3	B	2007	PEG	C1-C2-O2-C3
3	A	2004	PEG	C1-C2-O2-C3
3	B	2003	PEG	C1-C2-O2-C3
3	B	2003	PEG	C4-C3-O2-C2
4	A	2003	PGE	C1-C2-O2-C3
3	A	2004	PEG	C4-C3-O2-C2

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	A	2001	FAD	C5B-O5B-PA-O3P
2	A	2001	FAD	C5'-O5'-P-O1P
4	A	2003	PGE	C6-C5-O3-C4
3	B	2009	PEG	O2-C3-C4-O4
3	B	2009	PEG	C1-C2-O2-C3



There are no ring outliers.


10 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	2016	SO4	2	0
5	B	2005[A]	8P4	1	0
4	A	2003	PGE	1	0
7	B	2014	SO4	1	0
3	A	2012	PEG	1	0
2	B	2001	FAD	3	0
5	A	2005[A]	8P4	1	0
2	A	2001	FAD	2	0
6	B	2011	FMT	1	0
7	A	2030	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	1199/1235 (97%)	0.42	51 (4%)	40	46	11, 27, 49, 75	12 (1%)
1	B	1202/1235 (97%)	0.58	86 (7%)	21	27	13, 29, 54, 73	5 (0%)
All	All	2401/2470 (97%)	0.50	137 (5%)	29	35	11, 28, 52, 75	17 (0%)

All (137) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	484	ALA	6.3
1	A	487	VAL	4.9
1	B	72	ILE	4.8
1	A	483	LEU	4.8
1	B	503	ILE	4.7
1	A	486	LEU	4.6
1	A	1222	ALA	4.5
1	B	482	LEU	4.4
1	A	129	ASN	4.4
1	A	14	ALA	4.2
1	B	223	LEU	4.2
1	A	482	LEU	4.1
1	B	487	VAL	4.1
1	B	500	VAL	4.1
1	B	79	HIS	4.1
1	B	514	ILE	4.1
1	B	134	LEU	4.0
1	B	464	GLY	4.0
1	B	75	LEU	3.9
1	A	485	TYR	3.9
1	B	70	LYS	3.9
1	B	486	LEU	3.9
1	B	490	LEU	3.9
1	A	495	ALA	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	494	GLY	3.8
1	B	467	ASP	3.8
1	A	500	VAL	3.7
1	A	481	THR	3.7
1	B	129	ASN	3.7
1	B	481	THR	3.7
1	A	134	LEU	3.6
1	B	439	PHE	3.6
1	B	66	SER	3.6
1	B	436	GLY	3.5
1	A	479	HIS	3.5
1	B	510	ILE	3.5
1	B	483	LEU	3.5
1	B	513	LEU	3.5
1	B	905	LEU	3.4
1	B	934	LEU	3.4
1	B	435	ALA	3.4
1	A	112	PRO	3.4
1	B	438	ASP	3.4
1	B	494	GLY	3.4
1	A	132	SER	3.3
1	B	935	SER	3.3
1	A	1223	ALA	3.2
1	B	155	LEU	3.1
1	B	488	ARG	3.1
1	B	432	TYR	3.1
1	B	460	VAL	3.0
1	A	503	ILE	3.0
1	A	133	HIS	3.0
1	B	507	LYS	3.0
1	B	14	ALA	3.0
1	B	937	LEU	3.0
1	A	75	LEU	3.0
1	A	72	ILE	2.9
1	B	132	SER	2.9
1	B	493	ASN	2.9
1	B	441	VAL	2.9
1	B	485	TYR	2.8
1	B	71	LEU	2.8
1	A	123	ASP	2.8
1	B	461	VAL	2.7
1	B	133	HIS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	452	MET	2.7
1	B	456	LEU	2.7
1	A	111	ILE	2.7
1	B	462	GLY	2.7
1	A	478	THR	2.7
1	A	83	GLY	2.7
1	B	484	ALA	2.7
1	B	73	GLU	2.6
1	B	508	VAL	2.6
1	A	771	ALA	2.6
1	B	59	GLU	2.6
1	B	195	PHE	2.6
1	B	521	VAL	2.6
1	A	514	ILE	2.6
1	B	63	ALA	2.6
1	A	520	VAL	2.5
1	A	125	ILE	2.5
1	B	451	GLY	2.5
1	A	489	ARG	2.5
1	B	491	LEU	2.5
1	B	414	ASP	2.5
1	A	506	PRO	2.5
1	B	463	ARG	2.5
1	A	113	ASP	2.4
1	B	130	TRP	2.4
1	A	131	LYS	2.4
1	B	480	GLU	2.4
1	A	223	LEU	2.4
1	B	904	GLY	2.4
1	A	68	ALA	2.4
1	B	192	GLY	2.3
1	A	114	THR	2.3
1	A	116	THR	2.3
1	A	130	TRP	2.3
1	A	912	ILE	2.3
1	A	936	ASP	2.3
1	B	968	TYR	2.3
1	B	509	SER	2.3
1	B	65	ALA	2.3
1	B	504	ASN	2.3
1	B	224	GLY	2.2
1	B	912	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	506	PRO	2.2
1	B	69	ARG	2.2
1	A	934	LEU	2.2
1	A	451	GLY	2.2
1	A	501	HIS	2.2
1	B	138	ARG	2.2
1	B	431	ILE	2.2
1	B	496	ASN	2.2
1	B	520	VAL	2.2
1	A	120	LEU	2.2
1	A	812	GLY	2.2
1	B	197	THR	2.2
1	A	515	ALA	2.1
1	B	501	HIS	2.1
1	A	437	LYS	2.1
1	B	457	TYR	2.1
1	B	84	VAL	2.1
1	B	215	GLY	2.1
1	B	211	LEU	2.1
1	A	763	GLY	2.1
1	B	425	ALA	2.1
1	B	1062	ALA	2.1
1	B	60	ILE	2.1
1	A	526	VAL	2.0
1	B	122	ARG	2.0
1	B	909	VAL	2.0
1	B	458	GLU	2.0
1	A	510	ILE	2.0
1	B	505	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PEG	B	2007	7/7	0.66	0.19	44,45,53,57	0
3	PEG	A	2007	7/7	0.74	0.17	36,42,48,50	0
6	FMT	A	2011	3/3	0.74	0.13	48,48,50,51	0
5	8P4	A	2005[B]	11/11	0.75	0.18	33,36,40,43	11
5	8P4	A	2005[A]	11/11	0.75	0.18	34,35,38,40	11
5	8P4	B	2005[B]	11/11	0.77	0.16	29,31,33,36	11
5	8P4	B	2005[A]	11/11	0.77	0.16	27,31,36,39	11
3	PEG	B	2009	7/7	0.79	0.16	38,39,43,45	0
7	SO4	A	2028	5/5	0.79	0.12	50,55,59,62	5
7	SO4	A	2029	5/5	0.80	0.17	30,34,39,42	5
3	PEG	B	2003	7/7	0.81	0.13	34,37,43,44	0
7	SO4	A	2023	5/5	0.81	0.19	29,30,33,34	5
7	SO4	A	2026	5/5	0.82	0.14	32,32,37,41	5
7	SO4	B	2021	5/5	0.82	0.15	32,32,44,46	5
7	SO4	B	2022	5/5	0.82	0.15	29,34,38,39	5
7	SO4	B	2018	5/5	0.83	0.14	33,38,40,47	5
7	SO4	B	2020	5/5	0.84	0.16	27,27,31,32	5
6	FMT	A	2014	3/3	0.85	0.13	32,32,36,43	0
6	FMT	A	2008	3/3	0.86	0.10	44,44,45,50	0
3	PEG	A	2012	7/7	0.86	0.11	30,34,38,43	0
4	PGE	A	2003	10/10	0.86	0.12	30,37,47,49	0
7	SO4	A	2017	5/5	0.86	0.15	26,29,34,42	5
7	SO4	B	2015	5/5	0.87	0.11	34,35,38,46	5
6	FMT	B	2012	3/3	0.87	0.10	40,40,40,41	3
6	FMT	B	2011	3/3	0.87	0.11	41,41,42,44	0
7	SO4	A	2020	5/5	0.87	0.11	47,48,51,53	5
7	SO4	A	2021	5/5	0.87	0.12	36,36,37,40	5
7	SO4	A	2030	5/5	0.88	0.13	30,36,41,46	5
3	PEG	B	2004	7/7	0.88	0.11	33,35,41,43	0
7	SO4	A	2018	5/5	0.88	0.10	47,50,54,55	5
3	PEG	A	2002	7/7	0.89	0.10	28,35,40,47	0
3	PEG	A	2004	7/7	0.89	0.10	35,40,40,46	0
6	FMT	A	2010	3/3	0.90	0.09	41,41,43,50	0
7	SO4	B	2016	5/5	0.90	0.12	22,31,37,38	5
7	SO4	A	2027	5/5	0.90	0.12	26,34,39,40	5
6	FMT	B	2006	3/3	0.90	0.16	25,25,31,33	0
6	FMT	A	2013	3/3	0.90	0.14	32,32,34,39	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	SO4	A	2024	5/5	0.90	0.14	23,32,35,40	5
2	FAD	A	2001	53/53	0.91	0.10	18,28,33,35	53
2	FAD	B	2001	53/53	0.91	0.09	23,28,35,37	0
6	FMT	B	2010	3/3	0.91	0.13	39,39,39,46	0
7	SO4	A	2025	5/5	0.91	0.10	34,40,42,50	5
6	FMT	A	2009	3/3	0.91	0.09	32,32,33,43	0
7	SO4	B	2019	5/5	0.92	0.09	33,33,40,43	5
7	SO4	A	2022	5/5	0.92	0.12	24,31,34,37	5
4	PGE	B	2002	10/10	0.92	0.09	29,34,39,48	0
7	SO4	A	2019	5/5	0.92	0.10	30,36,38,43	5
6	FMT	B	2008	3/3	0.93	0.08	33,33,33,41	0
6	FMT	A	2006	3/3	0.93	0.09	30,30,33,38	0
7	SO4	B	2017	5/5	0.93	0.13	25,26,34,34	5
7	SO4	B	2014	5/5	0.93	0.11	28,28,32,38	5
7	SO4	A	2016	5/5	0.94	0.10	28,29,36,36	5
7	SO4	A	2015	5/5	0.97	0.06	21,23,23,25	0
7	SO4	B	2013	5/5	0.98	0.06	22,22,26,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 8P4 A 2005 (B):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8P4 A 2005 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8P4 B 2005 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 8P4 B 2005 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 2001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.