



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 01:56 PM UTC

PDB ID : 1DMA / pdb_00001dma
Title : DOMAIN III OF PSEUDOMONAS AERUGINOSA EXOTOXIN COM-
PLEXED WITH NICOTINAMIDE AND AMP
Authors : Li, M.; Dyda, F.; Benhar, I.; Pastan, I.; Davies, D.
Deposited on : 1995-04-28
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	214	
1	B	214	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NCA	B	700	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3073 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EXOTOXIN A.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	204	Total	C	N	O	5	0	0
			1562	990	280	292			
1	B	189	Total	C	N	O	27	0	0
			1437	914	254	269			

- Molecule 2 is NICOTINAMIDE (CCD ID: NCA) (formula: C₆H₆N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			9	6	2	1		
2	B	1	Total	C	N	O	0	0
			9	6	2	1		

- Molecule 3 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	18	Total	O	0	0
			18	18		
4	B	15	Total	O	0	0
			15	15		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


• Molecule 1: EXOTOXIN A

Chain A: 



• Molecule 1: EXOTOXIN A

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.51Å 87.51Å 134.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.50	Depositor
% Data completeness (in resolution range)	88.9 (8.00-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.195 , 0.265	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3073	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NCA, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	0/1602	1.40	19/2183 (0.9%)
1	B	1.15	4/1471 (0.3%)	1.48	25/2003 (1.2%)
All	All	1.12	4/3073 (0.1%)	1.44	44/4186 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	575	PRO	CA-C	7.43	1.62	1.52
1	B	576	ARG	N-CA	6.71	1.54	1.46
1	B	495	ASN	C-N	6.61	1.41	1.33
1	B	411	THR	C-O	-5.19	1.17	1.24

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	457	ALA	N-CA-C	14.90	130.02	111.69
1	B	494	ARG	N-CA-C	11.22	126.11	110.06
1	A	606	LYS	CB-CA-C	9.80	122.30	108.68
1	B	574	ASP	O-C-N	-8.49	113.83	121.39
1	A	486	GLU	O-C-N	-8.17	116.08	121.88
1	A	574	ASP	CA-C-N	7.93	127.65	119.64
1	A	574	ASP	C-N-CA	7.93	127.65	119.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	444	LEU	N-CA-C	7.34	123.42	111.37
1	A	517	THR	N-CA-C	-6.99	99.16	110.20
1	A	606	LYS	N-CA-C	-6.67	101.10	110.31
1	B	495	ASN	O-C-N	-6.51	113.93	122.59
1	B	597	LEU	N-CA-C	6.38	119.77	110.14
1	A	493	ILE	N-CA-C	-6.11	96.63	109.34
1	A	401	LEU	N-CA-C	6.09	119.67	112.72
1	B	420	GLU	N-CA-C	-6.05	104.38	110.97
1	B	595	SER	N-CA-C	6.02	123.62	110.80
1	B	465	ILE	N-CA-C	6.01	116.67	110.36
1	A	607	PRO	N-CA-C	5.88	117.87	110.70
1	B	557	GLY	N-CA-C	-5.86	104.51	111.36
1	B	541	ALA	N-CA-C	-5.80	99.89	108.99
1	B	549	GLY	N-CA-C	-5.67	108.10	114.40
1	B	583	ASP	CA-C-N	5.58	125.05	119.24
1	B	583	ASP	C-N-CA	5.58	125.05	119.24
1	A	595	SER	N-CA-C	5.51	119.53	112.26
1	B	476	ALA	N-CA-C	-5.50	105.19	111.07
1	A	607	PRO	CA-C-N	5.46	126.67	119.84
1	A	607	PRO	C-N-CA	5.46	126.67	119.84
1	B	520	ALA	CA-C-N	5.42	125.75	119.47
1	B	520	ALA	C-N-CA	5.42	125.75	119.47
1	B	587	ILE	CB-CA-C	-5.40	101.53	111.36
1	B	520	ALA	N-CA-C	-5.39	100.05	109.48
1	A	596	ALA	N-CA-C	-5.34	103.48	110.53
1	B	549	GLY	O-C-N	5.30	128.67	122.73
1	A	573	THR	N-CA-C	-5.26	101.69	110.17
1	B	590	LYS	N-CA-C	-5.24	105.48	111.14
1	A	605	GLY	O-C-N	5.23	126.33	122.62
1	B	518	LEU	N-CA-C	5.23	117.43	110.53
1	A	430	GLU	N-CA-C	-5.18	105.72	111.36
1	B	576	ARG	NE-CZ-NH2	5.17	123.86	119.20
1	A	526	GLU	N-CA-C	-5.17	105.72	111.36
1	A	450	ILE	N-CA-C	-5.14	105.70	110.53
1	A	403	ASP	N-CA-C	5.07	117.02	108.96
1	B	433	GLY	N-CA-C	5.05	122.29	115.32
1	B	582	LEU	N-CA-C	5.03	117.63	110.24

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	495	ASN	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1562	0	1527	43	0
1	B	1437	0	1402	79	0
2	A	9	0	6	0	0
2	B	9	0	6	2	0
3	B	23	0	12	1	0
4	A	18	0	0	0	0
4	B	15	0	0	0	0
All	All	3073	0	2953	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:457:ALA:O	1:B:458:ARG:HB2	1.71	0.89
1:A:400:PHE:HE1	1:B:539:LEU:HD11	1.42	0.82
1:B:482:ALA:HB1	1:B:496:GLY:N	1.93	0.82
1:A:503:VAL:HG12	1:A:564:THR:HG22	1.64	0.79
1:B:598:PRO:HG2	1:B:599:ASP:H	1.47	0.78
1:A:524:ALA:O	1:A:528:GLU:HG3	1.84	0.77
1:B:482:ALA:HB1	1:B:496:GLY:H	1.49	0.76
1:A:429:LEU:HD21	1:A:565:VAL:HG11	1.69	0.73
1:B:558:TRP:O	1:B:562:GLU:HG3	1.89	0.72
1:B:424:GLN:HG3	1:B:427:ARG:HH21	1.53	0.71
1:B:419:VAL:O	1:B:423:LEU:HD22	1.90	0.71
1:A:464:ALA:O	1:A:467:ARG:HG2	1.91	0.69
1:B:436:PHE:HE1	1:B:597:LEU:HD21	1.57	0.68
1:A:400:PHE:HE1	1:B:539:LEU:CD1	2.06	0.68
1:B:426:HIS:CE1	1:B:594:ILE:HG23	2.28	0.68
1:B:548:GLU:C	1:B:550:GLY:H	2.02	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:ILE:HG23	1:A:535:LEU:HD13	1.78	0.65
1:B:512:TYR:HB2	1:B:542:ILE:HD12	1.80	0.64
1:B:582:LEU:HD22	1:B:583:ASP:N	2.12	0.64
1:B:423:LEU:O	1:B:427:ARG:HG3	1.99	0.63
1:B:512:TYR:O	1:B:543:THR:HG22	1.99	0.62
1:B:435:VAL:HG11	1:B:505:ARG:HE	1.65	0.61
1:A:546:GLU:CD	1:A:549:GLY:HA3	2.26	0.61
1:B:596:ALA:O	1:B:597:LEU:HD23	2.00	0.61
1:A:400:PHE:CE1	1:B:539:LEU:HD11	2.32	0.60
1:B:466:TRP:CD1	1:B:519:ALA:HA	2.36	0.60
1:A:407:VAL:HA	1:A:415:GLN:O	2.03	0.59
1:A:440:HIS:HD2	1:A:470:TYR:O	1.86	0.59
1:B:516:LEU:O	1:B:545:PRO:HD2	2.03	0.58
1:B:466:TRP:HH2	1:B:527:VAL:HG21	1.68	0.58
1:B:503:VAL:HG12	1:B:564:THR:HG22	1.84	0.58
1:A:540:ASP:O	1:A:560:LEU:HD12	2.03	0.58
1:B:400:PHE:O	1:B:425:ALA:HB1	2.03	0.58
1:B:560:LEU:O	1:B:564:THR:HG23	2.02	0.58
1:B:548:GLU:C	1:B:550:GLY:N	2.62	0.58
1:B:407:VAL:HG11	1:B:568:PRO:HG2	1.84	0.57
1:B:472:ALA:HB2	2:B:700:NCA:H5	1.87	0.57
1:B:506:SER:O	1:B:509:PRO:HD2	2.05	0.57
1:B:475:PRO:O	1:B:479:TYR:HB2	2.04	0.56
1:B:443:PHE:CZ	1:B:446:ALA:HB2	2.40	0.56
1:A:432:ARG:HH11	1:A:432:ARG:HG2	1.72	0.55
1:B:513:ARG:HG3	1:B:543:THR:HG23	1.88	0.55
1:A:521:PRO:HG2	1:A:522:GLU:OE1	2.05	0.55
1:A:486:GLU:O	1:A:487:PRO:C	2.49	0.54
1:A:577:ASN:OD1	1:A:580:GLY:HA3	2.07	0.54
1:B:423:LEU:HD21	1:B:590:LYS:HD3	1.90	0.54
1:A:527:VAL:O	1:A:531:ILE:HB	2.07	0.54
1:B:517:THR:HG22	1:B:545:PRO:HG2	1.91	0.53
1:A:488:ASP:OD1	1:A:488:ASP:C	2.51	0.53
1:B:419:VAL:HG11	1:B:590:LYS:HB2	1.91	0.52
1:B:598:PRO:HG2	1:B:599:ASP:N	2.22	0.52
1:A:410:SER:OG	1:A:412:ARG:HG2	2.10	0.51
1:B:457:ALA:O	1:B:458:ARG:CB	2.53	0.51
1:B:465:ILE:HG23	1:B:535:LEU:HD13	1.91	0.51
1:A:465:ILE:HG22	1:A:466:TRP:CD1	2.46	0.51
1:B:408:SER:HB3	1:B:415:GLN:HB2	1.93	0.51
1:B:482:ALA:HB1	1:B:496:GLY:CA	2.40	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:HIS:NE2	1:A:594:ILE:HG13	2.26	0.50
1:B:481:TYR:N	1:B:481:TYR:CD1	2.80	0.50
1:B:464:ALA:O	1:B:467:ARG:HG2	2.12	0.50
1:B:424:GLN:NE2	1:B:427:ARG:HE	2.10	0.50
1:B:500:ARG:HH22	1:B:594:ILE:HG22	1.77	0.49
1:B:401:LEU:HD22	1:B:407:VAL:HG21	1.94	0.49
1:A:547:GLU:O	1:A:548:GLU:HB2	2.10	0.49
1:B:416:ASN:N	1:B:416:ASN:HD22	2.11	0.49
1:A:448:GLN:NE2	1:A:452:PHE:CD2	2.80	0.49
1:B:530:LEU:HD12	1:B:542:ILE:HD11	1.93	0.49
1:A:432:ARG:HG2	1:A:432:ARG:NH1	2.26	0.49
1:B:531:ILE:HG23	1:B:533:HIS:CD2	2.46	0.49
1:B:436:PHE:CE1	1:B:597:LEU:HD21	2.45	0.49
1:B:598:PRO:CG	1:B:599:ASP:H	2.13	0.48
1:A:545:PRO:HA	1:A:552:LEU:HD23	1.96	0.48
1:B:423:LEU:HD12	1:B:594:ILE:HD11	1.96	0.47
1:B:512:TYR:CD1	1:B:531:ILE:HD12	2.49	0.47
1:B:411:THR:HG23	1:B:495:ASN:OD1	2.15	0.47
1:A:473:GLY:HA3	1:A:597:LEU:HD21	1.96	0.47
1:A:448:GLN:NE2	1:A:452:PHE:HD2	2.13	0.47
1:A:427:ARG:NE	1:A:427:ARG:HA	2.28	0.46
1:B:412:ARG:HD2	1:B:415:GLN:NE2	2.30	0.46
1:B:535:LEU:HB3	1:B:536:PRO:HA	1.98	0.45
1:B:599:ASP:O	1:B:599:ASP:OD1	2.34	0.45
1:A:512:TYR:CD2	1:A:531:ILE:HD12	2.52	0.45
1:A:410:SER:OG	1:A:412:ARG:NE	2.50	0.45
1:B:436:PHE:HE1	1:B:597:LEU:CD2	2.28	0.45
1:A:415:GLN:O	1:A:416:ASN:HB2	2.17	0.44
1:A:558:TRP:O	1:A:562:GLU:HG3	2.18	0.44
1:B:413:GLY:O	1:B:415:GLN:NE2	2.50	0.44
1:B:445:GLU:H	1:B:445:GLU:CD	2.24	0.44
1:A:442:THR:O	1:A:496:GLY:HA3	2.17	0.44
1:B:511:PHE:HD2	1:B:599:ASP:O	2.00	0.44
1:B:435:VAL:HG21	1:B:508:LEU:HD11	1.99	0.43
1:B:553:GLU:HB2	2:B:700:NCA:H6	1.99	0.43
1:A:484:ASP:HB2	1:A:493:ILE:HA	2.01	0.43
1:A:465:ILE:HG23	1:A:535:LEU:CD1	2.45	0.43
1:B:427:ARG:CZ	1:B:427:ARG:HB2	2.49	0.42
1:B:409:PHE:HZ	1:B:451:VAL:HG21	1.83	0.42
1:A:512:TYR:HA	1:A:601:ALA:O	2.19	0.42
1:A:546:GLU:O	1:A:546:GLU:HG3	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:545:PRO:HA	1:B:552:LEU:H	1.84	0.42
1:B:598:PRO:CG	1:B:599:ASP:N	2.77	0.42
1:B:443:PHE:HB3	1:B:483:GLN:H	1.85	0.42
1:B:517:THR:HG22	1:B:545:PRO:O	2.20	0.42
1:B:512:TYR:HB3	1:B:530:LEU:HD13	2.02	0.41
1:B:424:GLN:N	1:B:424:GLN:OE1	2.53	0.41
1:A:607:PRO:HA	1:A:608:PRO:HD2	1.70	0.41
3:B:701:AMP:N3	3:B:701:AMP:H2'	2.36	0.41
1:B:465:ILE:HD13	1:B:465:ILE:HA	1.92	0.41
1:B:443:PHE:CE2	1:B:446:ALA:HB2	2.56	0.41
1:B:458:ARG:HH21	1:B:460:GLN:HB3	1.84	0.41
1:B:515:SER:O	1:B:545:PRO:HG3	2.21	0.41
1:B:582:LEU:HD22	1:B:582:LEU:C	2.45	0.41
1:B:432:ARG:HA	1:B:432:ARG:HD3	1.75	0.40
1:B:482:ALA:HB1	1:B:496:GLY:HA3	2.03	0.40
1:B:410:SER:HB3	1:B:415:GLN:NE2	2.36	0.40
1:A:508:LEU:N	1:A:509:PRO:CD	2.84	0.40
1:A:526:GLU:OE1	1:A:526:GLU:HA	2.21	0.40
1:A:574:ASP:OD1	1:A:575:PRO:HD2	2.21	0.40
1:A:517:THR:C	1:A:519:ALA:H	2.28	0.40
1:B:458:ARG:NH2	1:B:460:GLN:HB3	2.37	0.40
1:A:446:ALA:O	1:A:450:ILE:HG13	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/214 (94%)	183 (92%)	14 (7%)	3 (2%)	8	16
1	B	183/214 (86%)	165 (90%)	12 (7%)	6 (3%)	3	4
All	All	383/428 (90%)	348 (91%)	26 (7%)	9 (2%)	5	8

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	546	GLU
1	B	548	GLU
1	B	598	PRO
1	B	458	ARG
1	B	482	ALA
1	A	453	GLY
1	A	495	ASN
1	B	495	ASN
1	A	549	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/169 (94%)	139 (88%)	19 (12%)	5	10
1	B	146/169 (86%)	123 (84%)	23 (16%)	2	5
All	All	304/338 (90%)	262 (86%)	42 (14%)	3	7

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	411	THR
1	A	419	VAL
1	A	422	LEU
1	A	423	LEU
1	A	431	GLU
1	A	442	THR
1	A	465	ILE
1	A	485	GLN
1	A	490	ARG
1	A	494	ARG
1	A	499	LEU
1	A	509	PRO
1	A	513	ARG
1	A	518	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	531	ILE
1	A	542	ILE
1	A	560	LEU
1	A	603	GLN
1	A	606	LYS
1	B	403	ASP
1	B	415	GLN
1	B	416	ASN
1	B	418	THR
1	B	421	ARG
1	B	423	LEU
1	B	445	GLU
1	B	462	LEU
1	B	477	LEU
1	B	493	ILE
1	B	495	ASN
1	B	500	ARG
1	B	506	SER
1	B	509	PRO
1	B	518	LEU
1	B	531	ILE
1	B	534	PRO
1	B	537	LEU
1	B	540	ASP
1	B	552	LEU
1	B	560	LEU
1	B	572	PRO
1	B	582	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	428	GLN
1	A	440	HIS
1	A	603	GLN
1	B	415	GLN
1	B	416	ASN
1	B	428	GLN
1	B	448	GLN
1	B	577	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NCA	A	700	-	9,9,9	2.04	2 (22%)	11,11,11	1.85	3 (27%)
2	NCA	B	700	-	9,9,9	2.43	4 (44%)	11,11,11	2.79	6 (54%)
3	AMP	B	701	-	25,25,25	1.33	3 (12%)	37,38,38	2.79	16 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NCA	A	700	-	-	0/4/4/4	0/1/1/1
2	NCA	B	700	-	-	0/4/4/4	0/1/1/1
3	AMP	B	701	-	-	6/10/26/26	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	700	NCA	C2-N1	5.11	1.45	1.34
2	A	700	NCA	C3-C7	3.83	1.56	1.50
2	A	700	NCA	C2-N1	3.54	1.41	1.34
3	B	701	AMP	C5-N7	-3.03	1.33	1.39
2	B	700	NCA	C4-C3	-2.93	1.35	1.39
3	B	701	AMP	P-O3P	2.92	1.65	1.54
3	B	701	AMP	C8-N9	-2.37	1.33	1.37
2	B	700	NCA	C5-C4	2.32	1.42	1.38
2	B	700	NCA	C6-N1	2.30	1.40	1.33

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	701	AMP	C5-C4-N3	-6.83	117.32	126.72
3	B	701	AMP	N3-C4-N9	6.37	138.00	127.17
2	B	700	NCA	C4-C5-C6	5.45	126.80	118.92
3	B	701	AMP	C4-N9-C8	5.14	111.14	105.74
3	B	701	AMP	N3-C2-N1	-4.90	121.16	128.58
3	B	701	AMP	N9-C8-N7	-4.86	107.04	113.94
2	B	700	NCA	C5-C4-C3	-4.02	116.42	120.36
3	B	701	AMP	O3P-P-O5'	-3.95	96.36	106.67
3	B	701	AMP	C2-N3-C4	3.87	121.29	111.83
2	B	700	NCA	O7-C7-N7	3.56	127.75	122.62
3	B	701	AMP	O2P-P-O5'	3.38	115.49	106.67
3	B	701	AMP	C6-C5-N7	-3.23	125.86	132.09
3	B	701	AMP	O4'-C4'-C5'	-3.20	99.09	109.33
3	B	701	AMP	C6-C5-C4	3.09	121.39	117.18
2	A	700	NCA	C5-C4-C3	3.01	123.33	120.36
2	A	700	NCA	C4-C3-C2	-3.00	114.28	117.61
2	A	700	NCA	C3-C7-N7	2.93	121.35	117.74
2	B	700	NCA	C5-C6-N1	-2.74	114.91	122.61
3	B	701	AMP	O4'-C1'-C2'	-2.72	100.80	106.62
3	B	701	AMP	C4'-O4'-C1'	2.70	115.43	109.47
2	B	700	NCA	C4-C3-C2	2.66	120.58	117.61
3	B	701	AMP	O4'-C4'-C3'	-2.49	100.22	105.15
2	B	700	NCA	C3-C7-N7	-2.43	114.74	117.74
3	B	701	AMP	C5-N7-C8	2.38	107.19	103.45
3	B	701	AMP	O3P-P-O2P	2.11	115.70	107.80

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	701	AMP	C5'-O5'-P-O1P
3	B	701	AMP	C5'-O5'-P-O2P
3	B	701	AMP	C5'-O5'-P-O3P
3	B	701	AMP	C4'-C5'-O5'-P
3	B	701	AMP	C2'-C1'-N9-C8
3	B	701	AMP	O4'-C1'-N9-C8

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	700	NCA	2	0
3	B	701	AMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.