



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:54 PM UTC

PDB ID : 1DMB / pdb_00001dmb
Title : REFINED 1.8 ANGSTROMS STRUCTURE REVEALS THE MECHANISM OF BINDING OF A CYCLIC SUGAR, BETA-CYCLODEXTRIN, TO THE MALTODEXTRIN BINDING PROTEIN
Authors : Sharff, A.J.; Quiocho, F.A.
Deposited on : 1993-06-10
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	370	
2	B	7	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3074 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-MALTODEXTRIN BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	370	Total	C	N	O	S	0	0	0
			2862	1843	468	545	6			

- Molecule 2 is an oligosaccharide called Cycloheptakis-(1-4)-(alpha-D-glucopyranose).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	B	7	Total	C	O	0	0	0
			77	42	35			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	135	Total	O	0	0
			135	135		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: D-MALTODEXTRIN BINDING PROTEIN



• Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	38.86Å 44.32Å 58.31Å 101.50° 99.30° 102.20°	Depositor
Resolution (Å)	10.00 – 1.80 10.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-1.80) 91.3 (10.00-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 1.72Å)	Xtriage
Refinement program	PROLSQ, X-PLOR	Depositor
R, R_{free}	0.210 , (Not available) (Not available) , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtriage
Anisotropy	0.415	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 59.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3074	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	3/2931 (0.1%)	1.92	74/3979 (1.9%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	31	THR	CA-CB	5.74	1.62	1.54
1	A	104	ILE	CA-CB	5.09	1.60	1.54
1	A	80	THR	CA-CB	5.04	1.60	1.53

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	149	PHE	CA-CB-CG	12.55	126.35	113.80
1	A	242	TYR	CA-C-N	7.76	128.25	121.58
1	A	242	TYR	C-N-CA	7.76	128.25	121.58
1	A	204	MET	CA-C-N	7.11	132.53	122.72
1	A	204	MET	C-N-CA	7.11	132.53	122.72
1	A	85	PHE	N-CA-C	-6.81	102.98	112.45
1	A	8	VAL	CB-CA-C	6.62	119.36	110.42
1	A	313	LYS	N-CA-C	-6.61	105.21	113.28
1	A	262	LEU	N-CA-C	-6.50	100.20	109.96
1	A	319	ALA	CA-C-O	-6.46	113.57	120.42
1	A	107	PRO	CA-C-O	-6.38	113.46	120.92
1	A	41	ASP	CA-CB-CG	6.30	118.90	112.60
1	A	64	HIS	N-CA-C	6.30	118.95	111.71
1	A	217	PHE	O-C-N	6.30	128.79	122.12
1	A	180	ASP	CA-C-N	6.11	131.65	122.91
1	A	180	ASP	C-N-CA	6.11	131.65	122.91
1	A	115	LEU	CA-C-N	6.04	130.17	122.37
1	A	115	LEU	C-N-CA	6.04	130.17	122.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	GLU	CG-CD-OE1	6.04	132.29	118.40
1	A	273	LYS	N-CA-C	6.03	117.86	111.28
1	A	274	GLU	CB-CG-CD	5.99	122.79	112.60
1	A	344	ARG	CD-NE-CZ	5.97	132.76	124.40
1	A	114	SER	O-C-N	5.88	130.29	123.17
1	A	119	LYS	O-C-N	5.88	129.10	122.22
1	A	23	VAL	CA-C-N	5.84	126.42	120.00
1	A	23	VAL	C-N-CA	5.84	126.42	120.00
1	A	226	ILE	CB-CA-C	5.77	118.21	110.42
1	A	258	PHE	CA-C-N	-5.75	115.13	123.06
1	A	258	PHE	C-N-CA	-5.75	115.13	123.06
1	A	328	GLU	CB-CG-CD	5.73	122.34	112.60
1	A	317	ILE	CB-CG1-CD1	5.72	125.82	113.80
1	A	136	ASP	O-C-N	5.72	128.67	122.15
1	A	341	TYR	CA-C-N	5.71	128.40	120.29
1	A	341	TYR	C-N-CA	5.71	128.40	120.29
1	A	164	ASP	N-CA-C	5.70	119.21	112.72
1	A	128	THR	CA-CB-OG1	-5.66	101.11	109.60
1	A	319	ALA	O-C-N	5.59	128.53	122.15
1	A	80	THR	CA-CB-OG1	-5.58	101.23	109.60
1	A	30	ASP	CA-CB-CG	5.58	118.18	112.60
1	A	114	SER	CA-C-O	-5.58	115.10	121.40
1	A	363	ASP	CA-CB-CG	5.58	118.18	112.60
1	A	113	LEU	O-C-N	5.55	129.18	122.85
1	A	282	ASN	OD1-CG-ND2	-5.55	117.05	122.60
1	A	6	LYS	O-C-N	5.55	129.88	123.17
1	A	244	VAL	CA-C-O	-5.53	114.69	120.27
1	A	59	ILE	CB-CA-C	5.51	118.98	110.50
1	A	331	PRO	CB-CA-C	5.50	118.55	111.46
1	A	155	TYR	CA-C-N	5.48	128.65	120.31
1	A	155	TYR	C-N-CA	5.48	128.65	120.31
1	A	185	ASN	CA-C-N	5.47	127.55	120.44
1	A	185	ASN	C-N-CA	5.47	127.55	120.44
1	A	81	PRO	N-CA-C	-5.44	103.30	111.57
1	A	125	PRO	O-C-N	5.37	127.79	121.46
1	A	7	LEU	CB-CA-C	5.32	119.33	109.70
1	A	65	ASP	CB-CA-C	5.27	121.44	110.32
1	A	243	GLY	N-CA-C	-5.26	103.07	111.18
1	A	225	THR	CA-CB-CG2	5.26	119.44	110.50
1	A	250	PHE	N-CA-CB	5.25	118.83	110.84
1	A	189	LYS	O-C-N	5.19	128.06	122.15
1	A	308	GLU	N-CA-C	-5.17	105.33	110.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	49	GLN	CA-C-O	-5.16	115.59	120.90
1	A	58	ASP	CA-C-O	5.14	125.87	120.42
1	A	115	LEU	O-C-N	-5.14	116.14	122.82
1	A	219	LYS	N-CA-C	-5.14	107.06	113.38
1	A	122	LEU	N-CA-CB	-5.12	104.69	111.40
1	A	259	VAL	CA-C-O	-5.11	114.69	120.67
1	A	258	PHE	CA-C-O	-5.11	115.99	121.56
1	A	354	ARG	NE-CZ-NH2	5.11	123.80	119.20
1	A	100	ASN	CA-CB-CG	5.09	117.69	112.60
1	A	118	ASN	CA-CB-CG	-5.09	107.51	112.60
1	A	297	LYS	O-C-N	5.07	127.16	121.32
1	A	212	ILE	CA-C-O	-5.05	114.95	120.96
1	A	196	VAL	O-C-N	5.04	127.02	121.83
1	A	262	LEU	O-C-N	5.03	129.12	122.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2862	0	2828	97	0
2	B	77	0	62	2	0
3	A	135	0	0	4	0
All	All	3074	0	2890	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:ILE:HG21	3:A:469:HOH:O	1.73	0.88
1:A:321:MET:HG3	1:A:325:GLN:HE21	1.47	0.78
1:A:192:LEU:O	1:A:196:VAL:HG23	1.86	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:HIS:CD2	1:A:261:VAL:H	2.05	0.75
1:A:6:LYS:NZ	1:A:7:LEU:H	1.89	0.70
1:A:355:GLN:HG2	1:A:359:GLU:HB2	1.74	0.68
1:A:111:GLU:OE1	3:A:427:HOH:O	2.13	0.67
1:A:301:ALA:HB1	1:A:321:MET:HE2	1.77	0.67
1:A:59:ILE:CD1	1:A:264:ALA:HB1	2.25	0.65
1:A:127:LYS:HA	1:A:127:LYS:HE3	1.78	0.65
1:A:6:LYS:NZ	1:A:34:LYS:O	2.30	0.65
1:A:123:PRO:O	1:A:124:ASN:ND2	2.29	0.65
1:A:27:PHE:HA	1:A:283:TYR:CE2	2.34	0.63
1:A:355:GLN:HG2	1:A:359:GLU:CB	2.29	0.63
1:A:321:MET:CG	1:A:325:GLN:HE21	2.13	0.62
1:A:94:TRP:CE3	1:A:103:LEU:HD21	2.35	0.62
1:A:340:TRP:CD1	2:B:4:GLC:HO2	2.19	0.60
1:A:132:ILE:N	1:A:133:PRO:CD	2.64	0.60
1:A:153:GLU:OE2	1:A:154:PRO:HD2	2.01	0.60
1:A:6:LYS:HE2	1:A:34:LYS:HB2	1.84	0.60
1:A:6:LYS:HZ2	1:A:7:LEU:H	1.51	0.58
1:A:31:THR:HG22	1:A:33:ILE:HG12	1.86	0.58
1:A:321:MET:HG3	1:A:325:GLN:NE2	2.19	0.57
1:A:64:HIS:HD2	1:A:261:VAL:H	1.51	0.57
1:A:148:MET:HG2	1:A:213:ALA:HA	1.86	0.57
1:A:119:LYS:HB2	1:A:241:ASN:O	2.05	0.56
1:A:2:ILE:CB	1:A:271:PRO:HG3	2.36	0.56
1:A:59:ILE:HD11	1:A:61:PHE:CE1	2.41	0.55
1:A:61:PHE:CE2	1:A:264:ALA:HB2	2.41	0.55
1:A:99:TYR:CD1	1:A:100:ASN:HB2	2.41	0.55
1:A:154:PRO:HB3	1:A:343:VAL:HG12	1.89	0.55
1:A:133:PRO:HB3	1:A:203:HIS:CE1	2.42	0.55
1:A:335:GLN:O	1:A:338:ALA:HB3	2.08	0.54
1:A:153:GLU:HG3	2:B:3:GLC:O6	2.08	0.53
1:A:362:LYS:O	1:A:366:THR:HG23	2.09	0.53
1:A:355:GLN:HE21	1:A:359:GLU:HB3	1.73	0.52
1:A:127:LYS:HA	1:A:127:LYS:CE	2.36	0.52
1:A:148:MET:HB3	1:A:222:THR:HG21	1.92	0.52
1:A:270:SER:O	1:A:273:LYS:NZ	2.41	0.52
1:A:218:ASN:HD21	1:A:235:ILE:HG12	1.76	0.51
1:A:11:ILE:HD12	1:A:20:LEU:HD22	1.92	0.51
1:A:2:ILE:O	1:A:3:GLU:C	2.54	0.51
1:A:6:LYS:HZ2	1:A:7:LEU:N	2.09	0.50
1:A:132:ILE:N	1:A:133:PRO:HD3	2.26	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:ILE:HG12	1:A:59:ILE:HG12	1.93	0.50
1:A:274:GLU:HB2	3:A:419:HOH:O	2.12	0.50
1:A:219:LYS:HE3	1:A:221:GLU:OE2	2.12	0.49
1:A:355:GLN:NE2	1:A:363:ASP:OD2	2.44	0.49
1:A:184:ASP:OD2	1:A:362:LYS:HA	2.11	0.49
1:A:189:LYS:HG3	1:A:361:LEU:HD12	1.94	0.49
1:A:356:THR:H	1:A:359:GLU:CD	2.21	0.48
1:A:311:LEU:C	1:A:313:LYS:H	2.21	0.48
1:A:171:TYR:CZ	1:A:174:GLY:HA2	2.48	0.48
1:A:290:LEU:HD12	1:A:304:LEU:HD23	1.95	0.48
1:A:162:ALA:HB1	1:A:256:LYS:HE3	1.94	0.48
1:A:277:LYS:O	1:A:281:GLU:HG3	2.14	0.48
1:A:314:ASP:OD1	1:A:314:ASP:C	2.57	0.48
1:A:11:ILE:HG13	1:A:61:PHE:HB2	1.96	0.48
1:A:100:ASN:HA	1:A:175:LYS:HD3	1.97	0.47
1:A:370:LYS:HA	1:A:370:LYS:HE2	1.95	0.47
1:A:279:PHE:O	1:A:283:TYR:HB2	2.14	0.47
1:A:321:MET:O	1:A:325:GLN:HG3	2.14	0.47
1:A:134:ALA:O	1:A:137:LYS:HE2	2.14	0.47
1:A:128:THR:CG2	1:A:130:GLU:HB2	2.46	0.46
1:A:58:ASP:O	1:A:266:ILE:HA	2.17	0.45
1:A:128:THR:HB	1:A:131:GLU:OE1	2.16	0.45
1:A:57:PRO:O	1:A:267:ASN:HB2	2.17	0.45
1:A:250:PHE:O	1:A:251:LYS:HB2	2.16	0.45
1:A:115:LEU:HB2	1:A:247:LEU:HD23	1.99	0.45
1:A:11:ILE:HD12	1:A:20:LEU:CD2	2.47	0.45
1:A:148:MET:CB	1:A:222:THR:HG21	2.47	0.44
1:A:132:ILE:H	1:A:133:PRO:HD3	1.83	0.44
1:A:359:GLU:HG2	3:A:441:HOH:O	2.17	0.44
1:A:363:ASP:O	1:A:367:ARG:HG3	2.17	0.44
1:A:346:ALA:HB2	1:A:364:ALA:HB2	2.00	0.43
1:A:301:ALA:HB1	1:A:321:MET:CE	2.46	0.43
1:A:47:PHE:N	1:A:48:PRO:HD2	2.33	0.43
1:A:279:PHE:C	1:A:279:PHE:CD1	2.97	0.43
1:A:246:VAL:HG11	1:A:322:GLU:CD	2.42	0.43
1:A:99:TYR:HE1	1:A:100:ASN:HD22	1.66	0.42
1:A:158:TRP:N	1:A:159:PRO:HD2	2.33	0.42
1:A:168:ALA:O	1:A:181:VAL:HA	2.19	0.42
1:A:365:GLN:O	1:A:365:GLN:HG3	2.18	0.42
1:A:59:ILE:HD11	1:A:264:ALA:HB1	2.01	0.42
1:A:113:LEU:HD13	1:A:226:ILE:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:LEU:O	1:A:199:ILE:HG13	2.20	0.41
1:A:135:LEU:O	1:A:139:LEU:HB2	2.20	0.41
1:A:153:GLU:HA	1:A:154:PRO:HD2	1.89	0.41
1:A:181:VAL:CG2	1:A:369:THR:HG23	2.50	0.41
1:A:59:ILE:HA	1:A:265:GLY:O	2.20	0.41
1:A:46:LYS:O	1:A:49:GLN:HG2	2.20	0.41
1:A:106:TYR:CD2	1:A:280:LEU:HD13	2.56	0.41
1:A:199:ILE:HA	1:A:204:MET:O	2.21	0.41
1:A:247:LEU:HA	1:A:248:PRO:HD3	1.98	0.40
1:A:97:VAL:O	1:A:104:ILE:HG13	2.21	0.40
1:A:270:SER:HA	1:A:271:PRO:HD3	1.80	0.40
1:A:364:ALA:O	1:A:368:ILE:HG13	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	368/370 (100%)	339 (92%)	23 (6%)	6 (2%)	7 2

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	GLU
1	A	4	GLU
1	A	173	ASN
1	A	312	ALA
1	A	340	TRP
1	A	174	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	292/297 (98%)	249 (85%)	43 (15%)	3 1

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LYS
1	A	8	VAL
1	A	29	LYS
1	A	30	ASP
1	A	43	LEU
1	A	45	GLU
1	A	57	PRO
1	A	59	ILE
1	A	60	ILE
1	A	72	GLN
1	A	79	ILE
1	A	89	LEU
1	A	103	LEU
1	A	115	LEU
1	A	119	LYS
1	A	124	ASN
1	A	127	LYS
1	A	135	LEU
1	A	137	LYS
1	A	138	GLU
1	A	139	LEU
1	A	140	LYS
1	A	145	SER
1	A	148	MET
1	A	173	ASN
1	A	178	ILE
1	A	179	LYS
1	A	200	LYS
1	A	211	SER
1	A	233	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	262	LEU
1	A	274	GLU
1	A	285	LEU
1	A	288	GLU
1	A	295	LYS
1	A	317	ILE
1	A	335	GLN
1	A	337	SER
1	A	341	TYR
1	A	348	ILE
1	A	358	ASP
1	A	367	ARG
1	A	370	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	HIS
1	A	100	ASN
1	A	201	ASN
1	A	203	HIS
1	A	218	ASN
1	A	294	ASN
1	A	325	GLN
1	A	349	ASN
1	A	355	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	B	1	2	11,11,12	0.91	1 (9%)	15,15,17	0.90	0
2	GLC	B	2	2	11,11,12	3.24	2 (18%)	15,15,17	3.03	6 (40%)
2	GLC	B	3	2	11,11,12	0.76	0	15,15,17	1.26	1 (6%)
2	GLC	B	4	2	11,11,12	1.12	1 (9%)	15,15,17	1.38	2 (13%)
2	GLC	B	5	2	11,11,12	0.85	0	15,15,17	1.36	1 (6%)
2	GLC	B	6	2	11,11,12	1.55	2 (18%)	15,15,17	1.55	4 (26%)
2	GLC	B	7	2	11,11,12	0.97	1 (9%)	15,15,17	1.39	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	-	0/2/19/22	0/1/1/1
2	GLC	B	2	2	-	1/2/19/22	0/1/1/1
2	GLC	B	3	2	-	0/2/19/22	0/1/1/1
2	GLC	B	4	2	-	0/2/19/22	0/1/1/1
2	GLC	B	5	2	-	0/2/19/22	0/1/1/1
2	GLC	B	6	2	-	2/2/19/22	0/1/1/1
2	GLC	B	7	2	-	2/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	GLC	O5-C5	-10.45	1.23	1.43
2	B	6	GLC	O6-C6	-3.32	1.28	1.42
2	B	1	GLC	O5-C5	2.42	1.48	1.43
2	B	4	GLC	O5-C1	-2.40	1.39	1.43
2	B	6	GLC	C4-C3	-2.36	1.46	1.52
2	B	7	GLC	O5-C1	-2.08	1.40	1.43
2	B	2	GLC	C4-C5	2.05	1.57	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	GLC	C1-O5-C5	8.10	123.04	112.19
2	B	2	GLC	O5-C5-C6	6.05	119.44	107.66
2	B	5	GLC	C1-O5-C5	3.94	117.47	112.19
2	B	3	GLC	C1-O5-C5	3.91	117.43	112.19
2	B	2	GLC	O4-C4-C5	3.27	117.38	109.32
2	B	2	GLC	O5-C5-C4	3.23	118.68	110.83
2	B	4	GLC	C1-O5-C5	3.22	116.50	112.19
2	B	7	GLC	O4-C4-C3	-3.03	103.23	110.38
2	B	2	GLC	O6-C6-C5	-2.59	102.51	111.33
2	B	6	GLC	C1-C2-C3	2.53	113.32	109.64
2	B	6	GLC	C2-C3-C4	2.51	115.28	110.86
2	B	6	GLC	O4-C4-C3	-2.25	105.07	110.38
2	B	2	GLC	O2-C2-C3	2.14	114.58	110.15
2	B	4	GLC	C1-C2-C3	-2.08	106.61	109.64
2	B	6	GLC	C1-O5-C5	2.07	114.96	112.19

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	6	GLC	O5-C5-C6-O6
2	B	7	GLC	O5-C5-C6-O6
2	B	7	GLC	C4-C5-C6-O6
2	B	6	GLC	C4-C5-C6-O6
2	B	2	GLC	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	4	GLC	1	0
2	B	3	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	370/370 (100%)	-0.06	1 (0%) 90 90	8, 26, 43, 59	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ILE	2.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	B	4	11/12	0.74	0.10	47,50,53,54	0
2	GLC	B	5	11/12	0.76	0.10	52,52,53,53	0
2	GLC	B	7	11/12	0.78	0.08	48,53,54,56	0
2	GLC	B	6	11/12	0.79	0.09	53,53,54,56	0
2	GLC	B	1	11/12	0.86	0.08	35,38,41,44	0
2	GLC	B	3	11/12	0.89	0.08	38,39,43,45	0
2	GLC	B	2	11/12	0.90	0.07	29,32,33,36	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.