



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 06:43 AM UTC

PDB ID : 1DMS / pdb_00001dms
Title : STRUCTURE OF DMSO REDUCTASE
Authors : Schneider, F.; Loewe, J.; Huber, R.; Schindelin, H.; Kisker, C.; Knaeblein, J.
Deposited on : 1996-09-03
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	781	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	2MO	A	784	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DMSO REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	766	5890	3744	998	1120	28	0	0	0

- Molecule 2 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (CCD ID: PGD) (formula: $C_{20}H_{24}N_{10}O_{13}P_2S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
2	A	1	47	20	10	13	2	2	0	0
2	A	1	47	20	10	13	2	2	0	0

- Molecule 3 is MOLYBDENUM (IV)OXIDE (CCD ID: 2MO) (formula: MoO_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 3	Mo 1	O 2	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	355	Total 355	O 355	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: DMSO REDUCTASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	80.70Å 80.70Å 229.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 1.88	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-1.88)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.169 , 0.203	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6342	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGD, 2MO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/6046	0.97	18/8223 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	646	ASN	N-CA-C	6.99	121.12	112.59
1	A	191	THR	N-CA-C	6.30	120.80	113.18
1	A	648	LEU	N-CA-C	-6.28	95.26	107.62
1	A	234	ASP	N-CA-C	-6.21	100.47	109.59
1	A	125	CYS	N-CA-C	6.08	117.91	111.28
1	A	72	ASP	N-CA-C	-6.05	100.44	109.15
1	A	438	HIS	N-CA-C	5.80	118.55	111.82
1	A	326	ARG	N-CA-C	-5.73	103.56	111.81
1	A	636	PRO	N-CA-C	5.71	124.22	112.47
1	A	267	ASN	N-CA-C	5.58	120.15	113.23
1	A	559	PHE	N-CA-C	5.54	117.77	111.02
1	A	700	VAL	N-CA-C	5.47	117.19	108.87
1	A	232	GLY	N-CA-C	-5.46	103.92	113.76
1	A	360	TYR	N-CA-C	5.35	117.63	108.90
1	A	470	ASP	N-CA-C	-5.33	105.92	112.90
1	A	177	ASN	N-CA-C	5.26	120.56	114.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	398	PRO	N-CA-C	-5.26	102.93	111.03
1	A	66	GLU	N-CA-C	5.24	118.13	111.69

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	114	TYR	Sidechain
1	A	479	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5890	0	5705	53	1
2	A	94	0	42	1	0
3	A	3	0	0	2	0
4	A	355	0	0	3	1
All	All	6342	0	5747	55	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:THR:HG23	1:A:193:GLN:HE21	1.21	1.01
1:A:189:ILE:HG21	1:A:226:LYS:HG2	1.40	1.00
1:A:39:THR:HG23	1:A:193:GLN:NE2	1.84	0.93
1:A:39:THR:HG22	1:A:41:MET:H	1.43	0.82
1:A:582:ALA:O	1:A:586:GLU:HG2	1.87	0.73
1:A:151:ALA:H	1:A:325:GLN:HE21	1.42	0.66
1:A:189:ILE:CG2	1:A:226:LYS:HG2	2.24	0.63
3:A:784:2MO:OT1	3:A:784:2MO:MO	1.69	0.63
3:A:784:2MO:MO	3:A:784:2MO:OT2	1.71	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:GLY:HA3	1:A:657:LEU:HD22	1.85	0.59
1:A:33:GLU:HG3	4:A:828:HOH:O	2.03	0.58
1:A:84:VAL:HB	1:A:88:GLN:HG3	1.86	0.57
1:A:295:ASP:OD1	1:A:296:ILE:HG13	2.05	0.56
1:A:618:HIS:HD2	1:A:619:PRO:O	1.89	0.56
1:A:605:LYS:HA	1:A:605:LYS:HE2	1.87	0.56
1:A:194:ILE:HG12	1:A:648:LEU:HD13	1.91	0.53
1:A:121:ARG:HD3	1:A:485:GLU:OE1	2.09	0.53
1:A:451:LYS:N	1:A:451:LYS:HD2	2.24	0.53
1:A:690:HIS:HD2	4:A:936:HOH:O	1.90	0.53
1:A:147:SER:OG	2:A:783:PGD:S12	2.67	0.53
1:A:238:PRO:HB3	1:A:246:ILE:HD11	1.90	0.52
1:A:280:MET:HA	1:A:280:MET:HE3	1.91	0.52
1:A:226:LYS:O	1:A:226:LYS:HG3	2.09	0.51
1:A:456:ILE:N	1:A:456:ILE:HD12	2.26	0.50
1:A:565:GLU:HB2	4:A:1115:HOH:O	2.11	0.50
1:A:454:THR:HG22	1:A:456:ILE:HD11	1.94	0.50
1:A:427:MET:HE2	1:A:456:ILE:HD11	1.93	0.49
1:A:547:LYS:O	1:A:550:LYS:HD3	2.12	0.49
1:A:653:ASN:ND2	1:A:718:TRP:H	2.10	0.48
1:A:544:ASP:O	1:A:548:GLN:HG2	2.14	0.47
1:A:162:LEU:HD12	1:A:163:GLU:N	2.28	0.47
1:A:151:ALA:H	1:A:325:GLN:NE2	2.12	0.46
1:A:77:GLY:HA2	1:A:467:ARG:O	2.15	0.46
1:A:171:TRP:N	1:A:172:PRO:HD2	2.31	0.46
1:A:606:ASN:HA	1:A:609:LYS:HE3	1.96	0.46
1:A:412:GLU:HA	1:A:420:SER:O	2.15	0.46
1:A:431:VAL:HG12	1:A:458:HIS:HB2	1.98	0.46
1:A:302:GLU:O	1:A:306:GLU:HG3	2.17	0.45
1:A:63:GLU:HG3	1:A:71:ALA:HB1	1.98	0.45
1:A:226:LYS:HB2	1:A:226:LYS:HZ2	1.82	0.45
1:A:121:ARG:HG2	1:A:484:ILE:O	2.17	0.44
1:A:412:GLU:HG2	1:A:421:LYS:HG2	1.99	0.44
1:A:454:THR:HG22	1:A:456:ILE:CD1	2.48	0.44
1:A:32:TRP:CE2	1:A:34:LYS:HB2	2.52	0.43
1:A:58:PRO:HG2	1:A:84:VAL:O	2.18	0.42
1:A:606:ASN:HD22	1:A:609:LYS:HE3	1.84	0.42
1:A:13:HIS:HD2	1:A:195:GLY:O	2.03	0.42
1:A:3:LEU:HB3	1:A:23:ASN:C	2.45	0.41
1:A:312:LYS:HA	1:A:312:LYS:HD2	1.86	0.41
1:A:259:LEU:O	1:A:312:LYS:HE3	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:605:LYS:NZ	1:A:605:LYS:HB3	2.36	0.41
1:A:252:HIS:CE1	1:A:289:THR:HG22	2.55	0.41
1:A:260:TYR:HA	1:A:312:LYS:HE3	2.03	0.41
1:A:475:ALA:HA	1:A:509:ARG:O	2.21	0.41
1:A:401:ARG:HA	1:A:401:ARG:NE	2.35	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:ASP:OD2	4:A:804:HOH:O[6_555]	1.87	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	762/781 (98%)	739 (97%)	22 (3%)	1 (0%)	48 37

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	734	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	613/621 (99%)	589 (96%)	24 (4%)	28	12

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	46	LEU
1	A	88	GLN
1	A	107	GLN
1	A	162	LEU
1	A	194	ILE
1	A	200	GLU
1	A	226	LYS
1	A	280	MET
1	A	295	ASP
1	A	307	LEU
1	A	325	GLN
1	A	373	LEU
1	A	430	TRP
1	A	438	HIS
1	A	520	GLU
1	A	544	ASP
1	A	550	LYS
1	A	554	VAL
1	A	628	LEU
1	A	657	LEU
1	A	664	GLN
1	A	701	LYS
1	A	748	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	HIS
1	A	193	GLN
1	A	325	GLN
1	A	548	GLN
1	A	606	ASN
1	A	618	HIS
1	A	664	GLN
1	A	690	HIS
1	A	712	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PGD	A	783	-	46,52,52	2.83	9 (19%)	56,81,81	1.93	17 (30%)
3	2MO	A	784	1,2	0,2,2	-	-	-	-	-
2	PGD	A	782	3	46,52,52	3.18	12 (26%)	56,81,81	1.98	14 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PGD	A	783	-	-	2/22/82/82	0/6/6/6
2	PGD	A	782	3	-	5/22/82/82	0/6/6/6

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	782	PGD	C16-N15	15.84	1.43	1.28
2	A	783	PGD	C16-N15	13.86	1.41	1.28
2	A	782	PGD	O17-C17	7.26	1.36	1.23
2	A	783	PGD	O17-C17	6.53	1.35	1.23
2	A	783	PGD	O6-C6	6.03	1.35	1.23
2	A	782	PGD	O6-C6	5.89	1.34	1.23
2	A	782	PGD	C21-N22	5.54	1.41	1.35
2	A	783	PGD	C21-N22	4.41	1.40	1.35
2	A	782	PGD	C2-N2	3.08	1.41	1.34
2	A	783	PGD	C5-C4	3.04	1.47	1.38
2	A	782	PGD	C21-N20	2.94	1.38	1.32
2	A	782	PGD	C5-C4	2.93	1.46	1.38
2	A	782	PGD	C19-N19	2.84	1.42	1.34
2	A	783	PGD	C21-N20	2.75	1.37	1.32
2	A	783	PGD	C19-N19	2.68	1.41	1.34
2	A	782	PGD	PA-O3B	2.56	1.62	1.59
2	A	783	PGD	C10-C11	2.19	1.54	1.51
2	A	782	PGD	C10-C11	2.12	1.54	1.51
2	A	782	PGD	C8-N9	2.07	1.42	1.37
2	A	782	PGD	C2-N3	2.07	1.38	1.33
2	A	783	PGD	C8-N9	2.02	1.42	1.37

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	782	PGD	C17-C16-N15	6.17	124.74	118.06
2	A	783	PGD	C17-C16-N15	5.09	123.57	118.06
2	A	782	PGD	C2-N1-C6	-4.77	116.46	125.11
2	A	782	PGD	O17-C17-N18	-4.65	112.44	120.27
2	A	783	PGD	O17-C17-N18	-4.62	112.49	120.27
2	A	782	PGD	C5-C6-N1	4.44	124.55	113.25
2	A	783	PGD	O6-C6-C5	-4.22	115.38	126.53
2	A	783	PGD	C2-N1-C6	-4.22	117.46	125.11
2	A	782	PGD	C6-C5-N7	4.04	137.64	130.29
2	A	783	PGD	C17-C16-C21	-4.03	112.84	117.40
2	A	782	PGD	O6-C6-C5	-3.76	116.62	126.53
2	A	783	PGD	C5-C6-N1	3.74	122.77	113.25
2	A	782	PGD	C6-C5-C4	-3.67	113.31	118.83
2	A	783	PGD	C6-C5-C4	-3.00	114.32	118.83
2	A	783	PGD	O2A-PA-O1A	2.79	125.43	112.44
2	A	782	PGD	C5-C4-N3	-2.67	124.14	128.39
2	A	782	PGD	C17-C16-C21	-2.66	114.38	117.40
2	A	783	PGD	O2'-C2'-C3'	2.65	120.32	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	783	PGD	N20-C19-N18	-2.64	122.25	126.44
2	A	783	PGD	N9-C4-N3	2.53	131.00	125.95
2	A	783	PGD	N19-C19-N18	2.46	120.90	117.09
2	A	782	PGD	N9-C4-N3	2.42	130.79	125.95
2	A	782	PGD	O2A-PA-O1A	2.37	123.49	112.44
2	A	782	PGD	O2'-C2'-C3'	2.35	119.35	111.82
2	A	782	PGD	O4'-C1'-C2'	-2.34	101.60	106.62
2	A	783	PGD	C6-C5-N7	2.32	134.51	130.29
2	A	782	PGD	C14-N15-C16	-2.18	112.07	117.20
2	A	783	PGD	O2B-PB-O1B	2.17	122.52	112.44
2	A	783	PGD	O3B-PA-O1A	-2.13	104.30	110.70
2	A	783	PGD	C5-C4-N3	-2.12	125.01	128.39
2	A	783	PGD	C4'-O4'-C1'	-2.02	105.00	109.47

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	782	PGD	PA-O3B-PB-O5'
2	A	782	PGD	C5'-O5'-PB-O1B
2	A	782	PGD	C5'-O5'-PB-O2B
2	A	782	PGD	C5'-O5'-PB-O3B
2	A	783	PGD	O3A-C10-C11-C12
2	A	783	PGD	O3A-C10-C11-O11
2	A	782	PGD	O4'-C4'-C5'-O5'


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	783	PGD	1	0
3	A	784	2MO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.