



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 23, 2026 – 07:55 AM UTC

PDB ID : 3DNT / pdb_00003dnt
Title : structures of MDT proteins
Authors : Schumacher, M.A.
Deposited on : 2008-07-02
Resolution : 1.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	
1	B	440	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7499 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Protein hipA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	S				Se
1	A	415	Total 3284	C 2107	N 573	O 591	S 3	Se 10	0	0	0
1	B	419	Total 3312	C 2120	N 579	O 600	S 3	Se 10	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	GLN	ASP	engineered mutation	UNP P23874
B	309	GLN	ASP	engineered mutation	UNP P23874

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 31	C 10	N 5	O 13	P 3	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	B	1	31	10	5	13	3	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
3	A	2	2	2	0	0
3	B	2	2	2	0	0

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
4	A	1	5	4	1	0	0
4	B	1	5	4	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	401	401	401	0	0
5	B	426	426	426	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein hipA



- Molecule 1: Protein hipA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.54Å 84.09Å 69.25Å 90.00° 91.56° 90.00°	Depositor
Resolution (Å)	42.58 – 1.66 42.58 – 1.66	Depositor EDS
% Data completeness (in resolution range)	94.7 (42.58-1.66) 96.0 (42.58-1.66)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.32 (at 1.66Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.184 , 0.217 0.185 , 0.219	Depositor DCC
R_{free} test set	16843 reflections (9.72%)	wwPDB-VP
Wilson B-factor (Å ²)	17.4	Xtrriage
Anisotropy	0.472	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.000 for l,k,-h 0.019 for h,-k,-l 0.020 for l,-k,h	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7499	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.37 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.4989e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/3346	0.91	4/4514 (0.1%)
1	B	0.58	0/3375	0.92	9/4557 (0.2%)
All	All	0.57	0/6721	0.91	13/9071 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	388	MSE	CG-SE-CE	6.44	113.08	98.92
1	A	68	SER	N-CA-C	6.15	118.34	109.48
1	A	288	ALA	N-CA-C	5.90	118.19	111.11
1	B	312	ALA	N-CA-C	5.68	118.24	111.71
1	B	397	ARG	CG-CD-NE	-5.66	99.56	112.00
1	B	93	ILE	N-CA-C	5.64	117.62	112.43
1	A	397	ARG	CG-CD-NE	-5.52	99.85	112.00
1	B	383	PHE	N-CA-C	-5.48	100.71	109.04
1	B	398	MSE	N-CA-C	5.31	118.92	112.23
1	B	237	ASP	N-CA-C	-5.24	106.75	112.72
1	B	121	THR	N-CA-C	-5.21	103.81	110.53
1	B	125	LEU	N-CA-C	-5.13	105.68	111.28
1	B	43	LEU	N-CA-C	-5.07	106.92	113.01

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3284	0	3335	88	0
1	B	3312	0	3355	79	0
2	A	31	0	12	6	0
2	B	31	0	12	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	5	0	0	1	0
4	B	5	0	0	0	0
5	A	401	0	0	13	0
5	B	426	0	0	18	0
All	All	7499	0	6714	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:MSE:HE2	1:B:295:PHE:CD2	1.64	1.32
1:B:279:MSE:HE3	1:B:296:MSE:SE	1.97	1.14
1:A:36:ARG:HD3	1:A:36:ARG:H	1.05	1.09
1:B:279:MSE:CE	1:B:295:PHE:HD2	1.71	1.02
1:A:370:TYR:H	1:A:373:HIS:HD2	1.17	0.89
1:A:36:ARG:HD3	1:A:36:ARG:N	1.90	0.87
1:B:101:VAL:HG22	5:B:1012:HOH:O	1.77	0.83
1:B:326:ARG:HG2	5:B:971:HOH:O	1.79	0.83
1:B:36:ARG:HD3	1:B:36:ARG:H	1.43	0.82
1:B:3:LYS:HD2	1:B:17:THR:HG22	1.61	0.82
1:B:409:SER:HB2	5:B:1170:HOH:O	1.79	0.81
1:B:279:MSE:HE2	1:B:295:PHE:HD2	0.76	0.79
1:B:225:ALA:O	1:B:228:VAL:HG12	1.82	0.79
1:B:114:ILE:HG22	1:B:173:ILE:HD11	1.64	0.78
1:B:283:MSE:HE3	1:B:292:ARG:CD	2.16	0.76
1:A:36:ARG:H	1:A:36:ARG:CD	1.91	0.75
1:A:283:MSE:CE	1:A:283:MSE:HA	2.19	0.73
1:B:435:ARG:HB2	5:B:1034:HOH:O	1.88	0.72
1:A:326:ARG:HG2	5:A:843:HOH:O	1.89	0.72
1:A:378:ALA:CB	1:A:388:MSE:HG3	2.20	0.72
1:A:378:ALA:HB2	1:A:388:MSE:HG3	1.72	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:VAL:HG21	1:B:84:ARG:HG2	1.73	0.70
1:A:306:GLY:HA2	1:A:366:ILE:HD13	1.74	0.70
1:A:21:ASN:HA	1:B:289:LEU:CD1	2.22	0.69
1:A:39:ARG:HD2	5:A:893:HOH:O	1.91	0.69
1:A:156:GLU:H	1:A:184:ILE:HD11	1.58	0.67
1:B:77:LYS:HD2	1:B:78:ARG:N	2.09	0.66
1:B:36:ARG:H	1:B:36:ARG:CD	2.07	0.66
1:B:36:ARG:HD3	1:B:36:ARG:N	2.10	0.66
1:B:77:LYS:HD2	1:B:77:LYS:C	2.20	0.66
1:A:156:GLU:H	1:A:184:ILE:CD1	2.09	0.65
1:A:21:ASN:HA	1:B:289:LEU:HD12	1.80	0.64
1:A:370:TYR:H	1:A:373:HIS:CD2	2.09	0.64
1:B:106:GLU:HG3	5:B:1204:HOH:O	1.99	0.63
1:A:383:PHE:CE2	1:A:388:MSE:HG2	2.33	0.63
1:A:20:ALA:O	1:B:289:LEU:HD12	1.98	0.63
1:A:155:GLN:HG3	1:A:184:ILE:HD11	1.81	0.62
1:A:118:GLU:CD	1:A:124:ARG:HH12	2.06	0.62
1:A:283:MSE:HA	1:A:283:MSE:HE2	1.81	0.62
1:A:435:ARG:NH2	5:A:1122:HOH:O	2.33	0.62
1:B:162:ARG:HH11	1:B:162:ARG:CG	2.11	0.62
1:B:326:ARG:CG	5:B:971:HOH:O	2.43	0.61
1:B:283:MSE:HE3	1:B:292:ARG:HD2	1.80	0.61
1:B:74:ARG:O	1:B:77:LYS:HE3	2.00	0.61
1:A:383:PHE:CD2	1:A:388:MSE:HG2	2.35	0.61
1:A:332:ASP:HB2	2:A:500:ATP:PA	2.41	0.60
1:B:9:ASN:HA	5:B:1208:HOH:O	2.01	0.60
1:B:279:MSE:CE	1:B:296:MSE:HG2	2.31	0.60
1:A:114:ILE:HD13	1:A:114:ILE:N	2.16	0.60
1:A:419:VAL:O	1:A:423:GLU:HG2	2.01	0.60
1:A:243:GLU:OE2	5:A:965:HOH:O	2.16	0.60
1:B:77:LYS:HE2	1:B:135:ASP:O	2.02	0.59
1:B:407:LYS:HE3	1:B:423:GLU:OE1	2.02	0.59
1:B:283:MSE:HA	1:B:283:MSE:HE2	1.84	0.59
1:A:332:ASP:HB2	2:A:500:ATP:O1A	2.03	0.59
1:A:37:TYR:HB3	1:A:321:ALA:HB1	1.84	0.58
1:A:8:MSE:SE	5:A:1066:HOH:O	2.70	0.58
1:B:170:PRO:C	1:B:171:LYS:HD2	2.29	0.58
1:A:326:ARG:CG	5:A:843:HOH:O	2.50	0.57
1:B:397:ARG:HG2	1:B:397:ARG:NH1	2.19	0.57
1:A:146:ASP:CG	1:A:172:GLY:H	2.12	0.57
1:A:373:HIS:HE1	4:A:833:SO4:O4	1.88	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:LYS:HD3	5:A:944:HOH:O	2.05	0.56
1:B:283:MSE:HA	1:B:283:MSE:CE	2.35	0.56
1:B:279:MSE:HE3	1:B:296:MSE:CG	2.35	0.56
1:B:36:ARG:H	1:B:36:ARG:HH11	1.54	0.55
1:B:41:LEU:HD11	1:B:101:VAL:HG11	1.89	0.55
1:B:279:MSE:CE	1:B:295:PHE:HB3	2.36	0.55
1:B:4:LEU:HD21	1:B:91:SER:HA	1.90	0.54
1:B:124:ARG:HD3	5:B:1210:HOH:O	2.08	0.54
1:B:77:LYS:NZ	1:B:136:ILE:HD13	2.23	0.54
1:A:39:ARG:CD	5:A:893:HOH:O	2.51	0.54
1:A:389:HIS:HD2	1:A:437:TYR:OH	1.90	0.54
1:A:78:ARG:NH2	1:A:142:ARG:HA	2.22	0.54
1:A:289:LEU:H	1:A:289:LEU:HD22	1.73	0.54
1:B:224:LYS:HB3	5:B:1157:HOH:O	2.08	0.53
1:A:154:ALA:N	2:A:500:ATP:O2G	2.34	0.53
1:B:77:LYS:HZ1	1:B:136:ILE:HD13	1.74	0.53
1:A:144:GLU:HG2	1:A:147:PHE:HB2	1.91	0.53
1:A:289:LEU:HD22	1:A:289:LEU:N	2.24	0.53
1:A:155:GLN:CG	1:A:184:ILE:HD11	2.38	0.52
1:B:279:MSE:HE1	1:B:295:PHE:HB3	1.92	0.52
1:B:17:THR:HG23	5:B:1008:HOH:O	2.10	0.52
1:A:202:ASN:ND2	1:A:338:PRO:HG3	2.25	0.51
1:B:49:ARG:HH11	1:B:49:ARG:CB	2.24	0.51
1:A:198:GLN:N	5:A:1131:HOH:O	2.44	0.51
1:B:162:ARG:HD3	5:B:886:HOH:O	2.11	0.50
1:A:157:LYS:HA	1:A:182:LEU:CD2	2.41	0.50
1:B:131:ALA:HB1	1:B:136:ILE:HB	1.93	0.50
1:B:41:LEU:HD11	1:B:101:VAL:CG1	2.41	0.50
1:A:146:ASP:HB3	1:A:171:LYS:HD2	1.93	0.50
1:B:124:ARG:NH2	1:B:144:GLU:OE1	2.45	0.50
1:A:339:VAL:O	1:A:339:VAL:HG12	2.13	0.49
1:B:397:ARG:HG2	1:B:397:ARG:HH11	1.76	0.49
1:A:332:ASP:HB2	2:A:500:ATP:O2A	2.13	0.49
1:A:2:PRO:HD2	1:A:82:LYS:NZ	2.28	0.49
1:B:435:ARG:HD2	5:B:1239:HOH:O	2.12	0.48
1:A:78:ARG:O	1:A:78:ARG:HD3	2.14	0.48
1:B:279:MSE:CE	1:B:295:PHE:CD2	2.61	0.48
1:B:18:LYS:NZ	5:B:1198:HOH:O	2.39	0.48
1:A:24:HIS:NE2	1:A:86:PRO:HG2	2.28	0.48
1:A:397:ARG:HG2	1:A:397:ARG:NH1	2.29	0.47
1:A:78:ARG:CZ	1:A:142:ARG:HA	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:ARG:O	1:B:77:LYS:HG3	2.15	0.47
1:A:260:GLY:HA2	5:A:865:HOH:O	2.15	0.47
1:A:120:LEU:HD21	1:A:169:ILE:HG13	1.97	0.46
1:A:273:PRO:HB3	1:A:277:ARG:HD3	1.95	0.46
1:A:93:ILE:HG21	1:A:140:MSE:HE1	1.98	0.46
1:A:357:ASN:ND2	5:A:918:HOH:O	2.47	0.46
1:A:27:LYS:HD3	1:A:51:ASN:ND2	2.29	0.46
1:A:49:ARG:HH11	1:A:49:ARG:HG2	1.81	0.46
1:B:162:ARG:CG	1:B:162:ARG:NH1	2.74	0.46
1:B:283:MSE:HE3	1:B:292:ARG:HD3	1.93	0.46
1:A:204:TYR:HB2	1:A:222:ILE:HD11	1.97	0.46
1:A:283:MSE:HE3	1:A:292:ARG:CD	2.46	0.46
1:B:18:LYS:HE3	1:B:85:GLN:NE2	2.32	0.46
1:B:137:PRO:HG2	1:B:140:MSE:HE3	1.97	0.46
1:A:144:GLU:OE2	1:A:171:LYS:HE3	2.16	0.45
1:B:157:LYS:NZ	2:B:501:ATP:O1B	2.41	0.45
1:B:108:GLU:OE2	1:B:112:HIS:NE2	2.41	0.45
1:B:144:GLU:HG3	1:B:169:ILE:HD13	1.98	0.45
1:A:157:LYS:HA	1:A:182:LEU:HD22	1.98	0.45
1:B:142:ARG:NH2	5:B:1100:HOH:O	2.50	0.45
1:A:131:ALA:O	1:A:136:ILE:HB	2.17	0.44
1:A:65:LEU:HD11	1:A:86:PRO:HA	1.99	0.44
1:B:49:ARG:HH11	1:B:49:ARG:HB2	1.82	0.44
1:A:118:GLU:CD	1:A:124:ARG:NH1	2.75	0.44
1:B:27:LYS:HB2	1:B:51:ASN:ND2	2.33	0.44
1:B:162:ARG:HH11	1:B:162:ARG:HG2	1.83	0.44
1:A:8:MSE:HE1	1:A:39:ARG:CD	2.47	0.44
1:A:331:TYR:CE1	2:A:500:ATP:H2'	2.53	0.43
1:A:68:SER:HA	1:A:69:PRO:HD3	1.94	0.43
1:B:306:GLY:HA2	1:B:366:ILE:HD13	2.01	0.43
1:B:171:LYS:HD2	1:B:171:LYS:N	2.32	0.43
1:A:156:GLU:N	1:A:184:ILE:HD11	2.31	0.43
1:B:260:GLY:HA2	5:B:871:HOH:O	2.18	0.43
1:B:382:ARG:HD3	5:B:1085:HOH:O	2.19	0.43
1:A:93:ILE:HA	1:A:148:ARG:HB3	2.00	0.43
1:A:8:MSE:HE1	1:A:39:ARG:HD3	2.00	0.43
1:B:115:MSE:SE	5:B:1154:HOH:O	2.87	0.42
1:B:119:LYS:HE3	1:B:166:ASP:OD1	2.18	0.42
1:A:73:ASP:OD1	1:A:84:ARG:NH1	2.52	0.42
1:A:118:GLU:OE1	1:A:124:ARG:NH1	2.50	0.42
1:A:158:THR:HG22	1:A:180:ILE:HB	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:THR:CG2	1:A:180:ILE:HB	2.49	0.42
1:A:371:PRO:HG3	1:A:433:LEU:HD23	2.02	0.42
1:B:268:GLU:OE2	1:B:362:LYS:NZ	2.50	0.42
1:B:279:MSE:HE1	1:B:296:MSE:HG2	2.00	0.42
1:A:157:LYS:HB2	1:A:180:ILE:O	2.19	0.42
1:A:215:LEU:HD21	1:A:297:LYS:HE2	2.02	0.42
1:A:8:MSE:HE2	5:A:1223:HOH:O	2.19	0.42
1:A:416:GLU:HG2	5:A:1028:HOH:O	2.19	0.42
1:A:397:ARG:HG2	1:A:397:ARG:HH11	1.84	0.41
1:B:93:ILE:HG21	1:B:140:MSE:HE1	2.02	0.41
1:B:142:ARG:NH2	5:B:1153:HOH:O	2.53	0.41
1:A:266:LYS:HD2	1:A:311:HIS:CE1	2.55	0.41
1:A:138:LEU:HB2	1:A:140:MSE:HE2	2.02	0.41
1:A:287:GLU:HG3	1:A:290:LYS:HB3	2.03	0.41
1:A:283:MSE:HA	1:A:283:MSE:HE3	2.00	0.41
1:A:331:TYR:CE1	2:A:500:ATP:H3'	2.54	0.41
1:B:18:LYS:HE3	1:B:85:GLN:CD	2.46	0.41
1:A:202:ASN:ND2	1:A:338:PRO:CG	2.83	0.41
1:B:290:LYS:HD2	1:B:294:ASP:OD2	2.21	0.40
1:B:290:LYS:HE2	1:B:290:LYS:HB3	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/440 (93%)	404 (99%)	5 (1%)	0	100	100
1	B	415/440 (94%)	407 (98%)	7 (2%)	1 (0%)	43	27
All	All	824/880 (94%)	811 (98%)	12 (2%)	1 (0%)	48	30

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	10	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/363 (97%)	345 (98%)	7 (2%)	48	26
1	B	356/363 (98%)	345 (97%)	11 (3%)	35	12
All	All	708/726 (98%)	690 (98%)	18 (2%)	42	18

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ARG
1	A	39	ARG
1	A	104	ILE
1	A	114	ILE
1	A	258	THR
1	A	283	MSE
1	A	388	MSE
1	B	31	GLU
1	B	36	ARG
1	B	39	ARG
1	B	51	ASN
1	B	55	ASP
1	B	157	LYS
1	B	162	ARG
1	B	258	THR
1	B	283	MSE
1	B	360	LYS
1	B	371	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	85	GLN
1	A	357	ASN
1	A	373	HIS
1	A	389	HIS
1	B	51	ASN
1	B	198	GLN
1	B	216	ASN
1	B	389	HIS
1	B	417	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ATP	A	500	3	32,33,33	2.33	7 (21%)	48,52,52	1.92	6 (12%)
2	ATP	B	501	3	32,33,33	1.87	6 (18%)	48,52,52	1.93	6 (12%)
4	SO4	A	833	-	4,4,4	0.33	0	6,6,6	0.23	0
4	SO4	B	834	-	4,4,4	0.39	0	6,6,6	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	500	3	-	3/22/38/38	0/3/3/3
2	ATP	B	501	3	-	3/22/38/38	0/3/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	ATP	PA-O3A	9.07	1.69	1.59
2	B	501	ATP	PB-O3B	6.13	1.66	1.59
2	A	500	ATP	PB-O3B	5.21	1.65	1.59
2	B	501	ATP	PA-O3A	4.95	1.64	1.59
2	A	500	ATP	C4-N3	4.31	1.42	1.34
2	B	501	ATP	C4-N3	3.74	1.41	1.34
2	A	500	ATP	PB-O3A	2.95	1.62	1.59
2	A	500	ATP	C2-N3	2.78	1.38	1.33
2	B	501	ATP	PG-O2G	-2.38	1.45	1.54
2	A	500	ATP	PG-O2G	-2.20	1.46	1.54
2	B	501	ATP	PB-O2B	-2.10	1.45	1.55
2	A	500	ATP	PA-O2A	-2.08	1.45	1.55
2	B	501	ATP	C2-N3	2.02	1.37	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	ATP	O3A-PB-O1B	-9.06	83.46	110.70
2	B	501	ATP	O3A-PB-O1B	-8.80	84.22	110.70
2	B	501	ATP	O2B-PB-O3A	-5.28	93.01	107.27
2	A	500	ATP	O2B-PB-O3A	-4.76	94.41	107.27
2	A	500	ATP	O2B-PB-O1B	4.67	134.15	112.44
2	B	501	ATP	O2B-PB-O1B	4.66	134.12	112.44
2	A	500	ATP	C3'-C2'-C1'	2.60	106.38	101.46
2	B	501	ATP	C2'-C1'-N9	2.39	119.24	113.30
2	B	501	ATP	C3'-C2'-C1'	2.22	105.67	101.46
2	B	501	ATP	O2B-PB-O3B	2.15	113.07	107.27
2	A	500	ATP	C2'-C1'-N9	2.06	118.43	113.30
2	A	500	ATP	O2B-PB-O3B	2.02	112.72	107.27

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	500	ATP	PB-O3B-PG-O3G
2	B	501	ATP	PB-O3B-PG-O3G
2	B	501	ATP	C4'-C5'-O5'-PA
2	A	500	ATP	C4'-C5'-O5'-PA
2	A	500	ATP	PB-O3B-PG-O1G
2	B	501	ATP	PB-O3B-PG-O1G


There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	ATP	6	0
2	B	501	ATP	1	0
4	A	833	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	405/440 (92%)	0.39	38 (9%) 14 15	10, 21, 48, 63	0
1	B	409/440 (92%)	0.17	23 (5%) 30 34	10, 18, 40, 53	0
All	All	814/880 (92%)	0.28	61 (7%) 20 23	10, 20, 45, 63	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	109	THR	5.7
1	A	114	ILE	4.5
1	B	9	ASN	4.3
1	A	184	ILE	3.8
1	A	141	ILE	3.7
1	A	410	LEU	3.6
1	B	20	ALA	3.5
1	A	80	HIS	3.4
1	A	79	TYR	3.4
1	A	132	TYR	3.3
1	B	10	ASN	3.1
1	A	222	ILE	3.1
1	A	146	ASP	3.0
1	A	412	THR	2.9
1	B	227	ASN	2.9
1	B	110	VAL	2.9
1	B	37	TYR	2.9
1	A	145	ASN	2.9
1	A	81	ALA	2.8
1	A	105	PRO	2.8
1	B	113	PRO	2.8
1	A	142	ARG	2.8
1	A	121	THR	2.8
1	A	83	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	49	ARG	2.7
1	B	81	ALA	2.7
1	A	227	ASN	2.7
1	A	411	PRO	2.7
1	A	136	ILE	2.7
1	A	19	LEU	2.6
1	A	225	ALA	2.6
1	A	21	ASN	2.6
1	B	80	HIS	2.6
1	B	111	THR	2.5
1	A	20	ALA	2.5
1	B	50	GLY	2.5
1	A	2	PRO	2.4
1	A	228	VAL	2.4
1	A	84	ARG	2.4
1	B	165	ASN	2.4
1	A	223	ILE	2.4
1	A	183	PRO	2.3
1	A	154	ALA	2.3
1	B	412	THR	2.3
1	B	3	LYS	2.3
1	B	198	GLN	2.3
1	A	138	LEU	2.3
1	A	82	LYS	2.3
1	B	114	ILE	2.3
1	A	78	ARG	2.2
1	A	226	GLY	2.2
1	A	128	VAL	2.1
1	A	143	GLU	2.1
1	A	416	GLU	2.1
1	A	134	ALA	2.1
1	B	107	ASP	2.1
1	B	23	ALA	2.1
1	A	182	LEU	2.1
1	B	143	GLU	2.1
1	B	77	LYS	2.1
1	B	228	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ATP	A	500	31/31	0.87	0.11	16,26,44,49	0
3	MG	A	442	1/1	0.87	0.13	41,41,41,41	0
4	SO4	B	834	5/5	0.89	0.10	34,39,41,42	0
2	ATP	B	501	31/31	0.90	0.10	10,14,40,47	0
3	MG	A	441	1/1	0.90	0.10	30,30,30,30	0
4	SO4	A	833	5/5	0.94	0.10	31,32,38,42	0
3	MG	B	441	1/1	0.97	0.05	17,17,17,17	0
3	MG	B	442	1/1	0.98	0.03	15,15,15,15	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.