



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:12 AM UTC

PDB ID : 4DNC / pdb_00004dnc
Title : Crystal structure of human MOF in complex with MSL1
Authors : Huang, J.; Lei, M.
Deposited on : 2012-02-08
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	11% 78% 14% 6%
1	B	289	10% 76% 16% 7%
2	D	48	21% 60% 25% 12%
2	E	48	21% 67% 25% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5372 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone acetyltransferase KAT8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	1	0	0
			2256	1476	366	403	11			
1	B	268	Total	C	N	O	S	0	0	0
			2223	1452	360	400	11			

- Molecule 2 is a protein called Male-specific lethal 1 homolog.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	D	42	Total	C	N	O	0	0	0
			352	217	70	65			
2	E	46	Total	C	N	O	0	0	0
			388	243	73	72			

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	74	Total	O	0	0
			74	74		
4	B	62	Total	O	0	0
			62	62		
4	D	5	Total	O	0	0
			5	5		
4	E	10	Total	O	0	0
			10	10		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Histone acetyltransferase KAT8




• Molecule 1: Histone acetyltransferase KAT8



• Molecule 2: Male-specific lethal 1 homolog



• Molecule 2: Male-specific lethal 1 homolog



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.80Å 111.52Å 66.75Å 90.00° 111.05° 90.00°	Depositor
Resolution (Å)	40.99 – 2.05 40.99 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.9 (40.99-2.05) 97.9 (40.99-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.41 (at 2.05Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7_650)	Depositor
R, R_{free}	0.208 , 0.246 0.209 , 0.244	Depositor DCC
R_{free} test set	5530 reflections (10.18%)	wwPDB-VP
Wilson B-factor (Å ²)	31.8	Xtriage
Anisotropy	0.387	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.023 for l,k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5372	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ALY, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	4/2311 (0.2%)	0.79	4/3131 (0.1%)
1	B	0.54	3/2274 (0.1%)	0.82	5/3078 (0.2%)
2	D	0.36	0/358	0.67	0/479
2	E	0.42	0/396	0.78	3/531 (0.6%)
All	All	0.51	7/5339 (0.1%)	0.79	12/7219 (0.2%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	248	VAL	C-N	-6.54	1.24	1.33
1	A	371	GLU	C-N	-6.51	1.25	1.33
1	B	272	ASP	C-O	-6.11	1.17	1.24
1	A	272	ASP	C-N	5.92	1.41	1.33
1	A	372	ILE	C-N	-5.61	1.26	1.33
1	A	272	ASP	C-O	-5.41	1.17	1.24
1	B	371	GLU	C-O	-5.18	1.18	1.24

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	248	VAL	CA-C-N	7.58	133.46	123.00
1	B	248	VAL	C-N-CA	7.58	133.46	123.00
1	B	248	VAL	O-C-N	-6.43	116.43	123.18
1	A	372	ILE	O-C-N	-6.04	115.99	121.91
1	A	409	TRP	N-CA-C	-5.92	101.64	110.23
2	E	474	ALA	N-CA-C	-5.89	105.94	113.01
1	B	199	GLU	CB-CA-C	-5.73	109.99	116.63
1	A	321	PRO	N-CA-C	5.71	117.66	110.70
1	A	199	GLU	CB-CA-C	-5.22	110.58	116.63
2	E	475	VAL	CA-C-N	-5.15	114.94	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	475	VAL	C-N-CA	-5.15	114.94	120.03
1	B	372	ILE	CB-CA-C	-5.06	105.49	111.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2256	0	2242	33	0
1	B	2223	0	2208	28	0
2	D	352	0	346	9	0
2	E	388	0	380	22	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	74	0	0	0	0
4	B	62	0	0	0	0
4	D	5	0	0	0	0
4	E	10	0	0	0	0
All	All	5372	0	5176	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:473:LEU:HG	2:E:474:ALA:H	1.27	1.00
2:E:473:LEU:HG	2:E:474:ALA:N	1.87	0.87
2:E:485:PRO:O	2:E:486:LEU:HB2	1.77	0.85
1:B:177:LYS:N	1:B:203:LYS:HZ1	1.81	0.78
1:A:448:PRO:O	1:A:449:LYS:HB2	1.84	0.76
1:A:239:GLU:HB2	1:A:249:TYR:CE1	2.22	0.74
2:E:473:LEU:CG	2:E:474:ALA:H	2.00	0.73
2:D:479:ARG:HH11	2:D:479:ARG:HB3	1.57	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:VAL:HG23	1:B:306:LYS:HG3	1.74	0.68
2:E:489:PRO:HB2	2:E:491:PRO:HD3	1.74	0.68
1:A:376:PHE:CD2	1:A:380:LEU:HD21	2.29	0.67
1:A:365:TRP:HH2	2:E:473:LEU:CD2	2.08	0.67
2:E:489:PRO:C	2:E:491:PRO:HD3	2.21	0.66
1:B:284:VAL:HG23	1:B:306:LYS:CG	2.27	0.64
1:B:224:ARG:HD2	2:E:484:GLU:O	1.99	0.63
1:A:356:LEU:HD23	1:B:356:LEU:HD23	1.84	0.59
2:E:486:LEU:HG	2:E:489:PRO:HD2	1.84	0.59
1:B:290:GLU:HG3	1:B:299:VAL:HG11	1.84	0.59
1:B:327:GLY:HA3	1:B:435:PRO:HG2	1.86	0.58
1:B:252:ASP:OD1	1:B:254:LYS:HB2	2.05	0.56
1:B:338:GLU:HG3	1:B:438:VAL:HG11	1.87	0.56
2:D:479:ARG:HB3	2:D:479:ARG:NH1	2.22	0.55
1:A:325:ARG:HB3	1:B:430:GLN:HB3	1.88	0.55
1:A:397:ILE:O	1:A:401:GLN:HG3	2.06	0.54
1:A:427:LYS:O	1:A:428:SER:C	2.50	0.54
2:E:489:PRO:C	2:E:491:PRO:CD	2.80	0.54
1:A:288:LEU:HB2	1:A:332:LEU:HD21	1.90	0.52
1:B:418:THR:HG23	1:B:421:LEU:H	1.73	0.52
1:A:370:LEU:HD21	1:A:405:MET:HE1	1.92	0.52
2:E:488:ASP:N	2:E:489:PRO:HD3	2.24	0.52
1:B:404:ASN:ND2	2:D:480:ASP:OD1	2.41	0.52
2:E:489:PRO:CB	2:E:491:PRO:HD3	2.39	0.52
1:A:401:GLN:HG2	1:A:406:VAL:CG1	2.41	0.51
1:B:288:LEU:HB2	1:B:332:LEU:HD21	1.92	0.50
1:A:276:LEU:CD2	2:D:564:LYS:HD3	2.42	0.49
1:B:389:THR:O	1:B:390:SER:HB2	2.12	0.49
2:E:485:PRO:O	2:E:486:LEU:CB	2.55	0.49
1:B:383:LYS:HG2	1:B:393:GLN:NE2	2.29	0.48
1:B:418:THR:CG2	1:B:421:LEU:H	2.26	0.48
2:E:488:ASP:O	2:E:489:PRO:C	2.56	0.48
1:A:411:GLY:C	1:A:412:GLN:HG2	2.39	0.47
1:A:217:MET:SD	2:D:544:LEU:HD11	2.55	0.47
1:A:370:LEU:O	1:A:374:ARG:HB2	2.14	0.47
2:E:473:LEU:HB3	2:E:475:VAL:H	1.79	0.47
2:E:486:LEU:HG	2:E:489:PRO:CD	2.45	0.46
1:B:208:TRP:CZ2	1:B:220:GLU:HB2	2.51	0.46
2:D:543:ASN:HB3	2:D:548:VAL:HG21	1.96	0.46
1:A:365:TRP:HH2	2:E:473:LEU:HD23	1.80	0.46
2:E:488:ASP:N	2:E:489:PRO:CD	2.79	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:403:LEU:O	1:B:404:ASN:HB2	2.15	0.46
1:A:409:TRP:HE3	1:A:414:VAL:HG21	1.81	0.45
1:B:200:ASP:OD1	1:B:200:ASP:N	2.45	0.45
1:A:226:HIS:ND1	2:D:544:LEU:HD13	2.31	0.45
1:A:395:ASP:OD1	2:E:473:LEU:HD22	2.16	0.45
1:B:254:LYS:HG3	1:B:281:GLU:HG3	1.98	0.45
1:B:439:ASP:CG	1:B:441:VAL:HG22	2.42	0.45
1:B:439:ASP:OD2	1:B:441:VAL:HG22	2.17	0.45
1:B:405:MET:HE3	1:B:425:HIS:ND1	2.33	0.44
1:A:411:GLY:O	1:A:412:GLN:HG2	2.17	0.44
1:A:376:PHE:CG	1:A:380:LEU:HD11	2.53	0.44
2:E:473:LEU:CG	2:E:474:ALA:N	2.59	0.44
1:A:224:ARG:HD2	2:D:484:GLU:O	2.17	0.43
1:A:405:MET:HE3	1:A:425:HIS:ND1	2.33	0.43
1:A:225:PHE:CZ	1:A:229:GLN:HG3	2.53	0.43
1:A:324:GLN:O	1:A:325:ARG:HB2	2.18	0.42
1:A:376:PHE:CB	1:A:380:LEU:HD11	2.50	0.42
1:B:383:LYS:HE2	1:B:383:LYS:HB3	1.76	0.42
1:A:410:LYS:HA	1:A:410:LYS:HD2	1.32	0.42
1:A:276:LEU:HD21	2:D:564:LYS:HD3	2.02	0.41
1:B:374:ARG:NH2	1:B:426:LEU:HD13	2.35	0.41
1:A:325:ARG:HA	1:A:325:ARG:HE	1.85	0.41
1:A:389:THR:O	1:A:390:SER:HB2	2.20	0.41
1:B:177:LYS:HG2	1:B:203:LYS:O	2.20	0.41
1:B:430:GLN:H	1:B:430:GLN:HG3	1.41	0.41
2:E:553:HIS:HA	2:E:556:LEU:HD12	2.03	0.41
1:B:281:GLU:N	1:B:282:PRO:CD	2.83	0.41
1:A:276:LEU:C	1:A:277:TYR:CG	2.99	0.40
1:A:197:PHE:HA	1:A:198:PRO:HD3	1.89	0.40
1:A:433:LYS:NZ	1:A:437:THR:HG21	2.37	0.40
2:E:473:LEU:CB	2:E:475:VAL:H	2.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/289 (93%)	261 (97%)	8 (3%)	0	100	100
1	B	263/289 (91%)	255 (97%)	8 (3%)	0	100	100
2	D	38/48 (79%)	37 (97%)	1 (3%)	0	100	100
2	E	40/48 (83%)	37 (92%)	2 (5%)	1 (2%)	4	0
All	All	610/674 (90%)	590 (97%)	19 (3%)	1 (0%)	43	37

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	490	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/266 (94%)	239 (96%)	11 (4%)	25	19
1	B	247/266 (93%)	239 (97%)	8 (3%)	34	29
2	D	39/46 (85%)	32 (82%)	7 (18%)	2	0
2	E	44/46 (96%)	42 (96%)	2 (4%)	24	18
All	All	580/624 (93%)	552 (95%)	28 (5%)	23	16

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	276	LEU
1	A	277	TYR
1	A	325	ARG
1	A	359	LEU
1	A	374	ARG
1	A	380	LEU
1	A	409	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	410	LYS
1	A	423	GLU
1	A	432	LYS
1	A	449	LYS
1	B	200	ASP
1	B	257	LYS
1	B	359	LEU
1	B	423	GLU
1	B	427	LYS
1	B	428	SER
1	B	430	GLN
1	B	444	LYS
2	D	479	ARG
2	D	483	VAL
2	D	487	ARG
2	D	488	ASP
2	D	547	SER
2	D	551	LYS
2	D	565	ARG
2	E	483	VAL
2	E	555	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	183	HIS
1	A	394	ASN
1	A	430	GLN
1	B	183	HIS
2	D	543	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	ALY	B	274	1	10,11,12	0.64	0	7,12,14	0.93	0
1	ALY	A	274	1	10,11,12	0.58	0	7,12,14	1.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ALY	B	274	1	-	0/9/10/12	-
1	ALY	A	274	1	-	0/9/10/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	271/289 (93%)	0.51	32 (11%) 9 8	19, 34, 63, 78	2 (0%)
1	B	267/289 (92%)	0.56	28 (10%) 11 11	22, 36, 62, 78	2 (0%)
2	D	42/48 (87%)	1.25	10 (23%) 2 1	26, 51, 64, 81	1 (2%)
2	E	46/48 (95%)	1.33	10 (21%) 2 1	25, 44, 89, 100	0
All	All	626/674 (92%)	0.64	80 (12%) 7 7	19, 37, 64, 100	5 (0%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	408	TYR	7.2
2	E	491	PRO	5.9
2	E	486	LEU	5.7
2	E	492	SER	5.6
1	A	409	TRP	5.1
1	B	429	ALA	5.0
2	D	489	PRO	5.0
2	E	489	PRO	5.0
1	A	408	TYR	4.8
1	A	429	ALA	4.7
1	A	378	GLY	4.7
2	E	473	LEU	4.2
1	B	412	GLN	4.1
1	A	276	LEU	4.0
1	A	178	TYR	3.9
1	B	431	TYR	3.8
2	D	495	LEU	3.7
1	A	410	LYS	3.6
1	A	431	TYR	3.4
1	A	414	VAL	3.4
1	B	426	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	379	THR	3.3
2	D	486	LEU	3.3
2	E	494	LEU	3.2
1	B	273	HIS	3.2
1	B	425	HIS	3.1
1	B	178	TYR	3.0
1	A	423	GLU	3.0
1	B	177	LYS	3.0
1	A	376	PHE	3.0
1	A	428	SER	3.0
1	B	375	ASP	2.9
1	B	428	SER	2.9
1	A	427	LYS	2.9
1	B	379	THR	2.9
1	A	277	TYR	2.8
1	B	414	VAL	2.8
1	B	430	GLN	2.8
1	A	375	ASP	2.8
1	A	219	TYR	2.8
1	A	426	LEU	2.7
1	B	423	GLU	2.7
1	B	421	LEU	2.7
1	A	249	TYR	2.7
1	A	421	LEU	2.7
2	D	487	ARG	2.7
1	A	377	ARG	2.6
1	A	294	GLN	2.5
1	A	273	HIS	2.5
1	A	412	GLN	2.5
2	D	481	HIS	2.5
1	B	427	LYS	2.5
1	B	376	PHE	2.5
1	A	449	LYS	2.5
2	D	482	SER	2.4
1	B	447	PRO	2.4
2	D	565	ARG	2.4
1	A	411	GLY	2.4
1	A	430	GLN	2.4
1	A	293	ARG	2.4
1	A	227	LEU	2.4
1	B	378	GLY	2.3
2	D	554	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	485	PRO	2.3
1	B	249	TYR	2.3
2	D	473	LEU	2.3
1	A	420	LYS	2.3
1	A	416	CYS	2.2
1	B	416	CYS	2.2
2	E	490	ASN	2.2
1	B	420	LYS	2.2
1	B	199	GLU	2.2
1	B	293	ARG	2.1
1	B	446	ALA	2.1
2	E	480	ASP	2.1
2	E	495	LEU	2.0
1	B	374	ARG	2.0
1	B	377	ARG	2.0
1	A	425	HIS	2.0
2	E	488	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	ALY	A	274	12/13	0.87	0.11	22,25,30,30	0
1	ALY	B	274	12/13	0.91	0.10	21,23,28,29	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ZN	A	501	1/1	0.99	0.03	41,41,41,41	0
3	ZN	B	501	1/1	0.99	0.02	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.