



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:55 AM UTC

PDB ID : 4DPL / pdb_00004dpl
Title : Structure of malonyl-coenzyme A reductase from crenarchaeota in complex with NadP
Authors : Demmer, U.; Warkentin, E.; Srivastava, A.; Kockelkorn, D.; Fuchs, G.; Ermler, U.
Deposited on : 2012-02-13
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	359	84% 13% ..
1	B	359	86% 11% ..
1	C	359	84% 13% ..
1	D	359	85% 12% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	UNL	B	402	-	-	X	-
3	UNL	C	402	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 12082 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Malonyl-CoA/succinyl-CoA reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	354	Total	C	N	O	S	0	1	0
			2746	1761	466	510	9			
1	B	354	Total	C	N	O	S	0	2	0
			2749	1763	466	511	9			
1	C	353	Total	C	N	O	S	0	1	0
			2738	1757	463	510	8			
1	D	354	Total	C	N	O	S	0	1	0
			2746	1761	466	510	9			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is UNKNOWN LIGAND (CCD ID: UNL) (formula:).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	233	Total	O	0	0
			233	233		
4	B	225	Total	O	0	0
			225	225		
4	C	245	Total	O	0	0
			245	245		
4	D	184	Total	O	0	0
			184	184		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Malonyl-CoA/succinyl-CoA reductase




- Molecule 1: Malonyl-CoA/succinyl-CoA reductase



- Molecule 1: Malonyl-CoA/succinyl-CoA reductase



- Molecule 1: Malonyl-CoA/succinyl-CoA reductase



G184	K222	S234	A262	E263	K264	V265	K266	E275	P276	L279	K280	N293	Q299	Q321	V322	R325	I333	H334	N335	T336	V337	R338	K359
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	94.58Å 128.80Å 140.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.5 (20.00-1.90) 99.4 (20.00-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.56 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.6.0095	Depositor
R, R_{free}	0.163 , 0.194 0.162 , 0.193	Depositor DCC
R_{free} test set	6787 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	27.3	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12082	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, UNL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.18	3/2810 (0.1%)	1.05	1/3816 (0.0%)
1	B	1.19	4/2816 (0.1%)	1.05	0/3824
1	C	1.19	6/2802 (0.2%)	1.03	0/3806
1	D	1.12	5/2810 (0.2%)	1.02	2/3816 (0.1%)
All	All	1.17	18/11238 (0.2%)	1.04	3/15262 (0.0%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	135	ASP	C-O	11.76	1.37	1.24
1	C	203	GLY	N-CA	8.37	1.53	1.45
1	D	138	ARG	CZ-NH1	8.14	1.44	1.32
1	C	57	VAL	CA-CB	7.00	1.62	1.54
1	C	119	VAL	CA-CB	6.52	1.60	1.54
1	B	291	VAL	CA-CB	6.17	1.61	1.54
1	C	300	VAL	CA-CB	-5.75	1.48	1.54
1	A	297	ARG	CA-C	5.73	1.58	1.52
1	B	190	ILE	CA-C	5.68	1.57	1.53
1	D	143	TRP	CA-C	5.45	1.59	1.52
1	C	158	ALA	CA-CB	5.23	1.62	1.53
1	D	138	ARG	NE-CZ	-5.20	1.27	1.33
1	A	291	VAL	CA-CB	5.17	1.60	1.54
1	A	250	GLU	N-CA	5.13	1.52	1.46
1	C	241	ARG	C-O	5.10	1.30	1.23
1	D	135	ASP	C-N	5.08	1.41	1.34
1	B	160	ILE	CA-C	5.05	1.58	1.52
1	B	300	VAL	CA-CB	5.00	1.59	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	322	VAL	N-CA-C	-5.26	106.68	111.67
1	A	122	LEU	N-CA-C	5.23	117.25	108.73
1	D	138	ARG	NE-CZ-NH2	5.00	123.70	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2746	0	2803	28	0
1	B	2749	0	2808	30	0
1	C	2738	0	2793	33	0
1	D	2746	0	2803	29	0
2	A	48	0	25	0	0
2	B	48	0	25	4	0
2	C	48	0	25	1	0
2	D	48	0	25	2	0
3	A	6	0	0	1	0
3	B	6	0	0	2	0
3	C	6	0	0	3	0
3	D	6	0	0	1	0
4	A	233	0	0	2	0
4	B	225	0	0	1	0
4	C	245	0	0	5	0
4	D	184	0	0	3	0
All	All	12082	0	11307	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:LEU:HD13	1:A:82:ILE:HD11	1.39	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:137:GLN:HE22	1:D:147:ILE:H	1.20	0.89
1:A:262:ALA:H	1:A:321:GLN:HE22	1.19	0.89
1:A:137:GLN:HE22	1:A:147:ILE:H	1.22	0.87
1:B:262:ALA:H	1:B:321:GLN:HE22	1.25	0.84
1:B:137:GLN:HE22	1:B:147:ILE:H	1.27	0.83
1:C:262:ALA:H	1:C:321:GLN:HE22	1.29	0.79
1:A:262:ALA:H	1:A:321:GLN:NE2	1.78	0.79
1:B:266:LYS:NZ	1:B:293:ASN:ND2	2.31	0.78
1:D:262:ALA:H	1:D:321:GLN:HE22	1.30	0.78
1:C:137:GLN:HE21	1:C:143:TRP:HE1	1.34	0.75
1:C:59[A]:GLN:HG3	4:C:521:HOH:O	1.87	0.74
1:C:137:GLN:HE22	1:C:147:ILE:H	1.34	0.72
1:A:53:ARG:HH12	1:A:55:GLN:HE21	1.38	0.71
1:D:137:GLN:HE21	1:D:143:TRP:HE1	1.37	0.70
1:B:262:ALA:H	1:B:321:GLN:NE2	1.88	0.70
1:C:258:GLU:OE1	4:C:610:HOH:O	2.10	0.69
1:D:262:ALA:H	1:D:321:GLN:NE2	1.92	0.68
1:D:53:ARG:HH12	1:D:55:GLN:HE21	1.41	0.67
1:C:34:LYS:NZ	4:C:532:HOH:O	2.28	0.67
1:A:46:LYS:HD3	1:A:51:VAL:HG11	1.77	0.65
1:A:137:GLN:HE21	1:A:143:TRP:HE1	1.41	0.65
1:C:46:LYS:HD3	1:C:51:VAL:HG11	1.75	0.65
1:A:8:LEU:HD13	1:A:82:ILE:CD1	2.23	0.65
1:A:8:LEU:HD21	1:A:358:GLU:O	1.97	0.65
1:B:266:LYS:HZ1	1:B:293:ASN:ND2	1.93	0.64
1:A:266:LYS:NZ	1:A:293:ASN:ND2	2.47	0.63
1:C:8:LEU:HD21	1:C:359:LYS:HA	1.80	0.62
1:C:101:LYS:HE2	1:C:143:TRP:HE3	1.64	0.62
1:B:8:LEU:HD21	1:B:359:LYS:HA	1.79	0.62
1:B:51:VAL:HG21	1:B:69:ILE:CD1	2.30	0.62
1:A:266:LYS:HZ1	1:A:293:ASN:ND2	1.98	0.61
1:A:53:ARG:HH12	1:A:55:GLN:NE2	1.98	0.61
1:A:73:ASP:OD1	1:A:75:LYS:HG2	2.01	0.60
1:C:266:LYS:NZ	1:C:293:ASN:ND2	2.50	0.60
1:C:53:ARG:HH12	1:C:55:GLN:HE21	1.49	0.59
1:D:53:ARG:HH12	1:D:55:GLN:NE2	1.99	0.59
1:D:153[B]:CYS:HB3	3:D:402:UNL:C1	2.32	0.59
1:C:262:ALA:H	1:C:321:GLN:NE2	1.99	0.58
1:B:71:PRO:HG2	1:B:76:LEU:HD23	1.85	0.58
1:D:75:LYS:HD2	1:D:75:LYS:N	2.20	0.57
1:B:153[B]:CYS:HB3	3:B:402:UNL:C1	2.35	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:ARG:HH22	1:A:55:GLN:HE22	1.53	0.57
1:B:266:LYS:HZ2	1:B:293:ASN:ND2	2.03	0.56
1:C:153:CYS:SG	3:C:402:UNL:C1	2.91	0.56
1:A:153[B]:CYS:HB3	3:A:402:UNL:C1	2.36	0.55
1:A:262:ALA:N	1:A:321:GLN:HE22	1.98	0.55
1:D:41:LYS:HB3	2:D:401:NAP:O2X	2.07	0.54
1:A:153[B]:CYS:SG	1:A:335:ASN:HA	2.48	0.54
1:C:53:ARG:HH12	1:C:55:GLN:NE2	2.06	0.54
1:B:53:ARG:HH12	1:B:55:GLN:HE21	1.56	0.53
1:B:266:LYS:HZ2	1:B:293:ASN:HD22	1.55	0.53
1:A:139:LYS:HE2	4:A:717:HOH:O	2.08	0.52
1:D:73:ASP:OD1	1:D:75:LYS:HG2	2.10	0.52
1:A:75:LYS:HE3	1:A:102:GLU:OE1	2.10	0.52
1:B:71:PRO:HG2	1:B:76:LEU:CD2	2.40	0.52
1:C:266:LYS:HZ3	1:C:293:ASN:HD21	1.57	0.52
1:B:137:GLN:HE21	1:B:143:TRP:HE1	1.57	0.51
1:C:89:GLN:HB2	1:C:111:PRO:HG2	1.91	0.51
1:D:266:LYS:NZ	1:D:293:ASN:ND2	2.58	0.51
1:C:24:VAL:HG13	1:C:64:ILE:HD13	1.92	0.51
1:A:299:GLN:HA	4:A:660:HOH:O	2.10	0.50
1:D:153[B]:CYS:SG	1:D:335:ASN:HA	2.51	0.50
1:C:266:LYS:HZ1	1:C:293:ASN:ND2	2.08	0.50
1:B:266:LYS:NZ	1:B:293:ASN:HD21	2.09	0.50
1:D:275:GLU:N	1:D:276:PRO:CD	2.75	0.50
1:D:137:GLN:HE22	1:D:147:ILE:N	1.99	0.49
1:C:53:ARG:HH22	1:C:55:GLN:HE22	1.60	0.49
1:C:153:CYS:SG	3:C:402:UNL:O	2.71	0.49
2:B:401:NAP:C5N	3:B:402:UNL:O	2.60	0.49
1:D:325:ARG:HG3	1:D:325:ARG:HH11	1.78	0.49
1:C:241:ARG:NH1	3:C:402:UNL:O41	2.30	0.49
1:C:24:VAL:HG13	1:C:64:ILE:HG21	1.96	0.48
1:C:101:LYS:HE3	1:C:101:LYS:HB2	1.51	0.47
1:D:173:GLY:HA2	1:D:234:SER:O	2.15	0.47
1:B:53:ARG:HH12	1:B:55:GLN:NE2	2.13	0.47
1:C:266:LYS:NZ	1:C:293:ASN:HD21	2.12	0.47
1:C:173:GLY:HA2	1:C:234:SER:O	2.15	0.46
1:A:222:LYS:HE3	1:A:222:LYS:HB2	1.52	0.46
1:C:74:PRO:HB2	1:C:102:GLU:HG3	1.97	0.46
1:D:75:LYS:HE3	1:D:102:GLU:OE1	2.16	0.46
1:B:212:LYS:NZ	4:B:723:HOH:O	2.26	0.46
1:D:53:ARG:HH22	1:D:55:GLN:HE22	1.64	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ALA:N	1:B:321:GLN:HE22	2.05	0.45
1:C:137:GLN:HE22	1:C:147:ILE:N	2.09	0.45
1:D:89:GLN:NE2	4:D:643:HOH:O	2.49	0.45
1:B:51:VAL:HG21	1:B:69:ILE:HD12	1.98	0.45
1:A:273:ARG:NH2	1:A:278:ASP:OD1	2.43	0.45
1:D:140:ARG:HB2	1:D:140:ARG:HH11	1.82	0.45
1:D:126:LEU:HD11	1:D:160:ILE:HA	2.00	0.44
1:A:24:VAL:HG13	1:A:64:ILE:HD12	1.99	0.44
1:D:129:HIS:HB2	4:D:588:HOH:O	2.17	0.44
1:A:35:PRO:HG2	1:A:64:ILE:HD11	1.99	0.44
1:A:173:GLY:HA2	1:A:234:SER:O	2.18	0.44
1:B:153[B]:CYS:SG	1:B:335:ASN:HA	2.58	0.44
1:B:18:LEU:HD12	1:B:186:GLY:HA2	2.00	0.43
1:C:89:GLN:NE2	4:C:615:HOH:O	2.50	0.43
4:C:680:HOH:O	1:D:299:GLN:HA	2.19	0.43
1:C:74:PRO:CB	1:C:102:GLU:HG3	2.49	0.43
1:B:184:GLY:HA2	2:B:401:NAP:C7N	2.48	0.43
1:A:137:GLN:HE22	1:A:147:ILE:N	2.03	0.42
1:A:201:PRO:HD3	1:B:299:GLN:HG2	2.01	0.42
1:D:184:GLY:HA2	2:D:401:NAP:O7N	2.19	0.42
1:B:115:PHE:CZ	1:B:212:LYS:HG2	2.55	0.42
1:B:140:ARG:HB3	1:B:140:ARG:NH1	2.34	0.42
1:B:86:PRO:C	2:B:401:NAP:H4D	2.44	0.42
1:C:276:PRO:HB3	1:C:346:LEU:HD11	2.02	0.42
1:D:46:LYS:HD3	1:D:51:VAL:HG11	2.02	0.42
1:C:27:LEU:HD21	1:C:345:ILE:HG12	2.03	0.41
1:D:8:LEU:HD21	1:D:359:LYS:HA	2.03	0.41
1:B:137:GLN:NE2	1:B:147:ILE:H	2.07	0.41
1:C:131:ILE:HD11	1:C:354:LYS:HG3	2.03	0.41
1:B:184:GLY:HA2	2:B:401:NAP:O7N	2.20	0.41
1:D:333:ILE:HD11	1:D:338:ARG:HG3	2.02	0.41
1:D:101:LYS:NZ	1:D:101:LYS:HB2	2.36	0.41
1:A:337:VAL:O	1:A:338:ARG:C	2.62	0.40
1:B:59:GLN:HG3	4:D:612:HOH:O	2.21	0.40
1:C:43:SER:OG	2:C:401:NAP:O1X	2.28	0.40
1:B:140:ARG:HH11	1:B:140:ARG:CB	2.34	0.40
1:D:262:ALA:N	1:D:321:GLN:HE22	2.07	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	353/359 (98%)	344 (98%)	7 (2%)	2 (1%)	21	13
1	B	354/359 (99%)	343 (97%)	9 (2%)	2 (1%)	21	13
1	C	352/359 (98%)	341 (97%)	8 (2%)	3 (1%)	14	6
1	D	353/359 (98%)	340 (96%)	11 (3%)	2 (1%)	21	13
All	All	1412/1436 (98%)	1368 (97%)	35 (2%)	9 (1%)	21	13

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	86	PRO
1	B	86	PRO
1	C	86	PRO
1	D	86	PRO
1	C	340	ALA
1	D	337	VAL
1	B	337	VAL
1	A	337	VAL
1	C	337	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/302 (99%)	279 (94%)	19 (6%)	16	8
1	B	299/302 (99%)	280 (94%)	19 (6%)	16	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	297/302 (98%)	283 (95%)	14 (5%)	23	15
1	D	298/302 (99%)	282 (95%)	16 (5%)	20	12
All	All	1192/1208 (99%)	1124 (94%)	68 (6%)	19	11

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG
1	A	34	LYS
1	A	41	LYS
1	A	55	GLN
1	A	62	LYS
1	A	64	ILE
1	A	75	LYS
1	A	76	LEU
1	A	79	ASP
1	A	87	LEU
1	A	89	GLN
1	A	101	LYS
1	A	136	GLU
1	A	140	ARG
1	A	222	LYS
1	A	257	LYS
1	A	279	LEU
1	A	280	LYS
1	A	359	LYS
1	B	34	LYS
1	B	43	SER
1	B	46	LYS
1	B	55	GLN
1	B	62	LYS
1	B	68	GLU
1	B	76	LEU
1	B	79	ASP
1	B	87	LEU
1	B	89	GLN
1	B	101	LYS
1	B	140	ARG
1	B	144	LYS
1	B	167	LYS
1	B	222	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	229	LYS
1	B	257	LYS
1	B	358	GLU
1	B	359	LYS
1	C	55	GLN
1	C	59[A]	GLN
1	C	59[B]	GLN
1	C	76	LEU
1	C	87	LEU
1	C	89	GLN
1	C	101	LYS
1	C	110	SER
1	C	136	GLU
1	C	222	LYS
1	C	264	LYS
1	C	279	LEU
1	C	280	LYS
1	C	358	GLU
1	D	41	LYS
1	D	55	GLN
1	D	62	LYS
1	D	74	PRO
1	D	75	LYS
1	D	76	LEU
1	D	79	ASP
1	D	87	LEU
1	D	98	GLN
1	D	101	LYS
1	D	140	ARG
1	D	144	LYS
1	D	222	LYS
1	D	264	LYS
1	D	279	LEU
1	D	280	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	GLN
1	A	59	GLN
1	A	109	ASN
1	A	129	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	137	GLN
1	A	180	GLN
1	A	293	ASN
1	A	321	GLN
1	B	55	GLN
1	B	59	GLN
1	B	137	GLN
1	B	180	GLN
1	B	293	ASN
1	B	321	GLN
1	C	55	GLN
1	C	109	ASN
1	C	129	HIS
1	C	137	GLN
1	C	293	ASN
1	C	321	GLN
1	D	55	GLN
1	D	59	GLN
1	D	109	ASN
1	D	129	HIS
1	D	137	GLN
1	D	180	GLN
1	D	293	ASN
1	D	321	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are unknown - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	B	401	-	50,52,52	2.06	8 (16%)	71,80,80	1.66	14 (19%)
2	NAP	C	401	-	50,52,52	2.18	8 (16%)	71,80,80	1.60	14 (19%)
2	NAP	D	401	-	50,52,52	1.78	7 (14%)	71,80,80	1.65	11 (15%)
2	NAP	A	401	-	50,52,52	1.97	8 (16%)	71,80,80	1.67	14 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	B	401	-	-	5/35/67/67	0/5/5/5
2	NAP	C	401	-	-	8/35/67/67	0/5/5/5
2	NAP	D	401	-	-	6/35/67/67	0/5/5/5
2	NAP	A	401	-	-	9/35/67/67	0/5/5/5

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NAP	PN-O3	7.76	1.67	1.59
2	A	401	NAP	C3N-C7N	-7.17	1.39	1.50
2	B	401	NAP	PN-O3	6.67	1.66	1.59
2	C	401	NAP	C3N-C7N	-6.61	1.40	1.50
2	C	401	NAP	PA-O3	6.46	1.66	1.59
2	B	401	NAP	C3N-C7N	-6.28	1.41	1.50
2	D	401	NAP	PN-O3	6.17	1.66	1.59
2	A	401	NAP	PN-O3	5.75	1.65	1.59
2	D	401	NAP	C3N-C7N	-5.67	1.42	1.50
2	A	401	NAP	PA-O3	5.49	1.65	1.59
2	B	401	NAP	PA-O3	5.43	1.65	1.59
2	B	401	NAP	C2N-N1N	5.39	1.40	1.35
2	C	401	NAP	C2N-N1N	5.26	1.40	1.35
2	D	401	NAP	C2N-N1N	4.71	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAP	C2N-N1N	4.16	1.39	1.35
2	D	401	NAP	PA-O3	3.96	1.63	1.59
2	A	401	NAP	O4D-C1D	3.85	1.45	1.40
2	C	401	NAP	O4D-C1D	3.61	1.45	1.40
2	B	401	NAP	O4D-C1D	3.22	1.45	1.40
2	C	401	NAP	P2B-O2B	2.61	1.64	1.59
2	B	401	NAP	P2B-O2B	2.56	1.64	1.59
2	A	401	NAP	C8A-N7A	2.38	1.36	1.31
2	A	401	NAP	P2B-O2B	2.31	1.63	1.59
2	D	401	NAP	C8A-N7A	2.28	1.36	1.31
2	B	401	NAP	C8A-N7A	2.27	1.36	1.31
2	D	401	NAP	O4D-C1D	2.25	1.43	1.40
2	D	401	NAP	C7N-N7N	2.20	1.37	1.33
2	C	401	NAP	C4A-N9A	-2.19	1.33	1.37
2	A	401	NAP	C6N-N1N	2.16	1.40	1.35
2	B	401	NAP	C7N-N7N	2.12	1.36	1.33
2	C	401	NAP	C6N-N1N	2.05	1.40	1.35

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NAP	N3A-C2A-N1A	-5.72	119.92	128.58
2	A	401	NAP	N3A-C2A-N1A	-5.18	120.75	128.58
2	B	401	NAP	C5A-C4A-N3A	-5.16	119.61	126.72
2	D	401	NAP	C5A-C4A-N3A	-5.09	119.71	126.72
2	A	401	NAP	C5A-C4A-N3A	-4.99	119.85	126.72
2	D	401	NAP	N3A-C2A-N1A	-4.99	121.03	128.58
2	B	401	NAP	N3A-C2A-N1A	-4.56	121.68	128.58
2	D	401	NAP	N9A-C8A-N7A	-4.21	107.97	113.94
2	C	401	NAP	C5A-C4A-N3A	-4.16	121.00	126.72
2	C	401	NAP	N9A-C8A-N7A	-3.93	108.36	113.94
2	A	401	NAP	N9A-C8A-N7A	-3.62	108.80	113.94
2	A	401	NAP	C2A-N3A-C4A	3.59	120.61	111.83
2	D	401	NAP	C2A-N3A-C4A	3.58	120.58	111.83
2	B	401	NAP	N3A-C4A-N9A	3.51	133.13	127.17
2	A	401	NAP	N3A-C4A-N9A	3.50	133.12	127.17
2	D	401	NAP	N3A-C4A-N9A	3.44	133.02	127.17
2	C	401	NAP	C2A-N3A-C4A	3.35	120.01	111.83
2	B	401	NAP	C2A-N3A-C4A	3.34	119.99	111.83
2	D	401	NAP	C4A-N9A-C8A	3.32	109.22	105.74
2	C	401	NAP	C4A-N9A-C8A	3.27	109.17	105.74
2	D	401	NAP	C5A-N7A-C8A	3.19	108.46	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NAP	N9A-C8A-N7A	-3.18	109.42	113.94
2	D	401	NAP	C4A-C5A-N7A	-3.07	107.07	110.58
2	B	401	NAP	O7N-C7N-N7N	3.05	127.02	122.62
2	B	401	NAP	O2N-PN-O3	2.99	115.34	107.27
2	C	401	NAP	N3A-C4A-N9A	2.89	132.09	127.17
2	B	401	NAP	C2B-C3B-C4B	2.78	107.96	101.99
2	A	401	NAP	O3X-P2B-O2X	2.75	118.12	107.80
2	B	401	NAP	C4A-C5A-N7A	-2.69	107.50	110.58
2	C	401	NAP	O2N-PN-O3	2.67	114.48	107.27
2	D	401	NAP	O2N-PN-O3	2.66	114.46	107.27
2	A	401	NAP	C4A-N9A-C8A	2.58	108.44	105.74
2	C	401	NAP	C5A-N7A-C8A	2.57	107.49	103.45
2	B	401	NAP	C5A-N7A-C8A	2.56	107.47	103.45
2	A	401	NAP	O2N-PN-O3	2.56	114.18	107.27
2	B	401	NAP	C4A-N9A-C8A	2.49	108.35	105.74
2	B	401	NAP	C4D-O4D-C1D	-2.44	107.69	109.92
2	C	401	NAP	O2N-PN-O1N	2.42	123.72	112.44
2	B	401	NAP	C2B-C1B-N9A	2.40	117.71	113.75
2	A	401	NAP	C3N-C7N-N7N	-2.39	114.79	117.74
2	A	401	NAP	O2X-P2B-O1X	2.38	120.10	110.83
2	B	401	NAP	C3N-C7N-N7N	-2.33	114.86	117.74
2	A	401	NAP	C5A-N7A-C8A	2.33	107.11	103.45
2	D	401	NAP	C6N-N1N-C1D	-2.31	115.19	119.73
2	C	401	NAP	C2A-N1A-C6A	2.31	122.52	118.73
2	A	401	NAP	C2B-C3B-C4B	2.26	106.85	101.99
2	A	401	NAP	O7N-C7N-N7N	2.23	125.83	122.62
2	C	401	NAP	C4A-C5A-N7A	-2.20	108.06	110.58
2	C	401	NAP	C6N-N1N-C1D	-2.17	115.47	119.73
2	D	401	NAP	C2B-C3B-C4B	2.13	106.57	101.99
2	A	401	NAP	C5A-C6A-N6A	-2.10	118.09	123.29
2	C	401	NAP	O3X-P2B-O1X	2.08	118.94	110.83
2	C	401	NAP	C3N-C7N-N7N	-2.02	115.25	117.74

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAP	C5B-O5B-PA-O1A
2	A	401	NAP	O4D-C1D-N1N-C2N
2	A	401	NAP	O4D-C1D-N1N-C6N
2	A	401	NAP	C2D-C1D-N1N-C2N
2	A	401	NAP	C2D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	401	NAP	O4D-C1D-N1N-C2N
2	B	401	NAP	O4D-C1D-N1N-C6N
2	B	401	NAP	C2D-C1D-N1N-C2N
2	B	401	NAP	C2D-C1D-N1N-C6N
2	C	401	NAP	O4D-C1D-N1N-C2N
2	C	401	NAP	O4D-C1D-N1N-C6N
2	C	401	NAP	C2D-C1D-N1N-C2N
2	C	401	NAP	C2D-C1D-N1N-C6N
2	D	401	NAP	O4D-C1D-N1N-C2N
2	A	401	NAP	O4B-C4B-C5B-O5B
2	A	401	NAP	C3B-C4B-C5B-O5B
2	C	401	NAP	O4B-C4B-C5B-O5B
2	C	401	NAP	C3B-C4B-C5B-O5B
2	D	401	NAP	O4B-C4B-C5B-O5B
2	D	401	NAP	C3B-C4B-C5B-O5B
2	A	401	NAP	PN-O3-PA-O1A
2	D	401	NAP	O4D-C1D-N1N-C6N
2	C	401	NAP	PN-O3-PA-O1A
2	A	401	NAP	PN-O3-PA-O2A
2	B	401	NAP	PN-O3-PA-O2A
2	C	401	NAP	PN-O3-PA-O2A
2	D	401	NAP	PN-O3-PA-O2A
2	D	401	NAP	C2B-O2B-P2B-O2X


There are no ring outliers.


3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	NAP	4	0
2	C	401	NAP	1	0
2	D	401	NAP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	354/359 (98%)	-0.61	0	100 100	14, 28, 59, 84	1 (0%)
1	B	354/359 (98%)	-0.55	0	100 100	15, 30, 58, 83	2 (0%)
1	C	353/359 (98%)	-0.57	3 (0%)	82 85	16, 29, 58, 98	1 (0%)
1	D	354/359 (98%)	-0.43	3 (0%)	82 85	17, 35, 67, 89	1 (0%)
All	All	1415/1436 (98%)	-0.54	6 (0%)	88 90	14, 30, 62, 98	5 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	359	LYS	2.7
1	D	143	TRP	2.5
1	D	140	ARG	2.4
1	D	139	LYS	2.2
1	C	7	THR	2.1
1	C	79	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	UNL	B	402	6/-	0.81	0.13	36,40,41,43	0
2	NAP	B	401	48/48	0.83	0.14	30,62,84,103	0
3	UNL	D	402	6/-	0.85	0.13	33,40,48,50	0
3	UNL	C	402	6/-	0.87	0.12	33,37,43,59	0
3	UNL	A	402	6/-	0.87	0.10	31,35,41,44	0
2	NAP	A	401	48/48	0.89	0.10	31,52,63,69	0
2	NAP	D	401	48/48	0.89	0.11	35,59,73,90	0
2	NAP	C	401	48/48	0.92	0.09	29,45,56,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.