



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:04 PM UTC

PDB ID : 1DQ8 / pdb_00001dq8
Title : COMPLEX OF THE CATALYTIC PORTION OF HUMAN HMG-COA REDUCTASE WITH HMG AND COA
Authors : Istvan, E.S.; Palnitkar, M.; Buchanan, S.K.; Deisenhofer, J.
Deposited on : 1999-12-30
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	467	2% 73% 13% • 11%
1	B	467	% 70% 13% • 13%
1	C	467	2% 70% 15% • 14%
1	D	467	% 67% 17% • 13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	COA	A	100	X	-	-	-
2	COA	B	101	X	-	-	-
2	COA	C	102	X	-	-	-
2	COA	D	103	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12667 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (HMG-COA REDUCTASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	417	Total	C	N	O	S	0	0	0
			3114	1942	548	594	30			
1	B	405	Total	C	N	O	S	0	0	0
			3011	1879	528	575	29			
1	C	402	Total	C	N	O	S	0	0	0
			2986	1861	525	571	29			
1	D	407	Total	C	N	O	S	0	0	0
			3023	1887	531	576	29			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	485	ILE	MET	engineered mutation	UNP P04035
B	485	ILE	MET	engineered mutation	UNP P04035
C	485	ILE	MET	engineered mutation	UNP P04035
D	485	ILE	MET	engineered mutation	UNP P04035

- Molecule 2 is COENZYME A (CCD ID: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	B	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	C	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	D	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0

- Molecule 3 is 3-HYDROXY-3-METHYL-GLUTARIC ACID (CCD ID: MAH) (formula: $C_6H_{10}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		
3	B	1	Total	C	O	0	0
			11	6	5		
3	D	1	Total	C	O	0	0
			11	6	5		
3	D	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (CCD ID: DTT) (formula: $C_4H_{10}O_2S_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			8	4	2	2		
4	C	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	66	Total	O	0	0
			66	66		
5	B	65	Total	O	0	0
			65	65		
5	C	74	Total	O	0	0
			74	74		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	76	Total	O	0	0
			76	76		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEIN (HMG-COA REDUCTASE)




• Molecule 1: PROTEIN (HMG-COA REDUCTASE)




• Molecule 1: PROTEIN (HMG-COA REDUCTASE)





• Molecule 1: PROTEIN (HMG-COA REDUCTASE)



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.30Å 130.18Å 92.55Å 90.00° 106.48° 90.00°	Depositor
Resolution (Å)	38.00 – 2.10 38.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.0 (38.00-2.10) 48.5 (38.00-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 1.98Å)	Xtriage
Refinement program	CNS 0.5	Depositor
R, R_{free}	0.199 , 0.239 0.211 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	26.3	Xtriage
Anisotropy	0.711	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12667	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DTT, COA, MAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.56	1/3160 (0.0%)	1.07	21/4272 (0.5%)
1	B	0.58	2/3055 (0.1%)	1.03	11/4131 (0.3%)
1	C	0.61	1/3029 (0.0%)	1.02	17/4096 (0.4%)
1	D	0.59	1/3067 (0.0%)	1.07	19/4146 (0.5%)
All	All	0.58	5/12311 (0.0%)	1.05	68/16645 (0.4%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	534	MET	SD-CE	-7.67	1.60	1.79
1	B	655	MET	SD-CE	-7.42	1.60	1.79
1	A	657	MET	SD-CE	-7.37	1.61	1.79
1	D	655	MET	SD-CE	-6.41	1.63	1.79
1	B	854	MET	SD-CE	-6.32	1.63	1.79

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	553	VAL	N-CA-C	11.09	117.65	107.56
1	D	553	VAL	N-CA-C	10.54	118.41	107.76
1	A	441	GLU	N-CA-C	-9.01	89.90	109.81
1	B	656	GLY	N-CA-C	8.85	126.71	115.21
1	A	440	ARG	N-CA-C	8.44	123.00	109.24
1	C	553	VAL	N-CA-C	8.30	116.14	107.76
1	D	656	GLY	N-CA-C	7.93	125.52	115.21
1	A	553	VAL	N-CA-C	7.36	115.19	107.76
1	B	655	MET	N-CA-C	-7.17	103.47	111.71
1	A	441	GLU	CA-C-N	7.03	128.63	119.84
1	A	441	GLU	C-N-CA	7.03	128.63	119.84
1	A	655	MET	N-CA-C	-6.97	103.70	111.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	785	GLY	CA-C-N	6.83	126.34	119.24
1	D	785	GLY	C-N-CA	6.83	126.34	119.24
1	D	655	MET	N-CA-C	-6.79	103.89	111.28
1	C	650	ARG	N-CA-C	-6.75	102.10	110.41
1	C	656	GLY	N-CA-C	6.71	125.22	114.90
1	A	719	GLU	N-CA-C	6.59	118.26	111.14
1	A	474	LYS	N-CA-C	-6.59	101.26	110.35
1	C	655	MET	N-CA-C	-6.52	104.21	111.71
1	D	797	MET	CA-C-N	6.36	125.98	119.56
1	D	797	MET	C-N-CA	6.36	125.98	119.56
1	A	785	GLY	CA-C-N	6.33	127.75	119.84
1	A	785	GLY	C-N-CA	6.33	127.75	119.84
1	B	675	PHE	CA-C-N	6.22	126.12	119.28
1	B	675	PHE	C-N-CA	6.22	126.12	119.28
1	B	481	LEU	N-CA-C	6.22	118.57	111.11
1	C	481	LEU	N-CA-C	6.20	118.56	111.11
1	A	481	LEU	N-CA-C	6.19	118.53	111.11
1	A	699	ILE	N-CA-C	6.11	117.66	111.00
1	A	505	GLU	CA-C-N	6.07	126.51	119.47
1	A	505	GLU	C-N-CA	6.07	126.51	119.47
1	D	505	GLU	CA-C-N	6.06	126.23	119.32
1	D	505	GLU	C-N-CA	6.06	126.23	119.32
1	C	691	LYS	N-CA-C	6.05	120.24	112.86
1	A	485	ILE	N-CA-C	6.04	117.53	109.37
1	D	719	GLU	N-CA-C	6.01	118.73	111.40
1	C	785	GLY	CA-C-N	5.91	127.23	119.84
1	C	785	GLY	C-N-CA	5.91	127.23	119.84
1	D	591	GLY	CA-C-N	5.77	126.10	119.92
1	D	591	GLY	C-N-CA	5.77	126.10	119.92
1	B	691	LYS	N-CA-C	5.74	119.86	112.86
1	D	764	CYS	N-CA-C	5.69	119.20	112.72
1	A	736	ASN	N-CA-C	5.66	118.39	111.82
1	C	764	CYS	N-CA-C	5.50	118.98	112.72
1	D	862	LEU	N-CA-C	5.46	117.68	111.02
1	C	635	HIS	N-CA-C	-5.38	99.64	108.41
1	A	475	HIS	N-CA-C	5.37	116.11	108.54
1	B	791	LEU	N-CA-C	5.36	117.36	108.20
1	D	791	LEU	N-CA-C	5.32	117.29	108.20
1	A	650	ARG	N-CA-C	-5.28	103.56	110.53
1	D	691	LYS	N-CA-C	5.24	118.95	112.24
1	D	852	SER	N-CA-C	5.19	116.75	111.14
1	C	828	LYS	N-CA-C	5.19	117.02	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	650	ARG	N-CA-C	-5.18	103.69	110.53
1	C	526	CYS	N-CA-C	5.13	120.93	114.31
1	B	505	GLU	CA-C-N	5.11	126.22	119.84
1	B	505	GLU	C-N-CA	5.11	126.22	119.84
1	B	863	VAL	CB-CA-C	-5.11	105.25	112.14
1	A	691	LYS	N-CA-C	5.09	118.76	112.24
1	D	699	ILE	N-CA-C	5.09	116.55	111.00
1	C	830	ASN	CA-C-N	5.07	125.36	119.93
1	C	830	ASN	C-N-CA	5.07	125.36	119.93
1	C	591	GLY	CA-C-N	5.05	125.03	120.03
1	C	591	GLY	C-N-CA	5.05	125.03	120.03
1	A	530	VAL	N-CA-C	5.05	115.61	109.30
1	C	791	LEU	N-CA-C	5.01	116.77	108.20
1	A	450	GLN	N-CA-C	5.00	121.46	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3114	0	3155	43	0
1	B	3011	0	3054	56	0
1	C	2986	0	3029	54	0
1	D	3023	0	3070	69	0
2	A	48	0	32	1	0
2	B	48	0	32	3	0
2	C	48	0	32	1	0
2	D	48	0	32	3	0
3	A	11	0	8	0	0
3	B	11	0	8	0	0
3	D	22	0	16	0	0
4	B	8	0	10	3	0
4	C	8	0	10	3	0
5	A	66	0	0	1	0
5	B	65	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	74	0	0	2	0
5	D	76	0	0	3	0
All	All	12667	0	12488	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:534:MET:HE1	1:D:813:PRO:HB2	1.38	1.04
1:C:557:THR:HG22	1:C:559:GLU:H	1.27	0.98
1:D:655:MET:HE1	1:D:657:MET:HG2	1.48	0.96
1:B:854:MET:HE2	1:B:854:MET:HA	1.55	0.88
1:D:588:MET:HE3	1:D:655:MET:HE3	1.56	0.87
1:C:655:MET:HE1	1:C:657:MET:HB2	1.56	0.87
1:C:464:ASP:N	1:C:490:ARG:HH21	1.73	0.86
1:C:534:MET:HE3	1:C:535:PRO:HD2	1.61	0.83
1:B:655:MET:HE1	1:B:657:MET:HB2	1.63	0.80
1:D:724:THR:HG22	1:D:727:ALA:H	1.50	0.77
1:B:588:MET:HE3	1:B:655:MET:HE3	1.68	0.75
1:C:752:HIS:HD2	1:C:755:ASN:HD22	1.31	0.75
1:A:523:MET:HA	1:A:523:MET:HE3	1.67	0.74
1:D:555:MET:HE3	1:D:563:VAL:HG22	1.70	0.73
1:A:808:GLY:O	1:A:814:GLN:HG3	1.90	0.72
1:C:534:MET:HE3	1:C:535:PRO:CD	2.19	0.71
1:C:534:MET:HE2	1:D:814:GLN:NE2	2.05	0.71
1:C:820:MET:HE2	1:D:509:LEU:HD21	1.73	0.70
1:D:485:ILE:HD12	1:D:491:GLY:HA2	1.74	0.70
1:A:779:THR:HG21	1:A:850:GLU:OE1	1.91	0.69
1:D:863:VAL:O	1:D:864:LYS:HB2	1.95	0.66
1:C:632:GLN:HE21	1:C:650:ARG:HG2	1.59	0.66
1:D:806:GLY:O	1:D:809:THR:HB	1.96	0.65
1:A:486:GLU:CD	1:A:486:GLU:H	2.03	0.65
4:C:301:DTT:S1	1:D:559:GLU:HG3	2.37	0.65
1:D:817:CYS:HA	1:D:820:MET:HE3	1.77	0.65
1:C:752:HIS:CD2	1:C:755:ASN:HD22	2.12	0.65
1:A:440:ARG:O	1:A:441:GLU:HG2	1.97	0.64
1:B:854:MET:CE	1:B:857:LEU:HD12	2.27	0.64
1:C:656:GLY:O	1:C:660:ILE:HG12	1.98	0.64
1:D:655:MET:HE1	1:D:657:MET:CG	2.27	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:477:PRO:HB3	1:D:479:TYR:CE2	2.35	0.62
1:C:534:MET:HE2	1:D:814:GLN:HE22	1.64	0.61
1:A:468:ILE:HG12	1:A:498:LEU:HD11	1.81	0.60
1:D:555:MET:HE1	1:D:563:VAL:HA	1.82	0.60
1:D:592:PRO:HD2	1:D:645:ILE:O	2.01	0.60
1:D:460:LYS:HB2	1:D:486:GLU:OE1	2.01	0.59
1:A:565:SER:HB2	2:A:100:COA:H61	1.85	0.59
1:A:596:LEU:HD13	1:A:602:SER:HA	1.86	0.58
1:D:655:MET:C	1:D:655:MET:HE2	2.28	0.58
1:D:519:TYR:O	1:D:523:MET:HG2	2.04	0.57
1:B:854:MET:HE2	1:B:857:LEU:HD12	1.87	0.57
1:B:588:MET:CE	1:B:655:MET:HE3	2.33	0.57
1:B:471:VAL:HG22	1:B:476:ILE:HB	1.87	0.57
1:B:613:GLU:O	1:B:617:VAL:HG13	2.05	0.57
1:B:817:CYS:HA	1:B:820:MET:HE3	1.87	0.56
1:D:555:MET:CE	1:D:563:VAL:HA	2.35	0.56
2:D:103:COA:O4A	2:D:103:COA:H52A	2.06	0.55
1:A:542:GLY:H	1:A:567:ASN:ND2	2.04	0.55
1:D:588:MET:CE	1:D:655:MET:HE3	2.32	0.55
1:A:657:MET:HE2	1:A:690:ASP:CG	2.32	0.55
1:A:485:ILE:HG21	1:A:490:ARG:HB3	1.87	0.55
1:A:731:VAL:HG12	1:A:854:MET:HE1	1.88	0.55
1:D:655:MET:HE2	1:D:655:MET:O	2.07	0.55
1:B:735:LYS:HE2	1:B:854:MET:HE1	1.88	0.54
1:D:809:THR:HG23	5:D:2076:HOH:O	2.08	0.54
1:C:557:THR:HG21	1:C:562:LEU:HD23	1.89	0.54
1:C:471:VAL:HA	1:C:476:ILE:HG23	1.90	0.54
1:D:499:LEU:HD23	1:D:509:LEU:HD11	1.90	0.54
1:D:485:ILE:HD11	1:D:494:ILE:HD12	1.90	0.53
1:A:475:HIS:O	1:A:477:PRO:HD3	2.07	0.53
1:C:588:MET:HE3	1:C:655:MET:HE3	1.90	0.53
1:B:494:ILE:O	1:B:498:LEU:HD13	2.09	0.53
1:D:804:THR:C	1:D:809:THR:HG21	2.33	0.53
1:D:805:VAL:N	1:D:809:THR:HG21	2.24	0.52
1:C:464:ASP:N	1:C:467:ILE:HG12	2.24	0.52
1:C:485:ILE:HG22	1:C:487:THR:H	1.75	0.52
1:A:592:PRO:HD2	1:A:645:ILE:O	2.10	0.52
1:D:565:SER:HB2	2:D:103:COA:H61	1.92	0.51
1:C:485:ILE:HD12	1:C:491:GLY:HA2	1.92	0.51
1:C:767:ASP:HB2	4:C:301:DTT:H2	1.92	0.51
1:D:804:THR:HG21	1:D:823:VAL:HG22	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:588:MET:CE	1:C:655:MET:HE3	2.41	0.51
1:B:588:MET:HE3	1:B:655:MET:CE	2.38	0.51
1:B:565:SER:HB2	2:B:101:COA:H61	1.93	0.50
1:D:631:LEU:HA	1:D:649:SER:HB2	1.93	0.50
1:C:820:MET:HE2	1:D:509:LEU:CD2	2.41	0.50
1:D:754:ALA:HB1	1:D:771:ASN:HD21	1.77	0.50
1:B:828:LYS:O	1:B:829:ASP:HB2	2.12	0.50
1:A:468:ILE:HG12	1:A:498:LEU:CD1	2.41	0.50
1:B:463:SER:OG	1:B:466:GLU:HG3	2.12	0.50
1:D:485:ILE:CD1	1:D:494:ILE:HD12	2.41	0.50
1:B:656:GLY:O	1:B:660:ILE:HG12	2.11	0.49
1:B:503:LEU:HD13	1:B:508:SER:OG	2.12	0.49
1:D:808:GLY:O	1:D:814:GLN:HG2	2.13	0.49
1:A:655:MET:SD	1:A:657:MET:HG2	2.54	0.48
1:A:541:ALA:HB2	1:A:555:MET:CE	2.44	0.48
1:D:658:ASN:O	1:D:662:LYS:HG3	2.13	0.48
1:C:534:MET:CE	1:C:535:PRO:HD2	2.38	0.48
1:D:469:GLN:O	1:D:473:ALA:HB2	2.13	0.48
1:A:771:ASN:OD1	1:A:775:SER:OG	2.32	0.48
1:D:590:ARG:HA	1:D:590:ARG:HD3	1.69	0.48
1:C:466:GLU:HG3	1:C:469:GLN:NE2	2.29	0.48
1:C:565:SER:HB2	2:C:102:COA:H61	1.96	0.47
1:A:821:LEU:HD22	1:A:841:ILE:HD13	1.95	0.47
1:B:468:ILE:HG12	1:B:498:LEU:HD11	1.96	0.47
1:D:592:PRO:HG3	1:D:664:THR:HG21	1.97	0.47
1:D:485:ILE:HG21	1:D:490:ARG:HB3	1.96	0.47
1:A:817:CYS:HA	1:A:820:MET:HE3	1.96	0.47
1:D:656:GLY:O	1:D:660:ILE:HG12	2.15	0.47
1:A:614:GLY:O	1:A:617:VAL:HG22	2.15	0.47
1:A:542:GLY:H	1:A:567:ASN:HD22	1.62	0.47
1:D:823:VAL:HG22	1:D:823:VAL:O	2.15	0.47
1:B:470:LEU:O	1:B:475:HIS:HB2	2.15	0.47
1:B:590:ARG:HA	1:B:590:ARG:HD3	1.70	0.47
1:C:592:PRO:HD2	1:C:645:ILE:O	2.15	0.47
1:A:756:ILE:HD13	5:A:2195:HOH:O	2.15	0.46
1:C:534:MET:CE	1:D:813:PRO:HB2	2.27	0.46
1:D:776:ASN:ND2	5:D:2063:HOH:O	2.49	0.46
1:D:595:ARG:HD2	5:D:2044:HOH:O	2.15	0.46
1:B:811:LEU:HB2	1:B:814:GLN:HG2	1.98	0.46
1:C:588:MET:HE1	1:C:801:GLU:HG2	1.98	0.46
1:A:541:ALA:HB2	1:A:555:MET:HE1	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:476:ILE:O	1:B:477:PRO:O	2.34	0.46
1:C:807:GLY:HA3	4:C:301:DTT:H3	1.97	0.46
1:A:767:ASP:OD2	4:B:302:DTT:H11	2.16	0.46
1:C:717:VAL:O	1:C:721:LEU:HB2	2.15	0.46
1:B:487:THR:HG22	1:B:489:GLU:N	2.31	0.46
1:B:593:VAL:HG13	1:B:681:LEU:HB3	1.98	0.46
1:D:614:GLY:O	1:D:618:ILE:HG23	2.16	0.46
1:C:468:ILE:HD11	1:C:497:GLN:HE21	1.80	0.46
1:C:774:SER:HA	1:C:799:SER:O	2.16	0.46
1:A:474:LYS:HB2	1:A:476:ILE:CD1	2.46	0.46
1:C:618:ILE:HD13	1:C:647:PHE:HE2	1.80	0.46
1:A:509:LEU:CD2	1:B:820:MET:HE2	2.46	0.45
1:D:468:ILE:HG12	1:D:498:LEU:HD12	1.98	0.45
1:D:805:VAL:CA	1:D:809:THR:HG21	2.46	0.45
1:D:477:PRO:O	1:D:478:ALA:CB	2.64	0.45
1:B:751:ALA:CB	1:B:854:MET:HE3	2.46	0.45
1:B:752:HIS:HD2	1:B:755:ASN:HD22	1.65	0.45
1:A:590:ARG:HD3	1:A:590:ARG:HA	1.66	0.45
1:B:468:ILE:HG12	1:B:498:LEU:CD1	2.47	0.45
1:B:751:ALA:HB2	1:B:854:MET:HE3	1.97	0.45
1:A:494:ILE:O	1:A:498:LEU:HD13	2.17	0.45
1:A:555:MET:CE	1:A:563:VAL:HG13	2.46	0.45
1:C:509:LEU:CD2	1:D:820:MET:HE2	2.47	0.44
1:C:509:LEU:HD23	1:D:820:MET:HE2	1.99	0.44
1:D:471:VAL:HG11	1:D:498:LEU:HD21	1.98	0.44
1:B:828:LYS:O	1:B:829:ASP:CB	2.66	0.44
1:C:593:VAL:HG13	1:C:681:LEU:HB3	1.98	0.44
1:A:766:GLN:OE1	1:A:802:ILE:HG13	2.17	0.44
1:D:857:LEU:HD21	1:D:862:LEU:HD22	2.00	0.44
1:C:811:LEU:HB2	1:C:814:GLN:HG2	1.99	0.44
1:B:854:MET:HE2	1:B:854:MET:CA	2.37	0.44
1:D:541:ALA:HB2	1:D:555:MET:HE2	2.00	0.44
1:B:631:LEU:HA	1:B:649:SER:HB2	2.00	0.44
1:A:471:VAL:HG13	1:A:476:ILE:O	2.18	0.44
1:B:476:ILE:N	1:B:477:PRO:HD2	2.33	0.43
1:D:560:GLY:O	1:D:561:CYS:HB2	2.18	0.43
1:B:559:GLU:HB2	4:B:302:DTT:H12	2.00	0.43
1:B:568:ARG:HG3	2:B:101:COA:H4B	2.00	0.43
1:C:730:GLU:HG2	1:D:595:ARG:HH22	1.83	0.43
1:A:440:ARG:HH22	1:A:465:ALA:H	1.66	0.43
1:B:632:GLN:HE21	1:B:650:ARG:HE	1.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:592:PRO:HG3	1:C:683:VAL:O	2.19	0.43
1:D:468:ILE:HG12	1:D:498:LEU:CD1	2.49	0.43
1:D:657:MET:HA	1:D:657:MET:HE2	2.01	0.43
1:B:485:ILE:N	1:B:485:ILE:HD12	2.34	0.42
1:D:774:SER:HA	1:D:799:SER:O	2.20	0.42
1:D:474:LYS:HB2	1:D:474:LYS:HE3	1.76	0.42
1:B:590:ARG:CZ	1:B:657:MET:HE2	2.50	0.42
1:C:702:ARG:O	1:C:799:SER:HA	2.20	0.42
1:C:560:GLY:O	1:C:561:CYS:HB2	2.20	0.42
1:A:519:TYR:O	1:A:523:MET:HG2	2.20	0.42
1:B:735:LYS:CD	1:B:854:MET:HE1	2.49	0.42
1:B:854:MET:HE1	1:B:857:LEU:HD12	2.01	0.42
1:C:523:MET:CE	1:C:530:VAL:HB	2.48	0.42
1:C:655:MET:CE	1:C:657:MET:HB2	2.39	0.42
1:C:688:CYS:HB2	1:C:689:THR:CA	2.48	0.42
1:A:509:LEU:HD21	1:B:820:MET:HE2	2.01	0.42
1:A:692:LYS:HB2	1:A:692:LYS:HE2	1.86	0.42
1:B:476:ILE:O	1:B:476:ILE:HG22	2.19	0.42
1:B:519:TYR:O	1:B:523:MET:HG2	2.19	0.42
1:C:518:ASN:ND2	1:C:520:SER:OG	2.53	0.42
1:C:656:GLY:HA2	5:C:2097:HOH:O	2.19	0.42
1:D:568:ARG:HG3	2:D:103:COA:H4B	2.01	0.42
1:A:560:GLY:O	1:A:561:CYS:HB2	2.20	0.42
1:B:473:ALA:O	1:B:475:HIS:N	2.53	0.42
1:C:537:PRO:O	1:C:556:ALA:HA	2.20	0.41
1:A:767:ASP:HB2	4:B:302:DTT:H2	2.00	0.41
1:A:730:GLU:HG2	1:B:595:ARG:HH22	1.85	0.41
1:B:476:ILE:N	1:B:477:PRO:CD	2.83	0.41
1:D:756:ILE:HG13	1:D:846:VAL:HA	2.02	0.41
1:A:450:GLN:HG3	1:A:451:ILE:H	1.84	0.41
1:B:560:GLY:O	1:B:561:CYS:HB2	2.20	0.41
1:B:657:MET:HE3	1:B:657:MET:HA	2.02	0.41
1:B:594:VAL:HG12	1:B:643:LEU:HB3	2.03	0.41
1:B:632:GLN:OE1	1:B:648:GLN:HG2	2.20	0.41
1:B:706:VAL:HG13	1:B:800:ILE:HD12	2.03	0.41
1:C:464:ASP:N	1:C:490:ARG:NH2	2.55	0.41
1:C:595:ARG:HD2	5:C:2081:HOH:O	2.20	0.41
1:D:568:ARG:HD3	1:D:852:SER:OG	2.21	0.41
1:A:440:ARG:NH2	1:A:465:ALA:H	2.19	0.41
1:B:706:VAL:HG23	1:B:707:VAL:N	2.36	0.41
1:B:717:VAL:O	1:B:721:LEU:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:534:MET:CE	1:D:814:GLN:NE2	2.81	0.41
1:D:702:ARG:O	1:D:799:SER:HA	2.21	0.41
1:D:766:GLN:OE1	1:D:802:ILE:HG13	2.20	0.41
1:D:823:VAL:CG2	1:D:834:ASN:O	2.69	0.41
1:C:557:THR:HG22	1:C:558:THR:N	2.35	0.40
1:C:588:MET:HE3	1:C:655:MET:CE	2.50	0.40
1:C:808:GLY:O	1:C:814:GLN:HG3	2.21	0.40
1:B:568:ARG:HG3	2:B:101:COA:C4B	2.52	0.40
1:B:774:SER:HA	1:B:799:SER:O	2.21	0.40
1:B:796:THR:HG21	1:C:638:ILE:O	2.21	0.40
1:A:850:GLU:O	1:A:854:MET:HG2	2.22	0.40
1:D:622:PHE:O	1:D:625:THR:HB	2.21	0.40
1:A:485:ILE:HG22	1:A:487:THR:H	1.87	0.40
1:D:513:PRO:HB2	1:D:533:TYR:CZ	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	413/467 (88%)	388 (94%)	21 (5%)	4 (1%)	12	9
1	B	403/467 (86%)	380 (94%)	18 (4%)	5 (1%)	10	7
1	C	400/467 (86%)	383 (96%)	16 (4%)	1 (0%)	36	36
1	D	405/467 (87%)	383 (95%)	20 (5%)	2 (0%)	24	22
All	All	1621/1868 (87%)	1534 (95%)	75 (5%)	12 (1%)	18	15

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	450	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	474	LYS
1	B	477	PRO
1	A	441	GLU
1	B	478	ALA
1	D	478	ALA
1	A	449	LEU
1	C	474	LYS
1	A	442	PRO
1	B	486	GLU
1	D	473	ALA
1	B	476	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/375 (89%)	323 (96%)	12 (4%)	31	34
1	B	323/375 (86%)	306 (95%)	17 (5%)	20	19
1	C	320/375 (85%)	311 (97%)	9 (3%)	38	43
1	D	323/375 (86%)	306 (95%)	17 (5%)	20	19
All	All	1301/1500 (87%)	1246 (96%)	55 (4%)	26	28

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	447	GLU
1	A	486	GLU
1	A	594	VAL
1	A	596	LEU
1	A	634	LEU
1	A	649	SER
1	A	657	MET
1	A	700	GLU
1	A	779	THR
1	A	787	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	788	ASN
1	A	814	GLN
1	B	470	LEU
1	B	477	PRO
1	B	486	GLU
1	B	512	LEU
1	B	521	LEU
1	B	590	ARG
1	B	594	VAL
1	B	617	VAL
1	B	618	ILE
1	B	634	LEU
1	B	655	MET
1	B	706	VAL
1	B	715	LYS
1	B	752	HIS
1	B	788	ASN
1	B	814	GLN
1	B	863	VAL
1	C	521	LEU
1	C	596	LEU
1	C	618	ILE
1	C	655	MET
1	C	683	VAL
1	C	700	GLU
1	C	752	HIS
1	C	788	ASN
1	C	814	GLN
1	D	477	PRO
1	D	498	LEU
1	D	512	LEU
1	D	521	LEU
1	D	613	GLU
1	D	617	VAL
1	D	618	ILE
1	D	625	THR
1	D	634	LEU
1	D	655	MET
1	D	657	MET
1	D	700	GLU
1	D	724	THR
1	D	809	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	814	GLN
1	D	851	LEU
1	D	863	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	475	HIS
1	A	567	ASN
1	A	632	GLN
1	B	488	HIS
1	B	642	ASN
1	B	752	HIS
1	B	788	ASN
1	B	819	GLN
1	C	469	GLN
1	C	488	HIS
1	C	497	GLN
1	C	518	ASN
1	C	632	GLN
1	C	672	HIS
1	C	752	HIS
1	C	788	ASN
1	D	488	HIS
1	D	497	GLN
1	D	635	HIS
1	D	648	GLN
1	D	672	HIS
1	D	776	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	COA	A	100	-	47,50,50	1.73	8 (17%)	69,75,75	1.65	9 (13%)
3	MAH	B	201	-	10,10,10	1.43	2 (20%)	11,14,14	1.06	0
4	DTT	B	302	-	7,7,7	1.29	0	4,8,8	0.58	0
4	DTT	C	301	-	7,7,7	1.05	0	4,8,8	0.73	0
3	MAH	D	203	-	10,10,10	1.56	2 (20%)	11,14,14	1.06	0
2	COA	C	102	-	47,50,50	1.70	7 (14%)	69,75,75	1.67	8 (11%)
3	MAH	A	200	-	10,10,10	1.44	2 (20%)	11,14,14	1.06	0
2	COA	D	103	-	47,50,50	1.86	8 (17%)	69,75,75	1.65	10 (14%)
2	COA	B	101	-	47,50,50	1.82	9 (19%)	69,75,75	1.74	10 (14%)
3	MAH	D	202	-	10,10,10	1.44	2 (20%)	11,14,14	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	100	-	1/1/11/13	12/48/64/64	0/3/3/3
3	MAH	B	201	-	-	0/10/10/10	-
4	DTT	B	302	-	-	3/8/8/8	-
4	DTT	C	301	-	-	7/8/8/8	-
3	MAH	D	203	-	-	0/10/10/10	-
2	COA	C	102	-	1/1/11/13	5/48/64/64	0/3/3/3
3	MAH	A	200	-	-	0/10/10/10	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	D	103	-	1/1/11/13	8/48/64/64	0/3/3/3
2	COA	B	101	-	1/1/11/13	13/48/64/64	0/3/3/3
3	MAH	D	202	-	-	0/10/10/10	-

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	101	COA	C4A-N3A	6.81	1.47	1.34
2	D	103	COA	C4A-N3A	6.66	1.46	1.34
2	C	102	COA	C4A-N3A	6.53	1.46	1.34
2	A	100	COA	C4A-N3A	6.25	1.46	1.34
2	D	103	COA	C5A-C4A	4.35	1.46	1.39
2	A	100	COA	C5A-C4A	4.23	1.46	1.39
2	B	101	COA	C5A-C4A	4.20	1.46	1.39
2	C	102	COA	C5A-C4A	4.15	1.46	1.39
2	A	100	COA	P3B-O7A	3.60	1.61	1.50
2	B	101	COA	P3B-O7A	3.41	1.61	1.50
2	D	103	COA	P3B-O7A	3.35	1.60	1.50
2	A	100	COA	C8A-N7A	3.13	1.37	1.31
2	C	102	COA	P3B-O7A	3.06	1.60	1.50
3	D	203	MAH	C6-C3	3.05	1.55	1.52
2	D	103	COA	P1A-O1A	3.04	1.61	1.50
2	D	103	COA	C8A-N7A	3.04	1.37	1.31
3	A	200	MAH	C6-C3	3.00	1.55	1.52
2	D	103	COA	P2A-O4A	2.96	1.61	1.50
2	B	101	COA	C8A-N7A	2.96	1.37	1.31
2	B	101	COA	P2A-O4A	2.95	1.61	1.50
2	D	103	COA	P2A-O3A	2.92	1.62	1.59
2	A	100	COA	P2A-O4A	2.92	1.60	1.50
2	C	102	COA	P1A-O1A	2.91	1.60	1.50
2	A	100	COA	P1A-O1A	2.84	1.60	1.50
2	C	102	COA	P2A-O4A	2.82	1.60	1.50
3	D	202	MAH	C6-C3	2.79	1.55	1.52
2	B	101	COA	P1A-O1A	2.78	1.60	1.50
2	C	102	COA	C8A-N7A	2.75	1.37	1.31
2	B	101	COA	CCP-CBP	2.75	1.57	1.52
3	D	203	MAH	O1-C1	-2.64	1.22	1.30
2	D	103	COA	P1A-O3A	2.61	1.62	1.59
3	B	201	MAH	C6-C3	2.49	1.55	1.52
2	B	101	COA	P2A-O3A	2.43	1.62	1.59
2	B	101	COA	P3B-O3B	2.38	1.63	1.59
2	C	102	COA	P2A-O3A	2.27	1.61	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	200	MAH	O1-C1	-2.22	1.23	1.30
3	D	202	MAH	O1-C1	-2.18	1.23	1.30
2	A	100	COA	CCP-CBP	2.12	1.56	1.52
3	B	201	MAH	O1-C1	-2.11	1.23	1.30
2	A	100	COA	P3B-O3B	2.01	1.63	1.59

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	101	COA	C5A-C4A-N3A	-6.76	117.41	126.72
2	A	100	COA	C5A-C4A-N3A	-6.74	117.44	126.72
2	C	102	COA	C5A-C4A-N3A	-6.70	117.49	126.72
2	D	103	COA	C5A-C4A-N3A	-6.67	117.53	126.72
2	A	100	COA	C4A-N9A-C8A	-5.75	99.71	105.74
2	B	101	COA	C4A-N9A-C8A	-5.44	100.03	105.74
2	D	103	COA	C4A-N9A-C8A	-5.35	100.12	105.74
2	C	102	COA	C4A-N9A-C8A	-5.34	100.13	105.74
2	C	102	COA	N9A-C8A-N7A	5.28	121.43	113.94
2	B	101	COA	N9A-C8A-N7A	5.20	121.32	113.94
2	D	103	COA	N9A-C8A-N7A	5.11	121.18	113.94
2	A	100	COA	N9A-C8A-N7A	5.10	121.18	113.94
2	B	101	COA	N3A-C4A-N9A	4.55	134.90	127.17
2	C	102	COA	N3A-C4A-N9A	4.43	134.69	127.17
2	D	103	COA	N3A-C4A-N9A	4.21	134.32	127.17
2	A	100	COA	N3A-C4A-N9A	4.05	134.05	127.17
2	C	102	COA	C5A-N7A-C8A	-3.10	98.58	103.45
2	B	101	COA	C5A-N7A-C8A	-3.08	98.62	103.45
2	D	103	COA	C5A-N7A-C8A	-2.87	98.94	103.45
2	A	100	COA	C5A-N7A-C8A	-2.78	99.09	103.45
2	B	101	COA	C3B-C2B-C1B	2.70	105.84	99.89
2	B	101	COA	O6A-CCP-CBP	2.59	114.70	110.55
2	D	103	COA	C3B-C2B-C1B	2.53	105.45	99.89
2	A	100	COA	C5A-C4A-N9A	2.47	108.50	105.81
2	C	102	COA	C3B-C2B-C1B	2.43	105.24	99.89
2	A	100	COA	C7P-N8P-C9P	-2.30	118.41	122.55
2	A	100	COA	C3B-C2B-C1B	2.27	104.89	99.89
2	D	103	COA	CEP-CBP-CAP	2.26	112.62	108.77
2	A	100	COA	O5P-C5P-C6P	-2.25	117.94	122.02
2	B	101	COA	CEP-CBP-CAP	2.20	112.51	108.77
2	B	101	COA	O5P-C5P-C6P	-2.15	118.13	122.02
2	D	103	COA	C5A-C4A-N9A	2.14	108.15	105.81
2	D	103	COA	O5P-C5P-C6P	-2.13	118.16	122.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	101	COA	O3B-C3B-C4B	2.08	117.36	110.03
2	C	102	COA	O5P-C5P-C6P	-2.05	118.31	122.02
2	C	102	COA	CDP-CBP-CAP	2.05	112.25	108.77
2	D	103	COA	C1B-N9A-C8A	2.00	131.54	127.09

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	100	COA	C3B
2	B	101	COA	C3B
2	C	102	COA	C3B
2	D	103	COA	C3B

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	100	COA	CCP-O6A-P2A-O3A
2	A	100	COA	CCP-O6A-P2A-O5A
2	A	100	COA	CEP-CBP-CCP-O6A
2	A	100	COA	CAP-CBP-CCP-O6A
2	A	100	COA	C2P-C3P-N4P-C5P
2	B	101	COA	C5B-O5B-P1A-O1A
2	B	101	COA	C5B-O5B-P1A-O3A
2	B	101	COA	P2A-O3A-P1A-O5B
2	B	101	COA	CCP-O6A-P2A-O3A
2	B	101	COA	CCP-O6A-P2A-O4A
2	B	101	COA	CCP-O6A-P2A-O5A
2	B	101	COA	CDP-CBP-CCP-O6A
2	B	101	COA	CEP-CBP-CCP-O6A
2	B	101	COA	CAP-CBP-CCP-O6A
2	D	103	COA	C2P-C3P-N4P-C5P
4	B	302	DTT	S1-C1-C2-O2
4	B	302	DTT	S1-C1-C2-C3
4	C	301	DTT	C1-C2-C3-O3
4	C	301	DTT	C1-C2-C3-C4
4	C	301	DTT	O2-C2-C3-O3
4	C	301	DTT	O2-C2-C3-C4
4	C	301	DTT	C2-C3-C4-S4
4	C	301	DTT	O3-C3-C4-S4
2	A	100	COA	O5P-C5P-N4P-C3P
2	A	100	COA	C6P-C5P-N4P-C3P
2	B	101	COA	C2B-C3B-O3B-P3B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	102	COA	C2B-C3B-O3B-P3B
2	D	103	COA	C2B-C3B-O3B-P3B
2	C	102	COA	C3B-O3B-P3B-O7A
2	B	101	COA	P1A-O3A-P2A-O6A
2	D	103	COA	P1A-O3A-P2A-O4A
2	A	100	COA	CDP-CBP-CCP-O6A
2	D	103	COA	CEP-CBP-CCP-O6A
2	C	102	COA	O5P-C5P-N4P-C3P
2	D	103	COA	O5P-C5P-N4P-C3P
2	C	102	COA	C6P-C5P-N4P-C3P
2	A	100	COA	C3B-O3B-P3B-O8A
2	D	103	COA	C6P-C5P-N4P-C3P
4	C	301	DTT	S1-C1-C2-C3
2	A	100	COA	C3B-O3B-P3B-O7A
2	B	101	COA	O5P-C5P-N4P-C3P
2	C	102	COA	P1A-O3A-P2A-O4A
4	B	302	DTT	C1-C2-C3-C4
2	A	100	COA	C3B-O3B-P3B-O9A
2	D	103	COA	C3B-O3B-P3B-O7A
2	A	100	COA	P2A-O3A-P1A-O2A
2	B	101	COA	P1A-O3A-P2A-O5A
2	D	103	COA	P1A-O3A-P2A-O5A


There are no ring outliers.


6 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	100	COA	1	0
4	B	302	DTT	3	0
4	C	301	DTT	3	0
2	C	102	COA	1	0
2	D	103	COA	3	0
2	B	101	COA	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	417/467 (89%)	0.27	11 (2%) 57 60	19, 34, 62, 79	0
1	B	405/467 (86%)	0.17	7 (1%) 69 71	19, 32, 66, 80	0
1	C	402/467 (86%)	0.12	8 (1%) 65 67	17, 29, 69, 93	0
1	D	407/467 (87%)	0.08	3 (0%) 84 86	19, 30, 59, 76	0
All	All	1631/1868 (87%)	0.16	29 (1%) 67 70	17, 32, 64, 93	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	451	ILE	4.8
1	A	461	PHE	3.2
1	C	470	LEU	2.9
1	B	487	THR	2.8
1	B	461	PHE	2.8
1	A	826	ALA	2.8
1	A	861	HIS	2.7
1	C	475	HIS	2.6
1	C	467	ILE	2.6
1	A	478	ALA	2.5
1	C	464	ASP	2.4
1	C	668	LEU	2.4
1	B	618	ILE	2.4
1	B	486	GLU	2.4
1	B	863	VAL	2.4
1	A	476	ILE	2.3
1	C	465	ALA	2.2
1	D	724	THR	2.2
1	A	440	ARG	2.1
1	A	612	SER	2.1
1	D	473	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	524	GLY	2.1
1	C	524	GLY	2.1
1	D	504	SER	2.1
1	B	561	CYS	2.1
1	A	658	ASN	2.1
1	A	477	PRO	2.1
1	C	484	LEU	2.0
1	B	477	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DTT	B	302	8/8	0.84	0.15	70,72,74,79	0
4	DTT	C	301	8/8	0.89	0.12	68,70,72,75	0
2	COA	B	101	48/48	0.91	0.10	37,44,54,55	0
3	MAH	D	203	11/11	0.91	0.07	32,36,37,37	0
3	MAH	A	200	11/11	0.92	0.09	31,39,41,42	0
2	COA	A	100	48/48	0.92	0.10	35,40,51,53	0
2	COA	C	102	48/48	0.93	0.10	27,33,44,48	0
2	COA	D	103	48/48	0.93	0.09	35,42,51,52	0
3	MAH	D	202	11/11	0.94	0.07	23,30,33,35	0
3	MAH	B	201	11/11	0.95	0.06	31,34,35,36	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around COA B 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around COA A 100:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around COA C 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around COA D 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.