



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:17 AM UTC

PDB ID : 3DRC / pdb_00003drc
Title : INVESTIGATION OF THE FUNCTIONAL ROLE OF TRYPTOPHAN-22 IN ESCHERICHIA COLI DIHYDROFOLATE REDUCTASE BY SITE-DIRECTED MUTAGENESIS
Authors : Oatley, S.J.; Kraut, J.
Deposited on : 1992-09-22
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	159	 64% 25% 11% .
1	B	159	 65% 33% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROFOLATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	159	Total	C	N	O	S	0	0	0
			1246	793	211	235	7			
1	B	159	Total	C	N	O	S	0	0	0
			1262	803	216	236	7			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	ASP	ASN	conflict	UNP P0ABQ4
B	37	ASP	ASN	conflict	UNP P0ABQ4

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		

- Molecule 3 is METHOTREXATE (CCD ID: MTX) (formula: C₂₀H₂₂N₈O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	20	8	5		
3	B	1	Total	C	N	O	0	0
			33	20	8	5		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Ca	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	197	Total	O	0	0
			197	197		
5	B	180	Total	O	0	0
			180	180		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: DIHYDROFOLATE REDUCTASE

Chain A: 



• Molecule 1: DIHYDROFOLATE REDUCTASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	93.12Å 93.12Å 73.87Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 1.90	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.156 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2954	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MTX, CL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.00	27/1279 (2.1%)	1.87	33/1740 (1.9%)
1	B	2.00	35/1296 (2.7%)	1.90	24/1762 (1.4%)
All	All	2.00	62/2575 (2.4%)	1.88	57/3502 (1.6%)

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	66	PRO	CA-C	-9.09	1.39	1.52
1	A	98	ARG	CD-NE	-7.91	1.35	1.46
1	B	17	GLU	CD-OE2	7.79	1.40	1.25
1	B	2	ILE	N-CA	-7.35	1.37	1.46
1	B	12	ARG	CD-NE	-7.34	1.35	1.46
1	A	97	GLY	C-O	-7.18	1.14	1.23
1	A	87	ASP	CG-OD1	7.11	1.38	1.25
1	B	45	HIS	CG-ND1	6.95	1.45	1.38
1	A	118	GLU	CD-OE2	6.94	1.38	1.25
1	B	122	ASP	CG-OD2	6.93	1.38	1.25
1	A	132	ASP	CG-OD2	6.88	1.38	1.25
1	B	120	GLU	CD-OE2	6.53	1.37	1.25
1	B	118	GLU	CD-OE2	6.45	1.37	1.25
1	A	134	GLU	CD-OE2	6.38	1.37	1.25
1	A	157	GLU	CD-OE2	6.36	1.37	1.25
1	A	47	TRP	C-O	-6.35	1.16	1.24
1	B	33	ARG	NE-CZ	6.32	1.40	1.33
1	B	97	GLY	C-O	-6.30	1.15	1.23
1	B	122	ASP	N-CA	-6.29	1.38	1.46
1	B	127	ASP	CG-OD2	6.26	1.37	1.25
1	A	78	VAL	N-CA	-6.26	1.39	1.46
1	A	12	ARG	NE-CZ	6.23	1.40	1.33
1	A	120	GLU	CD-OE2	6.17	1.37	1.25
1	B	157	GLU	CD-OE2	6.16	1.37	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	88	VAL	N-CA	-6.13	1.39	1.46
1	B	15	GLY	N-CA	6.11	1.52	1.45
1	A	116	ASP	CG-OD2	6.08	1.36	1.25
1	A	79	ASP	CG-OD2	6.07	1.36	1.25
1	B	113	THR	CA-C	6.06	1.60	1.52
1	B	101	GLU	CD-OE2	6.03	1.36	1.25
1	B	48	GLU	CD-OE2	5.98	1.36	1.25
1	B	80	GLU	CD-OE2	5.94	1.36	1.25
1	A	44	ARG	CD-NE	-5.94	1.38	1.46
1	A	127	ASP	CG-OD2	5.92	1.36	1.25
1	B	23	ASN	N-CA	-5.78	1.39	1.46
1	A	98	ARG	CG-CD	5.74	1.69	1.52
1	A	122	ASP	CG-OD2	5.71	1.36	1.25
1	A	70	ASP	CG-OD2	5.70	1.36	1.25
1	A	80	GLU	CD-OE2	5.69	1.36	1.25
1	B	116	ASP	CG-OD2	5.69	1.36	1.25
1	B	113	THR	CB-OG1	-5.67	1.34	1.43
1	B	44	ARG	C-O	-5.61	1.17	1.24
1	B	147	ASN	N-CA	5.60	1.52	1.46
1	B	54	LEU	CA-C	5.58	1.59	1.52
1	B	12	ARG	CG-CD	5.58	1.69	1.52
1	A	24	LEU	C-O	-5.52	1.17	1.24
1	B	78	VAL	N-CA	-5.52	1.40	1.46
1	B	138	SER	CB-OG	-5.44	1.31	1.42
1	A	141	HIS	C-O	-5.42	1.17	1.23
1	B	37	ASP	CG-OD2	5.40	1.35	1.25
1	A	61	ILE	N-CA	-5.37	1.39	1.46
1	A	24	LEU	CA-C	-5.35	1.46	1.52
1	B	120	GLU	C-O	-5.32	1.17	1.24
1	B	132	ASP	CG-OD2	5.26	1.35	1.25
1	A	104	LEU	C-O	-5.24	1.19	1.24
1	B	39	PRO	N-CA	-5.21	1.41	1.47
1	B	152	CYS	N-CA	-5.14	1.39	1.46
1	B	45	HIS	CG-CD2	5.11	1.41	1.35
1	A	54	LEU	N-CA	-5.08	1.38	1.46
1	A	54	LEU	C-O	-5.07	1.17	1.24
1	B	139	GLU	CD-OE1	5.05	1.34	1.25
1	B	110	LEU	N-CA	-5.03	1.39	1.46

All (57) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	12	ARG	CD-NE-CZ	18.90	150.86	124.40
1	A	98	ARG	CD-NE-CZ	10.94	139.71	124.40
1	A	98	ARG	CG-CD-NE	-10.36	89.21	112.00
1	B	45	HIS	CA-CB-CG	-8.85	104.95	113.80
1	B	12	ARG	NE-CZ-NH1	-8.72	112.78	121.50
1	A	12	ARG	CD-NE-CZ	8.45	136.23	124.40
1	B	12	ARG	CG-CD-NE	-8.19	93.97	112.00
1	B	12	ARG	NE-CZ-NH2	7.91	126.32	119.20
1	B	94	ILE	N-CA-C	7.81	119.63	112.29
1	A	66	PRO	N-CA-C	7.69	128.32	112.47
1	A	148	SER	N-CA-C	7.22	121.18	112.38
1	B	148	SER	N-CA-C	7.08	121.17	112.54
1	A	65	GLN	N-CA-CB	6.77	117.78	109.59
1	B	18	ASN	OD1-CG-ND2	6.61	129.21	122.60
1	B	126	PRO	N-CA-CB	6.48	108.99	103.35
1	A	80	GLU	CB-CA-C	-6.44	100.10	110.79
1	A	69	ASP	N-CA-C	6.39	120.70	109.96
1	A	94	ILE	N-CA-C	6.25	118.11	112.17
1	A	147	ASN	CA-CB-CG	-6.18	106.42	112.60
1	B	69	ASP	CA-CB-CG	6.16	118.76	112.60
1	B	71	ARG	CD-NE-CZ	-6.08	115.88	124.40
1	A	65	GLN	CB-CA-C	6.08	126.19	111.89
1	A	108	GLN	CB-CA-C	6.01	119.17	109.07
1	A	52	ARG	CB-CG-CD	5.94	124.95	111.30
1	B	44	ARG	N-CA-C	5.92	117.73	111.28
1	A	98	ARG	NE-CZ-NH2	-5.87	113.92	119.20
1	A	125	PHE	CA-C-O	-5.80	113.98	120.25
1	A	95	GLY	CA-C-N	5.77	132.09	121.70
1	A	95	GLY	C-N-CA	5.77	132.09	121.70
1	A	131	ASP	CA-C-O	5.75	126.29	119.56
1	A	135	SER	CA-C-N	5.59	129.48	121.55
1	A	135	SER	C-N-CA	5.59	129.48	121.55
1	A	54	LEU	N-CA-C	-5.56	102.64	109.65
1	B	120	GLU	CA-C-N	-5.53	115.86	122.16
1	B	120	GLU	C-N-CA	-5.53	115.86	122.16
1	B	65	GLN	N-CA-CB	5.51	116.13	109.74
1	A	68	THR	CA-C-N	5.48	130.20	122.09
1	A	68	THR	C-N-CA	5.48	130.20	122.09
1	B	37	ASP	CA-CB-CG	-5.34	107.26	112.60
1	A	45	HIS	CA-CB-CG	-5.33	108.47	113.80
1	A	93	VAL	CA-C-O	-5.29	114.83	120.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	12	ARG	N-CA-C	5.28	119.67	113.23
1	A	44	ARG	N-CA-C	5.24	116.99	111.28
1	A	92	MET	CA-C-N	-5.22	116.22	122.90
1	A	92	MET	C-N-CA	-5.22	116.22	122.90
1	B	128	TYR	N-CA-CB	5.20	118.86	110.85
1	A	87	ASP	CA-CB-CG	-5.15	107.45	112.60
1	A	44	ARG	CG-CD-NE	5.14	123.31	112.00
1	A	48	GLU	CG-CD-OE2	-5.14	106.58	118.40
1	B	82	ILE	N-CA-C	5.12	115.33	110.42
1	A	64	SER	CA-CB-OG	-5.11	100.88	111.10
1	B	139	GLU	CG-CD-OE1	-5.10	106.66	118.40
1	B	65	GLN	CB-CA-C	5.08	117.44	109.37
1	A	82	ILE	CA-C-O	5.07	126.54	121.17
1	B	52	ARG	NE-CZ-NH1	5.07	126.57	121.50
1	B	50	ILE	O-C-N	5.04	127.14	121.90
1	B	80	GLU	CG-CD-OE2	-5.01	106.88	118.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1246	0	1178	22	0
1	B	1262	0	1217	18	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	33	0	20	1	0
3	B	33	0	20	1	0
4	B	1	0	0	0	0
5	A	197	0	0	5	0
5	B	180	0	0	7	1
All	All	2954	0	2435	42	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:HIS:HB3	5:B:792:HOH:O	1.64	0.98
1:A:128:TYR:O	1:A:130:PRO:HD3	1.79	0.83
1:A:78:VAL:O	1:A:82:ILE:HD12	1.77	0.82
1:B:12:ARG:NH2	5:B:712:HOH:O	2.27	0.63
1:A:67:GLY:HA2	1:A:74:TRP:CD2	2.33	0.63
1:A:67:GLY:HA2	1:A:74:TRP:CE2	2.35	0.62
1:A:44:ARG:NH2	1:A:65:GLN:HB2	2.15	0.61
1:B:20:MET:HE3	1:B:22:TRP:CH2	2.37	0.59
1:A:134:GLU:HG3	5:A:579:HOH:O	2.04	0.57
1:B:12:ARG:HB2	5:B:792:HOH:O	2.05	0.57
1:B:64:SER:HB2	1:B:65:GLN:NE2	2.21	0.55
1:B:108:GLN:HG2	5:B:640:HOH:O	2.07	0.54
1:B:64:SER:HB2	1:B:65:GLN:HE22	1.73	0.54
1:A:20:MET:HG2	5:A:555:HOH:O	2.10	0.52
1:A:131:ASP:N	5:A:554:HOH:O	2.42	0.52
1:A:130:PRO:O	1:A:133:TRP:O	2.28	0.51
1:B:12:ARG:NH2	5:B:792:HOH:O	2.42	0.50
1:B:64:SER:CB	1:B:65:GLN:NE2	2.74	0.50
1:B:65:GLN:HB3	1:B:66:PRO:CD	2.43	0.49
1:A:130:PRO:N	5:A:554:HOH:O	2.46	0.48
1:A:12:ARG:NH2	5:A:575:HOH:O	2.40	0.48
1:A:44:ARG:O	1:A:44:ARG:HG3	2.13	0.48
1:B:114:HIS:O	1:B:151:TYR:HA	2.14	0.46
1:B:20:MET:CE	1:B:22:TRP:CH2	2.97	0.46
1:B:124:HIS:CD2	1:B:124:HIS:N	2.83	0.46
1:A:10:VAL:HG13	1:A:117:ALA:O	2.16	0.45
1:A:104:LEU:N	1:A:105:PRO:CD	2.78	0.45
1:A:116:ASP:OD2	1:A:150:SER:HB2	2.17	0.45
1:B:131:ASP:CB	5:B:788:HOH:O	2.64	0.44
1:B:129:GLU:O	1:B:133:TRP:HD1	2.01	0.44
1:B:12:ARG:CZ	5:B:792:HOH:O	2.66	0.44
3:B:361:MTX:H13	3:B:361:MTX:HM1	1.67	0.44
1:A:128:TYR:CE2	1:A:130:PRO:HG3	2.53	0.44
1:A:98:ARG:CZ	1:A:98:ARG:HB3	2.47	0.43
1:A:129:GLU:O	1:A:132:ASP:HB2	2.19	0.43
1:B:44:ARG:NH2	1:B:65:GLN:C	2.77	0.42
1:A:44:ARG:O	1:A:48:GLU:HG2	2.20	0.41
1:A:1:MET:HE3	1:A:1:MET:HB3	1.92	0.41
1:B:1:MET:HE3	1:B:90:GLU:HG3	2.02	0.41
1:A:129:GLU:C	1:A:131:ASP:H	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:161:MTX:HM1	3:A:161:MTX:H13	1.76	0.41
1:A:107:ALA:O	1:A:158:ARG:NH1	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:ASP:OD2	5:B:786:HOH:O[5_564]	1.87	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/159 (99%)	150 (96%)	5 (3%)	2 (1%)	9	3
1	B	157/159 (99%)	157 (100%)	0	0	100	100
All	All	314/318 (99%)	307 (98%)	5 (2%)	2 (1%)	21	13

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	67	GLY
1	A	130	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	129/136 (95%)	121 (94%)	8 (6%)	16	9
1	B	134/136 (98%)	132 (98%)	2 (2%)	57	56
All	All	263/272 (97%)	253 (96%)	10 (4%)	29	21

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	10	VAL
1	A	61	ILE
1	A	62	LEU
1	A	80	GLU
1	A	87	ASP
1	A	104	LEU
1	A	136	VAL
1	B	1	MET
1	B	61	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	65	GLN
1	A	108	GLN
1	B	18	ASN
1	B	65	GLN
1	B	108	GLN
1	B	124	HIS
1	B	146	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MTX	A	161	-	35,35,35	2.09	10 (28%)	47,49,49	2.80	17 (36%)
3	MTX	B	361	-	35,35,35	2.21	12 (34%)	47,49,49	2.70	21 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MTX	A	161	-	-	1/25/25/25	0/3/3/3
3	MTX	B	361	-	-	2/25/25/25	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	361	MTX	C4A-C8A	-6.91	1.29	1.40
3	A	161	MTX	C4A-C8A	-5.63	1.31	1.40
3	B	361	MTX	C16-C15	-4.18	1.32	1.38
3	B	361	MTX	C2-NA2	-3.74	1.26	1.33
3	B	361	MTX	C8A-N1	3.72	1.44	1.36
3	A	161	MTX	OE1-CD	3.72	1.34	1.22
3	B	361	MTX	CG-CD	3.55	1.58	1.50
3	A	161	MTX	C9-N10	3.49	1.53	1.46
3	A	161	MTX	C12-C11	3.42	1.44	1.39
3	A	161	MTX	C8A-N8	2.99	1.41	1.37
3	A	161	MTX	C9-C6	-2.82	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	361	MTX	CB-CG	2.81	1.61	1.52
3	B	361	MTX	OE1-CD	2.75	1.31	1.22
3	B	361	MTX	C9-N10	2.72	1.51	1.46
3	B	361	MTX	C7-C6	-2.68	1.34	1.39
3	A	161	MTX	C4-NA4	-2.61	1.24	1.34
3	B	361	MTX	O2-CT	-2.36	1.23	1.30
3	A	161	MTX	CM-N10	2.33	1.49	1.46
3	A	161	MTX	O1-CT	2.33	1.29	1.22
3	A	161	MTX	C16-C15	-2.28	1.35	1.38
3	B	361	MTX	O1-CT	2.08	1.28	1.22
3	B	361	MTX	C4-N3	2.06	1.37	1.33

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	361	MTX	N1-C2-N3	-9.36	115.31	127.21
3	A	161	MTX	C4A-C4-N3	-8.94	110.26	120.84
3	A	161	MTX	N1-C2-N3	-8.57	116.32	127.21
3	B	361	MTX	C4A-C4-N3	-6.59	113.05	120.84
3	A	161	MTX	C4-C4A-N5	-5.44	116.13	120.33
3	A	161	MTX	NA2-C2-N3	4.72	124.30	117.22
3	A	161	MTX	C2-N3-C4	4.46	129.44	116.72
3	B	361	MTX	C7-C6-N5	-4.45	117.98	120.87
3	B	361	MTX	C2-N1-C8A	4.35	120.17	115.48
3	B	361	MTX	C2-N3-C4	4.23	128.80	116.72
3	A	161	MTX	CT-CA-N	-4.04	101.21	110.57
3	A	161	MTX	C13-C14-N10	-3.91	116.13	121.59
3	A	161	MTX	C2-N1-C8A	3.81	119.59	115.48
3	B	361	MTX	C13-C14-N10	-3.60	116.57	121.59
3	A	161	MTX	OE1-CD-CG	-3.58	111.73	123.09
3	B	361	MTX	C4-C4A-N5	-3.53	117.60	120.33
3	A	161	MTX	C4A-C4-NA4	3.45	125.56	120.31
3	B	361	MTX	NA2-C2-N1	3.44	123.17	117.79
3	B	361	MTX	OE1-CD-CG	-3.41	112.28	123.09
3	B	361	MTX	C9-C6-C7	3.28	127.35	121.38
3	B	361	MTX	C6-C9-N10	-3.07	107.68	112.95
3	B	361	MTX	NA4-C4-N3	2.98	125.13	117.11
3	A	161	MTX	OE2-CD-CG	2.96	123.36	114.00
3	B	361	MTX	CB-CA-CT	-2.93	103.40	110.35
3	B	361	MTX	NA2-C2-N3	2.86	121.52	117.22
3	A	161	MTX	CM-N10-C14	2.69	124.05	119.59
3	B	361	MTX	CT-CA-N	-2.65	104.42	110.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	161	MTX	NA4-C4-N3	2.62	124.15	117.11
3	B	361	MTX	C11-C-N	2.53	121.72	117.04
3	B	361	MTX	C9-N10-C14	2.41	123.09	120.17
3	A	161	MTX	C7-N8-C8A	-2.35	113.92	117.20
3	A	161	MTX	C15-C14-N10	2.32	124.82	121.59
3	A	161	MTX	N8-C8A-N1	-2.24	113.32	115.77
3	B	361	MTX	OE2-CD-CG	2.23	121.03	114.00
3	A	161	MTX	C7-C6-N5	-2.16	119.47	120.87
3	B	361	MTX	C15-C14-N10	2.12	124.54	121.59
3	B	361	MTX	CM-N10-C14	2.08	123.04	119.59
3	B	361	MTX	O1-CT-CA	-2.04	115.67	122.26

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	161	MTX	C6-C9-N10-CM
3	B	361	MTX	C6-C9-N10-CM
3	B	361	MTX	OE2-CD-CG-CB


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	161	MTX	1	0
3	B	361	MTX	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.