



wwPDB X-ray Structure Validation Summary Report

Mar 5, 2026 – 12:57 AM UTC

PDB ID : 4DR4 / pdb_00004dr4
Title : Crystal structure of the *Thermus thermophilus* (HB8) 30S ribosomal subunit with codon, cognate transfer RNA anticodon stem-loop and multiple copies of paromomycin molecules bound
Authors : Demirci, H.; Murphy IV, F.; Murphy, E.; Gregory, S.T.; Dahlberg, A.E.; Jogl, G.
Deposited on : 2012-02-16
Resolution : 3.97 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1046 (4.16-3.76)
Clashscore	190562	1019 (4.14-3.78)
Ramachandran outliers	187476	1031 (4.16-3.76)
Sidechain outliers	187428	1024 (4.16-3.76)
RSRZ outliers	180081	1046 (4.16-3.76)
RNA backbone	3983	1016 (4.80-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1522	
2	B	256	
3	C	239	
4	D	209	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	162	
6	F	101	
7	G	156	
8	H	138	
9	I	128	
10	J	105	
11	K	129	
12	L	135	
13	M	126	
14	N	61	
15	O	89	
16	P	88	
17	Q	105	
18	R	88	
19	S	93	
20	T	106	
21	U	27	
22	V	3	
23	W	15	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
25	MG	A	1653[B]	-	-	-	X
25	MG	A	1882[A]	-	-	-	X
25	MG	A	1882[B]	-	-	-	X

2 Entry composition [i](#)

There are 27 unique types of molecules in this entry. The entry contains 53651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	1512	32504	14477	6011	10505	1511	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1534	C	A	conflict	GB M26923.1
A	1535	A	C	conflict	GB M26923.1

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	236	1896	1211	337	343	5	0	0	1

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	207	1613	1016	315	281	1	0	0	1

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	208	1703	1066	339	291	7	0	0	0

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	151	1147	724	218	201	4	0	0	1

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	101	843	531	155	154	3	0	0	0

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	155	1257	781	252	218	6	0	0	0

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	138	1116	705	215	193	3	0	0	0

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
9	I	127	1010	639	197	174	0	0	0

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	99	793	498	157	137	1	0	0	1

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	119	885	549	168	165	3	0	0	0

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	125	973	612	196	163	2	0	0	1

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	118	937	579	193	163	2	0	0	0

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	60	492	312	104	72	4	0	0	0

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
15	O	88	734	459	147	126	2	0	0	0

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
16	P	84	701	443	140	117	1	0	0	1

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
17	Q	100	834	534	156	142	2	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	96	GLN	GLU	conflict	UNP Q5SHP7

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
18	R	73	598	381	118	99	0	0	0

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	S	81	648	414	120	112	2	0	0	1

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
20	T	99	763	470	162	129	2	0	0	0

- Molecule 21 is a protein called 30S ribosomal protein THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
21	U	25	209	128	51	30	0	0	1


- Molecule 22 is a RNA chain called 5'-R(*UP*UP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
22	V	3	57	27	6	22	2	0	0	0

- Molecule 23 is a RNA chain called 5'-R(*GP*GP*GP*AP*UP*UP*GP*AP*AP*AP*AP*UP*CP*CP*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
23	W	15	319	144	60	101	14	0	0	0

- Molecule 24 is PAROMOMYCIN (CCD ID: PAR) (formula: C₂₃H₄₅N₅O₁₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0
24	A	1	42	23	5	14	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
24	A	1	Total	C	N	O	0	0
			42	23	5	14		
24	A	1	Total	C	N	O	0	0
			42	23	5	14		
24	A	1	Total	C	N	O	0	0
			42	23	5	14		
24	A	1	Total	C	N	O	0	0
			42	23	5	14		

- Molecule 25 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
25	A	339	Total	Mg	0	8
			345	345		
25	D	2	Total	Mg	0	0
			2	2		
25	E	4	Total	Mg	0	0
			4	4		
25	H	1	Total	Mg	0	0
			1	1		
25	L	1	Total	Mg	0	0
			1	1		
25	N	1	Total	Mg	0	0
			1	1		
25	O	1	Total	Mg	0	0
			1	1		
25	P	3	Total	Mg	0	0
			3	3		
25	Q	1	Total	Mg	0	0
			1	1		
25	S	2	Total	Mg	0	0
			2	2		
25	T	1	Total	Mg	0	0
			1	1		
25	V	1	Total	Mg	0	0
			1	1		

- Molecule 26 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
26	D	1	Total	Zn	0	0
			1	1		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
26	N	1	Total 1	Zn 1	0	0


- Molecule 27 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
27	A	480	Total 480	O 480	0	0
27	C	1	Total 1	O 1	0	0
27	D	2	Total 2	O 2	0	0
27	E	5	Total 5	O 5	0	0
27	K	1	Total 1	O 1	0	0
27	L	2	Total 2	O 2	0	0
27	N	2	Total 2	O 2	0	0
27	O	4	Total 4	O 4	0	0
27	V	1	Total 1	O 1	0	0




● Molecule 2: 30S ribosomal protein S2







- Molecule 3: 30S ribosomal protein S3



- Molecule 4: 30S ribosomal protein S4



- Molecule 5: 30S ribosomal protein S5





- Molecule 6: 30S ribosomal protein S6








- Molecule 7: 30S ribosomal protein S7





- Molecule 8: 30S ribosomal protein S8




- Molecule 9: 30S ribosomal protein S9




- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13




- Molecule 14: 30S ribosomal protein S14



- Molecule 15: 30S ribosomal protein S15





- Molecule 16: 30S ribosomal protein S16

Chain P:  36% 52% 7% 5%




• Molecule 17: 30S ribosomal protein S17

Chain Q:  37% 42% 15% 5%




• Molecule 18: 30S ribosomal protein S18

Chain R:  49% 28% 6% 17%




• Molecule 19: 30S ribosomal protein S19

Chain S:  4% 40% 34% 8% 5% 13%



• Molecule 20: 30S ribosomal protein S20

Chain T:  2% 44% 38% 10% 7%




• Molecule 21: 30S ribosomal protein THX



- Molecule 22: 5'-R(*UP*UP*U)-3'



- Molecule 23: 5'-R(*GP*GP*GP*AP*UP*UP*GP*AP*AP*AP*AP*UP*CP*CP*C)-3'



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	400.95Å 400.95Å 176.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.73 – 3.97 49.73 – 3.97	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.73-3.97) 99.0 (49.73-3.97)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 4.00Å)	Xtrriage
Refinement program	PHENIX dev_978	Depositor
R, R_{free}	0.153 , 0.212 0.154 , 0.211	Depositor DCC
R_{free} test set	6190 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	100.0	Xtrriage
Anisotropy	0.167	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 87.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	53651	wwPDB-VP
Average B, all atoms (Å ²)	101.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 4OC, MG, 7MG, 5MC, 2MG, 0TD, PAR, UR3, M2G, MA6, PSU, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.61	1/36037 (0.0%)	0.61	0/56239
2	B	0.85	0/1931	1.25	15/2607 (0.6%)
3	C	0.92	1/1637 (0.1%)	1.25	7/2207 (0.3%)
4	D	0.87	1/1733 (0.1%)	1.32	23/2318 (1.0%)
5	E	1.05	0/1163	1.51	21/1566 (1.3%)
6	F	0.82	0/856	1.21	6/1154 (0.5%)
7	G	0.82	0/1276	1.25	7/1709 (0.4%)
8	H	0.98	1/1136 (0.1%)	1.45	13/1527 (0.9%)
9	I	0.87	1/1029 (0.1%)	1.32	7/1379 (0.5%)
10	J	0.97	3/806 (0.4%)	1.31	8/1084 (0.7%)
11	K	0.90	0/900	1.29	8/1213 (0.7%)
12	L	1.13	4/978 (0.4%)	1.41	10/1308 (0.8%)
13	M	0.90	1/947 (0.1%)	1.18	1/1270 (0.1%)
14	N	0.93	0/501	1.28	3/664 (0.5%)
15	O	0.84	0/745	1.13	0/992
16	P	0.99	1/717 (0.1%)	1.28	2/965 (0.2%)
17	Q	1.08	3/847 (0.4%)	1.42	7/1131 (0.6%)
18	R	0.89	0/604	1.22	2/801 (0.2%)
19	S	0.81	0/662	1.32	8/892 (0.9%)
20	T	0.98	0/765	1.38	6/1007 (0.6%)
21	U	0.82	0/213	1.11	0/279
22	V	0.73	0/62	0.62	0/94
23	W	0.55	0/357	0.51	0/555
All	All	0.73	17/55902 (0.0%)	0.89	154/82961 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2
3	C	0	1
4	D	0	1
8	H	0	1
12	L	0	1
13	M	0	1
14	N	0	1
17	Q	0	1
19	S	0	1
All	All	0	10

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	26	ALA	CA-CB	8.43	1.68	1.53
13	M	9	ILE	CA-CB	7.78	1.64	1.54
12	L	101	VAL	CA-CB	-7.42	1.45	1.54
17	Q	9	VAL	CA-CB	-6.75	1.46	1.54
17	Q	35	VAL	CA-CB	-6.65	1.46	1.54

The worst 5 of 154 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	39	GLY	N-CA-C	-13.40	96.76	114.85
17	Q	35	VAL	CB-CA-C	-11.02	97.25	110.91
4	D	26	CYS	N-CA-C	-10.36	100.67	113.20
20	T	75	ASN	N-CA-C	-10.20	100.32	113.17
8	H	73	ASP	CA-C-N	10.15	129.89	119.64

There are no chirality outliers.

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	14	GLY	Peptide
2	B	89	GLY	Peptide
3	C	166	GLU	Peptide
4	D	195	ALA	Peptide
8	H	90	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32504	0	16432	806	0
2	B	1896	0	1936	81	0
3	C	1613	0	1677	83	0
4	D	1703	0	1763	82	0
5	E	1147	0	1207	41	0
6	F	843	0	857	33	0
7	G	1257	0	1296	41	0
8	H	1116	0	1177	60	0
9	I	1010	0	1037	50	0
10	J	793	0	835	57	0
11	K	885	0	904	31	0
12	L	973	0	1058	42	0
13	M	937	0	995	46	0
14	N	492	0	529	35	0
15	O	734	0	771	34	0
16	P	701	0	720	40	0
17	Q	834	0	906	46	0
18	R	598	0	670	25	0
19	S	648	0	673	30	0
20	T	763	0	861	29	0
21	U	209	0	221	10	0
22	V	57	0	32	3	0
23	W	319	0	164	9	0
24	A	756	0	810	62	0
25	A	345	0	0	0	0
25	D	2	0	0	0	0
25	E	4	0	0	0	0
25	H	1	0	0	0	0
25	L	1	0	0	0	0
25	N	1	0	0	0	0
25	O	1	0	0	0	0
25	P	3	0	0	0	0
25	Q	1	0	0	0	0
25	S	2	0	0	0	0
25	T	1	0	0	0	0
25	V	1	0	0	0	0
26	D	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	N	1	0	0	0	0
27	A	480	0	0	6	0
27	C	1	0	0	0	0
27	D	2	0	0	0	0
27	E	5	0	0	0	0
27	K	1	0	0	0	0
27	L	2	0	0	0	0
27	N	2	0	0	1	0
27	O	4	0	0	0	0
27	V	1	0	0	0	0
All	All	53651	0	37531	1578	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 1578 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:15:ALA:HA	11:K:77:MET:HA	1.47	0.97
1:A:1053:G:HO2'	1:A:1199:U:H5	0.97	0.92
1:A:737:A:H1'	6:F:73:ASN:HD21	1.34	0.91
19:S:33:THR:HG22	19:S:35:SER:H	1.38	0.88
1:A:975:A:H4'	1:A:976:G:H5''	1.57	0.87

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	B	234/256 (91%)	204 (87%)	30 (13%)	0	100 100
3	C	205/239 (86%)	184 (90%)	20 (10%)	1 (0%)	24 60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	206/209 (99%)	195 (95%)	11 (5%)	0	100	100
5	E	149/162 (92%)	144 (97%)	5 (3%)	0	100	100
6	F	99/101 (98%)	97 (98%)	2 (2%)	0	100	100
7	G	153/156 (98%)	141 (92%)	12 (8%)	0	100	100
8	H	136/138 (99%)	132 (97%)	4 (3%)	0	100	100
9	I	125/128 (98%)	110 (88%)	14 (11%)	1 (1%)	16	51
10	J	97/105 (92%)	80 (82%)	14 (14%)	3 (3%)	3	25
11	K	117/129 (91%)	105 (90%)	11 (9%)	1 (1%)	14	48
12	L	122/135 (90%)	111 (91%)	10 (8%)	1 (1%)	16	51
13	M	116/126 (92%)	104 (90%)	12 (10%)	0	100	100
14	N	58/61 (95%)	53 (91%)	5 (9%)	0	100	100
15	O	86/89 (97%)	76 (88%)	9 (10%)	1 (1%)	10	42
16	P	82/88 (93%)	77 (94%)	5 (6%)	0	100	100
17	Q	98/105 (93%)	93 (95%)	5 (5%)	0	100	100
18	R	71/88 (81%)	65 (92%)	6 (8%)	0	100	100
19	S	79/93 (85%)	70 (89%)	7 (9%)	2 (2%)	4	29
20	T	97/106 (92%)	82 (84%)	14 (14%)	1 (1%)	12	45
21	U	23/27 (85%)	22 (96%)	1 (4%)	0	100	100
All	All	2353/2541 (93%)	2145 (91%)	197 (8%)	11 (0%)	24	60

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	L	28	LYS
19	S	31	ILE
20	T	99	LEU
9	I	38	GLN
19	S	6	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	201/220 (91%)	173 (86%)	28 (14%)	3	17
3	C	160/188 (85%)	117 (73%)	43 (27%)	0	4
4	D	180/181 (99%)	157 (87%)	23 (13%)	4	20
5	E	115/123 (94%)	90 (78%)	25 (22%)	1	6
6	F	90/90 (100%)	60 (67%)	30 (33%)	0	2
7	G	126/127 (99%)	102 (81%)	24 (19%)	1	10
8	H	119/119 (100%)	90 (76%)	29 (24%)	1	5
9	I	98/99 (99%)	73 (74%)	25 (26%)	0	4
10	J	87/92 (95%)	64 (74%)	23 (26%)	0	4
11	K	90/99 (91%)	76 (84%)	14 (16%)	2	15
12	L	103/110 (94%)	78 (76%)	25 (24%)	1	5
13	M	94/101 (93%)	76 (81%)	18 (19%)	1	10
14	N	49/50 (98%)	38 (78%)	11 (22%)	1	6
15	O	79/80 (99%)	60 (76%)	19 (24%)	1	5
16	P	72/74 (97%)	59 (82%)	13 (18%)	2	12
17	Q	95/97 (98%)	71 (75%)	24 (25%)	0	4
18	R	64/77 (83%)	54 (84%)	10 (16%)	2	15
19	S	71/80 (89%)	54 (76%)	17 (24%)	1	5
20	T	76/82 (93%)	56 (74%)	20 (26%)	0	4
21	U	19/22 (86%)	15 (79%)	4 (21%)	1	7
All	All	1988/2111 (94%)	1563 (79%)	425 (21%)	1	6

5 of 425 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	J	23	ILE
12	L	111	LYS
19	S	62	ILE
10	J	61	GLU
11	K	116	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
8	H	78	GLN
10	J	33	GLN
19	S	14	HIS
9	I	73	GLN
10	J	69	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1510/1522 (99%)	321 (21%)	46 (3%)
22	V	2/3 (66%)	1 (50%)	0
23	W	14/15 (93%)	4 (28%)	0
All	All	1526/1540 (99%)	326 (21%)	46 (3%)

5 of 326 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	9	G
1	A	32	A
1	A	39	G
1	A	48	C
1	A	51	A

5 of 46 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1129	C
1	A	1256	A
1	A	1179	A
1	A	1201	A
1	A	1285	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

15 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	A	967	1	19,22,23	1.41	3 (15%)	26,32,35	0.91	0
1	5MC	A	1407	1	19,22,23	1.68	2 (10%)	26,32,35	1.18	3 (11%)
1	MA6	A	1518	1	23,26,27	0.94	1 (4%)	33,38,41	1.09	1 (3%)
1	MA6	A	1519	1	23,26,27	1.22	5 (21%)	33,38,41	1.08	2 (6%)
1	M2G	A	966	1	24,27,28	0.64	0	33,40,43	1.11	3 (9%)
1	7MG	A	527	25,1	23,26,27	4.27	7 (30%)	27,39,42	2.34	9 (33%)
1	4OC	A	1402	1	20,23,24	0.89	1 (5%)	25,32,35	0.75	0
1	UR3	A	1498	1	19,22,23	0.88	1 (5%)	26,32,35	0.93	0
1	PSU	A	1541	1	18,21,22	1.19	1 (5%)	21,30,33	1.82	4 (19%)
1	2MG	A	1207	1	23,26,27	1.88	4 (17%)	33,38,41	1.36	4 (12%)
1	5MC	A	1400	1	19,22,23	1.22	3 (15%)	26,32,35	1.17	3 (11%)
12	0TD	L	92	12	8,9,10	1.33	1 (12%)	6,11,13	2.75	2 (33%)
1	PSU	A	1540	1	18,21,22	1.36	1 (5%)	21,30,33	1.90	6 (28%)
1	PSU	A	516	1	18,21,22	1.39	1 (5%)	21,30,33	1.63	4 (19%)
1	5MC	A	1404	1	19,22,23	1.45	2 (10%)	26,32,35	0.93	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	A	967	1	-	3/7/25/26	0/2/2/2
1	5MC	A	1407	1	-	0/7/25/26	0/2/2/2
1	MA6	A	1518	1	-	0/11/29/30	0/3/3/3
1	MA6	A	1519	1	-	4/11/29/30	0/3/3/3
1	M2G	A	966	1	-	3/11/29/30	0/3/3/3
1	7MG	A	527	25,1	-	2/7/37/38	0/3/3/3
1	4OC	A	1402	1	-	2/9/29/30	0/2/2/2
1	UR3	A	1498	1	-	2/7/25/26	0/2/2/2
1	PSU	A	1541	1	-	2/7/25/26	0/2/2/2
1	2MG	A	1207	1	-	0/9/27/28	0/3/3/3
1	5MC	A	1400	1	-	2/7/25/26	0/2/2/2
12	0TD	L	92	12	-	3/7/12/14	-
1	PSU	A	1540	1	-	2/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	A	516	1	-	0/7/25/26	0/2/2/2
1	5MC	A	1404	1	-	0/7/25/26	0/2/2/2

The worst 5 of 33 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	527	7MG	C8-N9	-18.40	1.33	1.45
1	A	1407	5MC	C5-C4	-5.70	1.39	1.44
1	A	1207	2MG	C2-N1	5.29	1.45	1.36
1	A	1540	PSU	C6-C5	5.07	1.40	1.35
1	A	527	7MG	C2-N2	4.80	1.45	1.34

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	527	7MG	C5-C6-N1	6.11	121.69	110.94
12	L	92	0TD	CSB-SB-CB	-5.71	92.10	102.36
1	A	1541	PSU	C4-N3-C2	-4.54	120.12	126.37
1	A	527	7MG	C2-N3-C4	4.47	119.99	112.30
1	A	1541	PSU	N1-C2-N3	4.38	119.79	115.17

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	967	5MC	O4'-C4'-C5'-O5'
1	A	1400	5MC	O4'-C4'-C5'-O5'
1	A	1519	MA6	O4'-C4'-C5'-O5'
1	A	1541	PSU	C2'-C1'-C5-C4
1	A	1541	PSU	C2'-C1'-C5-C6

There are no ring outliers.

10 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	967	5MC	2	0
1	A	1518	MA6	2	0
1	A	966	M2G	3	0
1	A	527	7MG	1	0
1	A	1402	4OC	4	0
1	A	1498	UR3	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1207	2MG	1	0
1	A	1400	5MC	1	0
12	L	92	0TD	2	0
1	A	1404	5MC	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 383 ligands modelled in this entry, 365 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
24	PAR	A	1606	-	44,45,45	1.46	7 (15%)	63,67,67	1.65	12 (19%)
24	PAR	A	1603	-	44,45,45	1.44	8 (18%)	63,67,67	1.64	12 (19%)
24	PAR	A	1616	-	44,45,45	2.00	11 (25%)	63,67,67	1.68	12 (19%)
24	PAR	A	1608	25	44,45,45	1.31	6 (13%)	63,67,67	1.69	13 (20%)
24	PAR	A	1615	-	44,45,45	2.06	11 (25%)	63,67,67	1.72	14 (22%)
24	PAR	A	1618	-	44,45,45	2.27	16 (36%)	63,67,67	1.67	12 (19%)
24	PAR	A	1607	-	44,45,45	1.68	9 (20%)	63,67,67	1.70	13 (20%)
24	PAR	A	1611	-	44,45,45	1.62	6 (13%)	63,67,67	1.71	13 (20%)
24	PAR	A	1613	-	44,45,45	1.69	10 (22%)	63,67,67	1.68	11 (17%)
24	PAR	A	1614	-	44,45,45	1.71	12 (27%)	63,67,67	1.61	11 (17%)
24	PAR	A	1610	-	44,45,45	1.72	12 (27%)	63,67,67	1.78	13 (20%)
24	PAR	A	1617	25	44,45,45	2.11	15 (34%)	63,67,67	1.71	11 (17%)
24	PAR	A	1604	-	44,45,45	1.32	6 (13%)	63,67,67	1.63	12 (19%)
24	PAR	A	1602	-	44,45,45	1.63	8 (18%)	63,67,67	1.80	10 (15%)
24	PAR	A	1609	-	44,45,45	1.78	15 (34%)	63,67,67	1.73	12 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	PAR	A	1605	-	44,45,45	1.26	8 (18%)	63,67,67	1.54	10 (15%)
24	PAR	A	1601	-	44,45,45	1.41	6 (13%)	63,67,67	1.53	11 (17%)
24	PAR	A	1612	-	44,45,45	1.55	8 (18%)	63,67,67	1.66	10 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	PAR	A	1606	-	-	2/18/94/94	0/4/4/4
24	PAR	A	1603	-	-	5/18/94/94	0/4/4/4
24	PAR	A	1616	-	-	14/18/94/94	1/4/4/4
24	PAR	A	1608	25	-	7/18/94/94	0/4/4/4
24	PAR	A	1615	-	-	8/18/94/94	0/4/4/4
24	PAR	A	1618	-	-	9/18/94/94	1/4/4/4
24	PAR	A	1607	-	-	9/18/94/94	0/4/4/4
24	PAR	A	1611	-	-	9/18/94/94	0/4/4/4
24	PAR	A	1613	-	-	9/18/94/94	0/4/4/4
24	PAR	A	1614	-	-	11/18/94/94	1/4/4/4
24	PAR	A	1610	-	-	9/18/94/94	1/4/4/4
24	PAR	A	1617	25	-	9/18/94/94	0/4/4/4
24	PAR	A	1604	-	-	8/18/94/94	0/4/4/4
24	PAR	A	1602	-	-	10/18/94/94	1/4/4/4
24	PAR	A	1609	-	-	8/18/94/94	0/4/4/4
24	PAR	A	1605	-	-	3/18/94/94	0/4/4/4
24	PAR	A	1601	-	-	4/18/94/94	0/4/4/4
24	PAR	A	1612	-	-	7/18/94/94	1/4/4/4

The worst 5 of 174 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	A	1615	PAR	C13-C23	6.46	1.61	1.52
24	A	1618	PAR	C34-C24	6.07	1.61	1.53
24	A	1617	PAR	C52-C42	6.00	1.64	1.52
24	A	1618	PAR	C13-C23	5.77	1.60	1.52
24	A	1602	PAR	C14-C24	5.48	1.63	1.52

The worst 5 of 212 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	1602	PAR	O33-C14-C24	8.58	122.12	108.08
24	A	1610	PAR	O33-C14-C24	7.92	121.04	108.08
24	A	1609	PAR	O33-C14-C24	7.26	119.96	108.08
24	A	1607	PAR	O33-C14-C24	7.22	119.90	108.08
24	A	1618	PAR	O33-C14-C24	7.11	119.72	108.08

There are no chirality outliers.

5 of 141 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
24	A	1601	PAR	C44-C54-C64-N64
24	A	1601	PAR	O54-C54-C64-N64
24	A	1602	PAR	C23-C13-O52-C52
24	A	1602	PAR	O43-C13-O52-C52
24	A	1602	PAR	C24-C14-O33-C33

5 of 6 ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
24	A	1616	PAR	C12-C22-C32-C42-C52-C62
24	A	1602	PAR	C14-C24-C34-C44-C54-O54
24	A	1618	PAR	C12-C22-C32-C42-C52-C62
24	A	1614	PAR	C12-C22-C32-C42-C52-C62
24	A	1610	PAR	C14-C24-C34-C44-C54-O54

17 monomers are involved in 62 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	A	1606	PAR	1	0
24	A	1603	PAR	7	0
24	A	1616	PAR	5	0
24	A	1608	PAR	5	0
24	A	1615	PAR	3	0
24	A	1618	PAR	2	0
24	A	1611	PAR	5	0
24	A	1613	PAR	7	0
24	A	1614	PAR	2	0
24	A	1610	PAR	6	0
24	A	1617	PAR	1	0
24	A	1604	PAR	3	0
24	A	1602	PAR	4	0


Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	A	1609	PAR	1	0
24	A	1605	PAR	4	0
24	A	1601	PAR	2	0
24	A	1612	PAR	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1498/1522 (98%)	-0.40	8 (0%) 87 72	49, 88, 175, 339	0
2	B	236/256 (92%)	-0.06	2 (0%) 82 64	70, 114, 159, 187	0
3	C	207/239 (86%)	-0.18	2 (0%) 79 59	80, 108, 146, 160	0
4	D	208/209 (99%)	-0.19	3 (1%) 73 53	56, 92, 128, 166	0
5	E	151/162 (93%)	-0.52	0 100 100	47, 73, 107, 151	0
6	F	101/101 (100%)	-0.46	0 100 100	68, 108, 134, 160	0
7	G	155/156 (99%)	-0.24	1 (0%) 85 70	66, 106, 162, 193	0
8	H	138/138 (100%)	-0.46	1 (0%) 84 67	47, 74, 104, 132	0
9	I	127/128 (99%)	-0.05	3 (2%) 59 43	69, 112, 142, 158	0
10	J	99/105 (94%)	0.17	1 (1%) 79 59	75, 127, 185, 199	0
11	K	119/129 (92%)	-0.27	2 (1%) 69 49	54, 94, 132, 210	0
12	L	124/135 (91%)	-0.01	4 (3%) 50 36	55, 80, 124, 185	0
13	M	118/126 (93%)	-0.17	2 (1%) 69 49	78, 108, 137, 149	0
14	N	60/61 (98%)	0.13	3 (5%) 34 27	75, 99, 139, 181	0
15	O	88/89 (98%)	-0.17	1 (1%) 78 58	56, 90, 123, 172	0
16	P	84/88 (95%)	-0.21	0 100 100	58, 77, 107, 151	0
17	Q	100/105 (95%)	-0.30	0 100 100	63, 81, 120, 155	0
18	R	73/88 (82%)	-0.35	0 100 100	68, 100, 153, 221	0
19	S	81/93 (87%)	-0.01	4 (4%) 35 28	89, 124, 151, 179	0
20	T	99/106 (93%)	0.01	2 (2%) 65 46	65, 85, 130, 168	0
21	U	25/27 (92%)	0.69	5 (20%) 3 5	87, 113, 132, 139	0
22	V	3/3 (100%)	-0.55	0 100 100	98, 98, 103, 105	0
23	W	15/15 (100%)	0.63	1 (6%) 24 21	127, 144, 218, 227	0
All	All	3909/4081 (95%)	-0.26	45 (1%) 76 56	47, 96, 156, 339	0

The worst 5 of 45 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
11	K	129	SER	8.8
12	L	129	ALA	6.6
11	K	128	ALA	6.1
1	A	1539	C	5.6
19	S	3	ARG	5.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PSU	A	1540	20/21	0.88	0.32	210,258,270,270	0
1	PSU	A	1541	20/21	0.92	0.26	228,249,272,273	0
1	2MG	A	1207	24/25	0.95	0.07	91,106,114,118	0
1	PSU	A	516	20/21	0.96	0.11	83,94,105,108	0
1	MA6	A	1518	24/25	0.97	0.08	58,69,75,78	0
1	MA6	A	1519	24/25	0.97	0.11	55,57,64,67	0
1	5MC	A	967	21/22	0.97	0.11	59,75,118,121	0
1	M2G	A	966	25/26	0.97	0.11	66,100,115,127	0
12	0TD	L	92	10/11	0.97	0.15	55,83,98,428	0
1	7MG	A	527	24/25	0.98	0.09	63,69,82,84	0
1	5MC	A	1400	21/22	0.98	0.09	44,73,95,101	0
1	4OC	A	1402	22/23	0.98	0.07	57,63,67,91	0
1	5MC	A	1404	21/22	0.98	0.07	55,64,71,72	0
1	UR3	A	1498	21/22	0.98	0.09	63,71,81,88	0
1	5MC	A	1407	21/22	0.99	0.05	61,67,72,74	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1882[A]	1/1	0.38	0.50	0,0,0,0	1
25	MG	A	1882[B]	1/1	0.38	0.50	0,0,0,0	1
25	MG	A	1869	1/1	0.58	0.20	59,59,59,59	0
25	MG	A	1949	1/1	0.58	0.17	228,228,228,228	0
25	MG	A	1803	1/1	0.63	0.24	71,71,71,71	0
25	MG	A	1919[B]	1/1	0.64	0.13	9,9,9,9	1
25	MG	A	1919[A]	1/1	0.64	0.13	9,9,9,9	1
25	MG	A	1836	1/1	0.66	0.11	75,75,75,75	0
25	MG	S	102	1/1	0.66	0.20	73,73,73,73	0
25	MG	A	1841	1/1	0.68	0.31	64,64,64,64	0
25	MG	A	1652[A]	1/1	0.68	0.36	11,11,11,11	1
25	MG	A	1653[B]	1/1	0.69	0.47	11,11,11,11	1
25	MG	A	1810	1/1	0.70	0.25	71,71,71,71	0
25	MG	A	1813	1/1	0.71	0.16	53,53,53,53	0
25	MG	A	1806	1/1	0.71	0.30	91,91,91,91	0
25	MG	A	1807	1/1	0.72	0.24	83,83,83,83	0
25	MG	A	1889	1/1	0.72	0.23	66,66,66,66	0
25	MG	A	1887	1/1	0.73	0.19	64,64,64,64	0
25	MG	A	1903	1/1	0.73	0.13	74,74,74,74	0
25	MG	A	1876	1/1	0.74	0.10	69,69,69,69	0
25	MG	A	1930	1/1	0.74	0.21	79,79,79,79	0
25	MG	A	1837	1/1	0.75	0.22	54,54,54,54	0
25	MG	A	1798	1/1	0.76	0.30	70,70,70,70	0
24	PAR	A	1616	42/42	0.77	0.19	216,216,216,216	0
25	MG	A	1719	1/1	0.77	0.20	72,72,72,72	0
25	MG	A	1787	1/1	0.77	0.11	66,66,66,66	0
25	MG	A	1726	1/1	0.78	0.10	93,93,93,93	0
25	MG	A	1932	1/1	0.78	0.22	71,71,71,71	0
25	MG	A	1827	1/1	0.78	0.23	78,78,78,78	0
25	MG	A	1833	1/1	0.78	0.23	59,59,59,59	0
25	MG	A	1891	1/1	0.79	0.23	50,50,50,50	0
25	MG	E	201	1/1	0.79	0.12	92,92,92,92	0
25	MG	A	1811	1/1	0.79	0.09	56,56,56,56	0
24	PAR	A	1614	42/42	0.80	0.12	174,174,174,174	0
25	MG	A	1790	1/1	0.80	0.12	162,162,162,162	0
25	MG	L	201	1/1	0.80	0.10	57,57,57,57	0
25	MG	O	101	1/1	0.80	0.14	112,112,112,112	0
25	MG	A	1936	1/1	0.80	0.15	68,68,68,68	0
25	MG	V	101	1/1	0.80	0.14	75,75,75,75	0
25	MG	A	1916	1/1	0.81	0.13	51,51,51,51	0
24	PAR	A	1615	42/42	0.81	0.14	149,149,149,149	0
25	MG	A	1871	1/1	0.81	0.08	63,63,63,63	0
25	MG	A	1638	1/1	0.81	0.15	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1908	1/1	0.82	0.09	66,66,66,66	0
25	MG	A	1927	1/1	0.82	0.13	62,62,62,62	0
25	MG	A	1898	1/1	0.82	0.15	61,61,61,61	0
25	MG	A	1931	1/1	0.82	0.25	58,58,58,58	0
25	MG	A	1917	1/1	0.82	0.24	61,61,61,61	0
25	MG	A	1784	1/1	0.82	0.09	89,89,89,89	0
25	MG	A	1800[B]	1/1	0.83	0.59	7,7,7,7	1
25	MG	A	1812	1/1	0.83	0.37	65,65,65,65	0
25	MG	A	1717	1/1	0.83	0.11	110,110,110,110	0
25	MG	A	1817	1/1	0.83	0.17	54,54,54,54	0
25	MG	A	1728	1/1	0.83	0.10	103,103,103,103	0
25	MG	A	1623	1/1	0.83	0.14	64,64,64,64	0
25	MG	A	1800[A]	1/1	0.83	0.59	7,7,7,7	1
25	MG	A	1830	1/1	0.84	0.06	70,70,70,70	0
25	MG	A	1945	1/1	0.84	0.12	156,156,156,156	0
25	MG	A	1736	1/1	0.84	0.10	88,88,88,88	0
25	MG	A	1786	1/1	0.84	0.14	97,97,97,97	0
25	MG	A	1839	1/1	0.85	0.16	56,56,56,56	0
25	MG	A	1789	1/1	0.85	0.10	127,127,127,127	0
25	MG	A	1639	1/1	0.85	0.20	55,55,55,55	0
25	MG	A	1956	1/1	0.85	0.07	193,193,193,193	0
25	MG	A	1771	1/1	0.85	0.23	89,89,89,89	0
25	MG	A	1929	1/1	0.85	0.34	44,44,44,44	0
25	MG	A	1725	1/1	0.85	0.11	67,67,67,67	0
25	MG	A	1662	1/1	0.85	0.12	77,77,77,77	0
24	PAR	A	1618	42/42	0.85	0.19	166,166,166,166	0
25	MG	A	1650	1/1	0.86	0.13	86,86,86,86	0
25	MG	A	1939	1/1	0.86	0.08	57,57,57,57	0
25	MG	A	1890	1/1	0.86	0.46	59,59,59,59	0
24	PAR	A	1611	42/42	0.86	0.11	131,131,131,131	0
25	MG	A	1926	1/1	0.86	0.08	58,58,58,58	0
25	MG	A	1892	1/1	0.86	0.10	46,46,46,46	0
25	MG	A	1847	1/1	0.86	0.35	85,85,85,85	0
25	MG	A	1868	1/1	0.86	0.08	68,68,68,68	0
25	MG	A	1885	1/1	0.86	0.09	45,45,45,45	0
25	MG	A	1816	1/1	0.86	0.25	53,53,53,53	0
25	MG	A	1734	1/1	0.87	0.10	63,63,63,63	0
25	MG	A	1902	1/1	0.87	0.16	64,64,64,64	0
25	MG	A	1880	1/1	0.87	0.06	60,60,60,60	0
24	PAR	A	1610	42/42	0.87	0.15	144,144,144,144	0
25	MG	A	1713	1/1	0.87	0.11	63,63,63,63	0
25	MG	A	1772	1/1	0.87	0.10	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1724	1/1	0.87	0.09	82,82,82,82	0
25	MG	A	1888	1/1	0.87	0.23	71,71,71,71	0
25	MG	A	1856	1/1	0.87	0.13	59,59,59,59	0
25	MG	A	1832	1/1	0.87	0.10	77,77,77,77	0
25	MG	P	102	1/1	0.87	0.07	51,51,51,51	0
25	MG	A	1732	1/1	0.87	0.17	84,84,84,84	0
25	MG	T	201	1/1	0.87	0.34	88,88,88,88	0
25	MG	A	1835	1/1	0.87	0.21	71,71,71,71	0
25	MG	A	1940	1/1	0.88	0.18	82,82,82,82	0
25	MG	A	1682	1/1	0.88	0.10	104,104,104,104	0
25	MG	A	1925	1/1	0.88	0.08	42,42,42,42	0
25	MG	A	1761	1/1	0.88	0.10	155,155,155,155	0
25	MG	D	302	1/1	0.88	0.20	71,71,71,71	0
25	MG	A	1707	1/1	0.88	0.17	80,80,80,80	0
25	MG	H	201	1/1	0.88	0.14	53,53,53,53	0
25	MG	A	1712	1/1	0.88	0.10	34,34,34,34	0
25	MG	A	1911	1/1	0.88	0.06	49,49,49,49	0
25	MG	A	1883	1/1	0.88	0.10	62,62,62,62	0
25	MG	A	1669	1/1	0.88	0.16	76,76,76,76	0
25	MG	A	1918	1/1	0.88	0.15	39,39,39,39	0
25	MG	A	1893	1/1	0.88	0.31	53,53,53,53	0
25	MG	A	1905	1/1	0.89	0.33	83,83,83,83	0
25	MG	A	1906	1/1	0.89	0.18	73,73,73,73	0
25	MG	A	1954	1/1	0.89	0.13	150,150,150,150	0
25	MG	A	1862	1/1	0.89	0.17	38,38,38,38	0
25	MG	A	1909	1/1	0.89	0.26	68,68,68,68	0
25	MG	D	303	1/1	0.89	0.15	73,73,73,73	0
25	MG	A	1866	1/1	0.89	0.37	53,53,53,53	0
25	MG	E	203	1/1	0.89	0.07	80,80,80,80	0
25	MG	A	1695	1/1	0.89	0.07	94,94,94,94	0
25	MG	A	1701	1/1	0.89	0.12	85,85,85,85	0
25	MG	A	1933	1/1	0.89	0.10	82,82,82,82	0
25	MG	A	1935	1/1	0.89	0.13	57,57,57,57	0
25	MG	A	1690	1/1	0.89	0.13	100,100,100,100	0
25	MG	A	1710	1/1	0.89	0.08	82,82,82,82	0
25	MG	A	1769	1/1	0.89	0.05	114,114,114,114	0
25	MG	A	1922	1/1	0.90	0.25	76,76,76,76	0
25	MG	A	1721	1/1	0.90	0.21	43,43,43,43	0
25	MG	A	1651	1/1	0.90	0.11	48,48,48,48	0
25	MG	A	1770	1/1	0.90	0.13	90,90,90,90	0
25	MG	A	1861	1/1	0.90	0.12	57,57,57,57	0
25	MG	A	1907	1/1	0.90	0.05	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1809	1/1	0.90	0.24	76,76,76,76	0
25	MG	A	1645	1/1	0.90	0.12	53,53,53,53	0
25	MG	A	1834	1/1	0.90	0.11	57,57,57,57	0
25	MG	A	1796	1/1	0.90	0.23	58,58,58,58	0
24	PAR	A	1617	42/42	0.90	0.27	189,189,189,189	0
25	MG	A	1780	1/1	0.90	0.31	72,72,72,72	0
25	MG	A	1877	1/1	0.90	0.11	59,59,59,59	0
25	MG	A	1750	1/1	0.90	0.30	67,67,67,67	0
25	MG	A	1714	1/1	0.91	0.07	66,66,66,66	0
25	MG	A	1765	1/1	0.91	0.14	113,113,113,113	0
25	MG	A	1702	1/1	0.91	0.06	104,104,104,104	0
25	MG	A	1636	1/1	0.91	0.11	68,68,68,68	0
25	MG	A	1870	1/1	0.91	0.13	35,35,35,35	0
25	MG	A	1693	1/1	0.91	0.05	96,96,96,96	0
25	MG	A	1894	1/1	0.91	0.17	66,66,66,66	0
25	MG	A	1677	1/1	0.91	0.12	118,118,118,118	0
25	MG	A	1777	1/1	0.91	0.11	60,60,60,60	0
25	MG	A	1928	1/1	0.91	0.26	93,93,93,93	0
25	MG	A	1843	1/1	0.91	0.11	35,35,35,35	0
25	MG	A	1881	1/1	0.91	0.15	63,63,63,63	0
25	MG	A	1742	1/1	0.91	0.12	72,72,72,72	0
25	MG	A	1851	1/1	0.91	0.21	57,57,57,57	0
25	MG	A	1853	1/1	0.91	0.22	44,44,44,44	0
25	MG	A	1747	1/1	0.91	0.09	108,108,108,108	0
25	MG	A	1665	1/1	0.91	0.17	57,57,57,57	0
25	MG	A	1884	1/1	0.92	0.20	55,55,55,55	0
25	MG	A	1924	1/1	0.92	0.26	54,54,54,54	0
25	MG	A	1952	1/1	0.92	0.08	148,148,148,148	0
25	MG	A	1801	1/1	0.92	0.28	57,57,57,57	0
25	MG	A	1955	1/1	0.92	0.10	179,179,179,179	0
25	MG	A	1753	1/1	0.92	0.08	94,94,94,94	0
25	MG	A	1852	1/1	0.92	0.11	47,47,47,47	0
25	MG	A	1657	1/1	0.92	0.14	101,101,101,101	0
24	PAR	A	1605	42/42	0.92	0.21	94,94,94,94	42
25	MG	E	202	1/1	0.92	0.13	45,45,45,45	0
25	MG	A	1860	1/1	0.92	0.15	55,55,55,55	0
25	MG	A	1825	1/1	0.92	0.09	59,59,59,59	0
25	MG	A	1912	1/1	0.92	0.19	51,51,51,51	0
25	MG	A	1706	1/1	0.92	0.06	52,52,52,52	0
25	MG	A	1731	1/1	0.92	0.09	121,121,121,121	0
25	MG	A	1895	1/1	0.92	0.20	44,44,44,44	0
24	PAR	A	1612	42/42	0.92	0.14	131,131,131,131	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1899	1/1	0.92	0.12	18,18,18,18	0
25	MG	A	1946	1/1	0.93	0.05	146,146,146,146	0
25	MG	A	1901[B]	1/1	0.93	0.13	16,16,16,16	1
25	MG	A	1635	1/1	0.93	0.17	45,45,45,45	0
25	MG	A	1820	1/1	0.93	0.13	70,70,70,70	0
25	MG	A	1715	1/1	0.93	0.09	82,82,82,82	0
25	MG	A	1844	1/1	0.93	0.12	35,35,35,35	0
25	MG	A	1957	1/1	0.93	0.08	103,103,103,103	0
25	MG	A	1688	1/1	0.93	0.09	60,60,60,60	0
25	MG	A	1874	1/1	0.93	0.15	13,13,13,13	0
25	MG	A	1768	1/1	0.93	0.10	103,103,103,103	0
25	MG	A	1671	1/1	0.93	0.10	66,66,66,66	0
25	MG	A	1692	1/1	0.93	0.09	74,74,74,74	0
25	MG	A	1914	1/1	0.93	0.12	44,44,44,44	0
25	MG	A	1934	1/1	0.93	0.07	69,69,69,69	0
25	MG	A	1675	1/1	0.93	0.15	74,74,74,74	0
24	PAR	A	1609	42/42	0.93	0.21	121,121,121,121	42
25	MG	A	1773	1/1	0.93	0.09	74,74,74,74	0
25	MG	A	1699	1/1	0.93	0.06	79,79,79,79	0
25	MG	A	1901[A]	1/1	0.93	0.13	16,16,16,16	1
25	MG	A	1720	1/1	0.94	0.11	89,89,89,89	0
25	MG	A	1904	1/1	0.94	0.09	49,49,49,49	0
25	MG	A	1808	1/1	0.94	0.15	31,31,31,31	0
25	MG	A	1838	1/1	0.94	0.30	50,50,50,50	0
25	MG	A	1739	1/1	0.94	0.13	85,85,85,85	0
25	MG	A	1630	1/1	0.94	0.08	83,83,83,83	0
25	MG	A	1723	1/1	0.94	0.06	94,94,94,94	0
24	PAR	A	1606	42/42	0.94	0.14	113,113,113,113	0
25	MG	A	1751	1/1	0.94	0.10	95,95,95,95	0
25	MG	A	1950	1/1	0.94	0.05	177,177,177,177	0
25	MG	A	1621	1/1	0.94	0.09	69,69,69,69	0
25	MG	A	1953	1/1	0.94	0.08	179,179,179,179	0
25	MG	A	1759	1/1	0.94	0.10	121,121,121,121	0
25	MG	A	1795	1/1	0.94	0.09	57,57,57,57	0
25	MG	A	1824	1/1	0.94	0.34	64,64,64,64	0
25	MG	A	1857	1/1	0.94	0.12	54,54,54,54	0
25	MG	A	1696	1/1	0.94	0.10	136,136,136,136	0
25	MG	A	1920	1/1	0.94	0.29	50,50,50,50	0
25	MG	A	1622	1/1	0.94	0.09	106,106,106,106	0
25	MG	A	1828	1/1	0.94	0.15	107,107,107,107	0
25	MG	A	1864[A]	1/1	0.94	0.67	11,11,11,11	1
25	MG	A	1864[B]	1/1	0.94	0.67	11,11,11,11	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1730	1/1	0.94	0.09	118,118,118,118	0
24	PAR	A	1608	42/42	0.94	0.18	81,81,81,81	42
25	MG	P	101	1/1	0.94	0.12	13,13,13,13	0
25	MG	A	1628	1/1	0.94	0.07	48,48,48,48	0
25	MG	A	1733	1/1	0.94	0.10	61,61,61,61	0
25	MG	A	1649	1/1	0.94	0.15	47,47,47,47	0
25	MG	A	1873	1/1	0.94	0.27	29,29,29,29	0
25	MG	A	1703	1/1	0.95	0.11	57,57,57,57	0
25	MG	A	1670	1/1	0.95	0.12	64,64,64,64	0
25	MG	A	1947	1/1	0.95	0.06	133,133,133,133	0
25	MG	A	1727	1/1	0.95	0.06	101,101,101,101	0
25	MG	A	1792	1/1	0.95	0.10	32,32,32,32	0
25	MG	A	1951	1/1	0.95	0.14	110,110,110,110	0
25	MG	A	1718	1/1	0.95	0.30	80,80,80,80	0
25	MG	A	1840	1/1	0.95	0.14	22,22,22,22	0
25	MG	A	1897[A]	1/1	0.95	0.46	0,0,0,0	1
25	MG	A	1897[B]	1/1	0.95	0.46	0,0,0,0	1
25	MG	A	1815	1/1	0.95	0.16	45,45,45,45	0
25	MG	A	1685	1/1	0.95	0.17	57,57,57,57	0
25	MG	A	1797	1/1	0.95	0.12	47,47,47,47	0
24	PAR	A	1613	42/42	0.95	0.12	120,120,120,120	0
25	MG	A	1752	1/1	0.95	0.07	147,147,147,147	0
25	MG	A	1643	1/1	0.95	0.09	40,40,40,40	0
25	MG	A	1826	1/1	0.95	0.11	44,44,44,44	0
25	MG	A	1778	1/1	0.95	0.30	59,59,59,59	0
25	MG	A	1755	1/1	0.95	0.19	74,74,74,74	0
25	MG	A	1859	1/1	0.95	0.06	73,73,73,73	0
25	MG	A	1805	1/1	0.95	0.10	34,34,34,34	0
25	MG	A	1783	1/1	0.95	0.10	41,41,41,41	0
25	MG	P	103	1/1	0.95	0.14	44,44,44,44	0
25	MG	A	1691	1/1	0.95	0.06	111,111,111,111	0
24	PAR	A	1603	42/42	0.95	0.13	103,103,103,103	3
25	MG	A	1913	1/1	0.95	0.08	49,49,49,49	0
25	MG	A	1943	1/1	0.96	0.05	178,178,178,178	0
25	MG	A	1823	1/1	0.96	0.12	57,57,57,57	0
25	MG	A	1842	1/1	0.96	0.21	43,43,43,43	0
25	MG	A	1697	1/1	0.96	0.12	77,77,77,77	0
25	MG	A	1791	1/1	0.96	0.18	30,30,30,30	0
25	MG	A	1845	1/1	0.96	0.33	64,64,64,64	0
24	PAR	A	1601	42/42	0.96	0.08	64,64,64,64	0
25	MG	A	1850	1/1	0.96	0.26	71,71,71,71	0
25	MG	A	1776	1/1	0.96	0.07	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1900	1/1	0.96	0.10	27,27,27,27	0
25	MG	A	1757	1/1	0.96	0.11	133,133,133,133	0
24	PAR	A	1607	42/42	0.96	0.15	99,99,99,99	42
25	MG	A	1746	1/1	0.96	0.07	146,146,146,146	0
25	MG	A	1679	1/1	0.96	0.07	47,47,47,47	0
25	MG	A	1748	1/1	0.96	0.11	87,87,87,87	0
25	MG	A	1625	1/1	0.96	0.07	30,30,30,30	0
25	MG	A	1664	1/1	0.96	0.12	74,74,74,74	0
25	MG	A	1886	1/1	0.96	0.12	50,50,50,50	0
25	MG	A	1819	1/1	0.96	0.13	64,64,64,64	0
25	MG	A	1672	1/1	0.96	0.12	56,56,56,56	0
25	MG	A	1910	1/1	0.96	0.05	45,45,45,45	0
25	MG	A	1821	1/1	0.96	0.11	33,33,33,33	0
25	MG	A	1937	1/1	0.96	0.29	61,61,61,61	0
25	MG	A	1822	1/1	0.96	0.07	63,63,63,63	0
25	MG	Q	201	1/1	0.96	0.09	60,60,60,60	0
25	MG	S	101	1/1	0.96	0.07	22,22,22,22	0
25	MG	A	1867	1/1	0.96	0.08	29,29,29,29	0
25	MG	A	1941	1/1	0.96	0.05	145,145,145,145	0
25	MG	A	1942	1/1	0.96	0.05	143,143,143,143	0
26	ZN	D	301	1/1	0.96	0.24	141,141,141,141	0
25	MG	A	1938	1/1	0.97	0.07	43,43,43,43	0
25	MG	A	1872	1/1	0.97	0.17	30,30,30,30	0
25	MG	A	1641	1/1	0.97	0.10	56,56,56,56	0
25	MG	A	1700	1/1	0.97	0.09	26,26,26,26	0
25	MG	A	1683	1/1	0.97	0.08	102,102,102,102	0
25	MG	A	1668	1/1	0.97	0.10	66,66,66,66	0
25	MG	A	1878	1/1	0.97	0.12	13,13,13,13	0
25	MG	A	1788	1/1	0.97	0.09	95,95,95,95	0
25	MG	A	1686	1/1	0.97	0.12	91,91,91,91	0
25	MG	A	1818	1/1	0.97	0.08	36,36,36,36	0
25	MG	A	1705	1/1	0.97	0.07	57,57,57,57	0
25	MG	A	1848	1/1	0.97	0.06	42,42,42,42	0
25	MG	A	1915	1/1	0.97	0.20	59,59,59,59	0
25	MG	A	1849	1/1	0.97	0.17	40,40,40,40	0
25	MG	A	1642	1/1	0.97	0.10	70,70,70,70	0
25	MG	A	1689	1/1	0.97	0.05	75,75,75,75	0
24	PAR	A	1602	42/42	0.97	0.09	71,71,71,71	0
24	PAR	A	1604	42/42	0.97	0.08	64,64,64,64	0
25	MG	A	1855	1/1	0.97	0.05	24,24,24,24	0
25	MG	A	1921	1/1	0.97	0.12	48,48,48,48	0
25	MG	A	1659	1/1	0.97	0.05	87,87,87,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
25	MG	A	1673	1/1	0.97	0.08	73,73,73,73	0
25	MG	A	1799	1/1	0.97	0.12	59,59,59,59	0
25	MG	A	1694	1/1	0.97	0.12	108,108,108,108	0
25	MG	A	1735	1/1	0.97	0.07	67,67,67,67	0
25	MG	N	102	1/1	0.97	0.34	82,82,82,82	0
25	MG	A	1829	1/1	0.97	0.09	37,37,37,37	0
25	MG	A	1863	1/1	0.97	0.10	53,53,53,53	0
25	MG	A	1716	1/1	0.97	0.24	92,92,92,92	0
25	MG	A	1738	1/1	0.97	0.14	59,59,59,59	0
25	MG	A	1660	1/1	0.97	0.08	84,84,84,84	0
25	MG	A	1626	1/1	0.97	0.12	100,100,100,100	0
25	MG	A	1743	1/1	0.97	0.04	71,71,71,71	0
25	MG	A	1745	1/1	0.97	0.03	64,64,64,64	0
25	MG	A	1779	1/1	0.97	0.10	55,55,55,55	0
25	MG	A	1640	1/1	0.97	0.06	59,59,59,59	0
25	MG	A	1767	1/1	0.98	0.10	72,72,72,72	0
25	MG	A	1637	1/1	0.98	0.06	29,29,29,29	0
25	MG	A	1654	1/1	0.98	0.05	75,75,75,75	0
25	MG	A	1804	1/1	0.98	0.06	62,62,62,62	0
25	MG	A	1655	1/1	0.98	0.04	78,78,78,78	0
25	MG	A	1740	1/1	0.98	0.09	113,113,113,113	0
25	MG	A	1741	1/1	0.98	0.16	52,52,52,52	0
25	MG	A	1687	1/1	0.98	0.04	53,53,53,53	0
25	MG	A	1875	1/1	0.98	0.04	14,14,14,14	0
25	MG	A	1629	1/1	0.98	0.09	60,60,60,60	0
25	MG	A	1948	1/1	0.98	0.07	122,122,122,122	0
25	MG	A	1744	1/1	0.98	0.04	62,62,62,62	0
25	MG	A	1704	1/1	0.98	0.07	83,83,83,83	0
25	MG	A	1648	1/1	0.98	0.06	64,64,64,64	0
25	MG	A	1624	1/1	0.98	0.07	58,58,58,58	0
25	MG	A	1846	1/1	0.98	0.08	49,49,49,49	0
25	MG	A	1781	1/1	0.98	0.16	67,67,67,67	0
25	MG	A	1632	1/1	0.98	0.07	65,65,65,65	0
25	MG	A	1708	1/1	0.98	0.07	55,55,55,55	0
25	MG	A	1709	1/1	0.98	0.05	94,94,94,94	0
25	MG	A	1729	1/1	0.98	0.06	73,73,73,73	0
25	MG	A	1676	1/1	0.98	0.11	75,75,75,75	0
25	MG	A	1627	1/1	0.98	0.07	30,30,30,30	0
25	MG	A	1678	1/1	0.98	0.09	48,48,48,48	0
25	MG	A	1923	1/1	0.98	0.05	29,29,29,29	0
25	MG	E	204	1/1	0.98	0.12	70,70,70,70	0
25	MG	A	1758	1/1	0.98	0.09	85,85,85,85	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
25	MG	A	1619	1/1	0.98	0.18	69,69,69,69	0
25	MG	A	1858	1/1	0.98	0.04	37,37,37,37	0
25	MG	A	1794	1/1	0.98	0.20	61,61,61,61	0
25	MG	A	1681	1/1	0.98	0.06	30,30,30,30	0
25	MG	A	1762	1/1	0.98	0.05	63,63,63,63	0
25	MG	A	1896	1/1	0.98	0.20	57,57,57,57	0
25	MG	A	1763	1/1	0.98	0.06	65,65,65,65	0
25	MG	A	1764	1/1	0.98	0.09	65,65,65,65	0
25	MG	A	1667	1/1	0.98	0.06	56,56,56,56	0
25	MG	A	1831	1/1	0.98	0.11	40,40,40,40	0
25	MG	A	1865	1/1	0.98	0.22	58,58,58,58	0
25	MG	A	1766	1/1	0.98	0.05	97,97,97,97	0
25	MG	A	1647	1/1	0.99	0.08	72,72,72,72	0
25	MG	A	1663	1/1	0.99	0.06	36,36,36,36	0
25	MG	A	1633	1/1	0.99	0.04	54,54,54,54	0
25	MG	A	1793	1/1	0.99	0.04	22,22,22,22	0
25	MG	A	1749	1/1	0.99	0.07	72,72,72,72	0
25	MG	A	1634	1/1	0.99	0.03	42,42,42,42	0
25	MG	A	1666	1/1	0.99	0.04	91,91,91,91	0
25	MG	A	1656	1/1	0.99	0.07	67,67,67,67	0
25	MG	A	1680	1/1	0.99	0.07	67,67,67,67	0
25	MG	A	1774	1/1	0.99	0.03	71,71,71,71	0
25	MG	A	1754	1/1	0.99	0.06	67,67,67,67	0
25	MG	A	1737	1/1	0.99	0.05	63,63,63,63	0
25	MG	A	1879	1/1	0.99	0.02	56,56,56,56	0
25	MG	A	1756	1/1	0.99	0.09	93,93,93,93	0
25	MG	A	1854	1/1	0.99	0.12	40,40,40,40	0
25	MG	A	1802	1/1	0.99	0.11	46,46,46,46	0
25	MG	A	1722	1/1	0.99	0.05	43,43,43,43	0
25	MG	A	1631	1/1	0.99	0.03	75,75,75,75	0
25	MG	A	1658	1/1	0.99	0.05	57,57,57,57	0
25	MG	A	1782	1/1	0.99	0.06	68,68,68,68	0
25	MG	A	1760	1/1	0.99	0.03	44,44,44,44	0
25	MG	A	1620	1/1	0.99	0.03	70,70,70,70	0
25	MG	A	1785	1/1	0.99	0.04	51,51,51,51	0
25	MG	A	1711	1/1	0.99	0.04	64,64,64,64	0
25	MG	A	1684	1/1	0.99	0.04	25,25,25,25	0
25	MG	A	1944	1/1	0.99	0.03	74,74,74,74	0
25	MG	A	1646	1/1	0.99	0.04	69,69,69,69	0
25	MG	A	1661	1/1	0.99	0.03	90,90,90,90	0
25	MG	A	1814	1/1	0.99	0.12	26,26,26,26	0
25	MG	A	1775	1/1	1.00	0.03	75,75,75,75	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
25	MG	A	1644	1/1	1.00	0.02	40,40,40,40	0
25	MG	A	1698	1/1	1.00	0.02	56,56,56,56	0
25	MG	A	1674	1/1	1.00	0.27	18,18,18,18	0
26	ZN	N	101	1/1	1.00	0.05	88,88,88,88	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PAR A 1614:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAR A 1615:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAR A 1618:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PAR A 1611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PAR A 1610:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PAR A 1605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAR A 1612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PAR A 1609:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PAR A 1606:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PAR A 1613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAR A 1603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAR A 1601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAR A 1607:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PAR A 1602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.