



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:49 PM UTC

PDB ID : 9DRB / pdb_00009drb
Title : Binary complex of DNA polymerase iota with product DNA
Authors : Frevert, Z.; Reusch, D.; Freudenthal, B.; Washington, M.T.
Deposited on : 2024-09-25
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	33% 59% 26% 13%
2	B	19	26% 32% 53% 16%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6295 atoms, of which 3026 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase iota.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	367	Total	C	H	N	O	S	13	1	0
			5867	1826	2971	505	543	22			

- Molecule 2 is a DNA chain called DNA (5'-D(P*AP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*CP*T)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	16	Total	C	H	N	O	P	0	0	0
			383	155	55	61	96	16			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	37	Total	O	0	0
			37	37		
3	B	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA polymerase iota



• Molecule 2: DNA (5'-D(P*AP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*CP*T)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	97.66Å 97.66Å 202.38Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.98 – 2.36 43.98 – 2.36	Depositor EDS
% Data completeness (in resolution range)	99.6 (43.98-2.36) 99.6 (43.98-2.36)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.34Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.284 , 0.324 0.285 , 0.325	Depositor DCC
R_{free} test set	1128 reflections (4.59%)	wwPDB-VP
Wilson B-factor (Å ²)	52.1	Xtriage
Anisotropy	0.151	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 36.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6295	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	1/2934 (0.0%)	0.64	4/3952 (0.1%)
2	B	0.40	0/367	0.85	0/564
All	All	0.39	1/3301 (0.0%)	0.67	4/4516 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	320	LYS	C-O	-5.33	1.16	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	320	LYS	CA-C-O	-10.61	110.87	122.01
1	A	320	LYS	N-CA-C	-8.28	99.92	110.19
1	A	274	GLY	CA-C-O	-7.08	116.59	122.33
1	A	381	THR	N-CA-C	-7.07	102.56	112.17

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	347	ARG	Sidechain
1	A	348	ARG	Sidechain
1	A	71	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2896	2971	2985	101	2
2	B	328	55	180	10	2
3	A	37	0	0	1	0
3	B	8	0	0	0	0
All	All	3269	3026	3165	110	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:13:DG:H1'	2:B:14:DG:H5'	1.50	0.93
1:A:33:VAL:HG11	1:A:187:MET:HE1	1.64	0.79
1:A:318:LYS:HG3	1:A:388:MET:HE2	1.69	0.74
1:A:113:LEU:HD21	1:A:187:MET:HE2	1.75	0.67
1:A:50:LEU:HB3	1:A:55:LEU:HD22	1.77	0.67
2:B:13:DG:H1'	2:B:14:DG:C5'	2.24	0.67
1:A:265:SER:HA	1:A:267:LYS:HZ3	1.61	0.66
1:A:91:LEU:HD23	1:A:93:LEU:HD11	1.77	0.65
1:A:237:LYS:HD3	1:A:247:ALA:HB1	1.79	0.65
1:A:76:LYS:HB3	1:A:79:MET:HE3	1.81	0.63
2:B:15:DA:H2'	2:B:16:DC:C6	2.35	0.62
1:A:267:LYS:HD3	1:A:267:LYS:H	1.66	0.61
1:A:321:ILE:HG12	1:A:406:LEU:HD11	1.83	0.60
1:A:318:LYS:HG3	1:A:388:MET:CE	2.32	0.60
2:B:11:DT:H2''	2:B:12:DA:C8	2.36	0.59
1:A:84:ALA:HB1	1:A:91:LEU:HD21	1.85	0.58
1:A:341:THR:HG21	1:A:361:GLN:OE1	2.04	0.57
1:A:388:MET:HE3	1:A:388:MET:HA	1.86	0.57
1:A:76:LYS:H	1:A:79:MET:HE3	1.69	0.56
1:A:68:TYR:HA	1:A:71:ARG:HH21	1.69	0.56
1:A:261:LEU:HD21	1:A:281:ILE:HG22	1.86	0.56
1:A:250:LEU:HD21	1:A:269:LEU:HD11	1.88	0.56
1:A:103:ARG:NH1	3:A:501:HOH:O	2.38	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:ILE:HG13	1:A:406:LEU:HD21	1.89	0.55
2:B:8:DT:H2'	2:B:9:DC:C6	2.41	0.55
2:B:10:DC:H2'	2:B:11:DT:H71	1.88	0.55
2:B:15:DA:H2'	2:B:16:DC:H6	1.71	0.55
1:A:237:LYS:CD	1:A:247:ALA:HB1	2.36	0.54
1:A:345:ILE:HB	1:A:407:SER:OG	2.08	0.54
1:A:328:LEU:O	1:A:331:ARG:N	2.41	0.54
1:A:147:GLU:O	1:A:150:ALA:N	2.41	0.54
1:A:144:GLN:N	1:A:144:GLN:OE1	2.41	0.53
1:A:322:GLU:O	1:A:326:ALA:HB2	2.08	0.53
1:A:77:LYS:HA	1:A:77:LYS:HE2	1.90	0.53
1:A:261:LEU:HD21	1:A:281:ILE:CG2	2.39	0.52
1:A:242:ILE:CG1	1:A:281:ILE:HD12	2.40	0.52
1:A:387:LEU:HD22	1:A:408:VAL:HG23	1.92	0.52
1:A:265:SER:OG	1:A:267:LYS:HE2	2.10	0.51
1:A:325:LEU:HD21	1:A:329:LEU:HD11	1.92	0.51
1:A:317:ALA:O	1:A:320:LYS:O	2.29	0.51
1:A:266:PRO:O	1:A:270:GLU:HG3	2.11	0.51
1:A:325:LEU:CD2	1:A:329:LEU:HD11	2.41	0.51
1:A:265:SER:CA	1:A:267:LYS:HZ3	2.24	0.50
1:A:328:LEU:O	1:A:332:VAL:HG12	2.10	0.50
2:B:12:DA:H2''	2:B:13:DG:OP2	2.11	0.50
1:A:325:LEU:HD21	1:A:329:LEU:HD21	1.92	0.50
1:A:36:ASP:O	1:A:37:CYS:C	2.55	0.49
1:A:236:ILE:HD12	1:A:237:LYS:N	2.26	0.49
1:A:242:ILE:HG13	1:A:281:ILE:HD12	1.95	0.49
1:A:239:ILE:HB	1:A:242:ILE:HD12	1.94	0.49
1:A:229:LEU:O	1:A:232:SER:OG	2.29	0.49
1:A:53:LYS:CD	1:A:92:VAL:HG21	2.43	0.48
1:A:387:LEU:HD13	1:A:408:VAL:HG21	1.95	0.48
1:A:53:LYS:HD2	1:A:92:VAL:HG21	1.96	0.48
1:A:33:VAL:CG1	1:A:187:MET:HE1	2.38	0.48
1:A:306:ASP:HB2	1:A:324:LEU:HD21	1.96	0.47
1:A:325:LEU:HD23	1:A:329:LEU:HG	1.95	0.47
1:A:179:ILE:O	1:A:183:MET:HG3	2.15	0.47
1:A:165:LEU:HD12	1:A:165:LEU:H	1.80	0.47
1:A:360:ARG:O	1:A:390:LEU:HD23	2.14	0.47
1:A:143:LEU:HD11	1:A:147:GLU:OE1	2.14	0.47
1:A:319:ASN:C	1:A:320:LYS:O	2.55	0.47
1:A:325:LEU:HD23	1:A:325:LEU:C	2.38	0.47
1:A:52:ASP:O	1:A:69:GLU:OE2	2.33	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:LEU:HD11	1:A:383:MET:HB3	1.97	0.46
1:A:66:CYS:HB2	1:A:70:ALA:HB3	1.97	0.46
1:A:280:ARG:CG	1:A:280:ARG:HH11	2.29	0.46
1:A:255:ILE:HD11	1:A:264:PHE:CG	2.51	0.45
1:A:321:ILE:CG1	1:A:406:LEU:HD11	2.44	0.45
1:A:267:LYS:H	1:A:267:LYS:CD	2.28	0.45
1:A:312:SER:HB3	1:A:403:LEU:HD22	1.98	0.45
1:A:318:LYS:HG3	1:A:388:MET:SD	2.56	0.45
1:A:250:LEU:CD2	1:A:269:LEU:HD11	2.46	0.45
1:A:44:MET:HG3	1:A:55:LEU:HD23	1.98	0.45
1:A:246:THR:HG22	2:B:16:DC:OP1	2.17	0.44
1:A:47:ASN:HB3	1:A:50:LEU:HD12	1.99	0.44
1:A:204:LEU:HD11	1:A:208:LEU:HD11	1.99	0.44
1:A:267:LYS:HD3	1:A:267:LYS:N	2.31	0.44
1:A:253:LEU:HD21	1:A:272:GLU:HG2	2.00	0.44
1:A:324:LEU:HD13	1:A:407:SER:HA	1.98	0.44
1:A:332:VAL:CG2	1:A:339:PRO:HD3	2.47	0.44
1:A:136:VAL:HG22	1:A:175:VAL:HG12	1.99	0.44
1:A:314:GLU:HG2	1:A:316:GLU:HB3	1.99	0.43
1:A:91:LEU:O	1:A:92:VAL:C	2.62	0.43
1:A:302:PHE:CE2	1:A:413:LEU:HD21	2.53	0.43
1:A:85:LYS:HE3	1:A:91:LEU:HB3	2.00	0.43
1:A:386:ILE:O	1:A:390:LEU:HD13	2.17	0.43
1:A:332:VAL:HG21	1:A:339:PRO:HG3	2.01	0.43
1:A:330:ASN:O	1:A:334:GLN:HG2	2.18	0.43
1:A:144:GLN:CD	1:A:147:GLU:HB2	2.44	0.43
1:A:381:THR:N	1:A:382:PRO:HD2	2.34	0.42
1:A:345:ILE:N	1:A:345:ILE:HD12	2.33	0.42
1:A:51:LYS:C	1:A:52:ASP:CG	2.87	0.42
1:A:73:LEU:HD22	1:A:88:CYS:SG	2.60	0.42
1:A:50:LEU:HD22	1:A:55:LEU:HD13	2.01	0.42
1:A:196:CYS:SG	1:A:214:LYS:O	2.77	0.42
1:A:318:LYS:O	1:A:322:GLU:HB2	2.19	0.42
1:A:112:LEU:C	1:A:112:LEU:HD23	2.44	0.42
1:A:328:LEU:HD13	1:A:408:VAL:HG13	2.01	0.42
1:A:26:SER:O	1:A:26:SER:OG	2.38	0.42
1:A:88:CYS:N	1:A:89:PRO:CD	2.83	0.42
1:A:323:GLU:O	1:A:326:ALA:HB3	2.20	0.41
1:A:290:ASN:OD1	1:A:290:ASN:C	2.64	0.41
1:A:325:LEU:HD12	1:A:387:LEU:CD1	2.50	0.41
1:A:76:LYS:HB3	1:A:79:MET:CE	2.49	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:GLU:O	1:A:53:LYS:CE	2.69	0.41
1:A:325:LEU:O	1:A:329:LEU:HG	2.20	0.41
1:A:143:LEU:HG	1:A:147:GLU:HB3	2.03	0.41
1:A:318:LYS:HD2	1:A:388:MET:HG3	2.03	0.40
2:B:12:DA:HI'	2:B:13:DG:H5'	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:SER:OG	2:B:5:DG:OP2[10_665]	2.06	0.14
1:A:301:SER:OG	2:B:8:DT:OP2[10_665]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	360/420 (86%)	328 (91%)	30 (8%)	2 (1%)	21 24

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	37	CYS
1	A	215	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/376 (89%)	315 (94%)	20 (6%)	17	21

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	SER
1	A	52	ASP
1	A	71	ARG
1	A	146	ASP
1	A	160	ASN
1	A	161	GLN
1	A	209	VAL
1	A	214	LYS
1	A	265	SER
1	A	280	ARG
1	A	294	ILE
1	A	307	SER
1	A	314	GLU
1	A	335	ASP
1	A	348	ARG
1	A	359	SER
1	A	378	ASP
1	A	380	MET
1	A	381	THR
1	A	407	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	ASN
1	A	300	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	366/420 (87%)	1.67	137 (37%)  	37, 66, 115, 140	0
2	B	16/19 (84%)	1.38	5 (31%)  	44, 57, 72, 82	0
All	All	382/439 (87%)	1.66	142 (37%)  	37, 65, 114, 140	0

All (142) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	273	LEU	8.2
1	A	403	LEU	7.7
1	A	62	LEU	6.3
1	A	348	ARG	5.8
1	A	379	VAL	5.6
1	A	312	SER	5.5
1	A	75	VAL	5.2
1	A	92	VAL	5.2
1	A	387	LEU	5.1
1	A	406	LEU	5.1
1	A	315	VAL	5.0
1	A	143	LEU	4.9
1	A	368	VAL	4.8
1	A	78	LEU	4.8
1	A	344	LEU	4.7
1	A	378	ASP	4.6
1	A	346	ILE	4.6
1	A	91	LEU	4.5
1	A	310	LYS	4.4
1	A	364	ILE	4.4
1	A	407	SER	4.4
1	A	391	PHE	4.3
1	A	73	LEU	4.3
1	A	61	TYR	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	369	ILE	4.2
1	A	386	ILE	4.1
1	A	388	MET	4.1
1	A	79	MET	4.0
1	A	71	ARG	4.0
1	A	408	VAL	4.0
1	A	321	ILE	4.0
1	A	345	ILE	3.9
1	A	244	TYR	3.9
1	A	381	THR	3.8
1	A	384	VAL	3.8
1	A	214	LYS	3.7
1	A	394	MET	3.7
1	A	390	LEU	3.7
1	A	342	VAL	3.7
1	A	380	MET	3.7
1	A	413	LEU	3.6
1	A	336	GLY	3.5
1	A	148	LEU	3.5
1	A	382	PRO	3.5
1	A	363	PRO	3.5
1	A	77	LYS	3.4
1	A	245	LYS	3.4
1	A	68	TYR	3.4
1	A	277	VAL	3.4
1	A	311	CYS	3.3
1	A	316	GLU	3.3
1	A	389	LYS	3.3
1	A	356	GLY	3.2
1	A	93	LEU	3.2
1	A	367	HIS	3.2
1	A	246	THR	3.2
1	A	86	GLU	3.1
2	B	11	DT	3.1
1	A	290	ASN	3.0
1	A	84	ALA	3.0
1	A	271	LYS	3.0
1	A	308	PHE	3.0
1	A	266	PRO	3.0
1	A	81	VAL	2.9
1	A	250	LEU	2.9
1	A	317	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	13	DG	2.9
1	A	343	ARG	2.9
1	A	90	GLN	2.9
1	A	269	LEU	2.9
1	A	89	PRO	2.8
1	A	141	GLN	2.8
1	A	87	LYS	2.8
1	A	72	LYS	2.8
1	A	332	VAL	2.8
1	A	335	ASP	2.8
1	A	333	CYS	2.8
1	A	278	ALA	2.8
1	A	410	PHE	2.7
1	A	313	SER	2.7
1	A	248	LYS	2.7
1	A	405	LEU	2.7
1	A	307	SER	2.7
1	A	365	PRO	2.7
1	A	324	LEU	2.7
1	A	74	GLY	2.7
1	A	281	ILE	2.7
1	A	359	SER	2.7
1	A	357	ARG	2.7
1	A	247	ALA	2.6
1	A	276	SER	2.6
1	A	57	VAL	2.6
1	A	383	MET	2.6
1	A	215	PRO	2.6
1	A	76	LYS	2.6
1	A	80	ASN	2.6
1	A	302	PHE	2.6
1	A	329	LEU	2.5
1	A	314	GLU	2.5
1	A	55	LEU	2.5
1	A	268	ILE	2.5
1	A	323	GLU	2.5
1	A	358	GLU	2.5
1	A	88	CYS	2.4
1	A	414	LYS	2.4
2	B	6	DG	2.4
2	B	12	DA	2.4
1	A	326	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	318	LYS	2.4
1	A	370	GLN	2.4
1	A	412	ASN	2.3
1	A	274	GLY	2.3
1	A	360	ARG	2.3
1	A	272	GLU	2.3
1	A	279	GLN	2.3
1	A	253	LEU	2.3
1	A	255	ILE	2.2
1	A	69	GLU	2.2
1	A	252	ALA	2.2
1	A	94	VAL	2.2
1	A	48	PRO	2.2
1	A	96	GLY	2.2
1	A	70	ALA	2.2
1	A	64	VAL	2.2
2	B	4	DA	2.2
1	A	147	GLU	2.2
1	A	337	ARG	2.1
1	A	294	ILE	2.1
1	A	325	LEU	2.1
1	A	52	ASP	2.1
1	A	347	ARG	2.1
1	A	366	SER	2.1
1	A	82	ARG	2.1
1	A	46	SER	2.1
1	A	309	LYS	2.1
1	A	242	ILE	2.1
1	A	264	PHE	2.1
1	A	280	ARG	2.1
1	A	392	ARG	2.1
1	A	385	ASP	2.0
1	A	411	CYS	2.0
1	A	338	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.