



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:42 PM UTC

PDB ID : 5DTE / pdb_00005dte
Title : Crystal Structure of an ABC transporter periplasmic solute binding protein (IPR025997) from *Actinobacillus succinogenes* 130z(Asuc_0081, TARGET EFI-511065) with bound D-allose
Authors : Yadava, U.; Vetting, M.W.; Al Obaidi, N.F.; Toro, R.; Morisco, L.L.; Benach, J.; Koss, J.; Wasserman, S.R.; Attonito, J.D.; Scott Glenn, A.; Chamala, S.; Chowdhury, S.; Lafleur, J.; Love, J.; Seidel, R.D.; Whalen, K.L.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (EFI)
Deposited on : 2015-09-18
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	 71% 20% 8%
1	B	311	 70% 20% 8%
1	C	311	 67% 23% 8%

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	D	311	68% 19% • 10%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8736 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Monosaccharide-transporting ATPase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2168	1376	361	426	5			
1	B	287	Total	C	N	O	S	0	0	0
			2176	1380	362	429	5			
1	C	286	Total	C	N	O	S	0	0	0
			2164	1373	360	426	5			
1	D	281	Total	C	N	O	S	0	0	0
			2123	1351	355	412	5			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	MET	-	initiating methionine	UNP A6VKG5
A	4	HIS	-	expression tag	UNP A6VKG5
A	5	HIS	-	expression tag	UNP A6VKG5
A	6	HIS	-	expression tag	UNP A6VKG5
A	7	HIS	-	expression tag	UNP A6VKG5
A	8	HIS	-	expression tag	UNP A6VKG5
A	9	HIS	-	expression tag	UNP A6VKG5
A	10	SER	-	expression tag	UNP A6VKG5
A	11	SER	-	expression tag	UNP A6VKG5
A	12	GLY	-	expression tag	UNP A6VKG5
A	13	VAL	-	expression tag	UNP A6VKG5
A	14	ASP	-	expression tag	UNP A6VKG5
A	15	LEU	-	expression tag	UNP A6VKG5
A	16	GLY	-	expression tag	UNP A6VKG5
A	17	THR	-	expression tag	UNP A6VKG5
A	18	GLU	-	expression tag	UNP A6VKG5
A	19	ASN	-	expression tag	UNP A6VKG5
A	20	LEU	-	expression tag	UNP A6VKG5
A	21	TYR	-	expression tag	UNP A6VKG5
A	22	PHE	-	expression tag	UNP A6VKG5
A	23	GLN	-	expression tag	UNP A6VKG5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	24	SER	-	expression tag	UNP A6VKG5
A	25	MET	-	expression tag	UNP A6VKG5
B	3	MET	-	initiating methionine	UNP A6VKG5
B	4	HIS	-	expression tag	UNP A6VKG5
B	5	HIS	-	expression tag	UNP A6VKG5
B	6	HIS	-	expression tag	UNP A6VKG5
B	7	HIS	-	expression tag	UNP A6VKG5
B	8	HIS	-	expression tag	UNP A6VKG5
B	9	HIS	-	expression tag	UNP A6VKG5
B	10	SER	-	expression tag	UNP A6VKG5
B	11	SER	-	expression tag	UNP A6VKG5
B	12	GLY	-	expression tag	UNP A6VKG5
B	13	VAL	-	expression tag	UNP A6VKG5
B	14	ASP	-	expression tag	UNP A6VKG5
B	15	LEU	-	expression tag	UNP A6VKG5
B	16	GLY	-	expression tag	UNP A6VKG5
B	17	THR	-	expression tag	UNP A6VKG5
B	18	GLU	-	expression tag	UNP A6VKG5
B	19	ASN	-	expression tag	UNP A6VKG5
B	20	LEU	-	expression tag	UNP A6VKG5
B	21	TYR	-	expression tag	UNP A6VKG5
B	22	PHE	-	expression tag	UNP A6VKG5
B	23	GLN	-	expression tag	UNP A6VKG5
B	24	SER	-	expression tag	UNP A6VKG5
B	25	MET	-	expression tag	UNP A6VKG5
C	3	MET	-	initiating methionine	UNP A6VKG5
C	4	HIS	-	expression tag	UNP A6VKG5
C	5	HIS	-	expression tag	UNP A6VKG5
C	6	HIS	-	expression tag	UNP A6VKG5
C	7	HIS	-	expression tag	UNP A6VKG5
C	8	HIS	-	expression tag	UNP A6VKG5
C	9	HIS	-	expression tag	UNP A6VKG5
C	10	SER	-	expression tag	UNP A6VKG5
C	11	SER	-	expression tag	UNP A6VKG5
C	12	GLY	-	expression tag	UNP A6VKG5
C	13	VAL	-	expression tag	UNP A6VKG5
C	14	ASP	-	expression tag	UNP A6VKG5
C	15	LEU	-	expression tag	UNP A6VKG5
C	16	GLY	-	expression tag	UNP A6VKG5
C	17	THR	-	expression tag	UNP A6VKG5
C	18	GLU	-	expression tag	UNP A6VKG5
C	19	ASN	-	expression tag	UNP A6VKG5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	20	LEU	-	expression tag	UNP A6VKG5
C	21	TYR	-	expression tag	UNP A6VKG5
C	22	PHE	-	expression tag	UNP A6VKG5
C	23	GLN	-	expression tag	UNP A6VKG5
C	24	SER	-	expression tag	UNP A6VKG5
C	25	MET	-	expression tag	UNP A6VKG5
D	3	MET	-	initiating methionine	UNP A6VKG5
D	4	HIS	-	expression tag	UNP A6VKG5
D	5	HIS	-	expression tag	UNP A6VKG5
D	6	HIS	-	expression tag	UNP A6VKG5
D	7	HIS	-	expression tag	UNP A6VKG5
D	8	HIS	-	expression tag	UNP A6VKG5
D	9	HIS	-	expression tag	UNP A6VKG5
D	10	SER	-	expression tag	UNP A6VKG5
D	11	SER	-	expression tag	UNP A6VKG5
D	12	GLY	-	expression tag	UNP A6VKG5
D	13	VAL	-	expression tag	UNP A6VKG5
D	14	ASP	-	expression tag	UNP A6VKG5
D	15	LEU	-	expression tag	UNP A6VKG5
D	16	GLY	-	expression tag	UNP A6VKG5
D	17	THR	-	expression tag	UNP A6VKG5
D	18	GLU	-	expression tag	UNP A6VKG5
D	19	ASN	-	expression tag	UNP A6VKG5
D	20	LEU	-	expression tag	UNP A6VKG5
D	21	TYR	-	expression tag	UNP A6VKG5
D	22	PHE	-	expression tag	UNP A6VKG5
D	23	GLN	-	expression tag	UNP A6VKG5
D	24	SER	-	expression tag	UNP A6VKG5
D	25	MET	-	expression tag	UNP A6VKG5

- Molecule 2 is beta-D-allopyranose (CCD ID: ALL) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		
2	C	1	Total	C	O	0	0
			12	6	6		
2	D	1	Total	C	O	0	0
			12	6	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total	O	0	0
			13	13		
3	B	16	Total	O	0	0
			16	16		
3	C	11	Total	O	0	0
			11	11		
3	D	17	Total	O	0	1
			17	17		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Monosaccharide-transporting ATPase



• Molecule 1: Monosaccharide-transporting ATPase






• Molecule 1: Monosaccharide-transporting ATPase





● Molecule 1: Monosaccharide-transporting ATPase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	62.19Å 63.22Å 71.20Å 101.13° 103.29° 91.35°	Depositor
Resolution (Å)	33.15 – 2.70 33.15 – 2.70	Depositor EDS
% Data completeness (in resolution range)	87.3 (33.15-2.70) 87.3 (33.15-2.70)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 2.29Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.164 , 0.275 0.170 , 0.273	Depositor DCC
R_{free} test set	1354 reflections (2.95%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtriage
Anisotropy	0.063	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 36.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8736	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
ALL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/2197	0.95	1/2974 (0.0%)
1	B	0.61	1/2205 (0.0%)	0.98	3/2985 (0.1%)
1	C	0.59	0/2193	0.90	1/2970 (0.0%)
1	D	0.61	1/2151 (0.0%)	0.91	3/2912 (0.1%)
All	All	0.60	2/8746 (0.0%)	0.94	8/11841 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	101	ILE	CA-CB	6.32	1.57	1.54
1	D	101	ILE	CA-CB	6.06	1.58	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	167	ILE	CA-C-N	7.29	128.96	119.84
1	D	167	ILE	C-N-CA	7.29	128.96	119.84
1	A	226	ASN	N-CA-C	5.87	117.88	109.14
1	D	210	THR	N-CA-C	-5.41	105.55	111.82
1	B	112	ILE	CA-C-N	5.25	125.50	119.83
1	B	112	ILE	C-N-CA	5.25	125.50	119.83
1	B	170	VAL	N-CA-C	5.17	116.08	109.30
1	C	201	GLU	N-CA-C	5.10	117.75	109.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2168	0	2210	39	0
1	B	2176	0	2214	45	0
1	C	2164	0	2199	47	0
1	D	2123	0	2171	38	0
2	A	12	0	0	2	0
2	B	12	0	0	1	0
2	C	12	0	0	2	0
2	D	12	0	0	1	0
3	A	13	0	0	1	0
3	B	16	0	0	0	0
3	C	11	0	0	0	0
3	D	17	0	0	0	0
All	All	8736	0	8794	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:226:ASN:HB3	1:C:229:MET:HE2	1.68	0.74
1:D:38:LEU:HB2	1:D:65:VAL:HG11	1.70	0.74
1:B:120:ARG:HH22	1:B:123:ALA:HB2	1.54	0.73
1:B:50:ALA:HB2	1:B:278:VAL:HG21	1.70	0.72
1:C:165:GLU:HB2	1:C:197:SER:HA	1.74	0.69
1:C:284:HIS:CD2	1:C:294:ILE:HB	2.30	0.67
1:B:309:GLN:HE21	1:B:309:GLN:HA	1.56	0.67
1:A:165:GLU:OE2	1:A:195:SER:OG	2.13	0.67
1:A:262:LYS:HG3	1:A:310:SER:OG	1.96	0.65
1:B:59:ILE:HD11	1:B:286:LEU:HD11	1.79	0.64
1:C:59:ILE:HD11	1:C:286:LEU:HD11	1.79	0.63
1:C:284:HIS:HD2	1:C:294:ILE:HB	1.63	0.63
1:B:227:ASP:O	1:B:231:ILE:HG12	1.99	0.63
1:B:101:ILE:HG23	1:B:131:LEU:HD22	1.80	0.62
1:C:47:ARG:HE	1:C:63:VAL:HG11	1.65	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:42:TYR:CE1	1:B:274:PRO:HG3	2.36	0.61
1:B:216:ASN:HB2	1:B:219:ILE:CD1	2.32	0.60
1:B:201:GLU:HB2	1:B:204:GLN:HG3	1.85	0.59
1:D:37:THR:OG1	1:D:38:LEU:N	2.36	0.59
1:D:59:ILE:HD11	1:D:286:LEU:HD11	1.85	0.59
1:B:216:ASN:HB2	1:B:219:ILE:HD11	1.84	0.58
1:D:252:ASP:OD2	2:D:401:ALL:O4	2.20	0.58
1:A:276:LYS:HE3	1:A:300:VAL:HG22	1.85	0.57
1:C:69:GLU:O	1:C:95:ASN:ND2	2.36	0.57
1:A:272:GLN:HG2	1:A:277:GLN:NE2	2.19	0.57
1:A:273:LEU:HB2	1:A:300:VAL:HG11	1.86	0.57
1:C:35:MET:HE3	1:C:46:MET:HE2	1.87	0.57
1:B:67:GLU:H	1:B:74:GLN:HE22	1.52	0.56
1:C:251:TYR:HE2	1:C:272:GLN:HE21	1.51	0.56
1:A:122:ASP:HB3	1:A:125:ALA:HB3	1.88	0.55
1:A:113:PRO:HB3	1:A:288:GLN:HB3	1.88	0.55
1:B:92:VAL:O	1:B:94:PRO:HD3	2.07	0.55
1:B:198:ALA:HB1	1:B:204:GLN:HB2	1.89	0.55
1:B:198:ALA:C	1:B:204:GLN:HE21	2.15	0.55
1:B:272:GLN:HG2	1:B:277:GLN:NE2	2.21	0.55
1:D:42:TYR:CE1	1:D:274:PRO:HB3	2.41	0.55
1:D:141:PHE:HZ	1:D:182:LYS:HD3	1.72	0.55
1:B:167:ILE:HG12	1:B:199:ASN:HB3	1.89	0.54
1:C:252:ASP:OD1	2:C:401:ALL:O3	2.24	0.54
1:A:42:TYR:CE1	1:A:274:PRO:HB3	2.42	0.54
1:A:49:GLY:HA3	1:A:275:LYS:HD3	1.88	0.54
1:A:105:GLN:HB3	1:A:131:LEU:HD13	1.88	0.54
1:C:46:MET:HG3	1:C:274:PRO:HB2	1.90	0.53
1:C:141:PHE:N	1:C:175:GLN:HG2	2.23	0.53
1:D:153:GLU:OE2	1:D:187:TYR:OH	2.21	0.53
1:D:233:ALA:O	1:D:237:VAL:HG13	2.09	0.53
1:A:140:ASN:HB3	1:A:176:ARG:HG3	1.91	0.53
1:B:67:GLU:N	1:B:74:GLN:HE22	2.07	0.52
1:C:105:GLN:HB3	1:C:131:LEU:HD13	1.89	0.52
1:D:102:PRO:O	1:D:106:LYS:HD3	2.09	0.52
1:B:120:ARG:NH2	1:B:123:ALA:HB2	2.21	0.52
1:D:247:LEU:HD23	1:D:267:GLN:HG3	1.92	0.52
1:C:260:TYR:HB2	1:C:266:MET:HE3	1.91	0.51
1:A:68:LYS:HG3	1:A:71:SER:HB2	1.92	0.51
1:B:165:GLU:OE2	1:B:195:SER:OG	2.30	0.50
1:D:258:ILE:O	1:D:261:VAL:HG22	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:GLN:O	1:A:87:VAL:HG22	2.12	0.50
1:D:280:ILE:HD13	1:D:298:TYR:HE2	1.77	0.50
1:C:202:THR:OG1	1:C:228:ASN:O	2.22	0.49
1:B:167:ILE:HG13	1:B:200:TRP:CD1	2.47	0.49
1:C:38:LEU:HD22	1:C:65:VAL:HG21	1.94	0.49
1:D:280:ILE:HD13	1:D:298:TYR:CE2	2.48	0.49
1:B:219:ILE:O	1:B:246:VAL:HG22	2.13	0.48
1:C:200:TRP:HE3	1:C:226:ASN:HB2	1.77	0.48
1:C:171:ASP:O	1:C:175:GLN:HB2	2.12	0.48
1:A:286:LEU:O	1:A:290:ASN:ND2	2.46	0.48
1:C:200:TRP:CE3	1:C:226:ASN:HB2	2.48	0.48
1:A:263:GLN:NE2	1:A:265:LYS:HE2	2.29	0.48
1:A:198:ALA:HB3	1:A:229:MET:SD	2.54	0.47
1:C:158:LYS:NZ	1:C:189:ASP:OD2	2.38	0.47
1:D:57:LYS:HB2	1:D:59:ILE:HG13	1.95	0.47
1:D:150:ASN:HB3	1:D:268:ASN:ND2	2.29	0.47
1:D:206:LEU:HD12	1:D:236:ALA:HB2	1.97	0.47
1:A:280:ILE:HG12	1:A:298:TYR:CZ	2.50	0.47
1:B:41:GLU:HA	1:B:44:ILE:HD12	1.97	0.47
1:B:155:ILE:HD11	1:B:190:ILE:HD13	1.95	0.47
1:C:226:ASN:HD21	1:C:228:ASN:HB2	1.79	0.47
1:A:49:GLY:CA	1:A:275:LYS:HD3	2.45	0.47
1:C:238:GLU:HG2	1:C:243:ALA:HB2	1.97	0.47
1:B:66:ALA:HA	1:B:74:GLN:NE2	2.29	0.46
1:C:49:GLY:O	1:C:52:GLU:HG2	2.15	0.46
1:D:251:TYR:O	1:D:252:ASP:HB2	2.15	0.46
1:B:50:ALA:HB2	1:B:278:VAL:CG2	2.44	0.46
1:D:180:ALA:HB2	1:D:223:PHE:CZ	2.50	0.46
1:A:42:TYR:CZ	1:A:274:PRO:HB3	2.51	0.46
1:B:44:ILE:O	1:B:48:GLN:HG3	2.16	0.46
1:C:140:ASN:ND2	1:C:172:ASN:OD1	2.49	0.46
1:A:258:ILE:HD12	1:A:305:VAL:HG11	1.97	0.46
1:B:216:ASN:HA	1:B:217:PRO:HD3	1.82	0.46
1:C:200:TRP:O	1:C:226:ASN:ND2	2.49	0.45
1:D:55:LYS:HA	1:D:55:LYS:HD2	1.56	0.45
1:A:92:VAL:O	1:A:94:PRO:HD3	2.16	0.45
1:D:31:ILE:HD12	1:D:59:ILE:HD13	1.98	0.45
1:C:64:GLN:OE1	1:C:82:MET:HE2	2.16	0.45
1:D:120:ARG:HG3	1:D:135:TYR:CG	2.51	0.45
1:D:231:ILE:HD13	1:D:266:MET:CE	2.46	0.45
1:A:34:LEU:HD11	1:A:82:MET:HG3	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:LEU:HD12	1:B:65:VAL:HG21	1.99	0.45
1:A:200:TRP:CD1	1:A:226:ASN:ND2	2.85	0.45
1:B:256:LEU:HD12	1:B:256:LEU:HA	1.79	0.45
1:B:225:ALA:HB3	1:B:229:MET:HE1	1.98	0.45
1:A:200:TRP:CD1	1:A:226:ASN:HD22	2.35	0.45
1:A:47:ARG:NH2	1:A:63:VAL:HG11	2.32	0.44
1:B:220:ASN:O	1:B:246:VAL:HA	2.17	0.44
1:C:205:ALA:HB3	1:C:232:GLY:HA3	1.99	0.44
1:D:75:LEU:O	1:D:79:VAL:HG23	2.16	0.44
1:D:101:ILE:HG23	1:D:131:LEU:HD22	1.99	0.44
1:B:67:GLU:H	1:B:74:GLN:NE2	2.14	0.44
1:C:53:THR:HA	1:C:56:GLN:HG2	1.98	0.44
1:B:274:PRO:O	1:B:278:VAL:HG12	2.18	0.44
1:C:47:ARG:NE	1:C:63:VAL:HG11	2.31	0.44
1:A:199:ASN:O	1:A:200:TRP:HB2	2.18	0.44
1:A:298:TYR:HE2	1:A:300:VAL:HG23	1.83	0.44
1:B:176:ARG:NH2	2:B:401:ALL:O2	2.50	0.44
1:C:42:TYR:CD1	1:C:252:ASP:HB3	2.52	0.44
1:A:213:LEU:HD11	1:A:237:VAL:HG12	2.00	0.44
1:B:85:LYS:HE2	1:B:85:LYS:HB3	1.73	0.43
1:D:287:LYS:HD3	1:D:294:ILE:HG22	2.00	0.43
1:A:206:LEU:HD13	1:A:235:THR:HB	2.00	0.43
1:D:227:ASP:O	1:D:231:ILE:HG12	2.17	0.43
1:A:93:THR:O	1:A:93:THR:OG1	2.34	0.43
1:A:180:ALA:HB2	1:A:223:PHE:CZ	2.53	0.43
1:C:124:LYS:HD3	1:C:124:LYS:HA	1.78	0.43
1:C:148:ALA:HB1	1:C:184:PHE:CE1	2.53	0.43
1:D:141:PHE:CZ	1:D:182:LYS:HD3	2.52	0.43
1:B:54:ALA:HB2	1:B:61:LEU:HD13	2.00	0.43
1:A:40:ASN:ND2	2:A:401:ALL:O4	2.52	0.43
1:A:238:GLU:HG2	1:A:243:ALA:HB2	1.99	0.43
1:C:220:ASN:O	1:C:246:VAL:HA	2.19	0.43
1:D:90:ILE:HB	1:D:114:ILE:HG13	1.99	0.43
1:C:216:ASN:HA	1:C:217:PRO:HD3	1.78	0.42
1:C:284:HIS:NE2	1:C:295:PRO:HD2	2.35	0.42
1:B:34:LEU:HD11	1:B:82:MET:HG3	2.01	0.42
1:B:251:TYR:O	1:B:252:ASP:CG	2.63	0.42
1:B:182:LYS:O	1:B:186:GLU:HG3	2.20	0.42
1:D:198:ALA:HB3	1:D:229:MET:SD	2.60	0.42
1:A:138:VAL:HG21	1:A:272:GLN:HG3	2.01	0.42
1:A:252:ASP:OD2	2:A:401:ALL:O4	2.38	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:252:ASP:OD2	2:C:401:ALL:O4	2.37	0.42
1:D:145:TYR:HD2	1:D:146:LEU:HD23	1.85	0.42
1:A:145:TYR:CD1	1:A:182:LYS:HD3	2.55	0.42
1:C:147:GLU:HA	1:C:270:ILE:HD11	2.02	0.42
1:C:101:ILE:HG23	1:C:131:LEU:HD22	2.01	0.42
1:D:124:LYS:HA	1:D:124:LYS:HD2	1.55	0.42
1:D:159:GLY:HA3	1:D:220:ASN:HD21	1.84	0.42
1:C:306:ASP:OD1	1:C:306:ASP:N	2.53	0.41
1:B:153:GLU:OE1	1:B:157:LYS:NZ	2.47	0.41
1:C:257:ALA:O	1:C:261:VAL:HG23	2.20	0.41
1:D:262:LYS:NZ	1:D:311:LYS:HA	2.35	0.41
1:D:281:ALA:O	1:D:285:ALA:N	2.50	0.41
1:A:216:ASN:HB2	1:A:219:ILE:HG13	2.03	0.41
1:D:216:ASN:HB2	1:D:219:ILE:HG13	2.01	0.41
1:C:30:GLN:H	1:C:88:ASP:HB2	1.85	0.41
1:C:175:GLN:HB2	1:C:175:GLN:HE21	1.61	0.41
1:B:98:ILE:HG21	1:D:211:ASN:ND2	2.35	0.41
1:B:227:ASP:OD2	1:B:251:TYR:N	2.54	0.41
1:C:36:LYS:HG2	1:C:69:GLU:HG3	2.02	0.41
1:C:184:PHE:HD2	1:C:192:ILE:HD11	1.86	0.41
1:C:276:LYS:HD3	1:C:276:LYS:HA	1.82	0.41
1:A:161:VAL:HG23	1:A:192:ILE:HA	2.03	0.41
1:B:86:LYS:HE3	1:B:86:LYS:HB2	1.93	0.41
1:D:309:GLN:O	1:D:312:ASN:HB3	2.20	0.41
1:A:181:LEU:HD12	3:A:515:HOH:O	2.20	0.40
1:B:38:LEU:HD23	1:B:38:LEU:HA	1.93	0.40
1:B:28:LYS:HD2	1:B:60:ASP:OD2	2.21	0.40
1:C:101:ILE:HB	1:C:102:PRO:HD3	2.03	0.40
1:D:257:ALA:O	1:D:261:VAL:HG13	2.21	0.40
1:C:226:ASN:OD1	1:C:227:ASP:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/311 (91%)	273 (96%)	9 (3%)	2 (1%)	18	41
1	B	285/311 (92%)	273 (96%)	9 (3%)	3 (1%)	11	29
1	C	284/311 (91%)	267 (94%)	14 (5%)	3 (1%)	11	29
1	D	277/311 (89%)	263 (95%)	11 (4%)	3 (1%)	11	29
All	All	1130/1244 (91%)	1076 (95%)	43 (4%)	11 (1%)	12	32

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	199	ASN
1	B	252	ASP
1	A	252	ASP
1	C	67	GLU
1	C	252	ASP
1	D	87	VAL
1	D	252	ASP
1	B	118	ASP
1	C	73	GLU
1	A	96	ASP
1	D	168	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/250 (91%)	226 (99%)	2 (1%)	70	87
1	B	229/250 (92%)	216 (94%)	13 (6%)	18	43
1	C	227/250 (91%)	210 (92%)	17 (8%)	12	31
1	D	222/250 (89%)	214 (96%)	8 (4%)	31	60
All	All	906/1000 (91%)	866 (96%)	40 (4%)	25	53

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	210	THR
1	A	300	VAL
1	B	61	LEU
1	B	121	LEU
1	B	165	GLU
1	B	177	LYS
1	B	192	ILE
1	B	196	GLN
1	B	199	ASN
1	B	204	GLN
1	B	219	ILE
1	B	238	GLU
1	B	247	LEU
1	B	309	GLN
1	B	311	LYS
1	C	38	LEU
1	C	44	ILE
1	C	55	LYS
1	C	59	ILE
1	C	65	VAL
1	C	92	VAL
1	C	98	ILE
1	C	136	VAL
1	C	161	VAL
1	C	163	ILE
1	C	175	GLN
1	C	181	LEU
1	C	202	THR
1	C	284	HIS
1	C	293	GLU
1	C	306	ASP
1	C	311	LYS
1	D	39	SER
1	D	106	LYS
1	D	168	PRO
1	D	219	ILE
1	D	237	VAL
1	D	258	ILE
1	D	280	ILE
1	D	296	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	GLN
1	A	134	ASN
1	A	150	ASN
1	A	211	ASN
1	A	267	GLN
1	A	292	GLN
1	A	309	GLN
1	B	48	GLN
1	B	74	GLN
1	B	160	ASN
1	B	204	GLN
1	B	267	GLN
1	B	284	HIS
1	B	309	GLN
1	C	175	GLN
1	C	216	ASN
1	C	267	GLN
1	C	309	GLN
1	C	312	ASN
1	D	134	ASN
1	D	150	ASN
1	D	216	ASN
1	D	263	GLN
1	D	268	ASN
1	D	292	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ALL	A	401	-	12,12,12	1.11	1 (8%)	17,17,17	1.13	1 (5%)
2	ALL	D	401	-	12,12,12	1.27	1 (8%)	17,17,17	1.19	1 (5%)
2	ALL	B	401	-	12,12,12	1.25	1 (8%)	17,17,17	1.21	2 (11%)
2	ALL	C	401	-	12,12,12	1.12	1 (8%)	17,17,17	1.22	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ALL	A	401	-	-	0/2/22/22	0/1/1/1
2	ALL	D	401	-	-	0/2/22/22	0/1/1/1
2	ALL	B	401	-	-	0/2/22/22	0/1/1/1
2	ALL	C	401	-	-	2/2/22/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	ALL	O5-C1	3.35	1.51	1.42
2	D	401	ALL	O5-C1	3.27	1.50	1.42
2	A	401	ALL	O5-C1	2.81	1.49	1.42
2	C	401	ALL	O5-C1	2.47	1.48	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	ALL	C1-O5-C5	-3.20	107.45	113.65
2	A	401	ALL	C1-O5-C5	-2.83	108.17	113.65
2	D	401	ALL	O5-C1-C2	2.57	114.82	110.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	ALL	C1-O5-C5	-2.54	108.75	113.65
2	B	401	ALL	O5-C1-C2	2.08	113.96	110.30

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	401	ALL	O5-C5-C6-O6
2	C	401	ALL	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	ALL	2	0
2	D	401	ALL	1	0
2	B	401	ALL	1	0
2	C	401	ALL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
1	A	286/311 (91%)	-0.36	0	100	100	12, 25, 44, 65	0
1	B	287/311 (92%)	-0.35	0	100	100	12, 28, 48, 63	0
1	C	286/311 (91%)	-0.33	1 (0%)	90	89	11, 26, 46, 83	0
1	D	281/311 (90%)	-0.37	1 (0%)	88	87	12, 27, 45, 65	0
All	All	1140/1244 (91%)	-0.35	2 (0%)	91	90	11, 27, 46, 83	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	70	ASP	2.9
1	D	228	ASN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ALL	B	401	12/12	0.87	0.11	11,25,35,36	0
2	ALL	C	401	12/12	0.93	0.09	23,38,44,49	0
2	ALL	D	401	12/12	0.94	0.07	12,23,28,40	0
2	ALL	A	401	12/12	0.95	0.08	6,25,29,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.