



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:38 PM UTC

PDB ID : 2DU8 / pdb_00002du8
Title : Crystal structure of human D-amino acid oxidase
Authors : Kawazoe, T.; Tsuge, H.; Fukui, K.
Deposited on : 2006-07-20
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	% 73% 22% ...
1	B	347	2% 72% 23% ..
1	G	347	3% 77% 18% ...
1	J	347	3% 71% 24% ..

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-amino-acid oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			
1	B	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			
1	G	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			
1	J	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			


- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	J	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is BENZOIC ACID (CCD ID: BEZ) (formula: $C_7H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	7	2		
3	B	1	Total	C	O	0	0
			9	7	2		
3	G	1	Total	C	O	0	0
			9	7	2		
3	J	1	Total	C	O	0	0
			9	7	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	71	Total	O	0	0
			71	71		
4	B	83	Total	O	0	0
			83	83		
4	G	62	Total	O	0	0
			62	62		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	J	40	Total	O	0	0
			40	40		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: D-amino-acid oxidase




• Molecule 1: D-amino-acid oxidase




• Molecule 1: D-amino-acid oxidase





● Molecule 1: D-amino-acid oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	150.98Å 183.18Å 51.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.78 – 2.50 46.78 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.78-2.50) 99.1 (46.78-2.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.58 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.223 , 0.270 0.223 , 0.219	Depositor DCC
R_{free} test set	2469 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	49.4	Xtriage
Anisotropy	0.403	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11436	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.05 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1757e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, BEZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/2810	0.93	4/3824 (0.1%)
1	B	0.71	0/2810	0.94	5/3824 (0.1%)
1	G	0.70	0/2810	0.94	5/3824 (0.1%)
1	J	0.67	0/2810	0.90	4/3824 (0.1%)
All	All	0.70	0/11240	0.93	18/15296 (0.1%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	3040	THR	CA-C-N	-7.99	111.58	119.64
1	J	3040	THR	C-N-CA	-7.99	111.58	119.64
1	A	40	THR	N-CA-C	6.93	125.11	109.81
1	G	2040	THR	N-CA-C	6.92	125.10	109.81
1	B	1040	THR	N-CA-C	6.88	125.02	109.81
1	A	102	ILE	N-CA-C	-6.40	103.94	109.19
1	B	1028	GLN	CA-C-N	-6.03	112.30	119.84
1	B	1028	GLN	C-N-CA	-6.03	112.30	119.84
1	B	1040	THR	CA-C-N	-6.03	112.31	119.84
1	B	1040	THR	C-N-CA	-6.03	112.31	119.84
1	J	3131	GLY	N-CA-C	5.98	119.33	110.42
1	J	3040	THR	N-CA-C	5.95	122.95	109.81
1	A	28	GLN	CA-C-N	-5.90	112.47	119.84
1	A	28	GLN	C-N-CA	-5.90	112.47	119.84
1	G	2040	THR	CA-C-N	-5.68	114.02	120.89
1	G	2040	THR	C-N-CA	-5.68	114.02	120.89
1	G	2028	GLN	CA-C-N	-5.64	112.78	119.84
1	G	2028	GLN	C-N-CA	-5.64	112.78	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2733	0	2680	68	0
1	B	2733	0	2677	66	0
1	G	2733	0	2677	55	0
1	J	2733	0	2677	71	0
2	A	53	0	31	1	0
2	B	53	0	31	0	0
2	G	53	0	31	0	0
2	J	53	0	31	1	0
3	A	9	0	5	0	0
3	B	9	0	5	0	0
3	G	9	0	5	1	0
3	J	9	0	5	0	0
4	A	71	0	0	4	0
4	B	83	0	0	2	0
4	G	62	0	0	5	0
4	J	40	0	0	1	0
All	All	11436	0	10855	256	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (256) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:ASP:HB3	4:A:403:HOH:O	1.26	1.28
1:J:3180:ASN:HD22	1:J:3307:HIS:HD2	1.09	0.96
1:B:1028:GLN:HB3	1:B:1029:PRO:HD3	1.53	0.91
1:J:3241:ILE:HD12	1:J:3259:ILE:HD11	1.51	0.89
1:G:2241:ILE:HD13	1:G:2255:ASP:HB3	1.56	0.88
1:G:2028:GLN:HB3	1:G:2029:PRO:HD3	1.55	0.87
1:J:3102:ILE:HG13	1:J:3103:PRO:HD2	1.57	0.87
1:J:3028:GLN:HB3	1:J:3029:PRO:HD3	1.60	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:GLN:HE22	1:A:252:ASN:H	1.25	0.81
1:J:3241:ILE:HD13	1:J:3255:ASP:HB3	1.61	0.81
1:A:1:MET:CE	1:A:176:ASP:HB2	2.10	0.80
1:J:3297:ARG:HA	1:J:3302:ASN:HB3	1.62	0.80
1:B:1297:ARG:HA	1:B:1302:ASN:HB3	1.64	0.80
1:B:1180:ASN:HD22	1:B:1307:HIS:HD2	1.28	0.80
1:A:180:ASN:HD22	1:A:307:HIS:HD2	1.31	0.76
1:A:1:MET:HE3	1:A:176:ASP:HB2	1.69	0.75
1:B:1001:MET:CE	1:B:1176:ASP:HB2	2.17	0.74
1:B:1066:ASP:O	1:B:1070:GLN:HG3	1.89	0.73
1:G:2241:ILE:CD1	1:G:2255:ASP:HB3	2.20	0.71
1:A:102:ILE:HD12	1:A:103:PRO:HD2	1.73	0.71
1:A:40:THR:HG23	1:A:41:PRO:HD3	1.74	0.70
1:G:2091:LEU:HD23	1:G:2137:LEU:HD23	1.72	0.70
1:B:1121:GLU:HA	1:B:1124:MET:HE2	1.74	0.69
1:B:1168:GLU:O	1:B:1172:ARG:HD3	1.92	0.69
1:J:3197:PRO:HG3	1:J:3247:TRP:CE2	2.28	0.69
1:J:3241:ILE:CD1	1:J:3255:ASP:HB3	2.22	0.68
1:G:2199:ARG:HH22	1:G:2201:GLN:NE2	1.92	0.68
1:J:3001:MET:HE1	1:J:3176:ASP:HB2	1.75	0.68
1:B:1201:GLN:HE22	1:B:1252:ASN:H	1.41	0.68
1:G:2316:LEU:O	1:G:2319:HIS:HD2	1.77	0.68
1:B:1241:ILE:HG12	1:B:1259:ILE:HD11	1.76	0.67
1:J:3180:ASN:ND2	1:J:3307:HIS:HD2	1.89	0.66
1:A:241:ILE:HD13	1:A:255:ASP:HB3	1.77	0.66
1:A:79:VAL:HG13	1:A:80:HIS:CD2	2.30	0.66
1:J:3241:ILE:CD1	1:J:3259:ILE:HD11	2.26	0.66
1:A:56:LEU:HD11	1:A:132:TRP:HH2	1.61	0.65
1:J:3199:ARG:HH22	1:J:3201:GLN:NE2	1.93	0.65
1:G:2180:ASN:HD22	1:G:2307:HIS:HD2	1.43	0.65
1:A:197:PRO:HG3	1:A:247:TRP:CZ2	2.31	0.64
1:A:1:MET:HE1	1:A:176:ASP:HB2	1.79	0.64
1:A:291:LEU:HA	1:A:307:HIS:O	1.98	0.64
1:A:38:ARG:HG2	2:A:351:FAD:O2B	1.98	0.64
1:J:3252:ASN:HD22	1:J:3255:ASP:H	1.46	0.64
1:G:2091:LEU:HD23	1:G:2137:LEU:CD2	2.28	0.64
1:A:252:ASN:HD21	1:A:254:GLN:HB2	1.62	0.64
1:A:37:ASP:OD2	1:A:38:ARG:NH1	2.32	0.63
1:A:201:GLN:NE2	1:A:252:ASN:H	1.96	0.63
1:A:28:GLN:HB3	1:A:29:PRO:HD3	1.80	0.63
1:G:2243:GLN:NE2	1:G:2246:ASN:HD22	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2221:ARG:HG3	1:G:2225:ASN:HB3	1.80	0.62
1:A:91:LEU:HD23	1:A:137:LEU:HD23	1.81	0.62
1:G:2040:THR:HG23	1:G:2041:PRO:HD3	1.81	0.62
1:J:3180:ASN:HD22	1:J:3307:HIS:CD2	2.02	0.62
1:J:3201:GLN:HE22	1:J:3252:ASN:H	1.45	0.62
1:B:1001:MET:HE3	1:B:1176:ASP:HB2	1.82	0.62
1:G:2254:GLN:HG3	4:G:208:HOH:O	1.99	0.61
1:J:3001:MET:CE	1:J:3176:ASP:HB2	2.30	0.61
1:B:1112:LEU:HB2	1:B:1135:THR:HB	1.80	0.61
1:A:239:GLY:HA2	1:A:259:ILE:HD12	1.82	0.60
1:A:201:GLN:C	4:A:400:HOH:O	2.43	0.60
1:G:2038:ARG:NH2	4:G:221:HOH:O	2.27	0.60
1:A:215:LEU:HD23	1:A:228:TYR:HB2	1.83	0.60
1:B:1233:THR:HG23	1:B:1234:GLN:HG2	1.83	0.60
1:J:3255:ASP:O	1:J:3259:ILE:HG12	2.01	0.59
1:B:1296:LEU:O	1:B:1302:ASN:HB2	2.02	0.59
1:J:3286:ARG:CZ	1:J:3290:ARG:HB2	2.33	0.59
1:A:252:ASN:ND2	1:A:254:GLN:HB2	2.17	0.59
1:J:3079:VAL:HG13	1:J:3080:HIS:HD2	1.68	0.59
1:J:3199:ARG:HH22	1:J:3201:GLN:HE21	1.49	0.58
1:B:1221:ARG:HH21	1:B:1221:ARG:HB2	1.67	0.58
1:B:1039:PHE:O	1:B:1041:PRO:HD2	2.04	0.58
1:A:241:ILE:CD1	1:A:255:ASP:HB3	2.33	0.58
1:B:1197:PRO:HG3	1:B:1247:TRP:CE2	2.39	0.58
1:A:241:ILE:HD12	1:A:259:ILE:HD11	1.86	0.58
1:B:1104:ASP:OD1	1:B:1116:LYS:HE2	2.03	0.58
1:J:3178:ILE:HB	1:J:3305:VAL:HG22	1.87	0.57
1:J:3001:MET:HG2	1:J:3027:LEU:HD13	1.87	0.57
1:B:1197:PRO:HG3	1:B:1247:TRP:CZ2	2.39	0.57
1:G:2028:GLN:HB3	1:G:2029:PRO:CD	2.33	0.57
1:B:1199:ARG:HH22	1:B:1201:GLN:HE21	1.54	0.56
1:B:1028:GLN:HB3	1:B:1029:PRO:CD	2.30	0.56
1:G:2291:LEU:HA	1:G:2307:HIS:O	2.05	0.56
1:A:81:SER:HB2	1:A:82:PRO:HD2	1.88	0.56
1:J:3040:THR:O	1:J:3046:ASP:OD2	2.23	0.56
1:A:267:GLU:O	1:A:270:LEU:HB2	2.06	0.56
1:G:2201:GLN:HE22	1:G:2252:ASN:H	1.53	0.56
1:G:2140:GLU:OE1	1:G:2233:THR:HG22	2.06	0.55
1:J:3150:GLU:HG3	1:J:3151:ARG:HH11	1.71	0.55
1:B:1252:ASN:HD21	1:B:1254:GLN:HB2	1.71	0.55
1:B:1202:ILE:O	1:B:1278:GLU:HG3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1140:GLU:OE1	1:B:1233:THR:CG2	2.55	0.55
1:J:3252:ASN:ND2	1:J:3255:ASP:H	2.05	0.55
1:G:2252:ASN:HD21	1:G:2254:GLN:HB2	1.72	0.54
1:B:1061:ASN:HD21	1:B:1063:GLN:HB2	1.72	0.54
1:J:3201:GLN:NE2	1:J:3252:ASN:H	2.05	0.54
1:A:180:ASN:HD22	1:A:307:HIS:CD2	2.18	0.54
1:B:1210:MET:HE2	1:B:1229:ILE:HG21	1.87	0.54
1:A:140:GLU:OE1	1:A:233:THR:HG22	2.08	0.54
1:A:18:CYS:SG	1:A:324:LEU:HD23	2.47	0.54
1:G:2115:ARG:HH22	1:J:3113:GLY:HA3	1.73	0.53
1:G:2180:ASN:HD22	1:G:2307:HIS:CD2	2.25	0.53
1:A:184:VAL:HG23	1:A:284:PRO:HA	1.90	0.53
1:B:1184:VAL:HG23	1:B:1284:PRO:HA	1.89	0.53
1:G:2040:THR:O	1:G:2046:ASP:OD2	2.26	0.53
1:G:2079:VAL:HG13	1:G:2080:HIS:CD2	2.44	0.52
1:G:2196:GLN:HG3	1:G:2244:LEU:HD22	1.90	0.52
1:A:56:LEU:HD11	1:A:132:TRP:CH2	2.41	0.52
1:A:316:LEU:O	1:A:319:HIS:HD2	1.91	0.52
1:B:1140:GLU:OE1	1:B:1233:THR:HG22	2.09	0.52
1:B:1089:LEU:HD23	1:B:1090:PHE:N	2.24	0.52
1:G:2197:PRO:HG3	1:G:2247:TRP:CE2	2.44	0.52
1:B:1018:CYS:O	1:B:1022:ARG:HB2	2.09	0.52
1:A:216:THR:O	1:A:226:SER:HB3	2.10	0.52
1:G:2241:ILE:HD12	1:G:2259:ILE:HD11	1.91	0.52
1:B:1199:ARG:HH22	1:B:1201:GLN:NE2	2.07	0.52
1:G:2140:GLU:OE1	1:G:2233:THR:CG2	2.59	0.51
1:G:2168:GLU:HB3	1:G:2172:ARG:NH1	2.26	0.51
1:A:141:GLY:O	1:A:145:LEU:HB2	2.11	0.51
1:B:1001:MET:HE1	1:B:1176:ASP:HB2	1.93	0.51
1:G:2120:ARG:HE	1:G:2120:ARG:HA	1.76	0.51
1:B:1255:ASP:O	1:B:1259:ILE:HG12	2.11	0.51
1:A:79:VAL:HG13	1:A:80:HIS:HD2	1.73	0.51
1:A:168:GLU:O	1:A:172:ARG:HD3	2.10	0.51
1:A:197:PRO:HG2	1:A:247:TRP:CE2	2.46	0.51
1:J:3297:ARG:HA	1:J:3302:ASN:CB	2.39	0.51
1:B:1079:VAL:HG13	1:B:1080:HIS:CD2	2.46	0.50
1:J:3252:ASN:HD21	1:J:3254:GLN:HB2	1.76	0.50
1:A:102:ILE:CD1	1:A:103:PRO:HD2	2.39	0.50
1:G:2017:LEU:HB2	1:G:2152:LEU:HD11	1.94	0.50
1:A:112:LEU:HB2	1:A:135:THR:HB	1.92	0.50
1:A:151:ARG:O	1:A:155:ARG:HG3	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1221:ARG:HB2	1:B:1221:ARG:NH2	2.26	0.50
1:A:117:LEU:HD12	1:A:131:GLY:HA3	1.94	0.50
1:J:3140:GLU:OE1	1:J:3233:THR:CG2	2.60	0.50
1:A:83:ASN:O	1:A:87:LEU:CD1	2.60	0.49
1:J:3241:ILE:HD12	1:J:3259:ILE:CD1	2.35	0.49
1:J:3028:GLN:HB3	1:J:3029:PRO:CD	2.39	0.49
1:B:1089:LEU:HD23	1:B:1089:LEU:C	2.36	0.49
1:A:91:LEU:HD11	1:B:1124:MET:SD	2.51	0.49
1:B:1089:LEU:HA	1:B:1138:ILE:O	2.12	0.49
1:B:1201:GLN:NE2	1:B:1252:ASN:H	2.08	0.49
1:G:2252:ASN:HD22	1:G:2255:ASP:CG	2.20	0.49
1:A:17:LEU:HB2	1:A:152:LEU:HD11	1.95	0.48
1:B:1040:THR:CG2	1:B:1041:PRO:HD3	2.43	0.48
1:B:1241:ILE:HG12	1:B:1259:ILE:CD1	2.43	0.48
1:B:1291:LEU:HA	1:B:1307:HIS:O	2.13	0.48
1:A:199:ARG:HH22	1:A:201:GLN:NE2	2.11	0.48
1:G:2241:ILE:CD1	1:G:2259:ILE:HD11	2.43	0.48
1:G:2243:GLN:HE21	1:G:2246:ASN:HD22	1.61	0.48
1:G:2294:GLU:OE2	1:G:2307:HIS:HE1	1.96	0.48
1:B:1076:LEU:O	1:B:1079:VAL:HG12	2.13	0.48
1:B:1180:ASN:HD22	1:B:1307:HIS:CD2	2.19	0.48
1:G:2199:ARG:HH22	1:G:2201:GLN:HE22	1.60	0.48
1:J:3104:ASP:HB3	1:J:3108:LYS:HD3	1.95	0.48
1:A:197:PRO:CG	1:A:247:TRP:CE2	2.97	0.48
1:B:1197:PRO:CG	1:B:1247:TRP:CE2	2.97	0.47
1:G:2140:GLU:CD	1:G:2233:THR:HG22	2.39	0.47
1:G:2272:ASN:HB2	4:J:126:HOH:O	2.13	0.47
1:J:3010:VAL:HB	1:J:3045:THR:HG21	1.94	0.47
1:J:3056:LEU:HD11	1:J:3132:TRP:HH2	1.78	0.47
1:J:3274:ARG:HE	1:J:3274:ARG:HA	1.79	0.47
1:J:3328:LYS:HG2	1:J:3332:ARG:HH12	1.79	0.47
1:G:2091:LEU:HD11	1:J:3124:MET:SD	2.54	0.47
1:J:3168:GLU:OE1	1:J:3298:THR:HB	2.14	0.47
1:A:140:GLU:OE1	1:A:233:THR:CG2	2.62	0.47
1:J:3286:ARG:HG2	1:J:3287:PRO:HD2	1.96	0.47
1:J:3079:VAL:HG13	1:J:3080:HIS:CD2	2.49	0.47
1:G:2196:GLN:HG3	1:G:2244:LEU:CD2	2.45	0.47
1:J:3052:TRP:CD1	1:J:3317:THR:HG23	2.50	0.47
1:A:315:GLY:O	1:A:319:HIS:HB3	2.15	0.47
1:A:83:ASN:O	1:A:87:LEU:HD13	2.14	0.47
1:B:1027:LEU:HD11	1:B:1334:LEU:HD21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2140:GLU:OE2	1:G:2233:THR:HG22	2.15	0.46
1:J:3017:LEU:HA	1:J:3152:LEU:HD11	1.97	0.46
1:G:2313:GLY:O	3:G:2352:BEZ:H6	2.16	0.46
1:B:1039:PHE:HE1	1:B:1159:PHE:CD1	2.34	0.46
1:G:2081:SER:HB2	1:G:2082:PRO:HD2	1.96	0.46
1:G:2210:MET:HE3	4:G:153:HOH:O	2.16	0.46
1:J:3267:GLU:O	1:J:3270:LEU:HB2	2.16	0.46
1:B:1252:ASN:ND2	1:B:1254:GLN:HB2	2.31	0.46
1:B:1150:GLU:O	1:B:1154:GLU:HG2	2.16	0.45
1:J:3140:GLU:OE1	1:J:3233:THR:HG22	2.15	0.45
1:J:3151:ARG:HE	1:J:3151:ARG:CA	2.28	0.45
1:J:3203:MET:HE3	1:J:3203:MET:HB2	1.77	0.45
1:A:296:LEU:O	1:A:302:ASN:HB2	2.17	0.45
1:J:3091:LEU:HD23	1:J:3137:LEU:HD23	1.98	0.45
1:A:241:ILE:CD1	1:A:259:ILE:HD11	2.45	0.45
1:A:298:THR:O	1:A:298:THR:HG23	2.15	0.45
1:B:1040:THR:HG23	1:B:1041:PRO:HD3	1.99	0.45
1:G:2202:ILE:O	1:G:2278:GLU:HG3	2.17	0.45
1:A:115:ARG:HH22	1:B:1113:GLY:HA3	1.81	0.45
1:J:3056:LEU:HD11	1:J:3132:TRP:CH2	2.52	0.45
1:J:3296:LEU:O	1:J:3302:ASN:HB2	2.17	0.45
1:G:2102:ILE:HD12	1:G:2103:PRO:HD2	1.99	0.44
1:B:1039:PHE:CE1	1:B:1159:PHE:HD1	2.35	0.44
1:J:3081:SER:HB2	1:J:3082:PRO:HD2	1.99	0.44
1:G:2197:PRO:HG3	1:G:2247:TRP:CZ2	2.53	0.44
1:G:2179:VAL:HG12	1:G:2181:CYS:SG	2.57	0.44
1:J:3299:GLY:HA3	1:J:3300:PRO:HD2	1.84	0.44
1:G:2151:ARG:HH11	1:G:2154:GLU:CD	2.26	0.44
1:A:1:MET:HE1	1:A:176:ASP:CB	2.47	0.44
1:A:40:THR:CG2	1:A:41:PRO:HD3	2.45	0.44
1:J:3252:ASN:HD21	1:J:3254:GLN:CB	2.31	0.44
1:A:197:PRO:CG	1:A:247:TRP:CZ2	3.00	0.43
1:B:1053:GLN:HB2	4:B:54:HOH:O	2.18	0.43
1:G:2239:GLY:C	1:G:2259:ILE:HD12	2.43	0.43
1:A:242:PHE:HE1	1:A:244:LEU:HG	1.83	0.43
1:G:2006:ILE:HA	1:G:2035:TYR:O	2.18	0.43
1:G:2299:GLY:HA3	1:G:2300:PRO:HD2	1.89	0.43
1:J:3039:PHE:O	1:J:3041:PRO:HD2	2.18	0.43
1:J:3336:GLU:C	1:J:3338:LYS:H	2.26	0.43
1:G:2120:ARG:HB2	4:G:229:HOH:O	2.18	0.43
1:J:3170:VAL:O	1:J:3173:GLU:HG2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1225:ASN:ND2	1:B:1242:PHE:H	2.17	0.43
1:J:3079:VAL:HA	1:J:3089:LEU:HD13	2.00	0.43
1:J:3315:GLY:O	1:J:3319:HIS:HB3	2.19	0.43
1:B:1252:ASN:HD22	1:B:1255:ASP:H	1.67	0.42
1:J:3290:ARG:NH2	1:J:3294:GLU:OE2	2.52	0.42
1:B:1061:ASN:ND2	1:B:1063:GLN:HB2	2.33	0.42
1:J:3112:LEU:HB2	1:J:3135:THR:HB	2.01	0.42
1:J:3233:THR:HG23	1:J:3234:GLN:HG2	2.01	0.42
1:J:3199:ARG:NH2	1:J:3201:GLN:HE21	2.14	0.42
1:A:195:LEU:HA	1:A:286:ARG:HG3	2.01	0.42
1:B:1118:THR:HB	1:B:1119:PRO:HD2	2.01	0.42
1:B:1040:THR:O	1:B:1046:ASP:OD2	2.38	0.42
1:J:3040:THR:OG1	1:J:3145:LEU:HB3	2.20	0.42
1:J:3038:ARG:HG2	2:J:3351:FAD:O2B	2.19	0.41
1:J:3136:SER:OG	1:J:3137:LEU:N	2.53	0.41
1:A:147:TRP:NE1	1:A:151:ARG:HH21	2.18	0.41
1:G:2002:ARG:HG2	1:G:2002:ARG:HH11	1.84	0.41
1:G:2219:PRO:C	1:G:2221:ARG:H	2.28	0.41
1:B:1081:SER:HB2	1:B:1082:PRO:HD2	2.02	0.41
1:B:1297:ARG:CZ	1:B:1297:ARG:HB2	2.51	0.41
1:A:24:HIS:HE1	4:A:394:HOH:O	2.03	0.41
1:A:201:GLN:O	4:A:400:HOH:O	2.22	0.41
1:J:3040:THR:CG2	1:J:3041:PRO:HD3	2.51	0.41
1:A:91:LEU:HD23	1:A:137:LEU:CD2	2.50	0.41
1:A:151:ARG:O	1:A:154:GLU:HG2	2.21	0.41
1:B:1116:LYS:HD2	1:B:1130:TYR:OH	2.21	0.41
1:J:3001:MET:HE3	1:J:3002:ARG:N	2.35	0.41
1:J:3005:VAL:HG13	1:J:3179:VAL:HB	2.03	0.41
1:A:219:PRO:C	1:A:221:ARG:H	2.29	0.41
1:B:1001:MET:HE1	1:B:1176:ASP:CB	2.50	0.41
1:B:1151:ARG:HD2	4:B:136:HOH:O	2.20	0.41
1:B:1218:ASP:HA	1:B:1219:PRO:HD2	1.82	0.41
1:A:9:GLY:O	1:A:10:VAL:C	2.62	0.41
1:A:56:LEU:CD1	1:A:132:TRP:HH2	2.29	0.41
1:J:3297:ARG:H	1:J:3297:ARG:NE	2.19	0.41
1:B:1146:GLN:HA	1:B:1146:GLN:NE2	2.36	0.40
1:B:1093:SER:O	1:B:1212:HIS:HA	2.21	0.40
1:B:1052:TRP:CD1	1:B:1317:THR:HG23	2.56	0.40
1:G:2203:MET:HE3	1:G:2203:MET:HB2	2.01	0.40
1:J:3013:LEU:HD23	1:J:3013:LEU:HA	1.92	0.40
1:A:121:GLU:HA	1:A:124:MET:HE2	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2166:SER:HB2	4:G:18:HOH:O	2.21	0.40
1:J:3116:LYS:HD2	1:J:3130:TYR:OH	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/347 (97%)	310 (92%)	26 (8%)	2 (1%)	21	38
1	B	338/347 (97%)	320 (95%)	17 (5%)	1 (0%)	36	55
1	G	338/347 (97%)	319 (94%)	16 (5%)	3 (1%)	14	27
1	J	338/347 (97%)	315 (93%)	21 (6%)	2 (1%)	21	38
All	All	1352/1388 (97%)	1264 (94%)	80 (6%)	8 (1%)	21	38

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	THR
1	B	1040	THR
1	G	2040	THR
1	J	3040	THR
1	G	2053	GLN
1	G	2300	PRO
1	J	3240	GLY
1	A	240	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/299 (98%)	275 (94%)	17 (6%)	18	38
1	B	292/299 (98%)	267 (91%)	25 (9%)	10	21
1	G	292/299 (98%)	274 (94%)	18 (6%)	16	34
1	J	292/299 (98%)	272 (93%)	20 (7%)	14	31
All	All	1168/1196 (98%)	1088 (93%)	80 (7%)	14	31

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ARG
1	A	42	LEU
1	A	56	LEU
1	A	89	LEU
1	A	102	ILE
1	A	115	ARG
1	A	151	ARG
1	A	152	LEU
1	A	191	ARG
1	A	205	VAL
1	A	238	LEU
1	A	261	GLU
1	A	265	ARG
1	A	266	LEU
1	A	270	LEU
1	A	286	ARG
1	A	297	ARG
1	B	1022	ARG
1	B	1042	LEU
1	B	1056	LEU
1	B	1089	LEU
1	B	1102	ILE
1	B	1108	LYS
1	B	1115	ARG
1	B	1120	ARG
1	B	1145	LEU
1	B	1151	ARG
1	B	1152	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1168	GLU
1	B	1172	ARG
1	B	1184	VAL
1	B	1191	ARG
1	B	1205	VAL
1	B	1221	ARG
1	B	1225	ASN
1	B	1261	GLU
1	B	1265	ARG
1	B	1266	LEU
1	B	1270	LEU
1	B	1295	GLN
1	B	1297	ARG
1	B	1332	ARG
1	G	2018	CYS
1	G	2028	GLN
1	G	2089	LEU
1	G	2102	ILE
1	G	2112	LEU
1	G	2115	ARG
1	G	2145	LEU
1	G	2151	ARG
1	G	2152	LEU
1	G	2205	VAL
1	G	2215	LEU
1	G	2221	ARG
1	G	2238	LEU
1	G	2266	LEU
1	G	2270	LEU
1	G	2274	ARG
1	G	2295	GLN
1	G	2316	LEU
1	J	3056	LEU
1	J	3058	ASP
1	J	3089	LEU
1	J	3115	ARG
1	J	3145	LEU
1	J	3151	ARG
1	J	3152	LEU
1	J	3172	ARG
1	J	3191	ARG
1	J	3205	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	3226	SER
1	J	3261	GLU
1	J	3266	LEU
1	J	3270	LEU
1	J	3274	ARG
1	J	3295	GLN
1	J	3296	LEU
1	J	3297	ARG
1	J	3298	THR
1	J	3316	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	80	HIS
1	A	143	ASN
1	A	161	GLN
1	A	180	ASN
1	A	196	GLN
1	A	201	GLN
1	A	225	ASN
1	A	243	GLN
1	A	252	ASN
1	A	307	HIS
1	A	319	HIS
1	B	1063	GLN
1	B	1069	GLN
1	B	1161	GLN
1	B	1201	GLN
1	B	1225	ASN
1	B	1243	GLN
1	B	1252	ASN
1	B	1288	GLN
1	B	1307	HIS
1	B	1319	HIS
1	G	2053	GLN
1	G	2060	ASN
1	G	2061	ASN
1	G	2063	GLN
1	G	2069	GLN
1	G	2080	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	2096	ASN
1	G	2196	GLN
1	G	2201	GLN
1	G	2225	ASN
1	G	2243	GLN
1	G	2252	ASN
1	G	2307	HIS
1	G	2319	HIS
1	J	3060	ASN
1	J	3063	GLN
1	J	3069	GLN
1	J	3080	HIS
1	J	3143	ASN
1	J	3201	GLN
1	J	3243	GLN
1	J	3252	ASN
1	J	3288	GLN
1	J	3307	HIS
1	J	3319	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BEZ	A	352	-	9,9,9	0.92	0	11,11,11	0.60	0
3	BEZ	G	2352	-	9,9,9	0.86	0	11,11,11	0.99	0
2	FAD	A	351	-	58,58,58	0.98	3 (5%)	85,89,89	1.77	23 (27%)
2	FAD	J	3351	-	58,58,58	0.98	3 (5%)	85,89,89	1.65	19 (22%)
3	BEZ	J	3352	-	9,9,9	0.91	0	11,11,11	0.70	0
3	BEZ	B	1352	-	9,9,9	0.96	0	11,11,11	0.70	0
2	FAD	B	1351	-	58,58,58	1.10	5 (8%)	85,89,89	1.77	18 (21%)
2	FAD	G	2351	-	58,58,58	0.94	3 (5%)	85,89,89	1.72	17 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEZ	A	352	-	-	0/4/4/4	0/1/1/1
3	BEZ	G	2352	-	-	0/4/4/4	0/1/1/1
2	FAD	A	351	-	-	0/34/50/50	0/6/6/6
2	FAD	J	3351	-	-	0/34/50/50	0/6/6/6
3	BEZ	J	3352	-	-	0/4/4/4	0/1/1/1
3	BEZ	B	1352	-	-	0/4/4/4	0/1/1/1
2	FAD	B	1351	-	-	0/34/50/50	0/6/6/6
2	FAD	G	2351	-	-	0/34/50/50	0/6/6/6

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	351	FAD	C4X-N5	2.84	1.36	1.30
2	B	1351	FAD	C4X-N5	2.72	1.36	1.30
2	J	3351	FAD	C4X-N5	2.70	1.36	1.30
2	B	1351	FAD	PA-O3P	2.56	1.62	1.59
2	A	351	FAD	C8A-N7A	2.30	1.36	1.31
2	J	3351	FAD	C4A-N9A	-2.25	1.33	1.37
2	B	1351	FAD	P-O3P	2.25	1.61	1.59
2	G	2351	FAD	C4X-N5	2.25	1.35	1.30
2	A	351	FAD	C5A-N7A	-2.20	1.35	1.39
2	B	1351	FAD	C8A-N7A	2.19	1.35	1.31
2	B	1351	FAD	C10-N10	2.16	1.42	1.37
2	J	3351	FAD	P-O3P	2.13	1.61	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	2351	FAD	C5X-N5	-2.11	1.35	1.39
2	G	2351	FAD	C4-N3	-2.09	1.34	1.38

All (77) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1351	FAD	N3A-C2A-N1A	-5.54	120.20	128.58
2	A	351	FAD	C5A-C4A-N3A	-5.50	119.14	126.72
2	B	1351	FAD	C5A-C4A-N3A	-5.47	119.19	126.72
2	G	2351	FAD	N3A-C2A-N1A	-5.41	120.40	128.58
2	G	2351	FAD	C5A-C4A-N3A	-5.24	119.50	126.72
2	A	351	FAD	N3A-C2A-N1A	-4.77	121.36	128.58
2	J	3351	FAD	N3A-C2A-N1A	-4.67	121.51	128.58
2	J	3351	FAD	C5A-C4A-N3A	-4.41	120.64	126.72
2	B	1351	FAD	N9A-C8A-N7A	-4.19	108.00	113.94
2	B	1351	FAD	C2A-N3A-C4A	4.11	121.87	111.83
2	G	2351	FAD	N9A-C8A-N7A	-4.04	108.21	113.94
2	A	351	FAD	N9A-C8A-N7A	-3.95	108.33	113.94
2	G	2351	FAD	C4X-C10-N10	3.87	122.02	116.48
2	J	3351	FAD	N9A-C8A-N7A	-3.82	108.52	113.94
2	G	2351	FAD	N3A-C4A-N9A	3.81	133.66	127.17
2	B	1351	FAD	N3A-C4A-N9A	3.66	133.38	127.17
2	G	2351	FAD	C2A-N3A-C4A	3.65	120.75	111.83
2	A	351	FAD	C2A-N3A-C4A	3.50	120.39	111.83
2	G	2351	FAD	C4A-N9A-C8A	3.38	109.28	105.74
2	B	1351	FAD	C5A-N7A-C8A	3.36	108.73	103.45
2	A	351	FAD	N3A-C4A-N9A	3.34	132.84	127.17
2	A	351	FAD	C9A-C5X-N5	-3.30	118.95	122.45
2	A	351	FAD	C4A-C5A-N7A	-3.28	106.83	110.58
2	A	351	FAD	C4-N3-C2	-3.28	119.83	125.64
2	B	1351	FAD	C4-N3-C2	-3.26	119.84	125.64
2	J	3351	FAD	C4-N3-C2	-3.21	119.95	125.64
2	A	351	FAD	C5A-N7A-C8A	3.20	108.48	103.45
2	J	3351	FAD	C4A-N9A-C8A	3.18	109.08	105.74
2	B	1351	FAD	C4A-C5A-N7A	-3.13	107.00	110.58
2	J	3351	FAD	C2A-N3A-C4A	3.13	119.47	111.83
2	A	351	FAD	C5X-N5-C4X	3.12	123.13	118.09
2	G	2351	FAD	C4-N3-C2	-3.10	120.13	125.64
2	B	1351	FAD	C4-C4X-N5	3.09	122.48	118.21
2	G	2351	FAD	C4-C4X-N5	3.02	122.37	118.21
2	A	351	FAD	C4-C4X-N5	2.96	122.30	118.21
2	B	1351	FAD	C4A-N9A-C8A	2.95	108.83	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1351	FAD	C4X-C4-N3	2.94	120.73	113.25
2	G	2351	FAD	C5A-N7A-C8A	2.93	108.06	103.45
2	J	3351	FAD	C4A-C5A-N7A	-2.88	107.28	110.58
2	J	3351	FAD	N3A-C4A-N9A	2.85	132.02	127.17
2	A	351	FAD	O2-C2-N1	-2.84	117.09	121.80
2	J	3351	FAD	O2-C2-N1	-2.81	117.14	121.80
2	B	1351	FAD	C5X-N5-C4X	2.80	122.62	118.09
2	J	3351	FAD	C5A-N7A-C8A	2.74	107.76	103.45
2	A	351	FAD	C10-C4X-N5	-2.71	119.27	124.81
2	J	3351	FAD	C4X-C10-N10	2.70	120.35	116.48
2	J	3351	FAD	C4X-C4-N3	2.68	120.08	113.25
2	A	351	FAD	C4X-C4-N3	2.68	120.08	113.25
2	J	3351	FAD	C4-C4X-N5	2.68	121.91	118.21
2	G	2351	FAD	C10-C4X-N5	-2.65	119.40	124.81
2	B	1351	FAD	C10-C4X-N5	-2.62	119.46	124.81
2	G	2351	FAD	C4A-C5A-N7A	-2.60	107.61	110.58
2	G	2351	FAD	C4X-C4-N3	2.53	119.70	113.25
2	A	351	FAD	C4X-C10-N10	2.53	120.10	116.48
2	J	3351	FAD	C9A-C5X-N5	-2.47	119.83	122.45
2	A	351	FAD	C4A-N9A-C8A	2.47	108.33	105.74
2	A	351	FAD	O4-C4-C4X	-2.44	120.09	126.53
2	A	351	FAD	O2P-P-O3P	-2.43	100.69	107.27
2	J	3351	FAD	O4-C4-C4X	-2.38	120.25	126.53
2	A	351	FAD	O3'-C3'-C4'	-2.35	103.59	108.93
2	J	3351	FAD	C10-C4X-N5	-2.33	120.05	124.81
2	J	3351	FAD	C5X-N5-C4X	2.30	121.81	118.09
2	G	2351	FAD	C9A-N10-C10	-2.23	117.36	120.75
2	G	2351	FAD	C10-N1-C2	2.22	121.65	116.85
2	B	1351	FAD	C4X-C10-N10	2.20	119.63	116.48
2	B	1351	FAD	O2'-C2'-C3'	2.18	114.34	109.25
2	J	3351	FAD	C5X-C9A-N10	2.15	119.91	117.97
2	G	2351	FAD	O2-C2-N1	-2.15	118.23	121.80
2	G	2351	FAD	C4X-C10-N1	-2.13	119.36	124.59
2	B	1351	FAD	O4-C4-C4X	-2.13	120.90	126.53
2	A	351	FAD	C4'-C3'-C2'	-2.10	110.08	113.57
2	B	1351	FAD	O2P-P-O1P	2.05	121.97	112.44
2	A	351	FAD	C10-N1-C2	2.05	121.28	116.85
2	B	1351	FAD	C10-N1-C2	2.04	121.27	116.85
2	A	351	FAD	O2-C2-N3	2.03	122.48	118.58
2	J	3351	FAD	C10-N1-C2	2.03	121.24	116.85
2	A	351	FAD	C5A-C4A-N9A	2.02	108.01	105.81

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	2352	BEZ	1	0
2	A	351	FAD	1	0
2	J	3351	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/347 (97%)	0.17	3 (0%) 81 78	33, 49, 72, 82	0
1	B	340/347 (97%)	0.07	7 (2%) 63 59	32, 47, 72, 89	0
1	G	340/347 (97%)	0.07	10 (2%) 53 49	30, 48, 70, 87	0
1	J	340/347 (97%)	0.25	10 (2%) 53 49	35, 54, 79, 98	0
All	All	1360/1388 (97%)	0.14	30 (2%) 62 58	30, 50, 74, 98	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	3300	PRO	5.7
1	G	2339	LEU	4.1
1	B	1031	ASP	3.8
1	J	3028	GLN	3.8
1	A	31	ASP	3.7
1	J	3040	THR	3.5
1	B	1339	LEU	3.3
1	J	3082	PRO	3.3
1	J	3301	SER	3.2
1	J	3031	ASP	3.1
1	A	120	ARG	2.9
1	A	28	GLN	2.9
1	B	1300	PRO	2.7
1	G	2298	THR	2.6
1	B	1233	THR	2.5
1	B	1338	LYS	2.5
1	B	1040	THR	2.5
1	J	3299	GLY	2.4
1	G	2301	SER	2.4
1	G	2028	GLN	2.4
1	G	2224	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	3083	ASN	2.3
1	J	3029	PRO	2.3
1	G	2022	ARG	2.2
1	G	2120	ARG	2.2
1	G	2300	PRO	2.2
1	G	2335	GLU	2.1
1	G	2340	SER	2.1
1	B	1029	PRO	2.1
1	J	3303	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	BEZ	G	2352	9/9	0.87	0.14	52,57,60,61	0
3	BEZ	J	3352	9/9	0.91	0.10	62,64,67,67	0
3	BEZ	B	1352	9/9	0.92	0.10	51,57,59,59	0
3	BEZ	A	352	9/9	0.93	0.08	60,61,62,62	0
2	FAD	A	351	53/53	0.95	0.09	35,39,43,43	0
2	FAD	G	2351	53/53	0.97	0.07	32,37,40,42	0
2	FAD	J	3351	53/53	0.97	0.06	42,45,47,48	0
2	FAD	B	1351	53/53	0.97	0.06	27,33,37,40	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD A 351:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD G 2351:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD J 3351:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 1351:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.