



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 10:32 AM UTC

PDB ID : 3DUY / pdb_00003duy
Title : Crystal structure of human beta-secretase in complex with NVP-AFJ144
Authors : Rondeau, J.-M.
Deposited on : 2008-07-18
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	402	15% 84% 7% 8%
1	B	402	17% 83% 8% 8%
1	C	402	14% 84% 8% 7%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9626 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Beta-secretase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	370	Total	C	N	O	S	0	0	0
			2915	1869	485	547	14			
1	B	370	Total	C	N	O	S	0	0	0
			2919	1871	485	549	14			
1	C	374	Total	C	N	O	S	0	0	0
			2943	1884	490	555	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33P	GLY	-	expression tag	UNP P56817
A	34P	PRO	-	expression tag	UNP P56817
B	33P	GLY	-	expression tag	UNP P56817
B	34P	PRO	-	expression tag	UNP P56817
C	33P	GLY	-	expression tag	UNP P56817
C	34P	PRO	-	expression tag	UNP P56817

- Molecule 2 is (2R,4S,5S)-N-butyl-4-hydroxy-2,7-dimethyl-5-([N-(4-methylpentanoyl)-L-methionyl]amino)octanamide (CCD ID: AFJ) (formula: C₂₅H₄₉N₃O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			33	25	3	4	1		
2	B	1	Total	C	N	O	S	0	0
			33	25	3	4	1		
2	C	1	Total	C	N	O	S	0	0
			33	25	3	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	254	Total	O	0	0
			254	254		
3	B	236	Total	O	0	0
			236	236		
3	C	260	Total	O	0	0
			260	260		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-secretase 1




• Molecule 1: Beta-secretase 1



• Molecule 1: Beta-secretase 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.54Å 103.06Å 100.60Å 90.00° 103.64° 90.00°	Depositor
Resolution (Å)	70.93 – 1.97 70.93 – 1.97	Depositor EDS
% Data completeness (in resolution range)	93.4 (70.93-1.97) 93.6 (70.93-1.97)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.91 (at 1.97Å)	Xtriage
Refinement program	CNS, CNX	Depositor
R, R_{free}	0.202 , 0.223 0.202 , 0.223	Depositor DCC
R_{free} test set	10413 reflections (9.65%)	wwPDB-VP
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.132	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9626	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AFJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/2989	0.67	0/4060
1	B	0.36	0/2993	0.68	0/4065
1	C	0.35	0/3017	0.66	0/4097
All	All	0.36	0/8999	0.67	0/12222

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2915	0	2830	22	0
1	B	2919	0	2831	23	0
1	C	2943	0	2852	23	0
2	A	33	0	49	0	0
2	B	33	0	49	0	0
2	C	33	0	49	0	0
3	A	254	0	0	6	0
3	B	236	0	0	2	0
3	C	260	0	0	3	0
All	All	9626	0	8660	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:LEU:H	1:A:267:LEU:HD23	1.49	0.77
1:C:267:LEU:HD23	1:C:267:LEU:H	1.51	0.76
1:A:367:THR:H	1:C:211:GLN:HE22	1.32	0.75
1:B:267:LEU:H	1:B:267:LEU:HD23	1.51	0.75
1:A:254:THR:HG21	1:C:254:THR:HG21	1.75	0.69
1:A:367:THR:H	1:C:211:GLN:NE2	1.90	0.68
3:A:753:HOH:O	1:B:46(P):SER:HB2	1.95	0.65
1:A:174:MET:HE3	1:A:176:ILE:HD11	1.81	0.63
1:A:110:ILE:HB	1:A:113:SER:HB3	1.81	0.62
1:A:267:LEU:HD12	1:A:319:CYS:HB3	1.80	0.62
1:B:110:ILE:HB	1:B:113:SER:HB3	1.81	0.62
1:C:110:ILE:HB	1:C:113:SER:HB3	1.81	0.61
1:B:267:LEU:HD12	1:B:319:CYS:HB3	1.81	0.61
1:C:77:GLU:HB2	1:C:104:GLU:HG3	1.83	0.61
1:B:205:ARG:NH2	1:B:212:ASP:HB2	2.17	0.60
1:C:267:LEU:HD12	1:C:319:CYS:HB3	1.82	0.60
1:A:278:ASN:HD22	1:A:278:ASN:H	1.50	0.59
1:B:174:MET:HE3	1:B:176:ILE:HD11	1.85	0.59
1:C:174:MET:HE3	1:C:176:ILE:HD11	1.85	0.58
1:B:278:ASN:H	1:B:278:ASN:HD22	1.52	0.57
1:A:350:LYS:HE2	3:A:738:HOH:O	2.04	0.57
1:B:9:LYS:HD2	1:B:112:GLY:O	2.04	0.57
1:C:278:ASN:H	1:C:278:ASN:HD22	1.52	0.57
1:A:7:ARG:HD2	3:A:725:HOH:O	2.06	0.55
1:C:213:LEU:O	1:C:214:LYS:HB2	2.07	0.54
1:C:232:THR:O	1:C:336:VAL:HG13	2.08	0.53
1:B:125:GLU:HG2	1:B:197:TRP:HB3	1.91	0.52
1:C:360:HIS:HB2	3:C:737:HOH:O	2.10	0.52
1:A:276:PRO:O	1:A:279:ILE:HG12	2.10	0.51
1:C:276:PRO:O	1:C:279:ILE:HG12	2.11	0.51
1:B:276:PRO:O	1:B:279:ILE:HG12	2.10	0.50
1:B:300:ILE:HG22	1:B:304:GLN:HE22	1.76	0.50
1:C:363:ASP:CG	3:C:663:HOH:O	2.54	0.50
1:B:197:TRP:CG	1:B:198:TYR:H	2.30	0.50
1:A:197:TRP:CG	1:A:198:TYR:H	2.29	0.49
1:B:301:LEU:HB3	1:B:302:PRO:HD2	1.94	0.48
1:A:32:ASP:OD1	1:A:230:GLY:HA3	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:ASN:HA	3:B:643:HOH:O	2.14	0.48
1:A:181:HIS:HB3	3:A:749:HOH:O	2.14	0.47
1:C:197:TRP:CG	1:C:198:TYR:H	2.32	0.46
1:B:251:ALA:HB1	3:B:658:HOH:O	2.14	0.46
1:B:32:ASP:OD1	1:B:230:GLY:HA3	2.16	0.46
1:B:222:TYR:HA	1:B:223:ASP:HA	1.64	0.46
1:B:46(P):SER:HB2	1:B:47(P):PHE:H	1.51	0.46
1:A:267:LEU:HD23	1:A:267:LEU:N	2.26	0.46
1:C:32:ASP:OD1	1:C:230:GLY:HA3	2.16	0.45
1:A:232:THR:O	1:A:336:VAL:HG13	2.17	0.45
1:A:363:ASP:HB3	1:A:366:ARG:O	2.17	0.45
1:A:211:GLN:HE21	1:A:211:GLN:HB2	1.62	0.44
1:B:2:MET:HG2	1:B:90:GLY:HA2	1.99	0.44
1:C:9:LYS:HD2	1:C:112:GLY:O	2.17	0.44
1:A:157:ALA:N	3:A:715:HOH:O	2.51	0.44
1:C:2:MET:HG2	1:C:90:GLY:HA2	2.00	0.44
1:A:2:MET:HG2	1:A:90:GLY:HA2	1.99	0.44
1:A:365:PHE:HB2	3:A:744:HOH:O	2.17	0.44
1:B:364:GLU:HG3	1:B:365:PHE:CD2	2.54	0.43
1:B:31:VAL:O	1:B:31:VAL:HG23	2.19	0.42
1:B:125:GLU:O	1:B:125:GLU:HG3	2.19	0.42
1:C:255:GLU:HG3	1:C:279:ILE:HD13	2.02	0.42
1:B:267:LEU:HD23	1:B:267:LEU:N	2.28	0.42
1:C:31:VAL:O	1:C:31:VAL:HG23	2.20	0.41
1:C:213:LEU:HD23	1:C:213:LEU:HA	1.90	0.41
1:C:362:HIS:HA	3:C:619:HOH:O	2.20	0.41
1:A:31:VAL:HG23	1:A:31:VAL:O	2.20	0.41
1:C:255:GLU:HG3	1:C:279:ILE:CD1	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	364/402 (90%)	357 (98%)	7 (2%)	0	100	100
1	B	364/402 (90%)	355 (98%)	9 (2%)	0	100	100
1	C	368/402 (92%)	358 (97%)	10 (3%)	0	100	100
All	All	1096/1206 (91%)	1070 (98%)	26 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	316/342 (92%)	309 (98%)	7 (2%)	45	38
1	B	317/342 (93%)	312 (98%)	5 (2%)	55	50
1	C	319/342 (93%)	312 (98%)	7 (2%)	45	38
All	All	952/1026 (93%)	933 (98%)	19 (2%)	48	42

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46(P)	SER
1	A	30	LEU
1	A	46	PRO
1	A	79	GLU
1	A	197	TRP
1	A	211	GLN
1	A	278	ASN
1	B	46(P)	SER
1	B	30	LEU
1	B	46	PRO
1	B	197	TRP
1	B	278	ASN
1	C	46(P)	SER
1	C	4	ASP
1	C	30	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	46	PRO
1	C	79	GLU
1	C	197	TRP
1	C	278	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	89	HIS
1	A	114	ASN
1	A	181	HIS
1	A	233	ASN
1	A	278	ASN
1	A	326	GLN
1	B	114	ASN
1	B	233	ASN
1	B	278	ASN
1	B	293	ASN
1	B	326	GLN
1	B	385	ASN
1	C	89	HIS
1	C	114	ASN
1	C	211	GLN
1	C	233	ASN
1	C	278	ASN
1	C	326	GLN
1	C	385	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	AFJ	C	501	-	32,32,32	0.96	1 (3%)	38,40,40	0.70	0
2	AFJ	B	501	-	32,32,32	0.97	1 (3%)	38,40,40	0.71	0
2	AFJ	A	501	-	32,32,32	0.95	1 (3%)	38,40,40	0.71	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AFJ	C	501	-	-	6/42/42/42	-
2	AFJ	B	501	-	-	6/42/42/42	-
2	AFJ	A	501	-	-	6/42/42/42	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	AFJ	C66-C34	2.47	1.56	1.53
2	C	501	AFJ	C66-C34	2.41	1.56	1.53
2	B	501	AFJ	C66-C34	2.36	1.56	1.53

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	AFJ	C66-C34-C36	2.04	115.63	112.55

There are no chirality outliers.


All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	AFJ	O31-C30-C8-N10
2	C	501	AFJ	O31-C30-C8-N10
2	A	501	AFJ	N32-C30-C8-N10
2	C	501	AFJ	N32-C30-C8-N10
2	B	501	AFJ	O31-C30-C8-N10
2	B	501	AFJ	N32-C30-C8-N10
2	A	501	AFJ	C14-C17-C20-C26
2	C	501	AFJ	C14-C17-C20-C26
2	B	501	AFJ	C14-C17-C20-C26
2	A	501	AFJ	C14-C17-C20-C22
2	B	501	AFJ	C14-C17-C20-C22
2	C	501	AFJ	C14-C17-C20-C22
2	A	501	AFJ	O31-C30-C8-C5
2	C	501	AFJ	O31-C30-C8-C5
2	B	501	AFJ	O31-C30-C8-C5
2	A	501	AFJ	N32-C30-C8-C5
2	B	501	AFJ	N32-C30-C8-C5
2	C	501	AFJ	N32-C30-C8-C5


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	370/402 (92%)	0.78	61 (16%) 4 5	17, 32, 56, 68	0
1	B	370/402 (92%)	0.88	69 (18%) 3 4	17, 32, 60, 74	0
1	C	374/402 (93%)	0.66	58 (15%) 5 6	19, 32, 58, 68	0
All	All	1114/1206 (92%)	0.77	188 (16%) 4 5	17, 32, 59, 74	0

All (188) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	259	ASP	7.5
1	A	170	VAL	7.0
1	A	365	PHE	6.9
1	A	272	ALA	6.8
1	B	250	ALA	6.4
1	B	258	PRO	6.1
1	A	361	VAL	6.0
1	A	258	PRO	5.9
1	C	365	PHE	5.9
1	A	68	TYR	5.8
1	A	254	THR	5.7
1	C	258	PRO	5.7
1	A	362	HIS	5.7
1	B	317	ASP	5.4
1	B	267	LEU	5.4
1	C	362	HIS	5.3
1	B	252	SER	5.3
1	C	310	GLU	5.3
1	B	256	LYS	5.3
1	B	275	THR	5.2
1	B	254	THR	5.1
1	B	251	ALA	5.1
1	B	270	TRP	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	273	GLY	4.9
1	B	361	VAL	4.9
1	A	267	LEU	4.8
1	B	319	CYS	4.7
1	C	254	THR	4.6
1	B	269	CYS	4.6
1	B	359	CYS	4.6
1	B	365	PHE	4.5
1	A	317	ASP	4.5
1	C	267	LEU	4.5
1	B	277	TRP	4.4
1	B	278	ASN	4.4
1	A	257	PHE	4.4
1	A	169	SER	4.4
1	B	362	HIS	4.4
1	C	259	ASP	4.3
1	A	260	GLY	4.3
1	B	360	HIS	4.3
1	A	46(P)	SER	4.2
1	C	273	GLY	4.2
1	B	257	PHE	4.2
1	B	268	VAL	4.2
1	A	266	GLN	4.2
1	A	360	HIS	4.1
1	B	364	GLU	4.1
1	B	263	LEU	4.1
1	C	361	VAL	4.0
1	A	256	LYS	4.0
1	A	269	CYS	4.0
1	A	268	VAL	4.0
1	C	49	HIS	3.9
1	B	46(P)	SER	3.9
1	B	260	GLY	3.8
1	A	364	GLU	3.7
1	A	157	ALA	3.7
1	B	272	ALA	3.7
1	C	272	ALA	3.6
1	B	112	GLY	3.6
1	C	169	SER	3.6
1	A	9	LYS	3.5
1	C	274	THR	3.5
1	C	157	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	46(P)	SER	3.4
1	C	316	GLN	3.4
1	C	170	VAL	3.4
1	B	274	THR	3.4
1	B	60	TYR	3.4
1	A	49	HIS	3.3
1	C	268	VAL	3.3
1	C	271	GLN	3.3
1	A	359	CYS	3.3
1	B	209	ASN	3.3
1	A	309	VAL	3.2
1	C	92	ASN	3.2
1	A	253	SER	3.2
1	B	266	GLN	3.2
1	B	262	TRP	3.1
1	C	55	GLN	3.1
1	B	310	GLU	3.1
1	C	269	CYS	3.1
1	A	270	TRP	3.1
1	C	7	ARG	3.1
1	A	92	ASN	3.1
1	C	359	CYS	3.1
1	B	276	PRO	3.1
1	B	259	ASP	3.1
1	C	158	GLY	3.1
1	B	367	THR	3.0
1	A	264	GLY	3.0
1	C	260	GLY	3.0
1	C	380	GLU	3.0
1	C	253	SER	2.9
1	C	317	ASP	2.9
1	B	210	GLY	2.9
1	B	318	ASP	2.9
1	B	49	HIS	2.9
1	A	57	SER	2.9
1	C	315	SER	2.9
1	A	60	TYR	2.9
1	C	257	PHE	2.9
1	B	261	PHE	2.8
1	C	319	CYS	2.8
1	B	253	SER	2.8
1	B	156	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	278	ASN	2.8
1	A	271	GLN	2.8
1	A	112	GLY	2.8
1	C	145	HIS	2.7
1	C	270	TRP	2.7
1	B	320	TYR	2.7
1	B	48	LEU	2.7
1	C	250	ALA	2.7
1	A	8	GLY	2.7
1	B	249	LYS	2.7
1	B	243	ALA	2.6
1	C	384	TYR	2.6
1	A	319	CYS	2.6
1	C	266	GLN	2.6
1	B	46	PRO	2.6
1	B	63	LEU	2.6
1	C	8	GLY	2.6
1	C	256	LYS	2.6
1	C	265	GLU	2.5
1	B	279	ILE	2.5
1	B	309	VAL	2.5
1	C	64	ARG	2.5
1	C	251	ALA	2.5
1	B	56	LEU	2.5
1	A	55	GLN	2.4
1	B	211	GLN	2.4
1	C	216	ASP	2.4
1	A	47	PHE	2.4
1	A	4	ASP	2.4
1	B	271	GLN	2.4
1	C	63	LEU	2.4
1	C	214	LYS	2.4
1	A	51	TYR	2.4
1	A	318	ASP	2.4
1	A	251	ALA	2.4
1	B	170	VAL	2.4
1	B	169	SER	2.4
1	A	363	ASP	2.3
1	A	56	LEU	2.3
1	B	265	GLU	2.3
1	B	248	ILE	2.3
1	B	7	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	212	ASP	2.3
1	A	48	LEU	2.3
1	A	263	LEU	2.3
1	A	340	GLY	2.3
1	B	50	ARG	2.3
1	A	336	VAL	2.3
1	B	363	ASP	2.3
1	C	275	THR	2.3
1	A	275	THR	2.3
1	C	10	SER	2.2
1	A	385	ASN	2.2
1	B	22	SER	2.2
1	B	51	TYR	2.2
1	C	217	CYS	2.2
1	C	363	ASP	2.2
1	A	43	ALA	2.2
1	C	79	GLU	2.2
1	C	255	GLU	2.2
1	C	364	GLU	2.2
1	A	273	GLY	2.2
1	C	263	LEU	2.2
1	C	9	LYS	2.2
1	C	360	HIS	2.1
1	C	60	TYR	2.1
1	A	279	ILE	2.1
1	A	214	LYS	2.1
1	A	145	HIS	2.1
1	A	261	PHE	2.1
1	A	384	TYR	2.1
1	B	59	THR	2.1
1	A	86	SER	2.1
1	B	64	ARG	2.1
1	B	20	VAL	2.1
1	A	181	HIS	2.0
1	B	385	ASN	2.0
1	A	250	ALA	2.0
1	A	255	GLU	2.0
1	B	208	ILE	2.0
1	C	264	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AFJ	A	501	33/33	0.95	0.08	23,26,36,40	0
2	AFJ	B	501	33/33	0.96	0.08	21,25,37,40	0
2	AFJ	C	501	33/33	0.96	0.08	22,26,35,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AFJ A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AFJ B 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AFJ C 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.