



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:12 AM UTC

PDB ID : 6DW3 / pdb_00006dw3
Title : SAMHD1 Bound to Cytarabine-TP in the Catalytic Pocket
Authors : Knecht, K.M.; Buzovetsky, O.; Schneider, C.; Thomas, D.; Srikanth, V.; Kaderali, L.; Tofoleanu, F.; Reiss, K.; Ferreira, N.; Geisslinger, G.; Batista, V.S.; Ji, X.; Cinatl, J.; Keppler, O.T.; Xiong, Y.
Deposited on : 2018-06-26
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	550	2% 77% 9% • 13%
1	B	550	2% 77% 9% • 13%
1	C	550	% 78% 8% • 13%
1	D	550	% 78% 9% • 13%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16399 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	480	Total	C	N	O	S	0	1	0
			3930	2515	685	709	21			
1	C	479	Total	C	N	O	S	0	2	0
			3931	2516	685	709	21			
1	B	480	Total	C	N	O	S	0	2	0
			3940	2521	686	712	21			
1	A	480	Total	C	N	O	S	0	1	0
			3931	2516	685	709	21			

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	77	MET	-	initiating methionine	UNP Q9Y3Z3
D	78	GLY	-	expression tag	UNP Q9Y3Z3
D	79	SER	-	expression tag	UNP Q9Y3Z3
D	80	SER	-	expression tag	UNP Q9Y3Z3
D	81	HIS	-	expression tag	UNP Q9Y3Z3
D	82	HIS	-	expression tag	UNP Q9Y3Z3
D	83	HIS	-	expression tag	UNP Q9Y3Z3
D	84	HIS	-	expression tag	UNP Q9Y3Z3
D	85	HIS	-	expression tag	UNP Q9Y3Z3
D	86	HIS	-	expression tag	UNP Q9Y3Z3
D	87	SER	-	expression tag	UNP Q9Y3Z3
D	88	SER	-	expression tag	UNP Q9Y3Z3
D	89	GLY	-	expression tag	UNP Q9Y3Z3
D	90	LEU	-	expression tag	UNP Q9Y3Z3
D	91	VAL	-	expression tag	UNP Q9Y3Z3
D	92	PRO	-	expression tag	UNP Q9Y3Z3
D	93	ARG	-	expression tag	UNP Q9Y3Z3
D	94	GLY	-	expression tag	UNP Q9Y3Z3
D	95	SER	-	expression tag	UNP Q9Y3Z3
D	96	HIS	-	expression tag	UNP Q9Y3Z3
D	97	MET	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	98	ALA	-	expression tag	UNP Q9Y3Z3
D	99	SER	-	expression tag	UNP Q9Y3Z3
D	100	MET	-	expression tag	UNP Q9Y3Z3
D	101	THR	-	expression tag	UNP Q9Y3Z3
D	102	GLY	-	expression tag	UNP Q9Y3Z3
D	103	GLY	-	expression tag	UNP Q9Y3Z3
D	104	GLN	-	expression tag	UNP Q9Y3Z3
D	105	GLN	-	expression tag	UNP Q9Y3Z3
D	106	MET	-	expression tag	UNP Q9Y3Z3
D	107	GLY	-	expression tag	UNP Q9Y3Z3
D	108	ARG	-	expression tag	UNP Q9Y3Z3
D	109	ASP	-	expression tag	UNP Q9Y3Z3
D	110	PRO	-	expression tag	UNP Q9Y3Z3
D	111	ASN	-	expression tag	UNP Q9Y3Z3
D	112	SER	-	expression tag	UNP Q9Y3Z3
D	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
D	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
C	77	MET	-	initiating methionine	UNP Q9Y3Z3
C	78	GLY	-	expression tag	UNP Q9Y3Z3
C	79	SER	-	expression tag	UNP Q9Y3Z3
C	80	SER	-	expression tag	UNP Q9Y3Z3
C	81	HIS	-	expression tag	UNP Q9Y3Z3
C	82	HIS	-	expression tag	UNP Q9Y3Z3
C	83	HIS	-	expression tag	UNP Q9Y3Z3
C	84	HIS	-	expression tag	UNP Q9Y3Z3
C	85	HIS	-	expression tag	UNP Q9Y3Z3
C	86	HIS	-	expression tag	UNP Q9Y3Z3
C	87	SER	-	expression tag	UNP Q9Y3Z3
C	88	SER	-	expression tag	UNP Q9Y3Z3
C	89	GLY	-	expression tag	UNP Q9Y3Z3
C	90	LEU	-	expression tag	UNP Q9Y3Z3
C	91	VAL	-	expression tag	UNP Q9Y3Z3
C	92	PRO	-	expression tag	UNP Q9Y3Z3
C	93	ARG	-	expression tag	UNP Q9Y3Z3
C	94	GLY	-	expression tag	UNP Q9Y3Z3
C	95	SER	-	expression tag	UNP Q9Y3Z3
C	96	HIS	-	expression tag	UNP Q9Y3Z3
C	97	MET	-	expression tag	UNP Q9Y3Z3
C	98	ALA	-	expression tag	UNP Q9Y3Z3
C	99	SER	-	expression tag	UNP Q9Y3Z3
C	100	MET	-	expression tag	UNP Q9Y3Z3
C	101	THR	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	102	GLY	-	expression tag	UNP Q9Y3Z3
C	103	GLY	-	expression tag	UNP Q9Y3Z3
C	104	GLN	-	expression tag	UNP Q9Y3Z3
C	105	GLN	-	expression tag	UNP Q9Y3Z3
C	106	MET	-	expression tag	UNP Q9Y3Z3
C	107	GLY	-	expression tag	UNP Q9Y3Z3
C	108	ARG	-	expression tag	UNP Q9Y3Z3
C	109	ASP	-	expression tag	UNP Q9Y3Z3
C	110	PRO	-	expression tag	UNP Q9Y3Z3
C	111	ASN	-	expression tag	UNP Q9Y3Z3
C	112	SER	-	expression tag	UNP Q9Y3Z3
C	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
C	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
B	77	MET	-	initiating methionine	UNP Q9Y3Z3
B	78	GLY	-	expression tag	UNP Q9Y3Z3
B	79	SER	-	expression tag	UNP Q9Y3Z3
B	80	SER	-	expression tag	UNP Q9Y3Z3
B	81	HIS	-	expression tag	UNP Q9Y3Z3
B	82	HIS	-	expression tag	UNP Q9Y3Z3
B	83	HIS	-	expression tag	UNP Q9Y3Z3
B	84	HIS	-	expression tag	UNP Q9Y3Z3
B	85	HIS	-	expression tag	UNP Q9Y3Z3
B	86	HIS	-	expression tag	UNP Q9Y3Z3
B	87	SER	-	expression tag	UNP Q9Y3Z3
B	88	SER	-	expression tag	UNP Q9Y3Z3
B	89	GLY	-	expression tag	UNP Q9Y3Z3
B	90	LEU	-	expression tag	UNP Q9Y3Z3
B	91	VAL	-	expression tag	UNP Q9Y3Z3
B	92	PRO	-	expression tag	UNP Q9Y3Z3
B	93	ARG	-	expression tag	UNP Q9Y3Z3
B	94	GLY	-	expression tag	UNP Q9Y3Z3
B	95	SER	-	expression tag	UNP Q9Y3Z3
B	96	HIS	-	expression tag	UNP Q9Y3Z3
B	97	MET	-	expression tag	UNP Q9Y3Z3
B	98	ALA	-	expression tag	UNP Q9Y3Z3
B	99	SER	-	expression tag	UNP Q9Y3Z3
B	100	MET	-	expression tag	UNP Q9Y3Z3
B	101	THR	-	expression tag	UNP Q9Y3Z3
B	102	GLY	-	expression tag	UNP Q9Y3Z3
B	103	GLY	-	expression tag	UNP Q9Y3Z3
B	104	GLN	-	expression tag	UNP Q9Y3Z3
B	105	GLN	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	106	MET	-	expression tag	UNP Q9Y3Z3
B	107	GLY	-	expression tag	UNP Q9Y3Z3
B	108	ARG	-	expression tag	UNP Q9Y3Z3
B	109	ASP	-	expression tag	UNP Q9Y3Z3
B	110	PRO	-	expression tag	UNP Q9Y3Z3
B	111	ASN	-	expression tag	UNP Q9Y3Z3
B	112	SER	-	expression tag	UNP Q9Y3Z3
B	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
B	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
A	77	MET	-	initiating methionine	UNP Q9Y3Z3
A	78	GLY	-	expression tag	UNP Q9Y3Z3
A	79	SER	-	expression tag	UNP Q9Y3Z3
A	80	SER	-	expression tag	UNP Q9Y3Z3
A	81	HIS	-	expression tag	UNP Q9Y3Z3
A	82	HIS	-	expression tag	UNP Q9Y3Z3
A	83	HIS	-	expression tag	UNP Q9Y3Z3
A	84	HIS	-	expression tag	UNP Q9Y3Z3
A	85	HIS	-	expression tag	UNP Q9Y3Z3
A	86	HIS	-	expression tag	UNP Q9Y3Z3
A	87	SER	-	expression tag	UNP Q9Y3Z3
A	88	SER	-	expression tag	UNP Q9Y3Z3
A	89	GLY	-	expression tag	UNP Q9Y3Z3
A	90	LEU	-	expression tag	UNP Q9Y3Z3
A	91	VAL	-	expression tag	UNP Q9Y3Z3
A	92	PRO	-	expression tag	UNP Q9Y3Z3
A	93	ARG	-	expression tag	UNP Q9Y3Z3
A	94	GLY	-	expression tag	UNP Q9Y3Z3
A	95	SER	-	expression tag	UNP Q9Y3Z3
A	96	HIS	-	expression tag	UNP Q9Y3Z3
A	97	MET	-	expression tag	UNP Q9Y3Z3
A	98	ALA	-	expression tag	UNP Q9Y3Z3
A	99	SER	-	expression tag	UNP Q9Y3Z3
A	100	MET	-	expression tag	UNP Q9Y3Z3
A	101	THR	-	expression tag	UNP Q9Y3Z3
A	102	GLY	-	expression tag	UNP Q9Y3Z3
A	103	GLY	-	expression tag	UNP Q9Y3Z3
A	104	GLN	-	expression tag	UNP Q9Y3Z3
A	105	GLN	-	expression tag	UNP Q9Y3Z3
A	106	MET	-	expression tag	UNP Q9Y3Z3
A	107	GLY	-	expression tag	UNP Q9Y3Z3
A	108	ARG	-	expression tag	UNP Q9Y3Z3
A	109	ASP	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	110	PRO	-	expression tag	UNP Q9Y3Z3
A	111	ASN	-	expression tag	UNP Q9Y3Z3
A	112	SER	-	expression tag	UNP Q9Y3Z3
A	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
A	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3

- Molecule 2 is 4-amino-1-{5-O-[(S)-hydroxy{[(R)-hydroxy(phosphonooxy)phosphoryl]oxy}phosphoryl]-beta-D-arabinofuranosyl}pyrimidin-2(1H)-one (CCD ID: HF4) (formula: $C_9H_{16}N_3O_{14}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	0	0
			29	9	3	14	3		
2	C	1	Total	C	N	O	P	0	0
			29	9	3	14	3		
2	B	1	Total	C	N	O	P	0	0
			29	9	3	14	3		
2	A	1	Total	C	N	O	P	0	0
			29	9	3	14	3		

- Molecule 3 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (CCD ID: DTP) (formula: $C_{10}H_{16}N_5O_{12}P_3$)




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
3	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
3	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
3	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	2	Total	Mg	0	0
			2	2		
4	C	2	Total	Mg	0	0
			2	2		
4	B	1	Total	Mg	0	0
			1	1		
4	A	3	Total	Mg	0	0
			3	3		

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	D	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	93	Total	O	0	0
			93	93		
6	C	53	Total	O	0	0
			53	53		
6	B	70	Total	O	0	0
			70	70		
6	A	79	Total	O	0	0
			79	79		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1




- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	87.34Å 147.32Å 98.54Å 90.00° 114.64° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 50.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	96.6 (50.00-2.20) 96.6 (50.00-2.20)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.190 , 0.228 0.196 , 0.231	Depositor DCC
R_{free} test set	5562 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtriage
Anisotropy	0.317	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16399	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DTP, GTP, MG, HF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.21	12/4023 (0.3%)	1.14	3/5430 (0.1%)
1	B	1.19	11/4032 (0.3%)	1.15	2/5442 (0.0%)
1	C	1.22	10/4023 (0.2%)	1.15	2/5430 (0.0%)
1	D	1.27	8/4022 (0.2%)	1.16	5/5429 (0.1%)
All	All	1.22	41/16100 (0.3%)	1.15	12/21731 (0.1%)

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	327	ASN	N-CA	8.12	1.55	1.46
1	A	222	ILE	CA-CB	7.80	1.58	1.54
1	C	327	ASN	C-O	-7.61	1.14	1.24
1	D	461	GLN	C-O	-7.56	1.17	1.24
1	B	500	VAL	C-O	-7.04	1.16	1.24
1	A	117	VAL	C-O	-6.99	1.16	1.24
1	C	125	HIS	C-O	-6.37	1.16	1.24
1	C	426	ILE	C-O	-6.31	1.16	1.24
1	D	191	ILE	C-O	-6.06	1.18	1.24
1	A	115	MET	N-CA	5.60	1.53	1.46
1	A	123	HIS	C-O	-5.55	1.16	1.24
1	C	500	VAL	C-O	-5.55	1.18	1.24
1	B	326	GLN	C-O	5.54	1.30	1.23
1	D	326	GLN	CA-C	5.53	1.59	1.52
1	A	497	ASP	CA-C	5.53	1.60	1.52
1	D	222	ILE	CA-C	5.52	1.57	1.52
1	C	173	TYR	C-O	-5.51	1.17	1.24
1	A	492	LYS	C-O	-5.44	1.17	1.24
1	C	529	ALA	C-O	-5.44	1.17	1.23
1	B	503	ILE	C-O	-5.43	1.18	1.24
1	A	449	GLU	CD-OE1	5.41	1.35	1.25
1	B	328	ASN	C-O	-5.38	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	218	ASP	C-O	-5.31	1.17	1.24
1	A	327	ASN	CA-CB	5.31	1.61	1.53
1	A	398	GLU	C-O	-5.30	1.17	1.24
1	D	156	VAL	C-O	5.29	1.30	1.24
1	D	510	GLN	C-O	-5.26	1.17	1.24
1	B	504	ASN	CG-OD1	-5.25	1.13	1.23
1	C	355	GLU	CD-OE1	5.22	1.35	1.25
1	A	261	PRO	C-O	-5.19	1.17	1.24
1	A	115	MET	C-O	-5.18	1.18	1.24
1	B	529	ALA	C-O	-5.13	1.17	1.23
1	B	115	MET	N-CA	5.12	1.52	1.46
1	B	326	GLN	CA-C	5.11	1.59	1.52
1	B	462	PRO	C-O	-5.11	1.17	1.23
1	D	173	TYR	C-O	-5.06	1.18	1.24
1	D	529	ALA	C-O	-5.05	1.17	1.23
1	C	115	MET	N-CA	5.05	1.52	1.46
1	B	328	ASN	CA-C	5.04	1.59	1.52
1	C	462	PRO	CA-C	5.03	1.59	1.52
1	C	355	GLU	C-O	5.02	1.30	1.24

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	596	LYS	CB-CG-CD	6.89	127.15	111.30
1	A	197	LEU	N-CA-C	6.63	118.51	111.28
1	D	228	GLU	N-CA-C	5.75	117.55	111.28
1	D	408	ARG	N-CA-CB	-5.71	102.18	110.70
1	D	235	GLN	N-CA-CB	5.67	118.45	110.12
1	B	429	GLU	CA-C-O	-5.66	114.55	120.55
1	B	599	ASN	N-CA-CB	5.32	119.54	110.50
1	A	230	LYS	CB-CG-CD	5.30	123.48	111.30
1	C	559	ARG	NE-CZ-NH2	5.27	123.94	119.20
1	C	126	ILE	CB-CA-C	-5.25	103.58	110.98
1	D	559	ARG	NE-CZ-NH2	5.08	123.77	119.20
1	D	458	GLY	N-CA-C	5.04	118.10	110.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3931	0	3921	21	0
1	B	3940	0	3926	14	0
1	C	3931	0	3920	12	0
1	D	3930	0	3919	17	0
2	A	29	0	0	0	0
2	B	29	0	0	0	0
2	C	29	0	0	1	0
2	D	29	0	0	0	0
3	A	30	0	12	0	0
3	B	30	0	12	0	0
3	C	30	0	12	0	0
3	D	30	0	12	0	0
4	A	3	0	0	0	0
4	B	1	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
5	A	32	0	12	0	0
5	B	32	0	12	0	0
5	C	32	0	12	0	0
5	D	32	0	12	0	0
6	A	79	0	0	2	0
6	B	70	0	0	1	0
6	C	53	0	0	0	0
6	D	93	0	0	4	0
All	All	16399	0	15782	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:522[A]:CYS:SG	1:A:586:VAL:HG21	2.28	0.72
1:D:322:HIS:NE2	6:D:801:HOH:O	2.24	0.71
1:A:322:HIS:NE2	6:A:801:HOH:O	2.28	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:327:ASN:O	1:A:326:GLN:HG2	1.96	0.64
1:C:499:ILE:HD11	1:C:555:LYS:HE2	1.80	0.63
1:C:586:VAL:HG21	1:A:522[B]:CYS:SG	2.42	0.59
1:A:240:MET:HE2	1:A:416:MET:SD	2.43	0.58
1:D:425:ASN:OD1	1:A:425:ASN:OD1	2.21	0.58
1:A:320:CYS:SG	1:A:327:ASN:HB3	2.44	0.58
1:B:509:MET:HE1	1:B:517:HIS:CD2	2.42	0.55
1:D:327:ASN:HA	6:D:803:HOH:O	2.08	0.52
1:D:326:GLN:OE1	1:B:326:GLN:CD	2.53	0.52
1:A:468:ILE:CD1	1:A:550:ILE:HD11	2.41	0.50
1:D:446:LYS:HE2	6:D:878:HOH:O	2.10	0.49
1:B:355:GLU:OE1	1:B:358:ASN:ND2	2.42	0.49
1:C:326:GLN:HB3	1:A:326:GLN:NE2	2.28	0.49
1:B:143:ARG:HD2	1:B:420:THR:HA	1.94	0.49
1:B:563:TYR:O	1:B:567:GLN:HG2	2.13	0.49
1:A:468:ILE:HD12	1:A:550:ILE:HD11	1.95	0.48
1:C:143:ARG:HD2	1:C:420:THR:HA	1.95	0.48
1:A:566:ARG:HD3	1:A:587:ILE:HB	1.96	0.47
1:B:240:MET:HE1	1:B:420:THR:HA	1.97	0.47
1:B:571:GLN:HE22	1:B:594:GLN:NE2	2.13	0.47
1:D:251:LYS:HE2	1:D:265:ILE:CD1	2.46	0.46
1:D:114:THR:HG22	6:D:889:HOH:O	2.15	0.45
1:A:334:PHE:CE2	1:A:359:LEU:HD11	2.52	0.45
1:A:580:LYS:HD2	1:A:598:TRP:HB3	1.98	0.45
1:D:355:GLU:OE1	1:D:358:ASN:ND2	2.50	0.45
1:B:468:ILE:CD1	1:B:550:ILE:HD11	2.47	0.44
1:D:143:ARG:HD2	1:D:420:THR:HA	1.99	0.44
1:C:479:GLU:OE1	1:C:576:ARG:HD2	2.18	0.44
1:D:244:LEU:C	1:D:244:LEU:HD23	2.43	0.44
1:B:241:PHE:O	1:B:245:ILE:HG12	2.17	0.44
1:B:351:ALA:O	1:B:520:PHE:HA	2.18	0.43
1:B:334:PHE:CE2	1:B:359:LEU:HD11	2.54	0.43
1:A:143:ARG:HD2	1:A:420:THR:HA	2.00	0.43
1:D:468:ILE:CD1	1:D:550:ILE:HD11	2.49	0.43
1:A:351:ALA:O	1:A:520:PHE:HA	2.19	0.43
1:D:334:PHE:CE2	1:D:359:LEU:HD11	2.54	0.43
1:A:322:HIS:CE1	6:A:801:HOH:O	2.70	0.43
1:C:175:ALA:HB1	1:C:199:VAL:HG12	2.01	0.42
1:B:459:GLU:OE2	1:B:549:LEU:HD22	2.20	0.42
1:D:491:VAL:HG21	1:D:561:SER:HA	2.01	0.42
1:C:285:TRP:CD2	1:C:292:GLU:HG3	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:326:GLN:HB3	1:A:326:GLN:HE21	1.84	0.42
1:D:333:ARG:HB2	1:C:125:HIS:CE1	2.55	0.41
1:D:351:ALA:O	1:D:520:PHE:HA	2.20	0.41
1:B:504:ASN:HD22	1:B:504:ASN:N	2.18	0.41
1:A:480:VAL:HG22	1:A:572:TRP:CD2	2.54	0.41
1:C:351:ALA:O	1:C:520:PHE:HA	2.20	0.41
1:D:426:ILE:HD13	1:D:426:ILE:HA	1.92	0.41
2:C:701:HF4:O1B	2:C:701:HF4:O2G	2.39	0.41
1:B:467:LYS:HE2	6:B:854:HOH:O	2.20	0.41
1:A:175:ALA:HB1	1:A:199:VAL:HG12	2.02	0.41
1:D:321:HIS:CE1	1:A:321:HIS:CE1	3.08	0.40
1:A:482:SER:O	1:A:484:LYS:HE2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	477/550 (87%)	468 (98%)	9 (2%)	0	100	100
1	B	478/550 (87%)	465 (97%)	12 (2%)	1 (0%)	43	51
1	C	477/550 (87%)	464 (97%)	12 (2%)	1 (0%)	43	51
1	D	477/550 (87%)	466 (98%)	10 (2%)	1 (0%)	43	51
All	All	1909/2200 (87%)	1863 (98%)	43 (2%)	3 (0%)	43	51

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	466	ILE
1	C	510	GLN
1	B	495	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	427/488 (88%)	405 (95%)	22 (5%)	21	26
1	B	428/488 (88%)	403 (94%)	25 (6%)	18	22
1	C	427/488 (88%)	402 (94%)	25 (6%)	18	22
1	D	427/488 (88%)	407 (95%)	20 (5%)	23	31
All	All	1709/1952 (88%)	1617 (95%)	92 (5%)	20	25

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	185	LYS
1	D	235	GLN
1	D	284	LEU
1	D	288	LYS
1	D	315	TYR
1	D	336	LYS
1	D	359	LEU
1	D	368	SER
1	D	463	THR
1	D	469	LYS
1	D	478	LYS
1	D	484	LYS
1	D	491	VAL
1	D	494	LYS
1	D	544	LYS
1	D	559	ARG
1	D	576	ARG
1	D	577	ASN
1	D	594	GLN
1	D	596	LYS
1	C	118	ILE
1	C	230	LYS
1	C	263	GLU
1	C	276	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	284	LEU
1	C	288	LYS
1	C	342	GLU
1	C	345	ASN
1	C	400	THR
1	C	463	THR
1	C	465	GLN
1	C	469	LYS
1	C	475	SER
1	C	486	LYS
1	C	487	VAL
1	C	492	LYS
1	C	510	GLN
1	C	522[A]	CYS
1	C	522[B]	CYS
1	C	523	LYS
1	C	524	THR
1	C	530	ILE
1	C	540	LEU
1	C	544	LYS
1	C	562	LEU
1	B	114	THR
1	B	118	ILE
1	B	193	GLU
1	B	194	ARG
1	B	230	LYS
1	B	261	PRO
1	B	277	GLU
1	B	284	LEU
1	B	359	LEU
1	B	408	ARG
1	B	437	LYS
1	B	439	LYS
1	B	447	GLN
1	B	455	LYS
1	B	467	LYS
1	B	469	LYS
1	B	470	ARG
1	B	486	LYS
1	B	488	LEU
1	B	490	ASP
1	B	491	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	524	THR
1	B	559	ARG
1	B	562	LEU
1	B	594	GLN
1	A	115	MET
1	A	118	ILE
1	A	193	GLU
1	A	284	LEU
1	A	288	LYS
1	A	327	ASN
1	A	359	LEU
1	A	398	GLU
1	A	400	THR
1	A	405	LYS
1	A	406	LYS
1	A	469	LYS
1	A	478	LYS
1	A	484	LYS
1	A	499	ILE
1	A	534	LYS
1	A	544	LYS
1	A	556	LYS
1	A	577	ASN
1	A	590	LEU
1	A	595	LYS
1	A	596	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (51) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	149	GLN
1	D	190	GLN
1	D	235	GLN
1	D	321	HIS
1	D	328	ASN
1	D	358	ASN
1	D	447	GLN
1	D	535	ASN
1	D	567	GLN
1	D	571	GLN
1	D	594	GLN
1	C	149	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	163	ASN
1	C	235	GLN
1	C	328	ASN
1	C	425	ASN
1	C	510	GLN
1	C	539	GLN
1	C	594	GLN
1	C	599	ASN
1	B	149	GLN
1	B	163	ASN
1	B	190	GLN
1	B	200	GLN
1	B	235	GLN
1	B	248	ASN
1	B	322	HIS
1	B	326	GLN
1	B	375	GLN
1	B	380	ASN
1	B	504	ASN
1	B	517	HIS
1	B	535	ASN
1	B	539	GLN
1	B	567	GLN
1	B	571	GLN
1	B	594	GLN
1	A	149	GLN
1	A	163	ASN
1	A	180	HIS
1	A	200	GLN
1	A	235	GLN
1	A	326	GLN
1	A	328	ASN
1	A	425	ASN
1	A	517	HIS
1	A	535	ASN
1	A	539	GLN
1	A	571	GLN
1	A	577	ASN
1	A	594	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HF4	A	705	4	29,30,30	3.07	11 (37%)	43,47,47	1.47	9 (20%)
5	GTP	A	702	4	33,34,34	1.59	7 (21%)	50,54,54	1.57	8 (16%)
3	DTP	C	704	4	31,32,32	1.74	6 (19%)	46,50,50	1.98	12 (26%)
5	GTP	D	704	4	33,34,34	1.60	7 (21%)	50,54,54	1.68	4 (8%)
5	GTP	C	703	4	33,34,34	2.02	6 (18%)	50,54,54	2.09	12 (24%)
2	HF4	D	701	4	29,30,30	3.31	10 (34%)	43,47,47	1.53	10 (23%)
2	HF4	C	701	4	29,30,30	2.66	11 (37%)	43,47,47	1.22	4 (9%)
5	GTP	B	702	4	33,34,34	1.80	7 (21%)	50,54,54	1.98	12 (24%)
3	DTP	B	701	4	31,32,32	1.86	6 (19%)	46,50,50	1.71	13 (28%)
3	DTP	D	702	4	31,32,32	1.74	4 (12%)	46,50,50	1.87	12 (26%)
2	HF4	B	703	4	29,30,30	2.75	12 (41%)	43,47,47	1.76	7 (16%)
3	DTP	A	703	4	31,32,32	1.28	4 (12%)	46,50,50	1.84	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HF4	A	705	4	-	4/22/38/38	0/2/2/2
5	GTP	A	702	4	-	3/22/38/38	0/3/3/3
3	DTP	C	704	4	-	3/22/34/34	0/3/3/3
5	GTP	D	704	4	-	2/22/38/38	0/3/3/3
5	GTP	C	703	4	-	7/22/38/38	0/3/3/3
2	HF4	D	701	4	-	7/22/38/38	0/2/2/2
2	HF4	C	701	4	-	6/22/38/38	0/2/2/2
5	GTP	B	702	4	-	5/22/38/38	0/3/3/3
3	DTP	B	701	4	-	5/22/34/34	0/3/3/3
3	DTP	D	702	4	-	5/22/34/34	0/3/3/3
2	HF4	B	703	4	-	4/22/38/38	0/2/2/2
3	DTP	A	703	4	-	2/22/34/34	0/3/3/3

All (91) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	701	HF4	O2-C2	10.16	1.42	1.23
2	A	705	HF4	O2-C2	10.13	1.42	1.23
2	C	701	HF4	O2-C2	8.32	1.39	1.23
2	D	701	HF4	PB-O3B	7.61	1.67	1.59
2	D	701	HF4	PA-O3A	7.56	1.67	1.59
2	B	703	HF4	O2-C2	7.46	1.37	1.23
2	A	705	HF4	PB-O3B	6.53	1.66	1.59
3	D	702	DTP	PB-O3B	6.47	1.66	1.59
3	B	701	DTP	C5-C4	6.00	1.49	1.39
5	B	702	GTP	PB-O3A	5.91	1.65	1.59
5	C	703	GTP	PB-O3A	5.58	1.65	1.59
2	D	701	HF4	C4-N4	5.24	1.46	1.33
2	B	703	HF4	PB-O3B	5.13	1.65	1.59
3	C	704	DTP	C5-C4	5.08	1.48	1.39
2	B	703	HF4	C6-C5	5.01	1.46	1.35
2	C	701	HF4	PB-O3B	5.00	1.64	1.59
2	B	703	HF4	PA-O3A	4.84	1.64	1.59
5	C	703	GTP	PB-O3B	-4.81	1.54	1.59
5	C	703	GTP	PA-O3A	4.80	1.64	1.59
2	A	705	HF4	C2-N3	4.77	1.45	1.36
2	C	701	HF4	PA-O3A	4.33	1.64	1.59
2	A	705	HF4	PA-O3A	4.12	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	705	HF4	C6-C5	4.04	1.44	1.35
5	A	702	GTP	PB-O3B	4.01	1.63	1.59
2	A	705	HF4	C4-N4	3.96	1.43	1.33
3	B	701	DTP	C2-N1	3.88	1.40	1.33
2	B	703	HF4	C2-N3	3.88	1.44	1.36
2	B	703	HF4	C2'-C3'	-3.76	1.43	1.53
5	D	704	GTP	PA-O3A	3.65	1.63	1.59
2	A	705	HF4	C2'-C3'	-3.62	1.43	1.53
2	C	701	HF4	O4'-C1'	3.60	1.50	1.42
2	B	703	HF4	C6-N1	3.49	1.46	1.38
2	D	701	HF4	C2'-C3'	-3.43	1.44	1.53
3	B	701	DTP	C5-N7	-3.38	1.32	1.39
3	C	704	DTP	C4-N9	-3.37	1.30	1.37
5	C	703	GTP	C5-C4	3.33	1.47	1.38
2	C	701	HF4	C2-N3	3.27	1.42	1.36
3	C	704	DTP	PB-O3A	3.27	1.63	1.59
2	C	701	HF4	C4-N4	3.25	1.41	1.33
2	D	701	HF4	C2-N3	3.21	1.42	1.36
5	B	702	GTP	O6-C6	3.10	1.29	1.23
2	A	705	HF4	O4'-C1'	3.07	1.49	1.42
5	A	702	GTP	C5-C4	3.06	1.47	1.38
5	B	702	GTP	C5-C4	3.05	1.47	1.38
3	A	703	DTP	C8-N7	3.05	1.37	1.31
5	D	704	GTP	C4-N9	-3.00	1.30	1.38
5	D	704	GTP	PB-O3B	-3.00	1.56	1.59
5	D	704	GTP	PB-O3A	2.99	1.62	1.59
2	D	701	HF4	O4'-C1'	2.98	1.48	1.42
5	D	704	GTP	C5-N7	-2.98	1.33	1.39
3	D	702	DTP	C5-C4	2.95	1.44	1.39
2	B	703	HF4	C4-N4	2.92	1.41	1.33
2	A	705	HF4	C6-N1	2.90	1.45	1.38
5	B	702	GTP	C4-N9	-2.86	1.30	1.38
3	B	701	DTP	C5-C6	2.83	1.48	1.41
5	D	704	GTP	C6-N1	-2.80	1.33	1.38
5	B	702	GTP	C5-N7	-2.79	1.33	1.39
2	C	701	HF4	C4-N3	2.77	1.40	1.34
3	C	704	DTP	C8-N7	2.74	1.37	1.31
5	A	702	GTP	PG-O3G	-2.65	1.45	1.54
3	C	704	DTP	PA-O3A	2.65	1.62	1.59
2	C	701	HF4	C2'-C3'	-2.64	1.46	1.53
3	A	703	DTP	C5-C4	2.63	1.43	1.39
2	C	701	HF4	C6-N1	2.57	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	704	GTP	C5-C4	2.53	1.45	1.38
5	A	702	GTP	C6-N1	-2.50	1.34	1.38
2	B	703	HF4	PG-O1G	-2.48	1.45	1.54
5	C	703	GTP	C6-N1	-2.45	1.34	1.38
3	A	703	DTP	C5-C6	2.42	1.47	1.41
2	D	701	HF4	PG-O1G	-2.42	1.45	1.54
5	A	702	GTP	C4-N9	-2.39	1.32	1.38
5	B	702	GTP	C6-N1	-2.37	1.34	1.38
5	C	703	GTP	C2-N3	2.36	1.38	1.33
2	B	703	HF4	C1'-N1	-2.33	1.40	1.47
3	D	702	DTP	C5-N7	-2.30	1.34	1.39
2	C	701	HF4	C2'-C1'	-2.29	1.46	1.53
2	D	701	HF4	PA-O5'	2.27	1.68	1.59
3	B	701	DTP	C4-N9	-2.22	1.33	1.37
2	A	705	HF4	PA-O5'	2.19	1.68	1.59
2	D	701	HF4	PA-O1A	-2.18	1.45	1.55
2	B	703	HF4	O4'-C1'	2.16	1.47	1.42
3	C	704	DTP	C8-N9	-2.14	1.33	1.37
2	C	701	HF4	O4'-C4'	2.10	1.49	1.45
2	A	705	HF4	PA-O1A	-2.09	1.45	1.55
5	B	702	GTP	C2-N3	2.06	1.38	1.33
3	B	701	DTP	O4'-C4'	2.06	1.49	1.45
3	A	703	DTP	PB-O3B	2.06	1.61	1.59
5	A	702	GTP	C8-N7	2.05	1.38	1.32
5	A	702	GTP	PG-O2G	-2.02	1.47	1.54
3	D	702	DTP	C8-N7	2.01	1.35	1.31
2	B	703	HF4	O4'-C4'	2.00	1.49	1.45

All (114) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	703	GTP	C5-C4-N3	-6.91	117.40	128.39
5	D	704	GTP	O2B-PB-O3A	-6.24	90.41	107.27
5	B	702	GTP	C5-C4-N3	-5.69	119.34	128.39
5	B	702	GTP	O3A-PB-O1B	-5.64	93.72	110.70
5	C	703	GTP	C2-N3-C4	5.57	121.89	112.30
3	D	702	DTP	C5-C4-N3	-5.27	119.46	126.72
2	B	703	HF4	O2-C2-N3	-5.05	114.37	122.33
5	C	703	GTP	N9-C4-N3	5.02	135.99	125.95
3	C	704	DTP	O4'-C1'-N9	-4.95	99.08	107.96
5	D	704	GTP	C5-C4-N3	-4.70	120.91	128.39
5	A	702	GTP	C5-C4-N3	-4.63	121.03	128.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	702	GTP	C2-N3-C4	4.48	120.01	112.30
2	B	703	HF4	O1B-PB-O3A	-4.37	95.46	107.27
3	C	704	DTP	C4-N9-C8	4.30	110.25	105.74
3	A	703	DTP	C5-C4-N3	-4.09	121.08	126.72
3	D	702	DTP	N3-C2-N1	-4.06	122.44	128.58
3	A	703	DTP	O4'-C1'-N9	-4.02	100.73	107.96
5	C	703	GTP	O3A-PB-O1B	-4.01	98.63	110.70
3	C	704	DTP	O3A-PA-O1A	-3.99	98.71	110.70
3	D	702	DTP	N3-C4-N9	3.96	133.91	127.17
3	C	704	DTP	O3G-PG-O2G	3.92	122.51	107.80
5	A	702	GTP	O3G-PG-O2G	3.92	122.49	107.80
5	B	702	GTP	N9-C4-N3	3.91	133.77	125.95
2	B	703	HF4	C3'-C2'-C1'	3.90	108.84	101.46
5	D	704	GTP	N9-C4-N3	3.88	133.71	125.95
5	B	702	GTP	C3'-C2'-C1'	3.85	108.74	101.46
5	C	703	GTP	C6-C5-N7	3.82	137.25	130.29
3	C	704	DTP	C5-C4-N3	-3.81	121.48	126.72
5	C	703	GTP	C4-C5-N7	-3.78	104.68	110.67
3	D	702	DTP	O2A-PA-O1A	3.74	129.85	112.44
3	B	701	DTP	O2B-PB-O3A	3.70	117.27	107.27
3	C	704	DTP	N3-C4-N9	3.66	133.39	127.17
5	D	704	GTP	C2-N3-C4	3.66	118.60	112.30
3	A	703	DTP	N3-C2-N1	-3.62	123.10	128.58
2	A	705	HF4	O1B-PB-O3B	3.58	116.95	107.27
3	D	702	DTP	C2-N3-C4	3.55	120.49	111.83
3	A	703	DTP	C2-N3-C4	3.54	120.47	111.83
2	B	703	HF4	O2G-PG-O3B	3.53	116.48	104.64
3	B	701	DTP	O4'-C1'-N9	-3.51	101.66	107.96
3	B	701	DTP	O3A-PB-O1B	-3.47	100.28	110.70
3	C	704	DTP	N6-C6-N1	3.41	125.98	118.38
2	D	701	HF4	O3A-PA-O2A	-3.38	100.54	110.70
3	B	701	DTP	N3-C4-N9	3.38	132.91	127.17
2	A	705	HF4	O3A-PB-O2B	-3.33	100.68	110.70
3	B	701	DTP	C5-C4-N3	-3.33	122.14	126.72
3	D	702	DTP	O4'-C1'-N9	-3.32	102.00	107.96
2	D	701	HF4	O1G-PG-O3B	3.29	115.66	104.64
2	D	701	HF4	O1B-PB-O3B	3.26	116.08	107.27
5	C	703	GTP	C3'-C2'-C1'	3.19	107.50	101.46
5	C	703	GTP	C8-N7-C5	3.19	109.94	104.26
5	A	702	GTP	C2-N3-C4	3.18	117.78	112.30
3	A	703	DTP	N3-C4-N9	3.17	132.56	127.17
2	D	701	HF4	C3'-C2'-C1'	2.98	107.09	101.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	702	GTP	C6-C5-N7	2.96	135.68	130.29
3	A	703	DTP	N9-C8-N7	-2.95	109.74	113.94
3	B	701	DTP	C4-C5-N7	-2.95	107.21	110.58
3	A	703	DTP	O3A-PB-O1B	-2.92	101.92	110.70
5	A	702	GTP	C4-C5-N7	-2.81	106.22	110.67
3	B	701	DTP	C4-N9-C8	2.80	108.68	105.74
3	C	704	DTP	O2A-PA-O3A	2.80	114.83	107.27
5	B	702	GTP	C4-C5-N7	-2.79	106.25	110.67
2	D	701	HF4	O4'-C1'-N1	2.79	114.67	108.36
2	D	701	HF4	O3A-PB-O2B	-2.74	102.46	110.70
3	B	701	DTP	O2A-PA-O1A	2.74	125.17	112.44
5	C	703	GTP	O3G-PG-O3B	2.72	113.77	104.64
3	A	703	DTP	C4-N9-C8	2.69	108.56	105.74
3	A	703	DTP	O2A-PA-O1A	2.67	124.87	112.44
2	B	703	HF4	C6-N1-C2	-2.65	115.98	120.46
2	A	705	HF4	O3A-PA-O2A	-2.62	102.82	110.70
3	B	701	DTP	C5-N7-C8	2.60	107.54	103.45
3	C	704	DTP	O2G-PG-O3B	-2.60	95.92	104.64
2	C	701	HF4	O1G-PG-O3B	2.57	113.27	104.64
5	A	702	GTP	N9-C4-N3	2.57	131.10	125.95
3	C	704	DTP	O2A-PA-O1A	2.55	124.31	112.44
5	B	702	GTP	O2B-PB-O3A	2.54	114.14	107.27
5	B	702	GTP	O3G-PG-O3B	2.52	113.09	104.64
3	B	701	DTP	O3G-PG-O2G	2.52	117.24	107.80
3	D	702	DTP	O2A-PA-O3A	-2.50	100.53	107.27
2	C	701	HF4	C4'-O4'-C1'	-2.48	104.00	109.47
2	A	705	HF4	O2-C2-N3	-2.41	118.53	122.33
2	B	703	HF4	N1-C2-N3	2.39	122.95	118.80
2	A	705	HF4	C3'-C2'-C1'	2.35	105.92	101.46
2	D	701	HF4	C6-N1-C2	-2.35	116.49	120.46
3	D	702	DTP	N6-C6-N1	2.35	123.61	118.38
2	D	701	HF4	O2G-PG-O3B	2.31	112.39	104.64
2	C	701	HF4	O2G-PG-O3B	2.29	112.31	104.64
3	C	704	DTP	C5-C6-N6	-2.28	117.65	123.29
3	A	703	DTP	O2B-PB-O3A	2.26	113.37	107.27
2	A	705	HF4	C5-C4-N4	2.25	124.57	120.63
2	A	705	HF4	N4-C4-N3	-2.25	113.89	117.91
5	A	702	GTP	C6-C5-N7	2.24	134.36	130.29
5	C	703	GTP	O2B-PB-O3B	2.22	113.27	107.27
5	B	702	GTP	O2A-PA-O3A	2.21	113.24	107.27
2	A	705	HF4	C4'-O4'-C1'	-2.20	104.60	109.47
5	A	702	GTP	O3G-PG-O3B	-2.19	97.29	104.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	702	GTP	O2A-PA-O1A	2.18	122.60	112.44
3	B	701	DTP	C2'-C1'-N9	2.18	119.74	114.63
2	A	705	HF4	O4'-C1'-N1	2.16	113.26	108.36
2	C	701	HF4	O2-C2-N3	-2.15	118.94	122.33
3	C	704	DTP	C4-C5-N7	-2.14	108.14	110.58
5	B	702	GTP	O2G-PG-O1G	2.13	119.15	110.83
3	D	702	DTP	O2G-PG-O1G	2.12	119.10	110.83
3	D	702	DTP	O3G-PG-O2G	2.12	115.73	107.80
3	D	702	DTP	C2-N1-C6	2.11	122.19	118.73
3	B	701	DTP	C2-N3-C4	2.10	116.97	111.83
2	D	701	HF4	O5'-C5'-C4'	2.08	116.09	108.99
5	C	703	GTP	O2A-PA-O3A	2.08	112.91	107.27
5	B	702	GTP	C2'-C1'-N9	2.08	119.05	113.25
3	D	702	DTP	C5-C6-N6	-2.07	118.16	123.29
2	B	703	HF4	C5-C4-N4	2.07	124.25	120.63
2	D	701	HF4	O2-C2-N3	-2.06	119.08	122.33
5	C	703	GTP	O4'-C1'-N9	-2.04	103.75	108.36
3	B	701	DTP	O2G-PG-O3B	-2.03	97.82	104.64
3	A	703	DTP	O3A-PA-O1A	2.00	116.72	110.70

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	701	HF4	C5'-O5'-PA-O2A
2	D	701	HF4	C4'-C5'-O5'-PA
2	A	705	HF4	PB-O3A-PA-O5'
3	B	701	DTP	PB-O3B-PG-O2G
3	B	701	DTP	PB-O3B-PG-O3G
5	C	703	GTP	PB-O3B-PG-O3G
2	C	701	HF4	C3'-C4'-C5'-O5'
2	C	701	HF4	O4'-C4'-C5'-O5'
2	B	703	HF4	C3'-C4'-C5'-O5'
2	B	703	HF4	O4'-C4'-C5'-O5'
2	C	701	HF4	C4'-C5'-O5'-PA
2	B	703	HF4	C4'-C5'-O5'-PA
2	A	705	HF4	C4'-C5'-O5'-PA
2	D	701	HF4	PB-O3A-PA-O5'
2	B	703	HF4	PB-O3A-PA-O5'
2	C	701	HF4	PB-O3B-PG-O2G
3	D	702	DTP	PB-O3B-PG-O2G
3	A	703	DTP	PB-O3B-PG-O3G

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	704	DTP	PG-O3B-PB-O2B
5	B	702	GTP	PG-O3B-PB-O2B
2	D	701	HF4	C5'-O5'-PA-O3A
2	D	701	HF4	C5'-O5'-PA-O1A
2	D	701	HF4	C3'-C4'-C5'-O5'
2	A	705	HF4	C3'-C4'-C5'-O5'
5	B	702	GTP	PG-O3B-PB-O1B
5	B	702	GTP	PB-O3A-PA-O2A
5	B	702	GTP	C4'-C5'-O5'-PA
5	A	702	GTP	C4'-C5'-O5'-PA
3	D	702	DTP	PB-O3B-PG-O1G
2	A	705	HF4	O4'-C4'-C5'-O5'
3	C	704	DTP	PG-O3B-PB-O1B
3	B	701	DTP	PG-O3B-PB-O1B
3	A	703	DTP	PG-O3B-PB-O1B
5	C	703	GTP	PG-O3B-PB-O1B
5	C	703	GTP	PG-O3B-PB-O2B
5	D	704	GTP	C4'-C5'-O5'-PA
5	C	703	GTP	C4'-C5'-O5'-PA
5	C	703	GTP	PB-O3B-PG-O1G
2	D	701	HF4	O4'-C4'-C5'-O5'
2	C	701	HF4	PG-O3B-PB-O1B
2	C	701	HF4	PG-O3B-PB-O2B
3	C	704	DTP	PB-O3A-PA-O2A
3	B	701	DTP	PB-O3A-PA-O1A
5	D	704	GTP	PB-O3A-PA-O2A
5	C	703	GTP	PB-O3A-PA-O1A
5	A	702	GTP	PG-O3B-PB-O1B
3	D	702	DTP	PG-O3B-PB-O1B
3	D	702	DTP	PG-O3B-PB-O2B
3	D	702	DTP	PB-O3A-PA-O2A
3	B	701	DTP	PG-O3B-PB-O2B
5	C	703	GTP	PB-O3A-PA-O2A
5	B	702	GTP	PB-O3A-PA-O1A
5	A	702	GTP	PG-O3B-PB-O2B


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	701	HF4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











Ligand GTP D 704




Ligand GTP C 703












Ligand DTP D 702



Ligand HF4 B 703





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	480/550 (87%)	0.01	11 (2%) 61 58	18, 42, 80, 105	1 (0%)
1	B	480/550 (87%)	-0.04	10 (2%) 63 60	19, 42, 76, 106	2 (0%)
1	C	479/550 (87%)	-0.01	6 (1%) 75 73	21, 43, 73, 104	2 (0%)
1	D	480/550 (87%)	-0.24	3 (0%) 85 83	15, 35, 62, 86	1 (0%)
All	All	1919/2200 (87%)	-0.07	30 (1%) 70 67	15, 40, 73, 106	6 (0%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	284	LEU	6.5
1	C	114	THR	4.8
1	B	284	LEU	4.6
1	C	284	LEU	4.5
1	B	488	LEU	4.5
1	D	284	LEU	3.6
1	B	114	THR	3.4
1	A	466	ILE	3.2
1	A	114	THR	3.0
1	A	115	MET	2.9
1	D	114	THR	2.6
1	A	488	LEU	2.5
1	A	590	LEU	2.5
1	B	489	LEU	2.4
1	A	230	LYS	2.4
1	C	488	LEU	2.3
1	B	466	ILE	2.3
1	D	599	ASN	2.3
1	A	598	TRP	2.3
1	A	599	ASN	2.2
1	B	491	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	230	LYS	2.1
1	C	599	ASN	2.1
1	C	596	LYS	2.1
1	B	469	LYS	2.1
1	A	229	VAL	2.1
1	B	328	ASN	2.0
1	B	467	LYS	2.0
1	A	405	LYS	2.0
1	C	486	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	D	705	1/1	0.59	0.19	66,66,66,66	0
4	MG	C	705	1/1	0.74	0.25	79,79,79,79	0
4	MG	A	706	1/1	0.76	0.14	64,64,64,64	0
4	MG	B	704	1/1	0.77	0.12	58,58,58,58	0
2	HF4	C	701	29/29	0.95	0.07	31,39,54,56	0
2	HF4	A	705	29/29	0.96	0.06	29,34,52,56	0
2	HF4	B	703	29/29	0.97	0.06	27,31,42,46	0
2	HF4	D	701	29/29	0.97	0.06	22,28,42,47	0
5	GTP	C	703	32/32	0.98	0.04	25,29,33,34	0
3	DTP	D	702	30/30	0.99	0.04	21,24,28,29	0
4	MG	C	702	1/1	0.99	0.03	35,35,35,35	0
3	DTP	C	704	30/30	0.99	0.03	20,23,27,28	0
3	DTP	B	701	30/30	0.99	0.03	18,20,24,25	0
3	DTP	A	703	30/30	0.99	0.03	20,21,24,25	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GTP	D	704	32/32	0.99	0.04	18,22,28,31	0
4	MG	D	703	1/1	0.99	0.02	25,25,25,25	0
5	GTP	B	702	32/32	0.99	0.04	22,25,29,30	0
5	GTP	A	702	32/32	0.99	0.04	19,21,29,33	0
4	MG	A	704	1/1	1.00	0.01	26,26,26,26	0
4	MG	A	701	1/1	1.00	0.02	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HF4 C 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HF4 A 705:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HF4 B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HF4 D 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP C 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DTP D 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DTP C 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DTP B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DTP A 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around GTP D 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.