



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 07:17 AM UTC

PDB ID : 6DWJ / pdb_00006dwj
Title : SAMHD1 Bound to Vidarabine-TP in the Catalytic Pocket
Authors : Knecht, K.M.; Buzovetsky, O.; Schneider, C.; Thomas, D.; Srikanth, V.; Kaderali, L.; Tofoleanu, F.; Reiss, K.; Ferreira, N.; Geisslinger, G.; Batista, V.S.; Ji, X.; Cinatl, J.; Keppler, O.T.; Xiong, Y.
Deposited on : 2018-06-26
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	550	
1	B	550	
1	C	550	
1	D	550	

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 16328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	481	Total	C	N	O	S	0	1	0
			3939	2520	686	712	21			
1	C	481	Total	C	N	O	S	0	1	0
			3939	2520	686	712	21			
1	B	481	Total	C	N	O	S	0	0	0
			3933	2517	685	711	20			
1	A	481	Total	C	N	O	S	0	3	0
			3952	2529	689	712	22			

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	77	MET	-	initiating methionine	UNP Q9Y3Z3
D	78	GLY	-	expression tag	UNP Q9Y3Z3
D	79	SER	-	expression tag	UNP Q9Y3Z3
D	80	SER	-	expression tag	UNP Q9Y3Z3
D	81	HIS	-	expression tag	UNP Q9Y3Z3
D	82	HIS	-	expression tag	UNP Q9Y3Z3
D	83	HIS	-	expression tag	UNP Q9Y3Z3
D	84	HIS	-	expression tag	UNP Q9Y3Z3
D	85	HIS	-	expression tag	UNP Q9Y3Z3
D	86	HIS	-	expression tag	UNP Q9Y3Z3
D	87	SER	-	expression tag	UNP Q9Y3Z3
D	88	SER	-	expression tag	UNP Q9Y3Z3
D	89	GLY	-	expression tag	UNP Q9Y3Z3
D	90	LEU	-	expression tag	UNP Q9Y3Z3
D	91	VAL	-	expression tag	UNP Q9Y3Z3
D	92	PRO	-	expression tag	UNP Q9Y3Z3
D	93	ARG	-	expression tag	UNP Q9Y3Z3
D	94	GLY	-	expression tag	UNP Q9Y3Z3
D	95	SER	-	expression tag	UNP Q9Y3Z3
D	96	HIS	-	expression tag	UNP Q9Y3Z3
D	97	MET	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	98	ALA	-	expression tag	UNP Q9Y3Z3
D	99	SER	-	expression tag	UNP Q9Y3Z3
D	100	MET	-	expression tag	UNP Q9Y3Z3
D	101	THR	-	expression tag	UNP Q9Y3Z3
D	102	GLY	-	expression tag	UNP Q9Y3Z3
D	103	GLY	-	expression tag	UNP Q9Y3Z3
D	104	GLN	-	expression tag	UNP Q9Y3Z3
D	105	GLN	-	expression tag	UNP Q9Y3Z3
D	106	MET	-	expression tag	UNP Q9Y3Z3
D	107	GLY	-	expression tag	UNP Q9Y3Z3
D	108	ARG	-	expression tag	UNP Q9Y3Z3
D	109	ASP	-	expression tag	UNP Q9Y3Z3
D	110	PRO	-	expression tag	UNP Q9Y3Z3
D	111	ASN	-	expression tag	UNP Q9Y3Z3
D	112	SER	-	expression tag	UNP Q9Y3Z3
D	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
D	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
C	77	MET	-	initiating methionine	UNP Q9Y3Z3
C	78	GLY	-	expression tag	UNP Q9Y3Z3
C	79	SER	-	expression tag	UNP Q9Y3Z3
C	80	SER	-	expression tag	UNP Q9Y3Z3
C	81	HIS	-	expression tag	UNP Q9Y3Z3
C	82	HIS	-	expression tag	UNP Q9Y3Z3
C	83	HIS	-	expression tag	UNP Q9Y3Z3
C	84	HIS	-	expression tag	UNP Q9Y3Z3
C	85	HIS	-	expression tag	UNP Q9Y3Z3
C	86	HIS	-	expression tag	UNP Q9Y3Z3
C	87	SER	-	expression tag	UNP Q9Y3Z3
C	88	SER	-	expression tag	UNP Q9Y3Z3
C	89	GLY	-	expression tag	UNP Q9Y3Z3
C	90	LEU	-	expression tag	UNP Q9Y3Z3
C	91	VAL	-	expression tag	UNP Q9Y3Z3
C	92	PRO	-	expression tag	UNP Q9Y3Z3
C	93	ARG	-	expression tag	UNP Q9Y3Z3
C	94	GLY	-	expression tag	UNP Q9Y3Z3
C	95	SER	-	expression tag	UNP Q9Y3Z3
C	96	HIS	-	expression tag	UNP Q9Y3Z3
C	97	MET	-	expression tag	UNP Q9Y3Z3
C	98	ALA	-	expression tag	UNP Q9Y3Z3
C	99	SER	-	expression tag	UNP Q9Y3Z3
C	100	MET	-	expression tag	UNP Q9Y3Z3
C	101	THR	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	102	GLY	-	expression tag	UNP Q9Y3Z3
C	103	GLY	-	expression tag	UNP Q9Y3Z3
C	104	GLN	-	expression tag	UNP Q9Y3Z3
C	105	GLN	-	expression tag	UNP Q9Y3Z3
C	106	MET	-	expression tag	UNP Q9Y3Z3
C	107	GLY	-	expression tag	UNP Q9Y3Z3
C	108	ARG	-	expression tag	UNP Q9Y3Z3
C	109	ASP	-	expression tag	UNP Q9Y3Z3
C	110	PRO	-	expression tag	UNP Q9Y3Z3
C	111	ASN	-	expression tag	UNP Q9Y3Z3
C	112	SER	-	expression tag	UNP Q9Y3Z3
C	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
C	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
B	77	MET	-	initiating methionine	UNP Q9Y3Z3
B	78	GLY	-	expression tag	UNP Q9Y3Z3
B	79	SER	-	expression tag	UNP Q9Y3Z3
B	80	SER	-	expression tag	UNP Q9Y3Z3
B	81	HIS	-	expression tag	UNP Q9Y3Z3
B	82	HIS	-	expression tag	UNP Q9Y3Z3
B	83	HIS	-	expression tag	UNP Q9Y3Z3
B	84	HIS	-	expression tag	UNP Q9Y3Z3
B	85	HIS	-	expression tag	UNP Q9Y3Z3
B	86	HIS	-	expression tag	UNP Q9Y3Z3
B	87	SER	-	expression tag	UNP Q9Y3Z3
B	88	SER	-	expression tag	UNP Q9Y3Z3
B	89	GLY	-	expression tag	UNP Q9Y3Z3
B	90	LEU	-	expression tag	UNP Q9Y3Z3
B	91	VAL	-	expression tag	UNP Q9Y3Z3
B	92	PRO	-	expression tag	UNP Q9Y3Z3
B	93	ARG	-	expression tag	UNP Q9Y3Z3
B	94	GLY	-	expression tag	UNP Q9Y3Z3
B	95	SER	-	expression tag	UNP Q9Y3Z3
B	96	HIS	-	expression tag	UNP Q9Y3Z3
B	97	MET	-	expression tag	UNP Q9Y3Z3
B	98	ALA	-	expression tag	UNP Q9Y3Z3
B	99	SER	-	expression tag	UNP Q9Y3Z3
B	100	MET	-	expression tag	UNP Q9Y3Z3
B	101	THR	-	expression tag	UNP Q9Y3Z3
B	102	GLY	-	expression tag	UNP Q9Y3Z3
B	103	GLY	-	expression tag	UNP Q9Y3Z3
B	104	GLN	-	expression tag	UNP Q9Y3Z3
B	105	GLN	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	106	MET	-	expression tag	UNP Q9Y3Z3
B	107	GLY	-	expression tag	UNP Q9Y3Z3
B	108	ARG	-	expression tag	UNP Q9Y3Z3
B	109	ASP	-	expression tag	UNP Q9Y3Z3
B	110	PRO	-	expression tag	UNP Q9Y3Z3
B	111	ASN	-	expression tag	UNP Q9Y3Z3
B	112	SER	-	expression tag	UNP Q9Y3Z3
B	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
B	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
A	77	MET	-	initiating methionine	UNP Q9Y3Z3
A	78	GLY	-	expression tag	UNP Q9Y3Z3
A	79	SER	-	expression tag	UNP Q9Y3Z3
A	80	SER	-	expression tag	UNP Q9Y3Z3
A	81	HIS	-	expression tag	UNP Q9Y3Z3
A	82	HIS	-	expression tag	UNP Q9Y3Z3
A	83	HIS	-	expression tag	UNP Q9Y3Z3
A	84	HIS	-	expression tag	UNP Q9Y3Z3
A	85	HIS	-	expression tag	UNP Q9Y3Z3
A	86	HIS	-	expression tag	UNP Q9Y3Z3
A	87	SER	-	expression tag	UNP Q9Y3Z3
A	88	SER	-	expression tag	UNP Q9Y3Z3
A	89	GLY	-	expression tag	UNP Q9Y3Z3
A	90	LEU	-	expression tag	UNP Q9Y3Z3
A	91	VAL	-	expression tag	UNP Q9Y3Z3
A	92	PRO	-	expression tag	UNP Q9Y3Z3
A	93	ARG	-	expression tag	UNP Q9Y3Z3
A	94	GLY	-	expression tag	UNP Q9Y3Z3
A	95	SER	-	expression tag	UNP Q9Y3Z3
A	96	HIS	-	expression tag	UNP Q9Y3Z3
A	97	MET	-	expression tag	UNP Q9Y3Z3
A	98	ALA	-	expression tag	UNP Q9Y3Z3
A	99	SER	-	expression tag	UNP Q9Y3Z3
A	100	MET	-	expression tag	UNP Q9Y3Z3
A	101	THR	-	expression tag	UNP Q9Y3Z3
A	102	GLY	-	expression tag	UNP Q9Y3Z3
A	103	GLY	-	expression tag	UNP Q9Y3Z3
A	104	GLN	-	expression tag	UNP Q9Y3Z3
A	105	GLN	-	expression tag	UNP Q9Y3Z3
A	106	MET	-	expression tag	UNP Q9Y3Z3
A	107	GLY	-	expression tag	UNP Q9Y3Z3
A	108	ARG	-	expression tag	UNP Q9Y3Z3
A	109	ASP	-	expression tag	UNP Q9Y3Z3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	110	PRO	-	expression tag	UNP Q9Y3Z3
A	111	ASN	-	expression tag	UNP Q9Y3Z3
A	112	SER	-	expression tag	UNP Q9Y3Z3
A	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
A	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3

- Molecule 2 is 9-{5-O-[(S)-hydroxy{[(R)-hydroxy(phosphonooxy)phosphoryl]oxy}phosphoryl]-beta-D-arabinofuranosyl}-9H-purin-6-amine (CCD ID: HEJ) (formula: C₁₀H₁₆N₅O₁₃P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
3	D	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
3	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
3	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 4 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (CCD ID: DTP) (formula: C₁₀H₁₆N₅O₁₂P₃)



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
4	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
4	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
4	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		


- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	3	Total	Mg	0	0
			3	3		
5	C	2	Total	Mg	0	0
			2	2		
5	B	2	Total	Mg	0	0
			2	2		
5	A	3	Total	Mg	0	0
			3	3		

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	4	Total	Na	0	0
			4	4		
6	C	4	Total	Na	0	0
			4	4		
6	B	4	Total	Na	0	0
			4	4		
6	A	5	Total	Na	0	0
			5	5		

- Molecule 7 is GLYCINE (CCD ID: GLY) (formula: C₂H₅NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			5	2	1	2		

- Molecule 8 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	D	54	Total 54	O 54	0	0
9	C	35	Total 35	O 35	0	0
9	B	34	Total 34	O 34	0	0
9	A	33	Total 33	O 33	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1




• Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





• Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





● Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.86Å 146.72Å 99.59Å 90.00° 114.45° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 50.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.3 (50.00-2.50) 96.3 (50.00-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.175 , 0.208 0.173 , 0.202	Depositor DCC
R_{free} test set	3793 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	53.9	Xtriage
Anisotropy	0.782	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 52.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	16328	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEJ, DTP, NA, PO4, GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.15	9/4050 (0.2%)	1.13	8/5465 (0.1%)
1	B	1.16	9/4025 (0.2%)	1.14	6/5433 (0.1%)
1	C	1.16	6/4031 (0.1%)	1.15	12/5441 (0.2%)
1	D	1.24	11/4031 (0.3%)	1.17	9/5441 (0.2%)
All	All	1.18	35/16137 (0.2%)	1.15	35/21780 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	191	ILE	C-O	-8.32	1.16	1.24
1	D	191	ILE	C-O	-7.09	1.17	1.24
1	B	191	ILE	C-O	-6.96	1.17	1.24
1	B	145	ARG	CZ-NH1	-6.91	1.23	1.32
1	B	145	ARG	CZ-NH2	-6.44	1.25	1.33
1	D	370	HIS	CA-C	6.35	1.60	1.52
1	A	191	ILE	C-O	-6.25	1.18	1.24
1	B	328	ASN	CG-ND2	6.19	1.46	1.33
1	D	507	TYR	C-O	-6.14	1.16	1.24
1	A	193	GLU	CD-OE2	6.07	1.36	1.25
1	A	117	VAL	C-O	-6.01	1.17	1.24
1	A	127	GLU	C-O	-5.80	1.17	1.24
1	C	327	ASN	C-O	-5.76	1.17	1.24
1	A	326	GLN	CD-OE1	5.66	1.34	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	161	SER	CB-OG	5.62	1.53	1.42
1	C	114	THR	CA-C	5.60	1.59	1.52
1	C	370	HIS	CA-C	5.51	1.59	1.52
1	D	374	TYR	C-O	-5.47	1.17	1.24
1	B	372	ARG	N-CA	-5.45	1.39	1.46
1	A	372	ARG	CZ-NH2	5.43	1.40	1.33
1	D	354	LYS	C-O	-5.38	1.17	1.24
1	B	125	HIS	C-O	-5.38	1.17	1.24
1	A	333	ARG	C-O	5.33	1.30	1.24
1	B	122	ILE	C-O	-5.32	1.18	1.24
1	D	352	ARG	C-O	-5.23	1.17	1.23
1	B	326	GLN	CG-CD	5.21	1.65	1.52
1	A	114	THR	CA-C	5.17	1.58	1.52
1	B	372	ARG	CZ-NH2	5.16	1.40	1.33
1	C	352	ARG	C-O	-5.12	1.17	1.23
1	D	287	TYR	C-O	-5.06	1.18	1.23
1	D	452	ASN	CB-CG	-5.06	1.39	1.52
1	D	115	MET	C-O	5.05	1.29	1.24
1	D	454	PHE	C-O	-5.02	1.17	1.23
1	A	192	SER	C-O	-5.02	1.17	1.23
1	D	114	THR	C-O	-5.01	1.18	1.24

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	115	MET	N-CA-C	-8.20	94.17	108.20
1	C	559	ARG	CB-CA-C	6.35	122.38	110.63
1	A	126	ILE	CB-CA-C	6.28	120.35	110.81
1	D	537	VAL	N-CA-C	6.11	117.23	111.48
1	B	184	GLU	N-CA-CB	6.08	119.16	110.16
1	D	326	GLN	CB-CA-C	6.06	119.74	109.50
1	D	316	PHE	N-CA-CB	6.03	118.76	110.01
1	B	368	SER	CB-CA-C	-5.85	100.90	110.85
1	C	185	LYS	CA-CB-CG	5.82	125.73	114.10
1	D	447	GLN	CA-CB-CG	5.80	125.69	114.10
1	D	184	GLU	N-CA-CB	5.77	118.70	110.16
1	A	368	SER	CB-CA-C	-5.69	101.34	110.79
1	A	596	LYS	CA-C-N	5.63	128.60	120.38
1	A	596	LYS	C-N-CA	5.63	128.60	120.38
1	C	543	GLU	CB-CG-CD	5.63	122.17	112.60
1	B	534	LYS	CD-CE-NZ	5.62	129.89	111.90
1	C	528	ARG	CG-CD-NE	5.62	124.36	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	263	GLU	CB-CA-C	-5.59	101.34	110.85
1	A	464	GLY	N-CA-C	5.57	121.11	110.86
1	D	263	GLU	CB-CA-C	-5.56	101.39	110.85
1	A	326	GLN	CB-CA-C	5.54	118.86	109.50
1	B	316	PHE	N-CA-CB	5.43	117.88	110.01
1	D	368	SER	CB-CA-C	-5.42	101.80	110.79
1	C	537	VAL	N-CA-C	5.41	116.56	111.48
1	C	368	SER	CB-CA-C	-5.41	101.81	110.79
1	B	464	GLY	N-CA-C	5.37	120.73	110.86
1	C	326	GLN	CB-CA-C	5.35	118.66	109.51
1	C	316	PHE	N-CA-CB	5.23	117.60	110.01
1	C	184	GLU	N-CA-CB	5.22	117.88	110.16
1	C	537	VAL	N-CA-CB	5.17	116.69	111.57
1	A	245	ILE	CB-CA-C	-5.14	105.39	111.97
1	D	302	SER	N-CA-CB	-5.13	102.07	110.95
1	B	145	ARG	NE-CZ-NH2	5.08	123.77	119.20
1	C	439	LYS	CB-CA-C	-5.07	102.69	110.81
1	A	204	LEU	CB-CA-C	-5.07	102.37	110.79

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	598	TRP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3952	0	3946	20	0
1	B	3933	0	3920	15	0
1	C	3939	0	3925	14	0
1	D	3939	0	3924	17	0
2	A	31	0	0	4	0
2	B	31	0	0	2	0
2	C	31	0	0	2	0
2	D	31	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	32	0	12	1	0
3	C	32	0	12	0	0
3	D	64	0	24	2	0
4	A	30	0	12	0	0
4	B	30	0	12	0	0
4	C	30	0	12	0	0
4	D	30	0	12	0	0
5	A	3	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	3	0	0	0	0
6	A	5	0	0	0	0
6	B	4	0	0	0	0
6	C	4	0	0	0	0
6	D	4	0	0	0	0
7	B	5	0	2	0	0
8	B	5	0	0	0	0
9	A	33	0	0	1	0
9	B	34	0	0	3	0
9	C	35	0	0	0	0
9	D	54	0	0	5	0
All	All	16328	0	15813	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:469:LYS:HE3	1:A:469:LYS:HA	1.32	1.09
1:A:469:LYS:HA	1:A:469:LYS:CE	2.10	0.81
1:D:114:THR:HG21	9:D:852:HOH:O	1.86	0.76
1:C:586:VAL:HG11	1:A:522[A]:CYS:SG	2.28	0.74
1:B:534:LYS:HE3	1:B:542:PRO:O	1.89	0.71
1:C:215:HIS:NE2	2:C:701:HEJ:O2A	2.25	0.69
1:B:305:ARG:HD3	9:B:804:HOH:O	1.96	0.64
1:D:543:GLU:HG3	1:B:543:GLU:HG3	1.78	0.64
1:D:114:THR:CG2	9:D:852:HOH:O	2.46	0.61
1:B:305:ARG:NE	1:B:348:ARG:HH11	2.00	0.58
3:D:705:GTP:O2G	1:C:523:LYS:NZ	2.35	0.56
1:A:374:TYR:CE2	2:A:703:HEJ:O31	2.60	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:HIS:HE2	2:C:701:HEJ:PA	2.31	0.53
1:D:328:ASN:OD1	1:D:328:ASN:N	2.38	0.53
1:C:543:GLU:HG3	1:A:543:GLU:CG	2.38	0.52
1:D:522[A]:CYS:SG	1:B:586:VAL:HG11	2.50	0.51
1:A:597:GLU:H	1:A:597:GLU:CD	2.18	0.50
1:D:326:GLN:HG2	1:B:327:ASN:O	2.11	0.50
1:D:487:VAL:HG23	1:D:591:ILE:HD11	1.94	0.49
1:D:351:ALA:O	1:D:520:PHE:HA	2.14	0.47
1:A:215:HIS:NE2	2:A:703:HEJ:O1A	2.44	0.47
1:A:351:ALA:O	1:A:520:PHE:HA	2.15	0.47
1:D:118:ILE:HD11	3:D:705:GTP:C8	2.49	0.46
1:B:348:ARG:NE	9:B:804:HOH:O	2.46	0.46
1:B:369:LEU:HB3	1:B:374:TYR:CE2	2.50	0.46
1:D:331:TYR:C	1:D:331:TYR:CD1	2.93	0.46
1:A:251:LYS:HB2	1:A:252:PRO:HD3	1.97	0.46
1:C:543:GLU:HG3	1:A:543:GLU:HG3	1.97	0.46
1:B:351:ALA:O	1:B:520:PHE:HA	2.15	0.46
1:B:175:ALA:HB1	1:B:199:VAL:HG12	1.98	0.46
1:A:322:HIS:HE1	9:A:822:HOH:O	1.98	0.46
1:A:331:TYR:C	1:A:331:TYR:CD1	2.93	0.45
1:B:251:LYS:HB2	1:B:252:PRO:HD3	1.98	0.45
1:A:126:ILE:HD13	1:A:126:ILE:HG21	1.63	0.45
1:B:331:TYR:CD1	1:B:331:TYR:C	2.94	0.45
1:C:331:TYR:C	1:C:331:TYR:CD1	2.94	0.45
1:C:351:ALA:O	1:C:520:PHE:HA	2.16	0.45
1:C:509:MET:HE1	1:C:517:HIS:CD2	2.51	0.45
1:A:588:ALA:HB1	1:A:591:ILE:HG12	1.99	0.44
1:C:381:ILE:HD12	1:C:381:ILE:HA	1.91	0.44
1:D:346:GLU:HA	9:D:803:HOH:O	2.17	0.44
1:A:215:HIS:HE2	2:A:703:HEJ:PA	2.40	0.44
1:D:428:LEU:CD1	1:A:425:ASN:HB2	2.48	0.44
1:A:175:ALA:HB1	1:A:199:VAL:HG12	1.99	0.44
1:D:126:ILE:HG21	1:D:126:ILE:HD13	1.54	0.44
1:B:315:TYR:OH	2:B:703:HEJ:O1G	2.36	0.43
1:A:478:LYS:HA	1:A:478:LYS:HE2	2.01	0.43
2:A:703:HEJ:O1G	2:A:703:HEJ:O1B	2.37	0.43
1:C:175:ALA:HB1	1:C:199:VAL:HG12	2.00	0.43
1:C:118:ILE:HD11	3:B:704:GTP:C8	2.54	0.42
1:D:175:ALA:HB1	1:D:199:VAL:HG12	2.00	0.42
1:D:507:TYR:OH	9:D:801:HOH:O	2.12	0.42
1:D:447:GLN:HG2	9:D:851:HOH:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:TYR:CE2	2:B:703:HEJ:O31	2.73	0.42
1:A:371[A]:ARG:HH11	1:A:371[A]:ARG:HD3	1.73	0.41
1:C:241:PHE:O	1:C:245:ILE:HG12	2.21	0.41
1:D:251:LYS:HB2	1:D:252:PRO:HD3	2.02	0.41
1:C:325:ILE:HD13	1:C:325:ILE:HG21	1.86	0.40
1:B:327:ASN:HA	9:B:803:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/550 (87%)	472 (98%)	8 (2%)	0	100	100
1	B	477/550 (87%)	471 (99%)	6 (1%)	0	100	100
1	C	478/550 (87%)	471 (98%)	7 (2%)	0	100	100
1	D	478/550 (87%)	471 (98%)	7 (2%)	0	100	100
All	All	1913/2200 (87%)	1885 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	430/488 (88%)	400 (93%)	30 (7%)	14	29
1	B	427/488 (88%)	407 (95%)	20 (5%)	23	47
1	C	428/488 (88%)	410 (96%)	18 (4%)	26	52
1	D	428/488 (88%)	403 (94%)	25 (6%)	18	38
All	All	1713/1952 (88%)	1620 (95%)	93 (5%)	20	41

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	114	THR
1	D	118	ILE
1	D	185	LYS
1	D	230	LYS
1	D	235	GLN
1	D	262	GLU
1	D	277	GLU
1	D	284	LEU
1	D	328	ASN
1	D	359	LEU
1	D	392	LYS
1	D	405	LYS
1	D	439	LYS
1	D	469	LYS
1	D	474	GLU
1	D	484	LYS
1	D	490	ASP
1	D	492	LYS
1	D	494	LYS
1	D	510	GLN
1	D	528	ARG
1	D	540	LEU
1	D	544	LYS
1	D	577	ASN
1	D	597	GLU
1	C	118	ILE
1	C	185	LYS
1	C	230	LYS
1	C	262	GLU
1	C	277	GLU
1	C	284	LEU
1	C	305	ARG
1	C	359	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	405	LYS
1	C	439	LYS
1	C	452	ASN
1	C	469	LYS
1	C	478	LYS
1	C	490	ASP
1	C	492	LYS
1	C	510	GLN
1	C	544	LYS
1	C	577	ASN
1	B	118	ILE
1	B	230	LYS
1	B	235	GLN
1	B	262	GLU
1	B	284	LEU
1	B	295	SER
1	B	305	ARG
1	B	342	GLU
1	B	369	LEU
1	B	388	ASP
1	B	405	LYS
1	B	439	LYS
1	B	452	ASN
1	B	469	LYS
1	B	478	LYS
1	B	486	LYS
1	B	490	ASP
1	B	510	GLN
1	B	577	ASN
1	B	596	LYS
1	A	118	ILE
1	A	180	HIS
1	A	185	LYS
1	A	235	GLN
1	A	262	GLU
1	A	277	GLU
1	A	284	LEU
1	A	326	GLN
1	A	342	GLU
1	A	359	LEU
1	A	371[A]	ARG
1	A	371[B]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	388	ASP
1	A	392	LYS
1	A	405	LYS
1	A	439	LYS
1	A	452	ASN
1	A	469	LYS
1	A	474	GLU
1	A	478	LYS
1	A	484	LYS
1	A	486	LYS
1	A	488	LEU
1	A	490	ASP
1	A	492	LYS
1	A	494	LYS
1	A	528	ARG
1	A	577	ASN
1	A	591	ILE
1	A	599	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	200	GLN
1	D	322	HIS
1	D	364	HIS
1	D	367	ASN
1	D	447	GLN
1	D	461	GLN
1	C	149	GLN
1	C	200	GLN
1	C	321	HIS
1	C	326	GLN
1	C	367	ASN
1	C	370	HIS
1	C	375	GLN
1	C	380	ASN
1	C	447	GLN
1	C	517	HIS
1	C	567	GLN
1	B	149	GLN
1	B	200	GLN
1	B	326	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	370	HIS
1	B	375	GLN
1	B	380	ASN
1	B	447	GLN
1	B	517	HIS
1	B	567	GLN
1	A	149	GLN
1	A	180	HIS
1	A	200	GLN
1	A	321	HIS
1	A	328	ASN
1	A	367	ASN
1	A	447	GLN
1	A	517	HIS
1	A	567	GLN
1	A	571	GLN
1	A	594	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 27 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DTP	C	704	5	31,32,32	1.76	5 (16%)	46,50,50	1.80	12 (26%)
4	DTP	B	701	5	31,32,32	1.94	8 (25%)	46,50,50	2.03	15 (32%)
3	GTP	C	702	5	33,34,34	2.00	5 (15%)	50,54,54	2.01	17 (34%)
3	GTP	D	702	5	33,34,34	1.74	8 (24%)	50,54,54	1.68	9 (18%)
2	HEJ	A	703	5	32,33,33	3.39	12 (37%)	48,52,52	2.09	15 (31%)
3	GTP	D	705	5	33,34,34	1.79	8 (24%)	50,54,54	1.55	7 (14%)
3	GTP	B	704	5	33,34,34	2.10	8 (24%)	50,54,54	1.82	11 (22%)
7	GLY	B	710	-	4,4,4	1.17	0	3,4,4	1.20	0
2	HEJ	D	701	5	32,33,33	3.52	14 (43%)	48,52,52	2.00	12 (25%)
8	PO4	B	711	-	4,4,4	0.80	0	6,6,6	0.68	0
2	HEJ	B	703	5	32,33,33	3.71	12 (37%)	48,52,52	1.80	13 (27%)
4	DTP	D	703	5	31,32,32	2.10	8 (25%)	46,50,50	1.64	10 (21%)
2	HEJ	C	701	5	32,33,33	3.34	13 (40%)	48,52,52	2.08	11 (22%)
4	DTP	A	702	5	31,32,32	1.74	7 (22%)	46,50,50	1.84	9 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DTP	C	704	5	-	6/22/34/34	0/3/3/3
4	DTP	B	701	5	-	3/22/34/34	0/3/3/3
3	GTP	C	702	5	-	6/22/38/38	0/3/3/3
3	GTP	D	702	5	-	3/22/38/38	0/3/3/3
2	HEJ	A	703	5	-	5/22/38/38	0/3/3/3
3	GTP	D	705	5	-	4/22/38/38	0/3/3/3
3	GTP	B	704	5	-	6/22/38/38	0/3/3/3
7	GLY	B	710	-	-	0/2/2/2	-
2	HEJ	D	701	5	-	5/22/38/38	0/3/3/3
2	HEJ	B	703	5	-	6/22/38/38	0/3/3/3
4	DTP	D	703	5	-	3/22/34/34	0/3/3/3
2	HEJ	C	701	5	-	5/22/38/38	0/3/3/3
4	DTP	A	702	5	-	2/22/34/34	0/3/3/3

All (108) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	703	HEJ	PA-O3A	9.83	1.70	1.59
2	C	701	HEJ	C2'-C3'	-9.68	1.27	1.53
2	A	703	HEJ	C2'-C3'	-9.46	1.27	1.53
2	B	703	HEJ	C2'-C3'	-9.33	1.28	1.53
2	D	701	HEJ	C2'-C3'	-9.23	1.28	1.53
2	C	701	HEJ	O4'-C4'	-8.65	1.25	1.45
2	D	701	HEJ	O4'-C4'	-8.53	1.26	1.45
2	D	701	HEJ	O4'-C1'	8.16	1.60	1.42
2	A	703	HEJ	O4'-C4'	-7.90	1.27	1.45
2	B	703	HEJ	O4'-C4'	-7.62	1.28	1.45
2	B	703	HEJ	O4'-C1'	7.53	1.59	1.42
2	A	703	HEJ	PA-O3A	6.94	1.67	1.59
2	A	703	HEJ	O4'-C1'	6.81	1.57	1.42
2	D	701	HEJ	C3'-C4'	6.80	1.70	1.53
2	B	703	HEJ	PB-O3B	6.08	1.66	1.59
3	B	704	GTP	C4-N9	-5.50	1.24	1.38
2	C	701	HEJ	O4'-C1'	5.45	1.54	1.42
4	D	703	DTP	PB-O3B	5.42	1.65	1.59
3	C	702	GTP	C6-N1	-5.23	1.29	1.38
4	C	704	DTP	C4-N9	-5.15	1.27	1.37
2	B	703	HEJ	C3'-C4'	5.13	1.66	1.53
4	B	701	DTP	C4-N9	-5.12	1.27	1.37
4	B	701	DTP	C5-N7	-5.05	1.29	1.39
4	D	703	DTP	C5-C4	5.02	1.48	1.39
3	B	704	GTP	C5-N7	-4.93	1.29	1.39
3	D	705	GTP	C6-N1	-4.90	1.29	1.38
2	C	701	HEJ	C1'-N9	-4.86	1.32	1.46
2	C	701	HEJ	C3'-C4'	4.80	1.65	1.53
2	A	703	HEJ	C3'-C4'	4.73	1.65	1.53
3	C	702	GTP	PB-O3A	4.72	1.64	1.59
2	C	701	HEJ	C6-N6	4.70	1.46	1.34
2	A	703	HEJ	PB-O3B	4.61	1.64	1.59
2	C	701	HEJ	PA-O3A	4.57	1.64	1.59
2	C	701	HEJ	PB-O3B	4.54	1.64	1.59
4	D	703	DTP	C8-N7	4.53	1.40	1.31
2	D	701	HEJ	C6-N6	4.52	1.45	1.34
2	B	703	HEJ	C1'-N9	-4.49	1.33	1.46
2	A	703	HEJ	C1'-N9	-4.47	1.34	1.46
3	D	705	GTP	PB-O3A	4.41	1.64	1.59
3	C	702	GTP	C5-N7	-4.40	1.30	1.39
4	A	702	DTP	PA-O3A	4.33	1.64	1.59
3	B	704	GTP	C6-N1	-4.33	1.30	1.38
3	C	702	GTP	PA-O3A	4.22	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	702	GTP	C5-N7	-4.17	1.30	1.39
2	D	701	HEJ	C1'-N9	-4.15	1.34	1.46
3	D	705	GTP	C5-C4	4.08	1.50	1.38
4	A	702	DTP	C5-C4	4.06	1.46	1.39
2	B	703	HEJ	C6-N6	4.03	1.44	1.34
4	A	702	DTP	C4-N9	-3.89	1.29	1.37
2	D	701	HEJ	PB-O3A	3.87	1.63	1.59
4	B	701	DTP	PA-O3A	3.82	1.63	1.59
4	C	704	DTP	PB-O3B	3.78	1.63	1.59
3	D	702	GTP	C4-N9	-3.78	1.28	1.38
3	D	702	GTP	C5-C4	3.57	1.48	1.38
3	B	704	GTP	PA-O3A	3.52	1.63	1.59
3	C	702	GTP	C5-C4	3.48	1.48	1.38
2	D	701	HEJ	PA-O3A	3.46	1.63	1.59
4	C	704	DTP	C5-C4	3.44	1.45	1.39
2	A	703	HEJ	O31-C2'	3.44	1.51	1.43
4	C	704	DTP	PB-O3A	3.40	1.63	1.59
2	B	703	HEJ	PB-O3A	3.30	1.63	1.59
4	B	701	DTP	PB-O3A	3.30	1.63	1.59
2	C	701	HEJ	C5-N7	-3.25	1.33	1.39
4	D	703	DTP	PB-O3A	3.23	1.63	1.59
2	D	701	HEJ	O31-C2'	3.21	1.50	1.43
2	A	703	HEJ	PA-O5'	3.16	1.71	1.59
2	A	703	HEJ	C6-N6	3.16	1.42	1.34
4	A	702	DTP	C5-C6	3.01	1.49	1.41
3	D	702	GTP	PB-O2B	-2.94	1.41	1.55
3	B	704	GTP	C2-N3	2.92	1.40	1.33
2	D	701	HEJ	PA-O5'	2.87	1.70	1.59
3	D	702	GTP	PA-O3A	2.81	1.62	1.59
3	B	704	GTP	C5-C4	2.79	1.46	1.38
2	D	701	HEJ	PB-O1B	2.74	1.60	1.50
4	B	701	DTP	C5-C4	2.70	1.43	1.39
2	C	701	HEJ	PA-O5'	2.69	1.69	1.59
4	D	703	DTP	C5-N7	-2.68	1.34	1.39
3	D	702	GTP	C8-N9	-2.68	1.31	1.37
2	A	703	HEJ	C2-N3	2.67	1.38	1.33
3	D	705	GTP	PB-O1B	2.65	1.60	1.50
4	D	703	DTP	PB-O2B	-2.62	1.43	1.55
3	B	704	GTP	PB-O2B	2.58	1.67	1.55
4	C	704	DTP	C5-C6	2.57	1.48	1.41
2	B	703	HEJ	O31-C2'	2.53	1.49	1.43
4	B	701	DTP	PB-O3B	2.51	1.62	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	701	HEJ	C5-N7	-2.49	1.34	1.39
2	B	703	HEJ	PA-O5'	2.40	1.68	1.59
3	D	705	GTP	PA-O2A	-2.38	1.44	1.55
2	D	701	HEJ	PG-O1G	-2.37	1.46	1.54
3	D	705	GTP	C8-N7	2.36	1.39	1.32
3	B	704	GTP	C2-N2	2.35	1.39	1.34
4	B	701	DTP	C8-N7	2.32	1.36	1.31
4	A	702	DTP	PA-O2A	-2.30	1.44	1.55
2	B	703	HEJ	C2-N3	2.27	1.38	1.33
2	D	701	HEJ	PB-O3B	2.23	1.61	1.59
4	D	703	DTP	C2-N3	2.23	1.37	1.33
3	D	702	GTP	PB-O1B	2.21	1.58	1.50
4	D	703	DTP	C4-N9	-2.21	1.33	1.37
2	A	703	HEJ	C4-N9	-2.20	1.33	1.37
2	C	701	HEJ	C2-N3	2.17	1.37	1.33
2	C	701	HEJ	C8-N9	-2.14	1.33	1.37
4	A	702	DTP	PB-O3B	2.11	1.61	1.59
3	D	702	GTP	PG-O1G	-2.10	1.43	1.50
3	D	705	GTP	C4-N9	-2.09	1.32	1.38
2	C	701	HEJ	PB-O3A	2.09	1.61	1.59
3	D	705	GTP	PA-O3A	2.06	1.61	1.59
4	B	701	DTP	PA-O2A	-2.04	1.45	1.55
4	A	702	DTP	C8-N9	-2.02	1.34	1.37

All (141) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	701	HEJ	C5-C4-N3	-7.08	116.97	126.72
3	C	702	GTP	C5-C4-N3	-6.14	118.63	128.39
2	D	701	HEJ	C5-C4-N3	-5.75	118.80	126.72
2	A	703	HEJ	C5-C4-N3	-5.58	119.03	126.72
2	C	701	HEJ	C3'-C2'-C1'	5.33	111.54	101.46
3	B	704	GTP	C5-C4-N3	-5.23	120.07	128.39
4	B	701	DTP	O4'-C1'-N9	-5.19	98.65	107.96
2	B	703	HEJ	C5-C4-N3	-5.08	119.73	126.72
2	A	703	HEJ	N3-C2-N1	-4.84	121.26	128.58
3	D	705	GTP	C5-C4-N3	-4.78	120.78	128.39
3	C	702	GTP	O3A-PB-O1B	-4.72	96.52	110.70
2	D	701	HEJ	O2B-PB-O3B	4.71	120.01	107.27
3	D	702	GTP	O2B-PB-O3B	4.67	119.91	107.27
2	D	701	HEJ	N3-C2-N1	-4.53	121.72	128.58
4	A	702	DTP	N3-C4-N9	4.45	134.74	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	704	GTP	C2-N3-C4	4.45	119.96	112.30
4	A	702	DTP	O3A-PA-O1A	4.38	123.87	110.70
4	A	702	DTP	C5-C4-N3	-4.34	120.74	126.72
4	D	703	DTP	C5-C4-N3	-4.34	120.74	126.72
4	B	701	DTP	O3G-PG-O2G	4.19	123.50	107.80
2	D	701	HEJ	N3-C4-N9	4.16	134.25	127.17
4	C	704	DTP	O3G-PG-O2G	4.13	123.29	107.80
2	D	701	HEJ	C2-N3-C4	4.05	121.72	111.83
4	B	701	DTP	N3-C2-N1	-4.05	122.46	128.58
2	A	703	HEJ	C3'-C2'-C1'	4.04	109.11	101.46
2	C	701	HEJ	C2-N3-C4	3.96	121.51	111.83
2	B	703	HEJ	C3'-C2'-C1'	3.90	108.84	101.46
4	A	702	DTP	C4-N9-C8	3.86	109.79	105.74
2	B	703	HEJ	N3-C4-N9	3.83	133.69	127.17
2	A	703	HEJ	C2-N3-C4	3.83	121.18	111.83
2	C	701	HEJ	N3-C4-N9	3.81	133.64	127.17
2	A	703	HEJ	N3-C4-N9	3.79	133.61	127.17
3	D	705	GTP	N9-C4-N3	3.77	133.50	125.95
3	D	702	GTP	C5-C4-N3	-3.77	122.39	128.39
3	C	702	GTP	C4-C5-N7	-3.73	104.75	110.67
4	A	702	DTP	O4'-C1'-N9	-3.73	101.26	107.96
3	D	702	GTP	N9-C4-N3	3.71	133.37	125.95
4	C	704	DTP	O4'-C1'-N9	-3.70	101.31	107.96
4	C	704	DTP	N6-C6-N1	3.67	126.55	118.38
4	D	703	DTP	O2A-PA-O3A	-3.66	97.38	107.27
3	B	704	GTP	N9-C4-N3	3.64	133.23	125.95
4	A	702	DTP	O3G-PG-O1G	3.64	125.01	110.83
4	D	703	DTP	C2-N1-C6	3.60	124.64	118.73
3	C	702	GTP	O2G-PG-O1G	3.56	124.72	110.83
2	C	701	HEJ	N3-C2-N1	-3.54	123.22	128.58
4	B	701	DTP	N6-C6-N1	3.53	126.23	118.38
3	B	704	GTP	O2A-PA-O3A	3.50	116.73	107.27
4	B	701	DTP	O3A-PB-O1B	-3.48	100.23	110.70
4	D	703	DTP	N3-C2-N1	-3.48	123.31	128.58
3	B	704	GTP	C6-C5-N7	3.45	136.57	130.29
2	A	703	HEJ	O3A-PA-O2A	-3.43	100.38	110.70
4	B	701	DTP	C5-C4-N3	-3.39	122.05	126.72
3	C	702	GTP	C3'-C2'-C1'	3.37	107.83	101.46
4	C	704	DTP	C4-N9-C8	3.34	109.25	105.74
2	A	703	HEJ	C2'-C1'-N9	3.26	121.40	113.30
2	C	701	HEJ	C5-C4-N9	3.17	109.26	105.81
4	C	704	DTP	O3A-PA-O1A	-3.16	101.19	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	701	DTP	C2-N3-C4	3.10	119.41	111.83
4	C	704	DTP	C5-C6-N6	-3.10	115.62	123.29
3	D	702	GTP	O3G-PG-O2G	3.04	119.21	107.80
3	D	702	GTP	C2-N3-C4	3.03	117.53	112.30
3	C	702	GTP	O3G-PG-O3B	3.03	114.80	104.64
2	D	701	HEJ	C3'-C2'-C1'	3.00	107.15	101.46
3	C	702	GTP	N9-C4-N3	2.97	131.90	125.95
4	B	701	DTP	O3B-PG-O1G	-2.97	95.42	111.04
2	C	701	HEJ	C4-C5-N7	-2.96	107.20	110.58
3	D	702	GTP	C6-C5-N7	2.95	135.67	130.29
2	C	701	HEJ	C5-C6-N6	-2.95	115.99	123.29
2	B	703	HEJ	C5-C6-N6	-2.91	116.08	123.29
4	C	704	DTP	O2A-PA-O1A	2.90	125.95	112.44
2	B	703	HEJ	C4-C5-N7	-2.86	107.31	110.58
2	B	703	HEJ	C2-N3-C4	2.84	118.77	111.83
2	D	701	HEJ	C5-C6-N6	-2.81	116.32	123.29
2	A	703	HEJ	C4-C5-N7	-2.80	107.38	110.58
4	C	704	DTP	O3B-PG-O1G	-2.80	96.32	111.04
3	C	702	GTP	C8-N7-C5	2.78	109.21	104.26
2	C	701	HEJ	O4'-C1'-C2'	-2.73	100.77	106.62
4	C	704	DTP	C5-N7-C8	-2.73	99.15	103.45
2	A	703	HEJ	O1G-PG-O2G	2.72	118.00	107.80
4	B	701	DTP	N3-C4-N9	2.72	131.79	127.17
3	D	705	GTP	O2B-PB-O3A	-2.71	99.94	107.27
4	B	701	DTP	C2'-C1'-N9	2.71	120.99	114.63
3	B	704	GTP	O2G-PG-O1G	2.67	121.26	110.83
3	B	704	GTP	O2'-C2'-C1'	-2.66	100.94	110.10
2	A	703	HEJ	C2'-C3'-C4'	2.66	107.74	102.61
3	D	705	GTP	O3G-PG-O3B	2.65	113.54	104.64
2	C	701	HEJ	C6-C5-C4	2.65	120.80	117.18
3	C	702	GTP	O3B-PB-O1B	2.65	118.68	110.70
3	B	704	GTP	C3'-C2'-C1'	2.61	106.40	101.46
2	B	703	HEJ	C2'-C3'-C4'	2.60	107.63	102.61
4	C	704	DTP	O2G-PG-O3B	-2.58	95.97	104.64
4	C	704	DTP	N3-C4-N9	2.54	131.49	127.17
3	C	702	GTP	O2A-PA-O5'	2.54	119.09	107.57
4	D	703	DTP	O2A-PA-O1A	2.51	124.11	112.44
3	C	702	GTP	O5'-PA-O1A	-2.50	99.02	108.94
4	B	701	DTP	C5-C6-N6	-2.49	117.12	123.29
3	D	702	GTP	O4'-C4'-C3'	-2.48	100.23	105.15
3	D	705	GTP	C2-N3-C4	2.47	116.56	112.30
4	B	701	DTP	C4-N9-C8	2.45	108.31	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	704	DTP	C5-C4-N9	-2.44	103.16	105.81
2	D	701	HEJ	O1G-PG-O3G	-2.43	101.37	110.83
2	D	701	HEJ	N6-C6-N1	2.39	123.70	118.38
3	B	704	GTP	C5-C6-N1	2.38	119.32	113.25
4	B	701	DTP	C2-N1-C6	2.38	122.64	118.73
4	A	702	DTP	C2-N3-C4	2.36	117.61	111.83
2	D	701	HEJ	O1G-PG-O3B	2.34	112.50	104.64
4	D	703	DTP	O3G-PG-O2G	2.33	116.55	107.80
4	D	703	DTP	O3G-PG-O3B	-2.32	96.86	104.64
2	D	701	HEJ	O4'-C1'-C2'	-2.31	101.67	106.62
2	B	703	HEJ	O2G-PG-O3B	2.30	112.35	104.64
4	D	703	DTP	N3-C4-N9	2.30	131.08	127.17
3	C	702	GTP	O2B-PB-O3A	2.30	113.49	107.27
3	D	702	GTP	O3'-C3'-C2'	2.29	119.16	111.82
2	B	703	HEJ	N3-C2-N1	-2.28	125.14	128.58
4	B	701	DTP	O2G-PG-O3B	-2.24	97.11	104.64
2	B	703	HEJ	C5'-C4'-C3'	-2.22	107.20	115.21
3	B	704	GTP	C4-C5-N7	-2.21	107.17	110.67
2	C	701	HEJ	N6-C6-N1	2.19	123.25	118.38
2	A	703	HEJ	N9-C8-N7	-2.19	110.83	113.94
3	C	702	GTP	C6-C5-N7	2.18	134.26	130.29
3	D	705	GTP	C6-C5-N7	2.18	134.26	130.29
2	A	703	HEJ	C5-N7-C8	2.18	106.87	103.45
4	D	703	DTP	O3'-C3'-C2'	-2.16	103.36	110.88
4	A	702	DTP	C6-C5-N7	2.16	136.26	132.09
2	B	703	HEJ	O1A-PA-O2A	2.16	122.50	112.44
3	D	702	GTP	O2A-PA-O3A	2.14	113.06	107.27
2	B	703	HEJ	C2'-C1'-N9	2.13	118.59	113.30
3	D	705	GTP	O2B-PB-O1B	2.13	122.35	112.44
2	B	703	HEJ	C5-N7-C8	2.11	106.77	103.45
2	A	703	HEJ	O2B-PB-O3A	2.10	112.96	107.27
4	D	703	DTP	O4'-C4'-C5'	2.10	116.06	109.33
3	C	702	GTP	O3B-PG-O1G	-2.07	100.13	111.04
2	D	701	HEJ	O3B-PB-O1B	-2.06	104.50	110.70
3	C	702	GTP	C5-C4-N9	2.05	109.33	105.66
3	C	702	GTP	C2-N3-C4	2.04	115.82	112.30
4	B	701	DTP	O2B-PB-O3B	2.04	112.78	107.27
2	A	703	HEJ	O4'-C1'-C2'	-2.03	102.28	106.62
2	A	703	HEJ	O3A-PB-O1B	-2.02	104.62	110.70
4	A	702	DTP	C6-C5-C4	-2.02	114.42	117.18
3	B	704	GTP	O3G-PG-O3B	2.01	111.38	104.64
3	C	702	GTP	N1-C2-N3	2.01	127.00	123.32

There are no chirality outliers.

All (54) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	701	HEJ	C4'-C5'-O5'-PA
2	D	701	HEJ	C5'-O5'-PA-O2A
2	D	701	HEJ	C5'-O5'-PA-O3A
2	C	701	HEJ	C4'-C5'-O5'-PA
2	C	701	HEJ	C5'-O5'-PA-O2A
2	C	701	HEJ	C5'-O5'-PA-O1A
2	C	701	HEJ	C5'-O5'-PA-O3A
2	B	703	HEJ	C5'-O5'-PA-O1A
2	A	703	HEJ	C4'-C5'-O5'-PA
2	A	703	HEJ	C5'-O5'-PA-O2A
3	C	702	GTP	PB-O3B-PG-O3G
4	C	704	DTP	PB-O3B-PG-O3G
4	B	701	DTP	PB-O3B-PG-O3G
4	A	702	DTP	PB-O3B-PG-O3G
2	B	703	HEJ	C4'-C5'-O5'-PA
3	C	702	GTP	PG-O3B-PB-O1B
2	D	701	HEJ	PB-O3A-PA-O5'
2	C	701	HEJ	PB-O3A-PA-O5'
2	B	703	HEJ	PB-O3A-PA-O5'
2	A	703	HEJ	PB-O3A-PA-O5'
4	D	703	DTP	PB-O3B-PG-O1G
4	A	702	DTP	PB-O3B-PG-O1G
3	B	704	GTP	PB-O3B-PG-O3G
4	C	704	DTP	PB-O3B-PG-O2G
3	D	705	GTP	PB-O3A-PA-O1A
3	C	702	GTP	PG-O3B-PB-O2B
2	B	703	HEJ	C3'-C4'-C5'-O5'
2	D	701	HEJ	C5'-O5'-PA-O1A
2	A	703	HEJ	C5'-O5'-PA-O1A
2	A	703	HEJ	C5'-O5'-PA-O3A
3	B	704	GTP	C4'-C5'-O5'-PA
2	B	703	HEJ	PG-O3B-PB-O2B
3	C	702	GTP	PB-O3A-PA-O2A
3	B	704	GTP	PG-O3B-PB-O2B
4	C	704	DTP	PB-O3A-PA-O2A
3	C	702	GTP	PB-O3B-PG-O1G
3	B	704	GTP	PB-O3B-PG-O1G
3	D	702	GTP	C4'-C5'-O5'-PA
4	C	704	DTP	PB-O3B-PG-O1G
4	D	703	DTP	PB-O3B-PG-O2G

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	D	703	DTP	PB-O3B-PG-O3G
4	B	701	DTP	PB-O3B-PG-O2G
3	C	702	GTP	C4'-C5'-O5'-PA
2	B	703	HEJ	O4'-C4'-C5'-O5'
3	D	705	GTP	PG-O3B-PB-O2B
3	D	705	GTP	PB-O3A-PA-O2A
3	B	704	GTP	PB-O3A-PA-O1A
3	B	704	GTP	PB-O3A-PA-O2A
4	C	704	DTP	PG-O3B-PB-O2B
4	C	704	DTP	PB-O3A-PA-O1A
4	B	701	DTP	PB-O3A-PA-O1A
3	D	705	GTP	C4'-C5'-O5'-PA
3	D	702	GTP	PG-O3B-PB-O2B
3	D	702	GTP	PB-O3A-PA-O2A


There are no ring outliers.

5 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	703	HEJ	4	0
3	D	705	GTP	2	0
3	B	704	GTP	1	0
2	B	703	HEJ	2	0
2	C	701	HEJ	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand GTP C 702




Ligand GTP D 702




Ligand HEJ A 703




Ligand GTP D 705




Ligand GTP B 704




Ligand HEJ D 701




Ligand HEJ B 703




Ligand DTP D 703



Ligand HEJ C 701



Ligand DTP A 702



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	481/550 (87%)	-0.23	3 (0%) 85 83	35, 74, 124, 173	3 (0%)
1	B	481/550 (87%)	-0.29	3 (0%) 85 83	40, 71, 120, 168	0
1	C	481/550 (87%)	-0.35	2 (0%) 88 86	34, 70, 114, 167	1 (0%)
1	D	481/550 (87%)	-0.35	3 (0%) 85 83	32, 65, 103, 134	1 (0%)
All	All	1924/2200 (87%)	-0.30	11 (0%) 85 83	32, 70, 116, 173	5 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	284	LEU	3.6
1	D	284	LEU	3.4
1	B	284	LEU	3.1
1	C	284	LEU	3.0
1	D	541	LEU	2.4
1	A	371[A]	ARG	2.3
1	C	522[A]	CYS	2.3
1	A	466	ILE	2.2
1	B	540	LEU	2.2
1	D	540	LEU	2.1
1	B	114	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NA	B	709	1/1	0.67	0.17	82,82,82,82	0
8	PO4	B	711	5/5	0.78	0.07	104,115,126,133	0
5	MG	B	705	1/1	0.81	0.10	69,69,69,69	0
6	NA	D	711	1/1	0.82	0.15	95,95,95,95	0
6	NA	C	708	1/1	0.82	0.12	82,82,82,82	0
7	GLY	B	710	5/5	0.84	0.12	69,73,86,90	0
6	NA	A	710	1/1	0.86	0.15	77,77,77,77	0
6	NA	C	707	1/1	0.86	0.15	66,66,66,66	0
6	NA	A	706	1/1	0.86	0.15	63,63,63,63	0
6	NA	D	709	1/1	0.87	0.12	76,76,76,76	0
6	NA	C	709	1/1	0.87	0.14	79,79,79,79	0
6	NA	A	709	1/1	0.87	0.13	77,77,77,77	0
6	NA	C	706	1/1	0.88	0.13	73,73,73,73	0
6	NA	D	708	1/1	0.91	0.18	68,68,68,68	0
6	NA	A	708	1/1	0.91	0.14	62,62,62,62	0
6	NA	A	707	1/1	0.92	0.13	69,69,69,69	0
2	HEJ	B	703	31/31	0.92	0.08	59,66,78,90	0
6	NA	B	707	1/1	0.92	0.18	57,57,57,57	0
2	HEJ	D	701	31/31	0.93	0.09	56,77,82,87	0
6	NA	D	710	1/1	0.93	0.12	66,66,66,66	0
5	MG	A	704	1/1	0.93	0.24	62,62,62,62	0
2	HEJ	A	703	31/31	0.93	0.08	59,67,81,89	0
2	HEJ	C	701	31/31	0.94	0.07	53,65,74,88	0
5	MG	D	706	1/1	0.94	0.08	69,69,69,69	0
6	NA	B	706	1/1	0.94	0.17	66,66,66,66	0
5	MG	A	701	1/1	0.96	0.05	52,52,52,52	0
5	MG	C	705	1/1	0.96	0.04	75,75,75,75	0
5	MG	D	707	1/1	0.96	0.13	53,53,53,53	0
6	NA	B	708	1/1	0.96	0.09	84,84,84,84	0
5	MG	A	705	1/1	0.97	0.04	74,74,74,74	0
5	MG	D	704	1/1	0.98	0.06	48,48,48,48	0
5	MG	B	702	1/1	0.98	0.05	59,59,59,59	0
3	GTP	D	705	32/32	0.98	0.04	45,49,58,61	0
3	GTP	B	704	32/32	0.98	0.04	47,51,57,57	0
5	MG	C	703	1/1	0.98	0.07	56,56,56,56	0
4	DTP	A	702	30/30	0.99	0.04	46,47,51,52	0
3	GTP	C	702	32/32	0.99	0.04	46,50,58,59	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GTP	D	702	32/32	0.99	0.03	41,45,54,56	0
4	DTP	D	703	30/30	0.99	0.04	39,45,49,50	0
4	DTP	C	704	30/30	0.99	0.04	43,47,52,54	0
4	DTP	B	701	30/30	0.99	0.04	42,46,49,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEJ B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around HEJ D 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEJ A 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEJ C 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP D 705:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP B 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DTP A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP C 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP D 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around DTP D 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DTP C 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.