



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 10:48 PM UTC

PDB ID : 7DWQ / pdb_00007dwq
EMDB ID : EMD-30882
Title : Photosystem I from a chlorophyll d-containing cyanobacterium *Acaryochloris marina*
Authors : Chen, J.H.; Zhang, X.; Shen, J.R.
Deposited on : 2021-01-17
Resolution : 3.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15087 (2.80 - 3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	139	
2	A	753	
3	B	736	
4	C	81	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	89	
6	F	167	
7	J	51	
8	L	153	
9	M	31	
10	W	34	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	CL7	A	1022	X	-	-	-
11	CL7	A	1101	X	-	-	-
11	CL7	A	1102	X	-	-	-
11	CL7	A	1103	X	-	-	-
11	CL7	A	1104	X	-	-	-
11	CL7	A	1105	X	-	-	-
11	CL7	A	1106	X	-	-	-
11	CL7	A	1107	X	-	-	-
11	CL7	A	1109	X	-	-	-
11	CL7	A	1110	X	-	-	-
11	CL7	A	1111	X	-	-	-
11	CL7	A	1112	X	-	-	-
11	CL7	A	1113	X	-	-	-
11	CL7	A	1114	X	-	-	-
11	CL7	A	1115	X	-	-	-
11	CL7	A	1116	X	-	-	-
11	CL7	A	1117	X	-	-	-
11	CL7	A	1118	X	-	-	-
11	CL7	A	1119	X	-	-	-
11	CL7	A	1120	X	-	-	-
11	CL7	A	1121	X	-	-	-
11	CL7	A	1122	X	-	-	-
11	CL7	A	1123	X	-	-	-
11	CL7	A	1124	X	-	-	-
11	CL7	A	1125	X	-	-	-
11	CL7	A	1126	X	-	-	-
11	CL7	A	1127	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	CL7	A	1128	X	-	-	-
11	CL7	A	1129	X	-	-	-
11	CL7	A	1130	X	-	-	-
11	CL7	A	1131	X	-	-	-
11	CL7	A	1132	X	-	-	-
11	CL7	A	1135	X	-	-	-
11	CL7	A	1136	X	-	-	-
11	CL7	A	1137	X	-	-	-
11	CL7	A	1138	X	-	-	-
11	CL7	A	1139	X	-	-	-
11	CL7	A	1140	X	-	-	-
11	CL7	A	1237	X	-	-	-
11	CL7	A	1801	X	-	-	-
11	CL7	A	1802	X	-	-	-
11	CL7	B	1012	X	-	-	-
11	CL7	B	1021	X	-	-	-
11	CL7	B	1201	X	-	-	-
11	CL7	B	1202	X	-	-	-
11	CL7	B	1203	X	-	-	-
11	CL7	B	1204	X	-	-	-
11	CL7	B	1205	X	-	-	-
11	CL7	B	1206	X	-	-	-
11	CL7	B	1207	X	-	-	-
11	CL7	B	1208	X	-	-	-
11	CL7	B	1210	X	-	-	-
11	CL7	B	1211	X	-	-	-
11	CL7	B	1212	X	-	-	-
11	CL7	B	1213	X	-	-	-
11	CL7	B	1214	X	-	-	-
11	CL7	B	1215	X	-	-	-
11	CL7	B	1222	X	-	-	-
11	CL7	B	1223	X	-	-	-
11	CL7	B	1224	X	-	-	-
11	CL7	B	1225	X	-	-	-
11	CL7	B	1226	X	-	-	-
11	CL7	B	1228	X	-	-	-
11	CL7	B	1229	X	-	-	-
11	CL7	B	1230	X	-	-	-
11	CL7	B	1234	X	-	-	-
11	CL7	B	1235	X	-	-	-
11	CL7	B	1236	X	-	-	-
11	CL7	B	1238	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	CL7	B	1239	X	-	-	-
11	CL7	F	1301	X	-	-	-
11	CL7	J	1302	X	-	-	-
11	CL7	L	1501	X	-	-	-
11	CL7	L	1502	X	-	-	-
11	CL7	L	1503	X	-	-	-
11	CL7	W	2601	X	-	-	-
14	LHG	A	5001	-	X	-	-
14	LHG	A	5003	-	X	-	-
15	G9R	A	1011	X	-	-	-

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 19961 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I protein PsuD.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	D	94	Total	C	N	O	S	0	0
			725	459	123	139	4		

- Molecule 2 is a protein called Photosystem I P740 chlorophyll a apoprotein A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	726	Total	C	N	O	S	0	0
			5715	3734	977	975	29		

- Molecule 3 is a protein called Photosystem I P740 chlorophyll a apoprotein A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	659	Total	C	N	O	S	0	0
			5252	3458	878	896	20		

- Molecule 4 is a protein called Photosystem I iron-sulfur center.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	80	Total	C	N	O	S	0	0
			599	367	103	118	11		

- Molecule 5 is a protein called Photosystem I reaction center subunit IV.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	58	Total	C	N	O	S	0	0
			452	283	83	85	1		

- Molecule 6 is a protein called Photosystem I protein PsuF.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	103	Total	C	N	O	S	0	0
			775	484	143	143	5		

- Molecule 7 is a protein called Photosystem I reaction center subunit IX.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	J	21	Total	C	N	O	0	0
			162	111	25	26		

- Molecule 8 is a protein called Photosystem I protein PsaL.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	L	144	Total	C	N	O	S	0	0
			1008	643	169	192	4		


- Molecule 9 is a protein called Photosystem I reaction center subunit XII.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	M	30	Total	C	N	O	S	0	0
			213	141	32	39	1		

- Molecule 10 is a protein called Photosystem I protein Psa27.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	W	28	Total	C	N	O	S	0	0
			208	142	28	36	2		

- Molecule 11 is CHLOROPHYLL D (CCD ID: CL7) (formula: $C_{54}H_{70}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
11	A	1	Total 65	C 54	Mg 1	N 4	O 6	0
11	A	1	Total 65	C 54	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 65	C 54	Mg 1	N 4	O 6	0
11	A	1	Total 65	C 54	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 65	C 54	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 65	C 54	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0
11	A	1	Total 45	C 34	Mg 1	N 4	O 6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	A	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	B	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	F	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	J	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	L	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	L	1	Total	C	Mg	N	O	0
			65	54	1	4	6	
11	L	1	Total	C	Mg	N	O	0
			45	34	1	4	6	
11	W	1	Total	C	Mg	N	O	0
			45	34	1	4	6	

- Molecule 12 is PHYLLOQUINONE (CCD ID: PQN) (formula: $C_{31}H_{46}O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
12	A	1	Total	C	O	0
			33	31	2	
12	B	1	Total	C	O	0
			33	31	2	

- Molecule 13 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			AltConf
13	A	1	Total	Fe	S	0
			8	4	4	
13	C	1	Total	Fe	S	0
			8	4	4	
13	C	1	Total	Fe	S	0
			8	4	4	

- Molecule 14 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: $\text{C}_{38}\text{H}_{75}\text{O}_{10}\text{P}$).




Mol	Chain	Residues	Atoms				AltConf
14	A	1	Total	C	O	P	0
			49	38	10	1	
14	A	1	Total	C	O	P	0
			49	38	10	1	

- Molecule 15 is CHLOROPHYLL D ISOMER (CCD ID: G9R) (formula: $C_{54}H_{70}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
15	A	1	Total	C	Mg	N	O	0
			65	54	1	4	6	

- Molecule 16 is PHEOPHYTIN A (CCD ID: PHO) (formula: $C_{55}H_{74}N_4O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
16	A	1	Total	C	N	O	0
			64	55	4	5	
16	B	1	Total	C	N	O	0
			64	55	4	5	

- Molecule 17 is (6'R,11cis,11'cis,13cis,15cis)-4',5'-didehydro-5',6'-dihydro-beta,beta-carotene (CCD ID: 8CT) (formula: $C_{40}H_{56}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
17	A	1	Total C 40 40	0
17	A	1	Total C 40 40	0
17	A	1	Total C 40 40	0
17	B	1	Total C 40 40	0
17	B	1	Total C 40 40	0
17	B	1	Total C 40 40	0
17	J	1	Total C 40 40	0
17	J	1	Total C 40 40	0
17	L	1	Total C 40 40	0
17	L	1	Total C 40 40	0
17	M	1	Total C 40 40	0
17	W	1	Total C 40 40	0
17	W	1	Total C 40 40	0

- Molecule 18 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (CCD ID: LMG) (formula: C₄₅H₈₆O₁₀) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
18	B	1	51	41	10	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Photosystem I protein PsdA




- Molecule 2: Photosystem I P740 chlorophyll a apoprotein A1




- Molecule 3: Photosystem I P740 chlorophyll a apoprotein A2






• Molecule 4: Photosystem I iron-sulfur center

Chain C: 78% 21%




• Molecule 5: Photosystem I reaction center subunit IV

Chain E: 55% 10% 35%



• Molecule 6: Photosystem I protein Psaf

Chain F: 43% 19% 38%




• Molecule 7: Photosystem I reaction center subunit IX

Chain J: 29% 12% 59%




- Molecule 8: Photosystem I protein PsaL

Chain L: 76% 18% 6%



- Molecule 9: Photosystem I reaction center subunit XII

Chain M: 71% 26% .



- Molecule 10: Photosystem I protein Psa27

Chain W: 68% 15% 18%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	240880	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	2500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	38244	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	5.061	Depositor
Minimum map value	-1.735	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.080	Depositor
Recommended contour level	0.171	Depositor
Map size ($\text{\AA}$)	522.8, 522.8, 522.8	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.3069999, 1.3069999, 1.3069999	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LHG, PQN, G9R, CL7, SF4, PHO, 8CT, LMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	0.10	0/737	0.26	0/995
2	A	0.14	0/5909	0.30	0/8049
3	B	0.13	0/5446	0.29	0/7439
4	C	0.12	0/609	0.30	0/825
5	E	0.11	0/460	0.29	0/623
6	F	0.17	0/790	0.40	0/1061
7	J	0.14	0/165	0.37	0/225
8	L	0.12	0/1030	0.27	0/1403
9	M	0.17	0/213	0.48	0/291
10	W	0.14	0/213	0.33	0/291
All	All	0.13	0/15572	0.30	0/21202

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	725	0	737	14	0
2	A	5715	0	5546	175	0
3	B	5252	0	5015	157	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	599	0	577	13	0
5	E	452	0	447	6	0
6	F	775	0	773	28	0
7	J	162	0	172	6	0
8	L	1008	0	1012	22	0
9	M	213	0	244	7	0
10	W	208	0	213	3	0
11	A	2145	0	1844	129	0
11	B	1445	0	1163	84	0
11	F	45	0	31	4	0
11	J	45	0	31	1	0
11	L	175	0	169	6	0
11	W	45	0	31	2	0
12	A	33	0	46	4	0
12	B	33	0	46	1	0
13	A	8	0	0	1	0
13	C	16	0	0	1	0
14	A	98	0	148	3	0
15	A	65	0	0	1	0
16	A	64	0	72	9	0
16	B	64	0	74	7	0
17	A	120	0	0	0	0
17	B	120	0	0	0	0
17	J	80	0	0	1	0
17	L	80	0	0	0	0
17	M	40	0	0	0	0
17	W	80	0	0	0	0
18	B	51	0	75	3	0
All	All	19961	0	18466	491	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 491 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
16:A:1013:PHO:H3A	16:A:1013:PHO:H2	1.33	1.06
2:A:408:HIS:HE1	11:A:1128:CL7:NA	1.65	0.94
2:A:57:HIS:HE1	11:A:1102:CL7:NB	1.69	0.90
2:A:706:HIS:HE1	11:A:1138:CL7:ND	1.78	0.80
2:A:721:SER:H	2:A:724:GLN:HE21	1.29	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	55/139 (40%)	55 (100%)	0	0	100	100
2	A	714/753 (95%)	677 (95%)	37 (5%)	0	100	100
3	B	653/736 (89%)	631 (97%)	22 (3%)	0	100	100
4	C	78/81 (96%)	74 (95%)	4 (5%)	0	100	100
5	E	56/89 (63%)	53 (95%)	3 (5%)	0	100	100
6	F	101/167 (60%)	96 (95%)	5 (5%)	0	100	100
7	J	19/51 (37%)	19 (100%)	0	0	100	100
8	L	142/153 (93%)	137 (96%)	5 (4%)	0	100	100
9	M	28/31 (90%)	28 (100%)	0	0	100	100
10	W	26/34 (76%)	23 (88%)	3 (12%)	0	100	100
All	All	1872/2234 (84%)	1793 (96%)	79 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	78/112 (70%)	78 (100%)	0	100	100
2	A	371/606 (61%)	371 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	B	531/594 (89%)	531 (100%)	0	100	100
4	C	68/69 (99%)	68 (100%)	0	100	100
5	E	49/69 (71%)	49 (100%)	0	100	100
6	F	79/133 (59%)	79 (100%)	0	100	100
7	J	17/46 (37%)	17 (100%)	0	100	100
8	L	104/112 (93%)	104 (100%)	0	100	100
9	M	24/25 (96%)	24 (100%)	0	100	100
10	W	21/26 (81%)	21 (100%)	0	100	100
All	All	1342/1792 (75%)	1342 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
3	B	613	ASN
3	B	692	ASN
8	L	32	ASN
6	F	46	ASN
3	B	174	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

100 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
11	CL7	B	1206	3	49,53,73	1.99	11 (22%)	56,89,113	2.11	15 (26%)
11	CL7	B	1208	-	49,53,73	1.99	11 (22%)	56,89,113	2.13	16 (28%)
11	CL7	B	1204	-	49,53,73	1.98	11 (22%)	56,89,113	2.15	18 (32%)
11	CL7	J	1302	-	49,53,73	2.00	11 (22%)	56,89,113	2.14	17 (30%)
17	8CT	A	4007	-	40,41,41	4.89	25 (62%)	51,56,56	3.24	21 (41%)
11	CL7	A	1132	-	69,73,73	1.69	12 (17%)	80,113,113	1.87	20 (25%)
14	LHG	A	5003	-	48,48,48	2.59	35 (72%)	51,54,54	1.65	7 (13%)
17	8CT	W	4020	-	40,41,41	4.88	25 (62%)	51,56,56	2.49	17 (33%)
13	SF4	C	3002	4	0,12,12	-	-	-		
11	CL7	A	1107	2	49,53,73	1.98	11 (22%)	56,89,113	2.16	18 (32%)
11	CL7	B	1229	-	49,53,73	1.99	12 (24%)	56,89,113	2.14	16 (28%)
17	8CT	J	4015	-	40,41,41	4.90	25 (62%)	51,56,56	2.69	20 (39%)
11	CL7	A	1116	-	49,53,73	2.00	12 (24%)	56,89,113	2.11	14 (25%)
11	CL7	B	1230	-	49,53,73	1.99	12 (24%)	56,89,113	2.08	13 (23%)
11	CL7	B	1203	-	69,73,73	1.71	11 (15%)	80,113,113	1.88	20 (25%)
11	CL7	B	1226	-	69,73,73	1.70	13 (18%)	80,113,113	1.97	21 (26%)
11	CL7	A	1111	-	49,53,73	2.00	12 (24%)	56,89,113	2.11	15 (26%)
11	CL7	B	1205	-	49,53,73	1.96	12 (24%)	56,89,113	2.15	15 (26%)
11	CL7	A	1121	-	49,53,73	1.99	11 (22%)	56,89,113	2.13	17 (30%)
11	CL7	A	1106	-	69,73,73	1.69	11 (15%)	80,113,113	1.87	18 (22%)
11	CL7	A	1801	-	49,53,73	1.99	11 (22%)	56,89,113	2.13	15 (26%)
17	8CT	A	4008	-	40,41,41	4.88	24 (60%)	51,56,56	3.64	25 (49%)
11	CL7	B	1202	-	49,53,73	1.98	12 (24%)	56,89,113	2.14	15 (26%)
11	CL7	L	1503	-	49,53,73	1.98	11 (22%)	56,89,113	2.13	17 (30%)
11	CL7	B	1215	-	49,53,73	1.99	11 (22%)	56,89,113	2.15	16 (28%)
11	CL7	B	1213	-	49,53,73	2.00	11 (22%)	56,89,113	2.13	16 (28%)
11	CL7	A	1135	-	49,53,73	1.99	12 (24%)	56,89,113	2.16	15 (26%)
11	CL7	A	1103	-	69,73,73	1.71	12 (17%)	80,113,113	1.87	17 (21%)
11	CL7	B	1238	-	69,73,73	1.70	12 (17%)	80,113,113	1.88	18 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	LHG	A	5001	-	48,48,48	2.58	35 (72%)	51,54,54	1.65	7 (13%)
17	8CT	L	4020	-	40,41,41	4.89	25 (62%)	51,56,56	2.62	18 (35%)
11	CL7	A	1119	-	49,53,73	1.98	13 (26%)	56,89,113	2.13	16 (28%)
11	CL7	B	1222	-	49,53,73	1.98	11 (22%)	56,89,113	2.13	17 (30%)
11	CL7	B	1234	-	49,53,73	2.00	12 (24%)	56,89,113	2.14	15 (26%)
17	8CT	L	4019	-	40,41,41	4.92	24 (60%)	51,56,56	2.43	17 (33%)
11	CL7	A	1128	-	69,73,73	1.71	13 (18%)	80,113,113	1.97	20 (25%)
11	CL7	A	1101	-	69,73,73	1.71	11 (15%)	80,113,113	1.87	18 (22%)
13	SF4	C	3003	4	0,12,12	-	-	-	-	-
11	CL7	A	1802	-	49,53,73	2.00	11 (22%)	56,89,113	2.14	18 (32%)
16	PHO	A	1013	-	58,69,69	2.32	11 (18%)	55,99,99	1.42	7 (12%)
11	CL7	A	1115	-	49,53,73	1.99	11 (22%)	56,89,113	2.17	16 (28%)
11	CL7	A	1136	-	69,73,73	1.72	11 (15%)	80,113,113	1.88	18 (22%)
11	CL7	B	1201	-	49,53,73	1.97	11 (22%)	56,89,113	2.12	17 (30%)
11	CL7	B	1225	-	69,73,73	1.70	11 (15%)	80,113,113	1.87	18 (22%)
11	CL7	B	1223	-	49,53,73	1.99	11 (22%)	56,89,113	2.15	15 (26%)
15	G9R	A	1011	-	54,71,71	1.56	9 (16%)	53,104,104	1.61	10 (18%)
11	CL7	A	1122	-	49,53,73	1.98	11 (22%)	56,89,113	2.14	17 (30%)
17	8CT	B	4006	-	40,41,41	4.90	24 (60%)	51,56,56	2.65	17 (33%)
11	CL7	A	1129	-	49,53,73	1.97	11 (22%)	56,89,113	2.11	16 (28%)
11	CL7	A	1139	-	49,53,73	2.01	11 (22%)	56,89,113	2.12	15 (26%)
11	CL7	A	1105	-	49,53,73	2.00	11 (22%)	56,89,113	2.26	16 (28%)
17	8CT	A	4011	-	40,41,41	4.90	24 (60%)	51,56,56	2.95	16 (31%)
17	8CT	J	4013	-	40,41,41	4.94	25 (62%)	51,56,56	2.52	16 (31%)
11	CL7	B	1012	-	69,73,73	1.70	11 (15%)	80,113,113	1.87	18 (22%)
11	CL7	B	1235	-	49,53,73	1.97	11 (22%)	56,89,113	2.13	17 (30%)
11	CL7	B	1212	-	49,53,73	2.00	11 (22%)	56,89,113	2.13	17 (30%)
11	CL7	A	1124	-	49,53,73	1.98	12 (24%)	56,89,113	2.13	16 (28%)
11	CL7	A	1138	-	49,53,73	1.97	11 (22%)	56,89,113	2.12	16 (28%)
11	CL7	B	1239	-	69,73,73	1.69	12 (17%)	80,113,113	1.90	18 (22%)
11	CL7	L	1501	8	69,73,73	1.70	11 (15%)	80,113,113	1.88	20 (25%)
11	CL7	A	1127	-	49,53,73	2.00	12 (24%)	56,89,113	2.12	16 (28%)
17	8CT	B	4014	-	40,41,41	4.90	25 (62%)	51,56,56	2.48	15 (29%)
11	CL7	B	1210	-	49,53,73	2.00	11 (22%)	56,89,113	2.16	16 (28%)
11	CL7	A	1104	-	69,73,73	1.72	12 (17%)	80,113,113	1.87	16 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	CL7	A	1131	-	69,73,73	1.70	11 (15%)	80,113,113	1.90	18 (22%)
11	CL7	A	1109	11	49,53,73	1.99	11 (22%)	56,89,113	2.13	15 (26%)
11	CL7	B	1211	-	49,53,73	1.99	11 (22%)	56,89,113	2.11	16 (28%)
11	CL7	A	1118	-	49,53,73	1.99	11 (22%)	56,89,113	2.14	17 (30%)
11	CL7	A	1120	-	49,53,73	2.00	11 (22%)	56,89,113	2.14	17 (30%)
17	8CT	B	4017	-	40,41,41	4.89	24 (60%)	51,56,56	3.53	25 (49%)
11	CL7	A	1117	-	69,73,73	1.70	12 (17%)	80,113,113	1.85	18 (22%)
13	SF4	A	3001	3,2	0,12,12	-	-	-		
11	CL7	A	1114	-	49,53,73	2.04	12 (24%)	56,89,113	2.10	14 (25%)
11	CL7	A	1022	-	69,73,73	1.71	11 (15%)	80,113,113	1.91	18 (22%)
11	CL7	B	1228	-	49,53,73	2.00	12 (24%)	56,89,113	2.11	17 (30%)
11	CL7	B	1021	-	69,73,73	1.66	11 (15%)	80,113,113	1.91	18 (22%)
11	CL7	A	1112	-	49,53,73	1.99	11 (22%)	56,89,113	2.11	16 (28%)
11	CL7	A	1137	-	49,53,73	1.96	11 (22%)	56,89,113	2.17	17 (30%)
11	CL7	A	1140	-	69,73,73	1.70	12 (17%)	80,113,113	1.85	17 (21%)
11	CL7	A	1125	-	69,73,73	1.70	11 (15%)	80,113,113	1.91	18 (22%)
18	LMG	B	5002	-	51,51,55	2.90	40 (78%)	59,59,63	0.95	2 (3%)
11	CL7	A	1130	-	49,53,73	1.98	12 (24%)	56,89,113	2.16	17 (30%)
11	CL7	B	1236	-	49,53,73	1.99	11 (22%)	56,89,113	2.15	16 (28%)
11	CL7	A	1110	-	49,53,73	1.99	11 (22%)	56,89,113	2.19	16 (28%)
11	CL7	B	1214	-	49,53,73	2.00	12 (24%)	56,89,113	2.20	18 (32%)
11	CL7	F	1301	-	49,53,73	2.01	12 (24%)	56,89,113	2.14	17 (30%)
16	PHO	B	1023	-	58,69,69	2.29	10 (17%)	55,99,99	1.41	8 (14%)
17	8CT	M	4021	-	40,41,41	4.91	25 (62%)	51,56,56	2.85	17 (33%)
17	8CT	W	4018	-	40,41,41	4.92	25 (62%)	51,56,56	2.61	18 (35%)
11	CL7	A	1102	11	49,53,73	1.98	11 (22%)	56,89,113	2.16	15 (26%)
11	CL7	A	1113	-	49,53,73	1.99	11 (22%)	56,89,113	2.14	17 (30%)
12	PQN	A	2001	-	34,34,34	3.60	17 (50%)	43,45,45	2.02	3 (6%)
11	CL7	A	1237	-	69,73,73	1.70	11 (15%)	80,113,113	1.89	19 (23%)
11	CL7	B	1224	-	49,53,73	1.97	12 (24%)	56,89,113	2.12	14 (25%)
11	CL7	W	2601	-	49,53,73	1.99	11 (22%)	56,89,113	2.15	16 (28%)
11	CL7	B	1207	-	49,53,73	1.98	12 (24%)	56,89,113	2.13	15 (26%)
11	CL7	L	1502	-	69,73,73	1.71	12 (17%)	80,113,113	1.88	18 (22%)
11	CL7	A	1123	-	69,73,73	1.71	12 (17%)	80,113,113	1.88	19 (23%)
11	CL7	A	1126	-	69,73,73	1.70	12 (17%)	80,113,113	1.84	18 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	PQN	B	2002	-	34,34,34	3.60	17 (50%)	43,45,45	2.10	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	CL7	B	1206	3	2/2/11/20	8/15/91/115	-
11	CL7	B	1208	-	2/2/11/20	5/15/91/115	-
11	CL7	B	1204	-	2/2/11/20	7/15/91/115	-
11	CL7	J	1302	-	2/2/11/20	9/15/91/115	-
17	8CT	A	4007	-	-	6/29/63/63	0/2/2/2
11	CL7	A	1132	-	2/2/15/20	14/39/115/115	-
14	LHG	A	5003	-	-	30/53/53/53	-
17	8CT	W	4020	-	-	12/29/63/63	0/2/2/2
13	SF4	C	3002	4	-	-	0/6/5/5
11	CL7	A	1107	2	2/2/11/20	4/15/91/115	-
11	CL7	B	1229	-	2/2/11/20	5/15/91/115	-
17	8CT	J	4015	-	-	11/29/63/63	0/2/2/2
11	CL7	A	1116	-	2/2/11/20	3/15/91/115	-
11	CL7	B	1230	-	2/2/11/20	6/15/91/115	-
11	CL7	B	1203	-	2/2/15/20	22/39/115/115	-
11	CL7	B	1226	-	2/2/15/20	20/39/115/115	-
11	CL7	A	1111	-	2/2/11/20	9/15/91/115	-
11	CL7	B	1205	-	2/2/11/20	5/15/91/115	-
11	CL7	A	1121	-	2/2/11/20	7/15/91/115	-
11	CL7	A	1106	-	2/2/15/20	17/39/115/115	-
11	CL7	A	1801	-	2/2/11/20	9/15/91/115	-
17	8CT	A	4008	-	-	2/29/63/63	0/2/2/2
11	CL7	B	1202	-	2/2/11/20	6/15/91/115	-
11	CL7	L	1503	-	2/2/11/20	6/15/91/115	-
11	CL7	B	1215	-	2/2/11/20	6/15/91/115	-
11	CL7	B	1213	-	2/2/11/20	9/15/91/115	-
11	CL7	A	1135	-	2/2/11/20	11/15/91/115	-
11	CL7	A	1103	-	2/2/15/20	16/39/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	CL7	B	1238	-	2/2/15/20	15/39/115/115	-
14	LHG	A	5001	-	-	21/53/53/53	-
17	8CT	L	4020	-	-	7/29/63/63	0/2/2/2
11	CL7	A	1119	-	2/2/11/20	5/15/91/115	-
11	CL7	B	1222	-	2/2/11/20	6/15/91/115	-
11	CL7	B	1234	-	2/2/11/20	5/15/91/115	-
17	8CT	L	4019	-	-	3/29/63/63	0/2/2/2
11	CL7	A	1128	-	2/2/15/20	12/39/115/115	-
11	CL7	A	1101	-	2/2/15/20	15/39/115/115	-
13	SF4	C	3003	4	-	-	0/6/5/5
11	CL7	A	1802	-	2/2/11/20	9/15/91/115	-
16	PHO	A	1013	-	-	18/37/103/103	0/5/6/6
11	CL7	A	1115	-	2/2/11/20	9/15/91/115	-
11	CL7	A	1136	-	2/2/15/20	16/39/115/115	-
11	CL7	B	1201	-	2/2/11/20	5/15/91/115	-
11	CL7	B	1225	-	2/2/15/20	15/39/115/115	-
11	CL7	B	1223	-	2/2/11/20	8/15/91/115	-
15	G9R	A	1011	-	1/1/17/22	16/37/107/107	-
11	CL7	A	1122	-	2/2/11/20	8/15/91/115	-
17	8CT	B	4006	-	-	11/29/63/63	0/2/2/2
11	CL7	A	1129	-	2/2/11/20	7/15/91/115	-
11	CL7	A	1139	-	2/2/11/20	5/15/91/115	-
11	CL7	A	1105	-	2/2/11/20	8/15/91/115	-
17	8CT	A	4011	-	-	13/29/63/63	0/2/2/2
17	8CT	J	4013	-	-	12/29/63/63	0/2/2/2
11	CL7	B	1012	-	2/2/15/20	17/39/115/115	-
11	CL7	B	1235	-	2/2/11/20	7/15/91/115	-
11	CL7	B	1212	-	2/2/11/20	8/15/91/115	-
11	CL7	A	1124	-	2/2/11/20	6/15/91/115	-
11	CL7	A	1138	-	2/2/11/20	8/15/91/115	-
11	CL7	B	1239	-	2/2/15/20	14/39/115/115	-
11	CL7	L	1501	8	2/2/15/20	12/39/115/115	-
11	CL7	A	1127	-	2/2/11/20	5/15/91/115	-
17	8CT	B	4014	-	-	6/29/63/63	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	CL7	B	1210	-	2/2/11/20	6/15/91/115	-
11	CL7	A	1104	-	2/2/15/20	18/39/115/115	-
11	CL7	A	1131	-	2/2/15/20	19/39/115/115	-
11	CL7	A	1109	11	2/2/11/20	7/15/91/115	-
11	CL7	B	1211	-	2/2/11/20	7/15/91/115	-
11	CL7	A	1118	-	2/2/11/20	5/15/91/115	-
11	CL7	A	1120	-	2/2/11/20	5/15/91/115	-
17	8CT	B	4017	-	-	10/29/63/63	0/2/2/2
11	CL7	A	1117	-	2/2/15/20	17/39/115/115	-
13	SF4	A	3001	3,2	-	-	0/6/5/5
11	CL7	A	1114	-	2/2/11/20	6/15/91/115	-
11	CL7	A	1022	-	2/2/15/20	13/39/115/115	-
11	CL7	B	1228	-	2/2/11/20	7/15/91/115	-
11	CL7	B	1021	-	2/2/15/20	24/39/115/115	-
11	CL7	A	1112	-	2/2/11/20	7/15/91/115	-
11	CL7	A	1137	-	2/2/11/20	6/15/91/115	-
11	CL7	A	1140	-	2/2/15/20	14/39/115/115	-
11	CL7	A	1125	-	2/2/15/20	11/39/115/115	-
18	LMG	B	5002	-	-	18/46/66/70	0/1/1/1
11	CL7	A	1130	-	2/2/11/20	6/15/91/115	-
11	CL7	B	1236	-	2/2/11/20	7/15/91/115	-
11	CL7	A	1110	-	2/2/11/20	5/15/91/115	-
11	CL7	B	1214	-	2/2/11/20	5/15/91/115	-
11	CL7	F	1301	-	2/2/11/20	6/15/91/115	-
16	PHO	B	1023	-	-	15/37/103/103	0/5/6/6
17	8CT	M	4021	-	-	11/29/63/63	0/2/2/2
17	8CT	W	4018	-	-	9/29/63/63	0/2/2/2
11	CL7	A	1102	11	2/2/11/20	6/15/91/115	-
11	CL7	A	1113	-	2/2/11/20	6/15/91/115	-
12	PQN	A	2001	-	-	8/23/43/43	0/2/2/2
11	CL7	A	1237	-	2/2/15/20	18/39/115/115	-
11	CL7	B	1224	-	2/2/11/20	7/15/91/115	-
11	CL7	W	2601	-	2/2/11/20	5/15/91/115	-
11	CL7	B	1207	-	2/2/11/20	6/15/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	CL7	L	1502	-	2/2/15/20	13/39/115/115	-
11	CL7	A	1123	-	2/2/15/20	12/39/115/115	-
11	CL7	A	1126	-	2/2/15/20	18/39/115/115	-
12	PQN	B	2002	-	-	13/23/43/43	0/2/2/2

The worst 5 of 1363 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	J	4013	8CT	C02-C03	15.40	1.60	1.34
17	L	4019	8CT	C02-C03	15.36	1.60	1.34
17	W	4018	8CT	C02-C03	15.32	1.60	1.34
17	M	4021	8CT	C02-C03	15.31	1.60	1.34
17	A	4008	8CT	C02-C03	15.27	1.60	1.34

The worst 5 of 1565 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	A	4008	8CT	C19-C20-C21	-11.08	111.73	127.28
17	A	4008	8CT	C24-C25-C26	-10.30	112.83	127.28
17	J	4015	8CT	C33-C32-C31	-9.67	115.60	124.83
17	A	4008	8CT	C18-C17-C16	-9.41	114.09	127.28
17	A	4011	8CT	C24-C25-C26	-9.37	114.13	127.28

5 of 153 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
11	A	1022	CL7	NA
11	A	1022	CL7	NC
11	A	1101	CL7	NA
11	A	1101	CL7	NC
11	A	1102	CL7	NA

5 of 973 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	A	1022	CL7	C2B-C3B-CAB-OBB
11	A	1022	CL7	C4B-C3B-CAB-OBB
11	A	1101	CL7	C1A-C2A-CAA-CBA
11	A	1101	CL7	C3A-C2A-CAA-CBA
11	A	1101	CL7	CHA-CBD-CGD-O2D

There are no ring outliers.

82 monomers are involved in 252 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	1206	CL7	3	0
11	B	1208	CL7	3	0
11	B	1204	CL7	4	0
11	J	1302	CL7	1	0
11	A	1132	CL7	8	0
14	A	5003	LHG	2	0
11	A	1107	CL7	2	0
11	B	1229	CL7	3	0
17	J	4015	8CT	1	0
11	A	1116	CL7	4	0
11	B	1230	CL7	4	0
11	B	1203	CL7	5	0
11	B	1226	CL7	4	0
11	A	1111	CL7	7	0
11	B	1205	CL7	4	0
11	A	1121	CL7	2	0
11	A	1106	CL7	4	0
11	B	1202	CL7	1	0
11	B	1215	CL7	3	0
11	B	1213	CL7	4	0
11	A	1135	CL7	4	0
11	A	1103	CL7	3	0
11	B	1238	CL7	4	0
14	A	5001	LHG	1	0
11	A	1119	CL7	2	0
11	B	1222	CL7	1	0
11	B	1234	CL7	2	0
11	A	1128	CL7	5	0
11	A	1101	CL7	3	0
13	C	3003	SF4	1	0
11	A	1802	CL7	1	0
16	A	1013	PHO	9	0
11	A	1115	CL7	4	0
11	A	1136	CL7	7	0
11	B	1201	CL7	1	0
11	B	1225	CL7	3	0
11	B	1223	CL7	2	0
15	A	1011	G9R	1	0
11	A	1122	CL7	2	0
11	A	1129	CL7	3	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	A	1139	CL7	1	0
11	A	1105	CL7	2	0
11	B	1012	CL7	7	0
11	B	1235	CL7	3	0
11	B	1212	CL7	2	0
11	A	1138	CL7	4	0
11	B	1239	CL7	2	0
11	L	1501	CL7	3	0
11	A	1127	CL7	2	0
11	A	1104	CL7	6	0
11	A	1131	CL7	5	0
11	A	1109	CL7	1	0
11	B	1211	CL7	1	0
11	A	1118	CL7	4	0
11	A	1117	CL7	4	0
13	A	3001	SF4	1	0
11	A	1114	CL7	6	0
11	A	1022	CL7	8	0
11	B	1228	CL7	2	0
11	B	1021	CL7	6	0
11	A	1112	CL7	2	0
11	A	1137	CL7	3	0
11	A	1140	CL7	5	0
11	A	1125	CL7	2	0
18	B	5002	LMG	3	0
11	A	1130	CL7	2	0
11	B	1236	CL7	2	0
11	A	1110	CL7	2	0
11	B	1214	CL7	5	0
11	F	1301	CL7	4	0
16	B	1023	PHO	7	0
11	A	1102	CL7	6	0
11	A	1113	CL7	3	0
12	A	2001	PQN	4	0
11	A	1237	CL7	2	0
11	B	1224	CL7	3	0
11	W	2601	CL7	2	0
11	B	1207	CL7	2	0
11	L	1502	CL7	3	0
11	A	1123	CL7	2	0
11	A	1126	CL7	9	0
12	B	2002	PQN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand CL7 J 1302



Bond lengths



Bond angles




Torsions




Rings


Ligand 8CT A 4007




Bond lengths





Bond angles






Torsions





Rings









































































































































































Ligand CL7 W 2601







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30882. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 219



Y Index: 180




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.171. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1462 nm^3 ; this corresponds to an approximate mass of 1320 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30882 and PDB model 7DWQ. Per-residue inclusion information can be found in section [3](#) on page [17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.171 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.171).

9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.171) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9900	0.4690
A	0.9920	0.4790
B	0.9910	0.4710
C	1.0000	0.4540
D	0.9990	0.4810
E	0.9910	0.4300
F	0.9640	0.3750
J	0.9610	0.3970
L	0.9940	0.4920
M	0.9570	0.4250
W	0.9850	0.4930

1.0

0.0

<0.0